





CONVENTIONAL
FRAMING BY
OTHERS

Mitek Ver: 7.5.0

ALL CORN FRAMING TO CONFORM WITH PART 9 OF O.B.C. 2012
ROOF FRAMERS TO BE 24 SP# @ 24" O.C
OVER TRUSSES TO BE 24 SP# @ 24" O.C
WITH A VERT POST TO THE TRUSS
UNDEREATH AT EACH CROSS PT
VERT POST LONGER THAN 6'
TO HAVE LATERAL BRACING SO
THAT THE DIST BETWEEN END PT
& BETWEEN ROWS OF BRACING
DOES NOT EXCEED 6'



ALL DIM. FRAMING TO DIMENSION
 WITH PART 1 OF 0.8 C. 2012
 OVER TRUSSES TO BE 24" DEEP 42" HIGH
 UNDERMINING ANY EXISTING TRUSSES
 VERY CLOSE TO TRUSSES SHALL BE
 1" MIN. CLEARANCE BETWEEN ROOF
 TRUSSES AND DIMENSIONED TO
 DIMENSIONED TO SPECIFIC



12" FIN. OH
 RSD. HEEL - 0" DROP
 (2" x 6" FASCIA) - FM
 ASPHALT SHINGLES
 2" X 6" BRG/BRICK



Job Track: 40297
 Layout ID: 252513
 Plan Log: 79711

Builder / Location:
GOLD PARK / KLEINBURG
 Project: **HUNTINGTON & NASHVILLE**
 Date: 4/15/2015 Designer: CHERYLE


Model / Elevation:
25-1

/ A OPT TRAY

THESE DRAWINGS CONSTITUTE THE PROPERTY OF ALPHA ROOF TRUSSES INC. SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY ALPHA ROOF TRUSSES INC AND WILL BE RETRACTED BY ALPHA ROOF TRUSSES INC IF UTILIZED FOR ANY OTHER PURPOSE.



Meek Ver 7.5.0



Builder / Location: **GOLD PARK / KLEINBURG**

Project: **HUNTINGTON & NASHVILLE**


Date: **4/15/2015** Designer:

Model / Elevation: 25-1 / B OPT TRAY




CONVENTIONAL
FRAMING BY
OTHERS

Mitek Ver. 7.5.0



Stracon Engineering Inc.

69 Graydon Crescent
Richmond Hill, Ontario
L4B 3W7
(905) 832-2250 Fax (905) 832-0286




RESPONSIBILITIES

1. Stracon Engineering Inc. is responsible for the design of trusses as individual components.
2. It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities with jurisdictions.
3. All dimensions are to be verified by owner contractor, architect or other authority before manufacture.
4. Stracon Engineering Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Stracon Engineering Inc. drawings is specified for the truss as a component only and forms an integral part of the truss design.
5. It is the truss manufacture's responsibility to ensure that trusses are manufactured in conformance with Stracon Engineering Inc. specifications outlined below.

SPECIFICATIONS

1. Trusses designed by Stracon Engineering Inc. conforms to the relevant section of the Ontario Building Code of Canada (Part 9 or Part 4) or to the Canadian code for farm buildings, whichever applies to the building type indicated on the drawings as well as to the procedures established by the truss plate institute of Canada. Unit stresses used are as per CSA-086-09.
2. Lumber is to be the sizes and grade specified.
3. Moisture content of lumber is not to exceed 19% in service unless otherwise specified.
4. Lumber not to be treated with chemicals unless otherwise specified.
5. Plates shall be applied to both faces of the truss at each joint and shall be positioned as specified.
6. The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals not exceeding 12.5 times in thickness.
7. Where not rigid ceiling is attached directly to the bottom chord, laterally brace the chords at intervals not exceeding 3M (10') o.c.

January 15, 2014



TOTAL WEIGHT = $3 \times 55 = 166 \text{ lb}$

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE		LUMBER	DESCR.
A - B	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF
G - A	2x4	DRY	No.2	SPF
E - C	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXC.FRT.				

DRY: SEASONED LUMBER.

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	6.0	2.00	2.00
B	TTW+p	MT20	3.0	5.0	2.00	Edge
C	TMVW+p	MT20	4.0	6.0	2.00	2.00
E	BMV1+p	MT20	2.0	4.0		
F	BMWWW-t	MT20	4.0	6.0		
G	BMV1+p	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.

NOTES- (1)

1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER BEARINGS

FACTORED GROSS REACTION			MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
G	451	0	451	0	0	HANGER BY OTHERS MIN. SEAT SIZE: 1-8	
E	550	0	550	0	0	3-0	1-8

UNFACTORED REACTIONS

1ST CASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM. LIVE	WIND	DEAD	SOIL
G	318	215 / 0	0 / 0	0 / 0	0 / 0	103 / 0	0 / 0
E	385	274 / 0	0 / 0	0 / 0	0 / 0	111 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY
APPLIED.

1 LATERAL BRACE(S) REQUIRED AT 1/2 LENGTH OF B-F.
END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN
THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)	
FR-TO		FROM TO			FR-TO			
A-B	-222 / 0	-70.5	-70.5	0.22 (1)	6.25	F-B	-8 / 83	0.03 (4)
B-C	-222 / 0	-70.5	-70.5	0.26 (1)	6.25	A-F	0 / 150	0.03 (1)
C-D	0 / 40	-70.5	-70.5	0.10 (1)	10.00	F-C	0 / 142	0.03 (1)
G-A	-419 / 0	0.0	0.0	0.07 (1)	7.81			
E-C	-514 / 0	0.0	0.0	0.07 (1)	7.81			
G-F	0 / 0	-17.5	-17.5	0.13 (4)	10.00			
F-E	0 / 0	-17.5	-17.5	0.13 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	21.0	PSF
	DL =	3.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.0	PSF
TOTAL LOAD =		31.0	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL
OR SMALL BUILDING REQUIREMENTS OF
PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:

- PART 9 OF OBC 2012 , BCBC 2012 , ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.34")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.34")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.26 (B-C:1), BC=0.13 (F-G:4),
WB=0.03 (A-F:1), SSI=0.09 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES					
PLATE	GRIP(DRY)		SHEAR		SECTION
	(PSI)		(PLI)		(PLI)
	MAX	MIN	MAX	MIN	MAX MIN
MT20	618	354	1667	822	2284 1656


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.30 (C) (INPUT = 0.90)
JSI METAL= 0.09 (E) (INPUT = 1.00)



A-N273462



TOTAL WEIGHT = 61 lb

LUMBER	N.L.G.A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF	
C - E	2x4	DRY	No.2	SPF	
H - B	2x4	DRY	No.2	SPF	
F - D	2x4	DRY	No.2	SPF	
H - F	2x6	DRY	No.2	SPF	

ALL WEBS 2x3 DRY No.2 SPF
 EXCEPT

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0	2.00	2.00
C	TTW+p	MT20	3.0	6.0		
D	TMVW+p	MT20	4.0	6.0	2.00	2.00
F	BMV1+p	MT20	2.0	4.0		
G	BMVWW-t	MT20	7.0	8.0	4.25	4.00
H	BMV1+p	MT20	2.0	4.0		

HANGERS NOTES

1) SPECIAL HANGER(S) OR CONNECTION(S) REQUIRED TO SUPPORT CONCENTRATED LOAD(S) 669.2 lbs FACTORED DOWN AT 3-11-4 ON BOTTOM CHORD. DESIGN FOR UNSPECIFIED CONNECTION(S) IS DELEGATED TO THE BUILDING DESIGNER.

NOTES- (1)

1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23, 13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
H	1235	0	1235	0
F	1541	0	1541	0

UNFACTORED REACTIONS

	1ST CASE	MAX	MIN	COMPONENT REACTIONS				
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL	
H	902	428 / 0	0 / 0	0 / 0	0 / 0	474 / 0	0 / 0	
F	1106	835 / 0	0 / 0	0 / 0	0 / 0	471 / 0	0 / 0	

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.08FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. MAX. (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. MAX. (LC)	
FR-TO		FROM TO	LENGTH	FR-TO			
A-B	0 / 40	-70.5 -70.5	0.11 (1)	10.00	G-C	0 / 1013	0.29 (4)
B-C	-863 / 0	-70.5 -70.5	0.40 (1)	8.08	B-G	0 / 547	0.14 (1)
C-D	-863 / 0	-70.5 -70.5	0.40 (1)	8.08	G-D	0 / 547	0.14 (1)
D-E	0 / 40	-70.5 -70.5	0.11 (1)	10.00			
H-B	-1150 / 0	0.0 0.0	0.15 (1)	7.39			
F-D	-1150 / 0	0.0 0.0	0.15 (1)	7.39			
H-I	0 / 0	-17.5 -17.5	0.42 (4)	10.00			
I-G	0 / 0	-198.9 -198.9	0.42 (4)	10.00			
G-F	0 / 0	-198.9 -198.9	0.42 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE
I	3-11-4	-598	-598	---	FRONT	VERT	DEAD

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
 GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
 LOADS WERE DERIVED FROM USER INPUT
 NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL	=	21.0	PSF
	DL	=	3.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	31.0	PSF

SPACING = 24.0 IN. C/C

GIRDER TYPE: CStdGirder
 START DISTANCE = 3-11-4
 START SPAN CARRIED = 10-3-0
 END DISTANCE = 10-0-0
 END SPAN CARRIED = 10-3-0
 END WALL WIDTH = 0-0
 APPLIED TO FRONT SIDE OF BOTTOM CHORD.
 - ADOTL LOADS BASED ON 55 % OF GSL.

*** NON STANDARD GIRDER ***
 ADOTL USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:

- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
 - CSA 086-09
 - TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
 8.4 P.S.F. RAIN LOAD EQUALS
 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.33")
 CALCULATED VERT. DEFL.(LL)= L/999 (0.03")
 ALLOWABLE DEFL.(TL)= L/360 (0.33")
 CALCULATED VERT. DEFL.(TL)= L/999 (0.06")

CSI: TC=0.40 (C-D:1), BC=0.42 (F-G:4),
 WB=0.29 (C-G:4), SSI=0.72 (G-H:4)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES
 PLATE GRIP(DRY) SHEAR SECTION
 (PSI) (PLI) (PLI)
 MAX MIN MAX MIN MAX MIN
 MT20 618 354 1667 822 2284 1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

A-15073461
 CONTINUED ON PAGE 2





TOTAL WEIGHT = 3 X 56 = 167 lb

 $\overline{[M][F]}$

LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	No.2	SPF
C - E	2x4	DRY	No.2
H - B	2x4	DRY	No.2
F - D	2x4	DRY	No.2
H - G	2x4	DRY	No.2
G - F	2x4	DRY	No.2

ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
--------------------	-----	-----	------	-----

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0	2.00	2.00
C	TPW+p	MT20	3.0	6.0	2.00	Edge
D	TMVW+p	MT20	4.0	6.0	2.00	2.00
F	BMV1+p	MT20	2.0	4.0	Edge	
G	BBWWW-p	MT20	6.0	6.0	2.75	3.00
H	BMV1+p	MT20	2.0	4.0	Edge	

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.

NOTES- (1)

1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

COUPLING BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQD BRG
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
H	539	0	539	0	0	5-8	1-8
F	539	0	539	0	0	5-8	1-8

UNFACTORED REACTIONS

1ST LOASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	377	269 / 0	0 / 0	0 / 0	0 / 0	108 / 0	0 / 0
F	377	269 / 0	0 / 0	0 / 0	0 / 0	108 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6,25FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MAX. FACTORED		FACTORED		MAX. FACTORED			
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX UNBRAC LENGTH	MEMB.	FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM	TO		FR-TO		
A-B	0/40	-70.5	-70.5 0.10 (1)	10.00	G-C	0/172	0.04 (4)
B-C	-327/0	-70.5	-70.5 0.23 (1)	6.25	B-G	0/201	0.05 (1)
C-D	-327/0	-70.5	-70.5 0.23 (1)	6.25	G-D	0/201	0.05 (1)
D-E	0/40	-70.5	-70.5 0.10 (1)	10.00			
H-B	-495/0	0.0	0.0 0.07 (1)	7.81			
F-D	-495/0	0.0	0.0 0.07 (1)	7.81			
H-G	0/0	-17.5	-17.5 0.13 (4)	10.00			
G-F	0/0	-17.5	-17.5 0.13 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	21.0	PSF
	DL =	3.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	31.0	PSF

TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL
OR SMALL BUILDING REQUIREMENTS OF
PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012 , BCBC 2012 , ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.I. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.33")
CALCULATED VERT. DEFL.(LL)= L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.33")
CALCULATED VERT. DEFL.(TL)= L/ 999 (0.04")

CSI: TC=0.23 (C-D:1), BC=0.13 (F-G:4),
WB=0.05 (B-G:1), SS=0.08 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)		SHEAR		SECTION	
	(PSI)	(PLI)	(PLI)	(PLI)	(PLI)	(PLI)
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	822	2284	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.63 (F) (INPUT = 0.90)
JSI METAL= 0.12 (F) (INPUT = 1.00)




A-1073460

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252514	H09	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 15 2015 MITek Industries, Inc. Mon Jul 13 09:32:19 2015 Page 1

ID: gUzNWmPyWh_3Mf_ncsznAqzVRmF-6K3JuT0owKwJ7OmVVeXxIqIBXx6Ro6UjpOF52hyXWQ
Scale = 1:42.8



TOTAL WEIGHT = 66 lb
[M]

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
I - A	2x4	DRY	No.2	SPF	
A - C	2x4	DRY	No.2	SPF	
C - E	2x4	DRY	No.2	SPF	
F - D	2x4	DRY	No.2	SPF	
I - F	2x4	DRY	No.2	SPF	
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF	

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW-I	MT20	4.0	4.0		
B	TMW-w	MT20	2.0	4.0		
C	TTWW+m	MT20	4.0	6.0	1.75	1.00
D	TMVW+p	MT20	4.0	6.0	2.00	2.00
F	BMV1+p	MT20	2.0	4.0		
G	BMWV-I	MT20	3.0	4.0		
H	BMWVW-I	MT20	4.0	6.0		
I	BMV1+p	MT20	2.0	4.0		

HANGERS NOTES

- SPECIAL HANGER(S) OR CONNECTION(S) REQUIRED TO SUPPORT CONCENTRATED LOAD(S) 108.1 lbs FACTORED DOWN AT 6-4-8 ON TOP CHORD. DESIGN FOR UNSPECIFIED CONNECTION(S) IS DELEGATED TO THE BUILDING DESIGNER.

NOTES- (1)

- Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REQRD BRG
	VERT	HORZ	DOWN	HORZ		
I	679	0	679	0		
F	725	0	725	0		

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS					
		SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
I	478	326 / 0	0 / 0	0 / 0	0 / 0	152 / 0	0 / 0
F	509	353 / 0	0 / 0	0 / 0	0 / 0	156 / 0	0 / 0

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

2x4 DRY SPF No.2 T-BRACE REQUIRED AT A-I
FASTEN T AND I-BRACES TO NARROW EDGE OF WEB WITH ONE ROW PER PLY OF 3" COMMON WIRE NAILS @ 6" O.C. WITH 3" MINIMUM END DISTANCE. BRACE MUST COVER 90% OF WEB LENGTH.
END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

MEMB.	CHORDS MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 MAX				MEMB.	WEBS MAX. FACTORED FORCE (LBS)	
		FROM TO	PLF	CSI (LC)	UNBRAC LENGTH		FR TO	CS (LC)
I-A	-641 / 0	0.0	0.0	0.21 (1)	7.81	G-C	-13 / 78	0.03 (4)
A-B	-228 / 0	-103.5	-103.5	0.17 (1)	6.25	G-D	0 / 271	0.07 (1)
B-C	-227 / 0	-103.5	-103.5	0.17 (1)	6.25	A-H	0 / 658	0.14 (1)
C-D	-407 / 0	-70.5	-70.5	0.21 (1)	6.25	H-B	-399 / 0	0.41 (1)
D-E	0 / 40	-70.5	-70.5	0.11 (1)	10.00	H-C	-38 / 0	0.05 (1)
F-D	-682 / 0	0.0	0.0	0.09 (1)	7.81			
I-H	0 / 0	-25.7	-25.7	0.06 (4)	10.00			
H-G	0 / 243	-25.7	-25.7	0.11 (4)	10.00			
G-F	0 / 0	-25.7	-25.7	0.09 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE
C	6-4-8	-108	-108	---	FRONT	VERT	TOTAL

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL	=	21.0	PSF
DL	=	3.0	PSF
BOT CH. LL	=	0.0	PSF
DL	=	7.0	PSF
TOTAL LOAD	=	31.0	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

GIRDER TYPE: CPrimeHip

LEFT SETBACK = 0-0

RIGHT SETBACK = 3-10-8

END SETBACK = 3-10-8

END WALL WIDTH = 0-0

CORNER FRAMING TYPE: CONVENTIONAL

END JACK TYPE: CONVENTIONAL

APPLIED TO FRONT SIDE

- ADDTL LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:

- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS 5.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.34")
CALCULATED VERT. DEFL.(LL)= L/999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.34")
CALCULATED VERT. DEFL.(TL)= L/999 (0.02")

CSI: TC=0.21 (C-D:1), BC=0.11 (G-H:4), WB=0.41 (B-H:1), SS=0.17 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY)	SHEAR (PSI)	SECTION (PL)	MAX MIN	MAX MIN	MAX MIN
MT20	618	354	1867	822	2284

PLATE PLACEMENT TOL. = 0.250 Inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.76 (H) (INPUT = 0.90)
JSI METAL= 0.16 (H) (INPUT = 1.00)

A-15073459



Alpa Roof Truss, Maple



TOTAL WEIGHT = 64 lb

LUMBER				
N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
J - B	2x4	DRY	No.2	SPF
G - E	2x4	DRY	No.2	SPF
J - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0	2.00	2.00
C	TTWW+m	MT20	4.0	6.0	1.75	1.00
D	TTW+m	MT20	3.0	4.0	1.75	1.00
E	TMVW+p	MT20	4.0	6.0	2.00	2.00
G	BMV1+p	MT20	2.0	4.0		
H	BMVWW-t	MT20	4.0	6.0		
I	BMVWW-t	MT20	3.0	4.0		
J	BMV1+p	MT20	2.0	4.0		

HANGERS NOTES

1) SPECIAL HANGER(S) OR CONNECTION(S) REQUIRED TO SUPPORT CONCENTRATED LOAD(S) 108.1 lbs FACTORED DOWN AT 6-9-8, AND 108.1 lbs FACTORED DOWN AT 3-10-8 ON TOP CHORD. DESIGN FOR UNSPECIFIED CONNECTION(S) IS DELEGATED TO THE BUILDING DESIGNER.

NOTES- (1)

1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT
JT	768	0	768	0	0
G	768	0	768	0	0

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
J	539	376 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0
G	539	376 / 0	0 / 0	0 / 0	0 / 0	163 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) G

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		WEBS	
MEMB.	MAX. FACTORED FORCE (LBS)	MEMB.	MAX. FACTORED FORCE (LBS)
FR-TO		FR-TO	
A-B	0 / 40	I-C	-37 / 64
B-C	-448 / 0	C-H	0 / 0
C-D	-265 / 0	H-D	-38 / 65
D-E	-446 / 0	B-I	0 / 296
E-F	0 / 40	H-E	0 / 296
J-B	-725 / 0		
J-G	-724 / 0		
J-I	0 / 0		
I-H	0 / 265		
H-G	0 / 0		

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE
C	3-10-8	-108	-108	---	FRONT	VERT	TOTAL
D	6-9-8	-108	-108	---	FRONT	VERT	TOTAL

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

GIRDER TYPE: CPrimeHlp
SIDE SETBACK = 3-10-8
END SETBACK = 3-10-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL LOADS BASED ON 55 % OF CSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:

- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.36")
CALCULATED VERT. DEFL.(LL)= L/999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.36")
CALCULATED VERT. DEFL.(TL)= L/999 (0.01")

CSI: TC=0.21 (B-C:1), BC=0.11 (H-I:4), WB=0.07 (B-I:1), SSI=0.13 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	
MT20	618	354	1667 822 2284 1666

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.43 (I) (INPUT = 0.80)
JSI METAL= 0.13 (J) (INPUT = 1.00)




A-11073458

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252514	G03G	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 15 2016 MTek Industries, Inc. Mon Jul 13 09:37:01 2016 Page 1
ID: gUzNWmPyWh_3Mf_ncsznAqzVRmF-sb5KUJtvOZsvYLyZ 11b3klZPscLstlCEGYNyLyyXSc
Scale = 1:21.7



LUMBER				
N. L. G. A. RULES	SIZE	LUMBER	DESCR.	
CHORDS				
A - F	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
B - G	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF
DRY: SEASONED LUMBER.				

GABLE STUDS SPACED AT 2'-0" OC.

PLATES (table is in inches)

JT TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	
C, D, E					
C	TMW+w	MT20	2.0	4.0	
F	TMV+p	MT20	2.0	4.0	
H	BMV1+p	MT20	2.0	4.0	
I, J, K					
I	BMW1+w	MT20	2.0	4.0	

NOTES- (1)

1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS
THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.
THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO	LENGTH	FR-TO			
A-B	0 / 13	-70.5 -70.5	0.09 (1)	10.00	I-E	-169 / 0	0.03 (1)
B-M	-19 / 0	-70.5 -70.5	0.03 (4)	8.25	J-D	-91 / 0	0.01 (1)
M-C	-6 / 0	-70.5 -70.5	0.11 (1)	10.00	K-C	-251 / 0	0.04 (1)
C-D	-17 / 0	-70.5 -70.5	0.11 (1)	6.25	L-M	-100 / 20	0.00 (1)
D-E	0 / 0	-70.5 -70.5	0.04 (1)	10.00			
E-F	-5 / 0	-70.5 -70.5	0.04 (1)	10.00			
H-F	-66 / 0	0.0 0.0	0.01 (1)	7.81			
B-L	0 / 13	-17.5 -17.5	0.08 (1)	10.00			
L-K	0 / 13	-17.5 -17.5	0.08 (1)	10.00			
K-J	0 / 5	-17.5 -17.5	0.06 (1)	10.00			
J-I	0 / 3	-17.5 -17.5	0.02 (4)	10.00			
I-H	0 / 0	-17.5 -17.5	0.02 (4)	10.00			
H-G	0 / 0	-17.5 -17.5	0.01 (4)	10.00			

TOTAL WEIGHT = 34 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:

- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.11 (C-D:1), BC=0.08 (B-L:1), WB=0.04 (C-K:1), SS=0.11 (C-M:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION	(PSI)	(PLI)	(PLI)
MAX MIN MAX MIN MAX MIN	618	354	1667 822 2284 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (B) (INPUT = 0.90)
JSI METAL= 0.05 (K) (INPUT = 1.00)




A-11073457

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252514	G03	4	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 15 2015 MiTek Industries, Inc. Mon Jul 13 09:36:46 2015 Page 1
ID:qUzNWMpyWh_3Mf_ncsznAqzVRmF-dihfLBiVwy1F14fDqYd7RpUZAKsuQ0CRQ4wJyyXSF
2x4 II Scale = 1:21.4



TOTAL WEIGHT = 4 X 34 = 137 lb [M]

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF	
F - D	2x4	DRY	No.2	SPF	
B - E	2x4	DRY	2100F 1.8E	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
DRY: SEASONED LUMBER.					

PLATES (table is in inches)	JT	TYPE	PLATES	W	LEN	Y	X
B - TM61-H			MT20	3.0	4.0		
C - TMVW-t			MT20	3.0	5.0		
D - TMV+p			MT20	2.0	4.0		
F - BMVW-t			MT20	3.0	5.0	1.50	2.25
G - BMV+w			MT20	2.0	4.0		

NOTES- (1)
1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REQRD BRG
	VERT	HORZ	DOWN	HORZ		
B	582	0	582	0	3-0	1-8
E	424	0	424	0	5-8	1-8

UNFACTORED REACTIONS

1ST LCASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	394	279 / 0	0 / 0	0 / 0	0 / 0	115 / 0	0 / 0
E	300	197 / 0	0 / 0	0 / 0	0 / 0	103 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E
BEARING SIZE FACTOR = 1.15 AT JNT(S) B (BASED ON SUPPORT DEPTH = 1-8)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.20FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO	LENGTH	FR-TO			
A-B	0 / 13	-70.5	-70.5 0.09 (1)	G-C	0 / 208	0.05 (4)	
B-I	-890 / 0	-70.5	-70.5 0.08 (1)	C-F	-906 / 0	0.36 (1)	
I-C	-883 / 0	-70.5	-70.5 0.25 (1)	H-I	-155 / 19	0.00 (1)	
C-D	-11 / 0	-70.5	-70.5 0.23 (1)				
F-D	-131 / 0	0.0	0.0 0.03 (1)				
B-H	0 / 846	-17.5	-17.5 0.14 (1)	10.00			
H-G	0 / 846	-17.5	-17.5 0.17 (1)	10.00			
G-F	0 / 846	-17.5	-17.5 0.31 (1)	10.00			
F-E	0 / 0	-17.5	-17.5 0.25 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. G/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.36")
CALCULATED VERT. DEFL.(LL) = L/999 (0.05")
ALLOWABLE DEFL.(TL) = L/360 (0.36")
CALCULATED VERT. DEFL.(TL) = L/999 (0.11")

CSI: TC=0.25 (C-I:1), BC=0.31 (F-G:1), WB=0.36 (C-F:1), SSI=0.33 (E-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 822 2284 1666

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.80 (F) (INPUT = 0.90)
JSI METAL= 0.31 (B) (INPUT = 1.00)




A-11073456

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252513	J01C	2	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 8 Apr 15 2015 M/Tek Industries, Inc. Mon Jul 13 10:11:58 2015 Page 1
ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-y0J4cMGHX13NdcM_NnjqDVvnsw2Zi8rus01q2iyyVxvF
Scale: 3/8"=1'



TOTAL WEIGHT = 2 X 30 = 60 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
H - B	2x4	DRY	No.2	SPF	
A - D	2x4	DRY	No.2	SPF	
E - G	2x4	DRY	No.2	SPF	
H - D	2x4	DRY	No.2	SPF	
G - F	2x4	DRY	No.2	SPF	
F - E	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
DRY: SEASONED LUMBER.					

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVWW-I	MT20	4.0	6.0	1.75	3.00
C	TMVWW-I	MT20	3.0	4.0	1.50	1.50
D	TMV+p	MT20	2.0	4.0		
E	BMVWW-I	MT20	3.0	4.0		
F	BBWW-I	MT20	5.0	6.0	3.00	3.00
G	BBWW-I	MT20	4.0	6.0	2.00	4.50
H	BMV1+p	MT20	2.0	4.0		

NOTES- (1)
1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per CBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT VERT	DOWN	UP	DOWN
H 365	0	355	0
E 258	0	258	0

UNFACTORED REACTIONS

1ST LCASE	MAX./MIN. COMPONENT REACTIONS	FACTORED	MAXIMUM FACTORED	INPUT	REQD
JT COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD
H 248	181 / 0	0 / 0	0 / 0	0 / 0	67 / 0
E 182	123 / 0	0 / 0	0 / 0	0 / 0	59 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED HORIZ. LOAD (PLF)	MAX. FACTORED TORSION (PLF)	MAX. FACTORED BENDING (PLF)	MAX. FACTORED TORSION (PLF)	MAX. FACTORED BENDING (PLF)	MAX. FACTORED TORSION (PLF)	MAX. FACTORED BENDING (PLF)
FR-TO	H-B	-342 / 0	0.0	0.0	0.04 (1)	7.81	0.0	0.0	0.04 (1)	7.81
A-B	0 / 27	-70.5	-70.5	0.09 (1)	10.00	0.0	0.0	0.09 (1)	10.00	0.0
B-C	-287 / 0	-70.5	-70.5	0.10 (1)	6.25	0.0	0.0	0.10 (1)	6.25	0.0
C-D	-12 / 0	-70.5	-70.5	0.10 (1)	6.25	0.0	0.0	0.10 (1)	6.25	0.0
E-D	-93 / 0	0.0	0.0	0.03 (1)	7.81	0.0	0.0	0.03 (1)	7.81	0.0
H-G	0 / 0	-17.5	-17.5	0.01 (4)	10.00	0.0	0.0	0.01 (4)	10.00	0.0
G-F	0 / 20	-17.5	-17.5	0.01 (4)	10.00	0.0	0.0	0.01 (4)	10.00	0.0
F-E	0 / 248	-17.5	-17.5	0.08 (4)	10.00	0.0	0.0	0.08 (4)	10.00	0.0

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(65 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
ALLOWABLE DEFL.(TL) = L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.10 (B-C:1), BC=0.08 (E-F:4), WB=0.07 (C-E:1), SSI=0.08 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(FSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 822 2284 1656


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP=0.41 (B) (INPUT = 0.90)
JSI METAL=0.10 (B) (INPUT = 1.00)



A-ND73455



TOTAL WEIGHT = 30 lb

LUMBER				
N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF

ALL WEBS 2x3 DRY No.2 SPF
 EXCEPT

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVWW-I	MT20	4.0	6.0	1.75	3.00
C	TMVWW-I	MT20	3.0	4.0	1.50	1.50
D	TMV+p	MT20	2.0	4.0	Edge	
E	BMVW1-I	MT20	3.0	4.0		
F	BBVW-I	MT20	5.0	6.0	3.00	3.00
G	BBW-I	MT20	4.0	6.0	2.00	4.50
H	BMV1+p	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

NOTES- (1)
 1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	IN-SX	IN-SX
E	258	0	258	0	0				
H	355	0	355	0	0	5-8	1-8		

UNFACTORED REACTIONS

JT	1ST LCASE	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	182	123 / 0	0 / 0	0 / 0	0 / 0	59 / 0	0 / 0
H	248	181 / 0	0 / 0	0 / 0	0 / 0	67 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO	LENGTH	FR-TO			
A-B	0 / 27	-70.5 -70.5	0.09 (1)	10.00	B-F	0 / 238	0.05 (1)
B-C	-287 / 0	-70.5 -70.5	0.10 (1)	8.25	F-C	0 / 57	0.02 (4)
C-D	-12 / 0	-70.5 -70.5	0.10 (1)	6.25	B-G	0 / 18	0.01 (4)
E-D	-93 / 0	0.0 0.0	0.03 (1)	7.81	C-E	-284 / 0	0.07 (1)
H-B	-342 / 0	0.0 0.0	0.04 (1)	7.81			
H-G	0 / 0	-17.5 -17.5	0.01 (4)	10.00			
G-F	0 / 20	-17.5 -17.5	0.01 (4)	10.00			
F-E	0 / 248	-17.5 -17.5	0.08 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
 TOP CH. LL = 21.0 PSF
 DL = 3.0 PSF
 BOT CH. LL = 0.0 PSF
 DL = 7.0 PSF
 TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010

THIS DESIGN COMPLIES WITH:
 - PART 9 OF OBC 2012, BCBC 2012, ABC 2014
 - CSA 086-09
 - TPIC 2011

(66 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.20")
 CALCULATED VERT. DEFL.(LL) = L/999 (0.00")
 ALLOWABLE DEFL.(TL) = L/360 (0.20")
 CALCULATED VERT. DEFL.(TL) = L/999 (0.01")

CSI: TC=0.10 (B-C:1), BC=0.08 (E-F:4), WB=0.07 (C-E:1), SSI=0.09 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 0.50

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
 PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
 MAX MIN MAX MIN MAX MIN
 MT20 618 354 1667 822 2284 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.41 (B) (INPUT = 0.90)
 JSI METAL= 0.10 (B) (INPUT = 1.00)




A-1073454

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252513	J01A	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 15 2015 MiTek Industries, Inc. Mon Jul 13 10:11:57 2015 Page 1
ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-UqllOOfnZxW7SBop3CbgINcBXIRzi?keMHHWsyWxG
Scale = 1:22.1



LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF	
D - E	2x4	DRY	No.2	SPF	
F - E	2x4	DRY	No.2	SPF	
I - B	2x4	DRY	No.2	SPF	
I - H	2x4	DRY	No.2	SPF	
H - G	2x4	DRY	No.2	SPF	
G - F	2x4	DRY	No.2	SPF	

ALL WEBS 2x3 DRY No.2 SPF
EXCEPT

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-1	MT20	3.0	4.0	1.50	1.00
C	TMVW-1	MT20	3.0	4.0	1.50	1.50
D	TTVW-m	MT20	5.0	6.0	Edge	
E	TMV+p	MT20	2.0	4.0		
F	BMVW-1	MT20	3.0	4.0		
G	BBVW-1	MT20	5.0	6.0	3.00	3.00
H	BBVW-1	MT20	4.0	6.0	2.00	4.50
I	BMV1+p	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

NOTES- (1)
1) Lateral brace(s) shown shall be 1x4 for Part 8 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REORD BRG
	VERT	HORZ	DOWN	HORZ		
JT	247	0	247	0	0	0
I	366	0	366	0	0	0

UNFACTORED REACTIONS

JT	1ST CASE		MAX./MIN. COMPONENT REACTIONS				
	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	174	117 / 0	0 / 0	0 / 0	0 / 0	58 / 0	0 / 0
I	256	188 / 0	0 / 0	0 / 0	0 / 0	68 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)!

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 / 27	-70.5	-70.5 0.09 (1)	10.00	H-C	-174 / 0 0.03 (1)	
B-C	-168 / 0	-70.5	-70.5 0.09 (1)	6.25	C-G	0 / 85 0.02 (1)	
C-D	-213 / 0	-70.5	-70.5 0.04 (1)	6.25	G-D	0 / 101 0.02 (1)	
D-E	0 / 0	-70.5	-70.5 0.07 (1)	10.00	D-F	-191 / 0 0.04 (1)	
F-E	-68 / 0	0.0	0.0 0.01 (1)	7.81	B-H	0 / 147 0.03 (1)	
I-B	-353 / 0	0.0	0.0 0.04 (1)	7.81			
I-H	0 / 0	-17.5	-17.5 0.01 (4)	10.00			
H-G	0 / 157	-17.5	-17.5 0.03 (1)	10.00			
G-F	0 / 139	-17.5	-17.5 0.07 (4)	10.00			

TOTAL WEIGHT = 28 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL)= L/999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL)= L/999 (0.01")

CSI: TC=0.09 (A-B:1), BC=0.07 (F-G:4), WB=0.04 (D-F:1), SSI=0.07 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 822 2284 1656


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.47 (B) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)



A-11073453



A-1073452



TOTAL WEIGHT = 93 lb
 (M/F)

LUMBER
 N. L. G. A. RULES
 CHORDS SIZE LUMBER DESCR.

A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - P	2x4	DRY	No.2	SPF
P - O	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - L	2x4	DRY	No.2	SPF
L - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	2.0	4.0		
C	TMWW-t	MT20	3.0	5.0	1.50	2.25
D	TTWW+m	MT20	5.0	6.0	Edge	3.75
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.50	1.50
G	TMWW-t	MT20	3.0	4.0	1.50	1.50
H	TMWW-t	MT20	4.0	4.0	1.75	1.50
I	TMVW-t	MT20	4.0	4.0	1.75	1.00
K	BMV1+p	MT20	2.0	4.0		
L	BBWW-t	MT20	4.0	6.0	2.00	4.50
M	BBWW-t	MT20	6.0	7.0		
N	BMWW-t	MT20	3.0	4.0		
O	BBWWW-m	MT20	5.0	8.0	2.75	3.75
P	BBWW-h	MT20	6.0	7.0	2.25	4.50
Q	BMVW1-t	MT20	3.0	5.0	1.50	2.25

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

NOTES- (1)

(1)



DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG IN-SX	REQRD BRG IN-SX
	VERT	HORZ	DOWN	HORZ		
K	907	0	907	0	5-8	1-8
Q	889	0	889	0	5-8	1-8

UNFACTORED REACTIONS

1ST LCASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	636	444 / 0	0 / 0	0 / 0	0 / 0	192 / 0	0 / 0
Q	631	440 / 0	0 / 0	0 / 0	0 / 0	191 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, Q

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.66FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS				
MAX. FACTORED		FACTORED			MAX. FACTORED				
MEMB.	FORCE	VERT. LOAD	LC1	MAX	MAX	MEMB.	FORCE	MAX	
	(LBS)	(PLF)		CSI (LC)	UNBRAC		(LBS)	CSI (LC)	
FR-TO		FROM	TO		LENGTH	FR-TO			
A-B	0 / 27	-70.5	-70.5	0.09 (1)	10.00	C-P	-140 / 6	0.08 (1)	
B-C	0 / 18	-70.5	-70.5	0.18 (1)	10.00	D-P	-359 / 0	0.26 (1)	
C-D	-889 / 0	-70.5	-70.5	0.14 (1)	6.25	D-O	0 / 573	0.13 (1)	
D-E	-883 / 0	-70.5	-70.5	0.04 (1)	6.25	O-E	-49 / 1	0.02 (1)	
E-F	-884 / 0	-70.5	-70.5	0.03 (1)	6.25	O-F	-36 / 19	0.02 (4)	
F-G	-833 / 0	-70.5	-70.5	0.23 (1)	6.25	N-F	0 / 222	0.05 (4)	
G-H	-1174 / 0	-70.5	-70.5	0.21 (1)	5.65	N-G	-425 / 0	0.24 (1)	
H-I	-626 / 0	-70.5	-70.5	0.08 (1)	6.25	M-G	-75 / 46	0.02 (4)	
I-J	0 / 27	-70.5	-70.5	0.09 (1)	10.00	M-H	0 / 852	0.19 (1)	
Q-B	-203 / 0	0.0	0.0	0.02 (1)	7.81	L-H	-750 / 0	0.12 (1)	
K-I	-893 / 0	0.0	0.0	0.09 (1)	7.81	Q-C	-913 / 0	0.43 (1)	
						L-I	0 / 582	0.13 (1)	
Q-P	0 / 665	-17.5	-17.5	0.40 (4)	10.00				
P-O	0 / 752	-17.5	-17.5	0.12 (1)	10.00				
O-N	0 / 679	-17.5	-17.5	0.17 (1)	10.00				
N-M	0 / 1079	-17.5	-17.5	0.24 (1)	10.00				
M-L	0 / 616	-17.5	-17.5	0.10 (1)	10.00				
L-K	0 / 0	-17.5	-17.5	0.01 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
 TOP CH. LL = 21.0 PSF
 DL = 3.0 PSF
 BOT CH. LL = 0.0 PSF
 DL = 7.0 PSF
 TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
 - PART 9 OF OBC 2012, BCBC 2012, ABC 2014
 - CSA 086-09
 - TPIC 2011

DESIGN ASSUMPTIONS
 - OVERHANG NOT TO BE ALTERED OR CUT OFF.

(56% OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.61")
 CALCULATED VERT. DEFL.(LL) = L/899 (0.03")
 ALLOWABLE DEFL.(TL) = L/360 (0.61")
 CALCULATED VERT. DEFL.(TL) = L/973 (0.23")

CSI: TC=0.23 (F-G:1), BC=0.40 (P-Q:4),
 WB=0.43 (C-Q:1), SSI=0.16 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
 PLATE GRIP(DRY) SHEAR SECTION
 (PSI) (PLI) (PLI)
 MAX MIN MAX MIN MAX MIN
 MT20 618 354 1667 822 2284 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.86 (C) (INPUT = 0.90)
 JSI METAL= 0.26 (I) (INPUT = 1.00)

A-11073451

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252513	H01T	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.820 S Apr 15 2015 Mitek Industries, Inc. Mon Jul 13 10:04:38 2015 Page 1
ID:gUzNWmPyWh_3Mf_ncsznAqzVRmF-JZH7TFxww_ifS8id94LtwxEdhz6ULQAGwDB86FyyX2E
Scale = 1:34.6



TOTAL WEIGHT = 91 lb
(M)

LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY No.2	SPF
C - F	2x4	DRY No.2	SPF
F - J	2x4	DRY No.2	SPF
R - B	2x6	DRY No.2	SPF
K - I	2x8	DRY No.2	SPF
R - P	2x4	DRY No.2	SPF
P - O	2x4	DRY No.2	SPF
O - M	2x4	DRY No.2	SPF
M - L	2x4	DRY No.2	SPF
L - K	2x4	DRY No.2	SPF
ALL WEBS EXCEPT	2x3	DRY No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	1.50	3.00
C	TTWW-m	MT20	6.0	6.0	Edge 1.75	
D	TMWW-t	MT20	3.0	6.0	2.00	1.50
E	TMWW-w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.50	1.50
G	TMWW-t	MT20	3.0	4.0	1.50	1.50
H	TMWW-t	MT20	4.0	6.0	2.25	1.25
I	TMVW-p	MT20	5.0	6.0	Edge 4.00	
K	BMV1+p	MT20	2.0	4.0		
L	BBWW-l	MT20	5.0	6.0	2.00	4.50
M	BBWW-l	MT20	6.0	7.0		
N	BMWW-l	MT20	3.0	5.0		
O	BBWWW-hm	MT20	7.0	8.0	3.00	3.00
P	BBWW-h	MT20	6.0	7.0	2.00	4.25
Q	BMWW-l	MT20	4.0	4.0	1.50	1.50
R	BMV1+p	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
R	1553	0	1553	0
K	1730	0	1730	0

UNFACTORED REACTIONS

JT	1ST CASE COMBINED	MAX./MIN. SNOW	MAX./MIN. LIVE	MAX./MIN. PERM. LIVE	WIND	DEAD	SOIL
R	1095	737 / 0	0 / 0	0 / 0	0 / 0	358 / 0	0 / 0
K	1215	842 / 0	0 / 0	0 / 0	0 / 0	373 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) R, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.27FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED LC1 MAX (CS/LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED LC1 MAX (CS/LC)	
FR-TO		FROM TO	LENGTH	FR-TO			
A-B	0 / 27	-70.5 -70.5	0.10 (1)	Q-C	-59 / 151	0.06 (4)	
B-C	-1648 / 0	-70.5 -70.5	0.61 (1)	C-P	0 / 350	0.09 (1)	
C-D	-1524 / 0	-138.7 -138.7	0.14 (1)	P-D	-1771 / 0	0.77 (1)	
D-E	-1694 / 0	-138.7 -138.7	0.12 (1)	D-O	0 / 1528	0.38 (1)	
E-F	-1898 / 0	-70.5 -70.5	0.17 (1)	O-E	-141 / 0	0.04 (1)	
F-G	-1989 / 0	-70.5 -70.5	0.17 (1)	O-F	0 / 394	0.09 (1)	
G-H	-2408 / 0	-138.7 -138.7	0.15 (1)	N-F	0 / 585	0.14 (1)	
H-I	-1301 / 0	-138.7 -138.7	0.12 (1)	N-G	-436 / 0	0.12 (1)	
I-J	0 / 27	-70.5 -70.5	0.10 (1)	M-G	0 / 171	0.04 (1)	
R-B	-1468 / 0	0.0 0.0	0.11 (1)	M-H	0 / 1449	0.36 (1)	
K-I	-1704 / 0	0.0 0.0	0.12 (1)	L-H	-1645 / 0	0.28 (1)	
				B-Q	0 / 1392	0.34 (1)	
R-Q	0 / 0	-34.5 -34.5	0.29 (4)	L-I	0 / 1272	0.31 (1)	
Q-P	0 / 1368	-34.5 -34.5	0.41 (4)				
P-O	0 / 2103	-34.5 -34.5	0.38 (1)				
O-N	0 / 1660	-102.7 -102.7	0.46 (1)				
N-M	0 / 2030	-102.7 -102.7	0.55 (1)				
M-L	0 / 1352	-34.5 -34.5	0.26 (1)				
L-K	0 / 0	-34.5 -34.5	0.02 (4)				

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE
C	5-10-8	-302	-302	--	FRONT	VERT	TOTAL

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	21.0	PSF
	DL =	3.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	31.0	PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

GIRDER TYPE: CPPrimeHip
SIDE SETBACK = 0-0
END SETBACK = 5-10-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL. LOADS BASED ON 55 % OF GSL.
LOADS APPLIED TO FIRST 2-6-0 OF SPAN MEASURED FROM THE RIGHT.

GIRDER TYPE: CSIdGirder
START DISTANCE = 9-4-0
START SPAN CARRIED = 5-10-8
END DISTANCE = 15-10-0
END SPAN CARRIED = 5-10-8
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDTL. LOADS BASED ON 55 % OF GSL.

GIRDER TYPE: CPPrimeHip
SIDE SETBACK = 5-10-8
END SETBACK = 5-10-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL. LOADS BASED ON 55 % OF GSL.
LOADS APPLIED TO FIRST 9-4-0 OF SPAN MEASURED FROM THE LEFT.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

DESIGN ASSUMPTIONS
- OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.61")
CALCULATED VERT. DEFL.(LL) = L/999 (0.07")
ALLOWABLE DEFL.(TL) = L/360 (0.61")
CALCULATED VERT. DEFL.(TL) = L/999 (0.13")

CSI: TC=0.61 (B-C:1), BC=0.55 (M-N:1),
WB=0.77 (D-P:1), SB=0.15 (M-N:1)



A-11073450
CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252513	H01T	1	1	TRUSS DESC.	
Alpa Roof Truss, Maple					
Version 7.820 S Apr 15 2015 MiTek Industries, Inc. Mon Jul 13 10:04:39 2015 Page 2 ID:gUzNWMpyWh_3Mf_ncsznAgzVRmF-JZH7TFxww_lfS8ld94LtwxEhzh6ULQAGwDB68FyyX26					

HANGERS NOTES

- 1) SPECIAL HANGER(S) OR CONNECTION(S) REQUIRED TO SUPPORT CONCENTRATED LOAD(S) 301.8 lbs FACTORED DOWN AT 5-10-8 ON TOP CHORD. DESIGN FOR UNSPECIFIED CONNECTION(S) IS DELEGATED TO THE BUILDING DESIGNER.

NOTES- (1)

- 1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per CBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 0.50

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 822	2284 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (F) (INPUT = 0.90)
JSI METAL= 0.51 (Q) (INPUT = 1.00)




A-15073450(2)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H07G	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-G_XWw?EcVV_7vBmpgT5DdRQwIWUL_GwuDGYyEHyyY?
3x5 II
Scale = 1:48.7



LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	
P - B	2x4	DRY	No.2	SPF
A - E	2x4	DRY	No.2	SPF
E - I	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - J	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
ALL GABLE WEBS	2x3	DRY	No.2	SPF
DRY: SEASONED LUMBER.				
GABLE STUDS SPACED AT 2-0-0 OC.				

PLATES (table is in inches)				
JT TYPE	PLATES	W	LEN	Y X
B TMV+p	MT20	2.0	4.0	
C, D, F, G				
C TMW+w	MT20	2.0	4.0	
E TTW+p	MT20	3.0	5.0	2.75 1.50
H TMV+p	MT20	2.0	4.0	
J BMV1+p	MT20	2.0	4.0	
K, L, M, N, O				
K BMW1+w	MT20	2.0	4.0	
P BMV1+p	MT20	2.0	4.0	

NOTES- (1)
1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS
THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.
THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	VERT. LOAD (PLF)	LC1 MAX (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	UNBRAC LENGTH	MAX (LC)
FR-TO		FROM TO		FR-TO			
P-B	-160 / 0	0.0	0.0 0.03 (1)	7.81	M-E	-178 / 0	0.20 (1)
A-B	0 / 38	-70.5	-70.5 0.10 (1)	10.00	N-D	-153 / 0	0.07 (1)
B-C	-16 / 0	-70.5	-70.5 0.07 (1)	8.25	O-C	-49 / 0	0.01 (1)
C-D	0 / 25	-70.5	-70.5 0.04 (1)	10.00	L-F	-153 / 0	0.07 (1)
D-E	0 / 21	-70.5	-70.5 0.04 (1)	10.00	K-G	-49 / 0	0.01 (1)
E-F	0 / 21	-70.5	-70.5 0.04 (1)	10.00			
F-G	0 / 25	-70.5	-70.5 0.04 (1)	10.00			
G-H	-16 / 0	-70.5	-70.5 0.07 (1)	8.25			
H-I	0 / 38	-70.5	-70.5 0.10 (1)	10.00			
J-H	-160 / 0	0.0	0.0 0.03 (1)	7.81			
P-O	-10 / 0	-17.5	-17.5 0.01 (4)	6.25			
O-N	-12 / 0	-17.5	-17.5 0.01 (4)	6.25			
N-M	-15 / 0	-17.5	-17.5 0.01 (4)	6.25			
M-L	-15 / 0	-17.5	-17.5 0.01 (4)	6.25			
L-K	-12 / 0	-17.5	-17.5 0.01 (4)	6.25			
K-J	-10 / 0	-17.5	-17.5 0.01 (4)	6.25			

TOTAL WEIGHT = 56 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55% OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.10 (A-B:1), BC=0.01 (M-N:4),
WB=0.20 (E-M:1), SSI=0.05 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(Psi) (Pl) (Pl)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 822 2284 1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.13 (D) (INPUT = 0.90)
JSI METAL= 0.05 (F) (INPUT = 1.00)




A-11073449

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H07A	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.820 S Apr 15 2015 MITek Industries, Inc. Mon Jul 13 10:46:23 2015 Page 1

ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-?Hak?SFbELEnsy7srzG4PzxbHL412Zrloic16yyWR
3x5 II Scale = 1:50.5



TOTAL WEIGHT = 60 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF	
C - E	2x4	DRY	No.2	SPF	
H - B	2x6	DRY	No.2	SPF	
F - D	2x6	DRY	No.2	SPF	
H - F	2x6	DRY	No.2	SPF	

ALL WEBS 2x3 DRY No.2 SPF

EXCEPT

DRY; SEASONED LUMBER.

PLATES (table is in inches)

JT TYPE	PLATES	W	LEN	Y	X
B TMVW-I	MT20	4.0	9.0	2.00	3.50
C TTW+p	MT20	3.0	5.0	2.75	1.50
D TMVW-I	MT20	4.0	9.0	2.00	3.50
F BMV1+p	MT20	2.0	4.0		
G BMVWW-I	MT20	6.0	7.0	3.50	3.50
H BMV1+p	MT20	2.0	4.0		

NOTES: (1)
1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT	REQD
VERT	HORZ	DOWN	HORZ
JT 1491	0	1491	0
F 1491	0	1491	0

UNFACTORED REACTIONS

1ST LCASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	1048	723 / 0	0 / 0	0 / 0	0 / 0	325 / 0	0 / 0
F	1048	723 / 0	0 / 0	0 / 0	0 / 0	325 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.13FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE (LBS)	VERT. LOAD LC1 MAX (PLF)	CS1 (LC)	UNBRAC LENGTH FR-TO
FR-TO				
A-B	0 / 38	-70.5	-70.5	0.11 (1)
B-C	-835 / 0	-70.5	-70.5	0.38 (1)
C-D	-835 / 0	-70.5	-70.5	0.38 (1)
D-E	0 / 38	-70.5	-70.5	0.11 (1)
H-B	-1089 / 0	0.0	0.0	0.09 (1)
F-D	-1089 / 0	0.0	0.0	0.09 (1)
H-G	0 / 0	-208.1	-208.1	0.43 (1)
G-F	0 / 0	-208.1	-208.1	0.43 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL = 21.0	PSF
	DL = 3.0	PSF
BOT CH.	LL = 0.0	PSF
	DL = 7.0	PSF
TOTAL LOAD	= 31.0	PSF

SPACING = 24.0 IN. C/C

GIRDER TYPE: CStdGlrder
START DISTANCE = 0-0
START SPAN CARRIED = 10-8-0
END DISTANCE = 10-0-0
END SPAN CARRIED = 10-8-0
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDTL LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.33")
CALCULATED VERT. DEFL.(LL)= L/999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.33")
CALCULATED VERT. DEFL.(TL)= L/999 (0.05")

CSI: TC=0.38 (C-D:1), BC=0.43 (G-H:1),
WB=0.23 (C-G:1), SSI=0.42 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 0.50

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1687 822 2284 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (C) (INPUT = 0.90)
JSI METAL= 0.20 (F) (INPUT = 1.00)




A-15073448

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H07	2	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 15 2015 MITek Industries, Inc. Mon Jul 13 08:58:55 2015 Page 1
ID:gUzNWMpyWh_3Mf_ncsznAczVRmF-ooz7fID_kBsGl1Bc6ma_4Dtj_67OFsGl?ccPiryyY?k
Scale = 1:50.5



LUMBER				
N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF

ALL WEBS 2x3 DRY No.2 SPF
EXCEPT

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT TYPE	PLATES	W	LEN	Y	X
B TMVW+p	MT20	4.0	6.0	2.25	2.00
C TTW+p	MT20	3.0	5.0	2.75	1.50
D TMVW+p	MT20	4.0	6.0	2.25	2.00
F BMV1+p	MT20	2.0	4.0		
G BMVWW-t	MT20	4.0	6.0		
H BMV1+p	MT20	2.0	4.0		

NOTES- (1)
1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQD BRG	
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	IN-SX	IN-SX
H	539	0	539	0	0	5-8	1-8		
F	539	0	539	0	0	5-8	1-8		

UNFACTORED REACTIONS

1ST LCASE	MAX./MIN. COMPONENT REACTIONS								
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL		
H	377	269 / 0	0 / 0	0 / 0	0 / 0	108 / 0	0 / 0		
F	377	269 / 0	0 / 0	0 / 0	0 / 0	108 / 0	0 / 0		

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS		FACTORED		WEBS		FACTORED	
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX	MEMB.	FORCE (LBS)	MAX	CS1 (LC)
FR-TO		FROM TO		FR-TO			
A-B	0 / 38	-70.5 -70.5	0.10 (1)	G-C	0 / 84	0.03 (4)	
B-C	-234 / 0	-70.5 -70.5	0.23 (1)	B-G	0 / 161	0.04 (1)	
C-D	-234 / 0	-70.5 -70.5	0.23 (1)	G-D	0 / 161	0.04 (1)	
D-E	0 / 38	-70.5 -70.5	0.10 (1)				
H-B	-505 / 0	0.0 0.0	0.06 (1)				
F-D	-505 / 0	0.0 0.0	0.06 (1)				
H-G	0 / 0	-17.5 -17.5	0.12 (4)				
G-F	0 / 0	-17.5 -17.5	0.12 (4)				

TOTAL WEIGHT = 2 X 52 = 104 lb
(M/F)

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.33")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.33")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.23 (C-D:1), BC=0.12 (F-G:4),
WB=0.04 (D-G:1), SSI=0.09 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 822 2284 1666

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 6.0 Deg.


JSI GRIP= 0.30 (D) (INPUT = 0.90)
JSI METAL= 0.09 (H) (INPUT = 1.00)



A-11073447

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H05G	2	1	TRUSS DESC.	
Alpa Roof Truss, Maple					

Version 7.620 S Apr 15 2015 MTek Industries, Inc. Mon Jul 13 08:58:54 2015 Page 1
 ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-KcPIVJCM_ujPgtoQY33IX0LaBiptWOmbmy3sAPyyY?
 3x5 II Scale = 1:53.8



LUMBER				
N. L. G. A. RULES	SIZE	LUMBER	DESCR.	
CHORDS				
P - B	2x4 DRY	No.2	SPF	
A - E	2x4 DRY	No.2	SPF	
E - I	2x4 DRY	No.2	SPF	
J - H	2x4 DRY	No.2	SPF	
P - J	2x4 DRY	No.2	SPF	
ALL WEBS	2x3 DRY	No.2	SPF	
ALL GABLE WEBS	2x3 DRY	No.2	SPF	
DRY; SEASONED LUMBER.				
GABLE STUDS SPACED AT 2'-0-0 OC.				

PLATES (table is in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMV+p	MT20	2.0	4.0
C, D, F, G				
C	TMW+w	MT20	2.0	4.0
E	TTW+p	MT20	3.0	5.0 2.00 Edge
H	TMV+p	MT20	2.0	4.0
J	BMV1+p	MT20	2.0	4.0
K, L, M, N, O				
K	BMW1+w	MT20	2.0	4.0
P	BMV1+p	MT20	2.0	4.0

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

NOTES- (1)
 1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS
 THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.
 THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.
 BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)

BRACING
 TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00FT.
 MAX. UNBRACED BOTTOM CHORD LENGTH = 8.25FT. OR RIGID CEILING DIRECTLY APPLIED.

1 LATERAL BRACE(S) REQUIRED AT 1/2 LENGTH OF E-M.
 END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
 TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH (FT)	FR-TO
P-B	-161 / 0	0.0	0.0 0.03 (1)	M-E	-181 / 0	0.10 (1)	
A-B	0 / 40	-70.5	-70.5 0.10 (1)	N-D	-154 / 0	0.12 (1)	
B-C	-9 / 0	-70.5	-70.5 0.07 (1)	O-C	-70 / 0	0.02 (1)	
C-D	0 / 27	-70.5	-70.5 0.04 (1)	L-F	-154 / 0	0.12 (1)	
D-E	0 / 21	-70.5	-70.5 0.04 (1)	K-G	-70 / 0	0.02 (1)	
E-F	0 / 21	-70.5	-70.5 0.04 (1)				
F-G	0 / 27	-70.5	-70.5 0.04 (1)				
G-H	-9 / 0	-70.5	-70.5 0.07 (1)				
H-I	0 / 40	-70.5	-70.5 0.10 (1)				
J-H	-161 / 0	0.0	0.0 0.03 (1)				
P-O	-9 / 0	-17.5	-17.5 0.01 (4)				
O-N	-12 / 0	-17.5	-17.5 0.01 (4)				
N-M	-14 / 0	-17.5	-17.5 0.01 (4)				
M-L	-14 / 0	-17.5	-17.5 0.01 (4)				
L-K	-12 / 0	-17.5	-17.5 0.01 (4)				
K-J	-9 / 0	-17.5	-17.5 0.01 (4)				

TOTAL WEIGHT = 2 X 65 = 131 lb [M]

DESIGN CRITERIA

SPECIFIED LOADS:
 TOP CH. LL = 21.0 PSF
 DL = 3.0 PSF
 BOT CH. LL = 0.0 PSF
 DL = 7.0 PSF
 TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2010

THIS DESIGN COMPLIES WITH:
 - PART 9 OF OBC 2012, BCBC 2012, ABC 2014
 - CSA 086-09
 - TPIC 2011

DESIGN ASSUMPTIONS
 - OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.10 (H-I:1), BC=0.01 (M-N:4), WB=0.12 (F-L:1), SSI=0.05 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 0.50

AUTOSOLVE LEFT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
 PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
 MAX MIN MAX MIN MAX MIN
 MT20 618 354 1667 822 2264 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.18 (E) (INPUT = 0.90)
 JSI METAL= 0.05 (D) (INPUT = 1.00)




A-H073446

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H05	9	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 15 2015 MiTek Industries, Inc. Mon Jul 13 08:58:54 2015 Page 1
ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-KoPIVJCM_ujPgTcQY33IX0LXkintWP2bmy3sAPyyY7
3x5 II
Scale = 1:59.0



LUMBER					
N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.	SPF
A - C	2x4	DRY	No.2	SPF	
C - E	2x4	DRY	No.2	SPF	
H - B	2x4	DRY	No.2	SPF	
F - D	2x4	DRY	No.2	SPF	
H - F	2x4	DRY	No.2	SPF	
ALL WEBS	2x3	DRY	No.2	SPF	
EXCEPT					

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0	2.00	2.00
C	TTW+p	MT20	3.0	5.0	2.00	Edge
D	TMVW+p	MT20	4.0	6.0	2.00	2.00
F	BMV1+p	MT20	2.0	4.0		
G	BMVWW+I	MT20	4.0	6.0		
H	BMV1+p	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

NOTES- (1)
1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per OBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
VERT	HORZ	DOWN	HORZ	UPLIFT
H	568	0	568	0
F	568	0	568	0

UNFACTORED REACTIONS

JT	1ST LCASE	MAX/MIN. COMPONENT REACTIONS	WIND	DEAD	SOIL
COMBINED	SNOW	LIVE	PERM.LIVE		
H	398	283 / 0	0 / 0	115 / 0	0 / 0
F	398	283 / 0	0 / 0	115 / 0	0 / 0

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX LC1 (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX LC1 (LC)	UNBRACED LENGTH
FR-TO		FROM TO		FR-TO			
A-B	0 / 40	-70.5 -70.5	0.10 (1)	10.00	G-C	0 / 92	0.03 (4)
B-C	-241 / 0	-70.5 -70.5	0.26 (1)	8.25	B-G	0 / 154	0.03 (1)
C-D	-241 / 0	-70.5 -70.5	0.26 (1)	6.25	G-D	0 / 154	0.03 (1)
D-E	0 / 40	-70.5 -70.5	0.10 (1)	10.00			
H-B	-533 / 0	0.0 0.0	0.07 (1)	7.81			
F-D	-533 / 0	0.0 0.0	0.07 (1)	7.81			
H-G	0 / 0	-17.5 -17.5	0.14 (4)	10.00			
G-F	0 / 0	-17.5 -17.5	0.14 (4)	10.00			

TOTAL WEIGHT = 9 X 58 = 526 lb

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 3.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.0 PSF
TOTAL LOAD = 31.0 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.38")
CALCULATED VERT. DEFL.(LL)= L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.38")
CALCULATED VERT. DEFL.(TL)= L/ 999 (0.02")

CSI: TC=0.26 (C-D:1), BC=0.14 (F-G:4),
WB=0.03 (B-G:1), SS=0.09 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 618 354 1667 822 2284 1666

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (D) (INPUT = 0.90)
JSI METAL= 0.10 (H) (INPUT = 1.00)




A-N073445

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H03A-Cond2	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 15 2015 MITek Industries, Inc. Mon Jul 13 10:48:32 2015 Page 1
ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-zeVBg4X8JP2Y274BQ99OZqGueX9XpP7fAI169fyW01
5x6 II
Scale = 1:43.9



TOTAL WEIGHT = 91 lb (M)

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF	
D - G	2x4	DRY	No.2	SPF	
M - B	2x6	DRY	No.2	SPF	
H - F	2x6	DRY	No.2	SPF	
M - J	2x6	DRY	No.2	SPF	
J - H	2x6	DRY	No.2	SPF	

ALL WEBS 2x3 DRY No.2 SPF
EXCEPT
DRY: SEASONED LUMBER.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQRD
	GROSS REACTION	GROSS REACTION	BRG	BRG
JT	VERT	DOWN	HORIZ	UPLIFT
M	2713	0	0	5-8
H	2738	0	0	5-8

UNFACTORED REACTIONS	1ST LCASE	MAX./MIN. COMPONENT REACTIONS
JT	COMBINED	SNOW
M	1909	1306 / 0
H	1927	1318 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.47FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS	MAX. FACTORED	FACTORED	WEBS	MAX. FACTORED
MEMB.	FORCE	VERT. LOAD	MEMB.	FORCE
(LBS)	(PLF)	LC1 MAX	UNBRAC	(LBS)
FR-TO		FROM TO	LENGTH	FR-TO
A-B	0 / 27	-70.5 -70.5	0.10 (1)	10.00
B-C	-3227 / 0	-70.5 -70.5	0.44 (1)	3.49
C-D	-2381 / 0	-70.5 -70.5	0.43 (1)	4.06
D-E	-2381 / 0	-70.5 -70.5	0.43 (1)	4.06
E-F	-3258 / 0	-70.5 -70.5	0.44 (1)	3.47
F-G	0 / 27	-70.5 -70.5	0.10 (1)	10.00
M-B	-2681 / 0	0.0 0.0	0.19 (1)	8.32
H-F	-2705 / 0	0.0 0.0	0.19 (1)	8.30
M-L	0 / 0	-17.5 -59.4	0.09 (1)	10.00
L-K	0 / 2704	-208.1 -208.1	0.80 (1)	10.00
K-J	0 / 2729	-208.1 -208.1	0.80 (1)	10.00
J-I	0 / 2729	-208.1 -208.1	0.80 (1)	10.00
I-H	0 / 0	-59.4 -17.5	0.08 (1)	10.00

FACTORED CONCENTRATED LOADS (LBS)	LOC.	LC1	MAX.	FACE	DIR.	TYPE
JT	14-4-12	-765	-765	---	FRONT	VERT
L	3-11-4	-722	-722	---	FRONT	VERT

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:	TOP CH.	LL	PSF
	DL	3.0	PSF
	BOT CH.	LL	PSF
	DL	0.0	PSF
	DL	7.0	PSF
TOTAL LOAD		31.0	PSF

SPACING = 24.0 IN./C/C

GIRDER TYPE: CStdGirder
START DISTANCE = 0-0
START SPAN CARRIED = 2-0-0
END DISTANCE = 3-10-8
END SPAN CARRIED = 3-10-8
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDTL LOADS BASED ON 55 % OF GSL.

GIRDER TYPE: CStdGirder
START DISTANCE = 3-10-8
START SPAN CARRIED = 10-8-0
END DISTANCE = 14-5-8
END SPAN CARRIED = 10-8-0
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDTL LOADS BASED ON 55 % OF GSL.

GIRDER TYPE: CStdGirder
START DISTANCE = 14-5-8
START SPAN CARRIED = 3-10-8
END DISTANCE = 18-4-0
END SPAN CARRIED = 2-0-0
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDTL LOADS BASED ON 55 % OF GSL.

*** NON STANDARD GIRDER ***
ADDTL USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:
- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.61")
CALCULATED VERT. DEFL.(LL) = L/999 (0.09")
ALLOWABLE DEFL.(TL) = L/360 (0.61")
CALCULATED VERT. DEFL.(TL) = L/999 (0.16")

CSI: TC=0.44 (E-F:1), BC=0.80 (I-K:1), WB=0.70 (F-I:1), SSI=0.42 (I-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP. 1.00 SHEAR 1.00 TENSION 2.00

A-10139-114 CONTINUE ON PAGE 2

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	6.0	7.0	2.25	2.75
C	TMVW-t	MT20	3.0	5.0	1.50	2.00
D	TTW+p	MT20	5.0	6.0	Edge	
E	TMVW-t	MT20	3.0	5.0	1.50	2.00
F	TMVW-p	MT20	6.0	7.0	2.25	2.75
H	BMV1+p	MT20	3.0	5.0		
I	BMVW-t	MT20	6.0	7.0	3.50	2.25
J	BS-t	MT20	4.0	9.0		
K	BMVWW-t	MT20	6.0	9.0		
L	BMVW-t	MT20	6.0	7.0	3.50	2.25
M	BMV1+p	MT20	3.0	5.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

HANGERS NOTES

1) SPECIAL HANGER(S) OR CONNECTION(S) REQUIRED TO SUPPORT CONCENTRATED LOAD(S) 722.4 lbs FACTORED DOWN AT 3-11-4, AND 765.0 lbs FACTORED DOWN AT 14-4-12 ON BOTTOM CHORD. DESIGN FOR UNSPECIFIED CONNECTION(S) IS DELEGATED TO THE BUILDING DESIGNER.

NOTES- (1)

1)



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H03A-Cond2	1	1	TRUSS DESC.	
Alpa Roof Truss, Maple				Version 7.620 S Apr 15 2015 MiTek Industries, Inc. Mon Jul 13 10:49:32 2015 Page 2 ID:gUzNWMpyWh 3Mf ncsznAqzVRmF-zeVBg4XBjP2Y274BQ99OZqGueX9XoP?fAl169fyyWO1	

COMPANION LIVE LOAD FACTOR = 0.50

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT
RESPONSIBLE FOR QUALITY CONTROL IN
THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MAX	MIN	MAX	MIN
MT20	618	354	1667 822 2284 1656


PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (L) (INPUT = 0.90)
JSI METAL= 0.98 (J) (INPUT = 1.00)



A-15073444 (2)



SPECIFIED LOADS:				
TOP CH.	LL	=	21.0	PSF
	DL	=	3.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	31.0	PSF

UNFACTORED REACTIONS							
1ST LCASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
M	1865	1275 / 0	0 / 0	0 / 0	0 / 0	589 / 0	0 / 0
H	1865	1275 / 0	0 / 0	0 / 0	0 / 0	589 / 0	0 / 0

GIRDER TYPE: CStdGirder
START DISTANCE = 0-0
START SPAN CARRIED = 10-8-0
END DISTANCE = 18-4-0
END SPAN CARRIED = 10-8-0
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADD'L LOADS BASED ON 55 % OF GSL.

C H O R D S					W E B S				
MAX. FACTORED		FACTORED			MAX. FACTORED				
MEMB.	FORCE (LBS)	VERT. LOAD	LC1	MAX	MAX	MEMB.	FORCE (LBS)	MAX	
		(PLF)	CSI (LC)	UNBRAC				CSI (LC)	
FR-TO		FROM	TO	LENGTH		FR-TO			
A-B	0 / 27	-70.5	-70.5	0.10 (1)	10.00	K-D	0 / 1987	0.49 (1)	
B-C	-2764 / 0	-70.5	-70.5	0.40 (1)	3.78	K-E	-720 / 0	0.52 (1)	
C-D	-2083 / 0	-70.5	-70.5	0.39 (1)	4.33	F-E	0 / 408	0.10 (1)	
D-E	-2083 / 0	-70.5	-70.5	0.39 (1)	4.33	C-K	-720 / 0	0.52 (1)	
E-F	-2764 / 0	-70.5	-70.5	0.40 (1)	3.78	L-C	0 / 408	0.10 (1)	
F-G	0 / 27	-70.5	-70.5	0.10 (1)	10.00	B-L	0 / 2384	0.59 (1)	
M-B	-2319 / 0	0.0	0.0	0.17 (1)	6.70	I-F	0 / 2384	0.59 (1)	
H-F	-2319 / 0	0.0	0.0	0.17 (1)	6.70				
M-L	0 / 0	-208.1	-208.1	0.23 (1)	10.00				
L-K	0 / 2311	-208.1	-208.1	0.66 (1)	10.00				
K-J	0 / 2311	-208.1	-208.1	0.66 (1)	10.00				
J-I	0 / 2311	-208.1	-208.1	0.66 (1)	10.00				
I-H	0 / 0	-208.1	-208.1	0.23 (1)	10.00				

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.61")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (0.61")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")

CSI: TC=0.40 (B-C:1), BC=0.68 (K-L:1), WB=0.59 (F-I:1), SSI=0.39 (I-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 0.50

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES						
PLATE	GRIP(DRY)		SHEAR		SECTION	
	(PSI)	(PSI)	(PLI)	(PLI)	(PLI)	(PLI)
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	822	2284	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.76 (L) (INPUT = 0.90)
JSI METAL= 0.82 (J) (INPUT = 1.00)




A-15073443

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H03	14	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 16 2015 MITek Industries, Inc. Mon Jul 13 08:58:51 2015 Page 1
ID:gUzNWMPyWh_3Mf_ncsznAqzVRmF-v1kdHAThzLpQurtwV2wNj1pVkJGJvD94_qBZ4yyY7o
Scale = 1:44.9



TOTAL WEIGHT = 14 X 81 = 1128 lb

LUMBER	N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF	
D - G	2x4	DRY	No.2	SPF	
L - B	2x4	DRY	No.2	SPF	
H - F	2x4	DRY	No.2	SPF	
L - J	2x4	DRY	No.2	SPF	
J - H	2x4	DRY	No.2	SPF	

ALL WEBS 2x3 DRY No.2 SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	2.0	4.0		
C	TMWW-t	MT20	3.0	5.0	1.50	1.50
D	TTWW+p	MT20	4.0	6.0	Edge	
E	TMWW-t	MT20	3.0	5.0	1.50	1.50
F	TMV+p	MT20	2.0	4.0		
H	BMVW-t	MT20	3.0	5.0	1.50	2.25
I	BMVW-t	MT20	3.0	4.0		
J	BS-t	MT20	3.0	4.0		
K	BMVW-t	MT20	3.0	4.0		
L	BMVW-t	MT20	3.0	5.0	1.50	2.25

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

NOTES: (1)

1) Lateral brace(s) shown shall be 1x4 for Part 9 design as per CBC 9.23.13.11, and no less than 2x4 for Part 4 design.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
L	903	0	903	0
H	903	0	903	0

UNFACTORED REACTIONS

JT	1ST CASE COMBINED	MAX./MIN. SNOW	MAX./MIN. LIVE	MAX./MIN. PERM. LIVE	WIND	DEAD	SOIL
L	634	442 / 0	0 / 0	0 / 0	0 / 0	192 / 0	0 / 0
H	634	442 / 0	0 / 0	0 / 0	0 / 0	192 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 8.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED CSI (LC)	
FR-TO		FROM TO		FR-TO			
A-B	0 / 27	-70.5	-70.5 0.09 (1)	D-I	0 / 323	0.07 (1)	
B-C	0 / 21	-70.5	-70.5 0.24 (1)	I-E	-196 / 3	0.07 (1)	
C-D	-784 / 0	-70.5	-70.5 0.19 (1)	K-D	0 / 323	0.07 (1)	
D-E	-784 / 0	-70.5	-70.5 0.19 (1)	C-K	-196 / 3	0.07 (1)	
E-F	0 / 21	-70.5	-70.5 0.24 (1)	L-C	-953 / 0	0.62 (1)	
F-G	0 / 27	-70.5	-70.5 0.09 (1)	E-H	-953 / 0	0.62 (1)	
L-B	-219 / 0	0.0	0.0 0.02 (1)				
H-F	-219 / 0	0.0	0.0 0.02 (1)				
L-K	0 / 707	-17.5	-17.5 0.20 (4)				
K-J	0 / 511	-17.5	-17.5 0.19 (4)				
J-I	0 / 511	-17.5	-17.5 0.19 (4)				
I-H	0 / 707	-17.5	-17.5 0.20 (4)				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	21.0	PSF
	DL	=	3.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	31.0	PSF

SPACING = 24.0 IN./C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:

- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS
8.4 P.S.F. RAIN LOAD EQUALS
21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.61")
CALCULATED VERT. DEFL.(LL) = L/999 (0.02")
ALLOWABLE DEFL.(TL) = L/360 (0.61")
CALCULATED VERT. DEFL.(TL) = L/999 (0.06")

CSI: TC=0.24 (E-F:1), BC=0.20 (H-I:4), WB=0.62 (E-H:1), SSI=0.13 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 0.50

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (PSI)	DRY (PLI)	SHEAR (PSI)	SECTION (PLI)
	MAX	MIN	MAX	MIN
MT20	618	354	1667	822

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (E) (INPUT = 0.90)

JSI METAL= 0.30 (C) (INPUT = 1.00)



A-15073442




A-15073441

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
252512	H01	1	1	TRUSS DESC.	

Alpa Roof Truss, Maple

Version 7.620 S Apr 16 2015 MITek Industries, Inc. Mon Jul 13 08:58:50 2015 Page 1
ID:gUzNWMpyWh_3Mf_ncsznAqzVRmF-RrAEfx9wfdzBGJfJD_pNAAMASLjaW20rL5e1eyY?p
Scale = 1:34.3



LUMBER			
N. L. G. A. RULES			
CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2
C - E	2x4	DRY	No.2
E - G	2x4	DRY	No.2
L - B	2x6	DRY	No.2
H - F	2x6	DRY	No.2
L - J	2x4	DRY	No.2
J - H	2x4	DRY	No.2

ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	6.0	6.0	1.50	3.00
C	TTWW-m	MT20	4.0	6.0	1.75	2.00
D	TMW-w	MT20	2.0	4.0		
E	TTWW-m	MT20	4.0	6.0	1.75	2.00
F	TMVW-p	MT20	6.0	6.0	1.50	3.00
H	BMV1+p	MT20	2.0	4.0		
I	BMWW-l	MT20	4.0	4.0	1.50	1.50
J	BSWW-l	MT20	6.0	7.0	Edge	3.50
K	BMWW-l	MT20	4.0	4.0	1.50	1.50
L	BMV1+p	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

HANGERS NOTES

- SPECIAL HANGER(S) OR CONNECTION(S) REQUIRED TO SUPPORT CONCENTRATED LOAD(S) 301.8 lbs FACTORED DOWN AT 12-5-8, AND 301.8 lbs FACTORED DOWN AT 5-10-8 ON TOP CHORD. DESIGN FOR UNSPECIFIED CONNECTION(S) IS DELEGATED TO THE BUILDING DESIGNER.

NOTES- (1)

1)

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQD BRG
JT	VERT	HORZ	DOWN	HORZ
L	1585	0	1585	0
H	1585	0	1585	0

UNFACTORED REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	1117	756/0	0/0	0/0	0/0	361/0	0/0
H	1117	756/0	0/0	0/0	0/0	361/0	0/0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.38FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00FT. OR RIGID CEILING DIRECTLY APPLIED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. FACTORED VERT. LOAD (LC1)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED VERT. LOAD (LC1)	MAX. FACTORED VERT. LOAD (LC1)
FR-TO		FROM TO		FR-TO			
A-B	0/27	-70.5	-70.5 0.10 (1)	10.00	K-C	-37/163	0.06 (4)
B-C	-1694/0	-70.5	-70.5 0.62 (1)	4.38	C-J	0/341	0.08 (1)
C-D	-1594/0	-138.7	-138.7 0.29 (1)	4.86	J-D	-544/0	0.24 (1)
D-E	-1594/0	-138.7	-138.7 0.29 (1)	4.86	E-F	0/341	0.08 (1)
E-F	-1694/0	-70.5	-70.5 0.62 (1)	4.38	F-G	-37/163	0.06 (4)
F-G	0/27	-70.5	-70.5 0.10 (1)	10.00	G-H	0/1430	0.35 (1)
L-B	-1500/0	0.0	0.0 0.11 (1)	7.81	H-F	0/1430	0.35 (1)
H-F	-1500/0	0.0	0.0 0.11 (1)	7.81			
L-K	0/0	-34.5	-34.5 0.29 (4)	10.00			
K-J	0/1407	-34.5	-34.5 0.41 (4)	10.00			
J-I	0/1407	-34.5	-34.5 0.41 (4)	10.00			
I-H	0/0	-34.5	-34.5 0.29 (4)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE
C	5-10-8	-302	-302	---	FRONT	VERT	TOTAL
E	12-5-8	-302	-302	---	FRONT	VERT	TOTAL

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	21.0	PSF
	DL	=	3.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	31.0	PSF

SPACING = 24.0 IN./C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

GIRDER TYPE: CPrimeHip
SIDE SETBACK = 5-10-8
END SETBACK = 5-10-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010

THIS DESIGN COMPLIES WITH:

- PART 9 OF OBC 2012, BCBC 2012, ABC 2014
- CSA 086-09
- TPIC 2011

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.61")
CALCULATED VERT. DEFL.(LL) = L/999 (0.04")
ALLOWABLE DEFL.(TL) = L/360 (0.61")
CALCULATED VERT. DEFL.(TL) = L/999 (0.09")

CSI: TC=0.62 (B-C:1), BC=0.41 (J-K:4), WB=0.35 (F-I:1), SI=0.24 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 0.50

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
(PSI)	(PLI)	(PLI)	(PLI)
MAX MIN	MAX MIN	MAX MIN	MAX MIN
MT20	618 354	1667 822	2264 1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (E) (INPUT = 0.90)
JSI METAL= 0.53 (K) (INPUT = 1.00)



A-15073440

LUS – Double Shear Joist Hangers

SIMPSON
Strong-Tie

All LUS hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections.

MATERIAL: 18 gauge

FINISH: G90 galvanized

DESIGN:

- Factored resistances are in accordance with CSA 086-14
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.



INSTALLATION:

- Use all specified fasteners
- Nails: 16d = 0.162" dia. x 3½" long common wire,
10d = 0.148" x 3" long common wire.
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

OPTIONS:


- These hangers cannot be modified.

Typical LUS
Installation




Model No.	Ga	Dimensions (in)				Fasteners		Factored Resistance (lbs)			
		W	H	B	dg ¹	Face	Joist	D.Fir-L		S-P-F	
								Uplift (K _D =1.15)	Normal (K _D =1.00)	Uplift (K _D =1.15)	Normal (K _D =1.00)
LUS24	18	1½	3½	1¾	1½	4-10d	2-10d	710	1630	645	1155
LUS24-2	18	3½	3½	2	1½	4-16d	2-16d	835	2020	590	1435
LUS26	18	1½	4¾	1¾	3½	4-10d	4-10d	1420	2170	1290	1630
LUS26-2	18	3½	4¾	2	4	4-16d	4-16d	1720	2595	1545	1920
LUS26-3	18	4¾	4¾	2	3¼	4-16d	4-16d	1720	2595	1545	2340
LUS28	18	1½	6¾	1¾	3¾	6-10d	4-10d	1420	2520	1290	1790
LUS28-2	18	3½	7	2	4	6-16d	4-16d	1720	3325	1545	2575
LUS28-3	18	4¾	6¼	2	3¼	6-16d	4-16d	1720	3325	1545	2375
LUS210	18	1½	7½	1¾	3¾	8-10d	4-10d	1420	2785	1290	2210
LUS210-2	18	3½	9	2	6	8-16d	6-16d	2580	4500	2320	3195
LUS210-3	18	4¾	8½	2	5¼	8-16d	6-16d	2580	3345	2320	2375

1. dg is the distance from the seat of the hanger to the highest joist nail.




Dome Double
Shear Nailing
prevents tabs
breaking off
(available on
some models).

U.S. Patent
5,603,580




Double
Shear
Nailing
Top View.



800-999-5099
www.strongtie.com

STRACON ENGINEERING INC.





45° Hip End

LUMBER SPECIFICATION


TOP CHORD : 2 x 4 SPF#2
 BOTTOM CHORD : 2 x 4 SPF#2
 WEBS : 2 x 3 SPF#2
 UNLESS OTHERWISE SHOWN

DESIGN LOAD


TOP CHORD SNOW LOAD : 40.5 P.S.F.
 TOP CHORD DEAD LOAD : 3.0 P.S.F.
 BOTTOM CHORD LIVE LOAD : 0.0 P.S.F.
 BOTTOM CHORD DEAD LOAD : 7.0 P.S.F.
 TOTAL LOAD : 50.5 P.S.F.




Corner Side Jacks



Corner End Jacks




Common End Jacks



NOTE: DESIGN CONFORMS TO PART 9, O.B.C. 2012 (L.S.D. DESIGN)

CS-51008

STRACON ENGINEERING INC.








LUMBER SPECIFICATION

TOP CHORD : 2 x 4 SPF#2
 BOTTOM CHORD : 2 x 4 SPF#2
 WEBS : 2 x 3 SPF#2
 UNLESS OTHERWISE SHOWN

DESIGN LOAD

TOP CHORD SNOW LOAD : 34.8 P.S.F.
 TOP CHORD DEAD LOAD : 3.0 P.S.F.
 BOTTOM CHORD LIVE LOAD : 0.0 P.S.F.
 BOTTOM CHORD DEAD LOAD : 7.0 P.S.F.

TOTAL LOAD : 44.8 P.S.F



NOTE: DESIGN CONFORMS TO PART 9, O.B.C. 2012 (L.S.D. DESIGN)

CS-71008N