




E24033351 - E24033355
E24033359 - E24033363
E24033365 - E24033406
E24033409
E24033411 - E24033445

PL# 118659 (TYP)

	Job Track: 45147	336324				Builder / Location: GOLD PARK HOMES / VAUGHAN	ALL CONVENTIONAL FRAMING TO CONFORM WITH PART 9 O.B.C. LATEST EDITION. ROOF RAFTERS THAT CROSS OVER TRUSSES TO BE 2X4 SPF #2 @ 24" O.C WITH A VERT. POST TO THE TRUSS UNDERNEATH AT EACH CROSS POINT. VERT. POSTS LONGER THAN 6' TO HAVE LATERAL BRACING SO THAT THE DISTANCE BETWEEN END POINTS & BETWEEN ROWS OF BRACING DOES NOT EXCEED 6'		CONVENTIONAL FRAMING BY OTHERS	
	Layout ID: 359636K	Project: PINE VALLEY				Model / Elevation: BLOCK 4 REV1.1 / UNITS 1-5				Mitek V. 8.5.3.233
	Plan Log: 123367	Date: 2/15/2024	Designer:AMANDA/GM			*REVISED FOR PRODUCTION*				

REVISED FOR PRODUCTION

Mitek V. 8.5.3.233

EWP DESIGN INC.

(905) 832-2250

FAX (905) 832-0286

RESPONSIBILITIES AND SPECIFICATIONS

RESPONSIBILITIES

1. EWP DESIGN INC. is responsible for the design of trusses as individual components.
2. It is the responsibility of others to ascertain that the design loads utilized on each drawing meet or exceed the actual dead load imposed by the structure, the live load imposed by the intended use and the snow load imposed by local building code or authorities with jurisdictions.
3. All dimensions are to be verified by the owner, contractor, architect or other authorities with jurisdictions before truss fabrication.
4. EWP DESIGN INC. bears no responsibility for the erection of trusses. Persons erecting trusses are cautioned to seek professional advice regarding the temporary and permanent bracing for the system. Bracing shown on EWP DESIGN INC. drawing is specified for the truss as a component only and forms an integral part of the truss design.
5. It is the truss manufacturer's responsibility to ensure that trusses are manufactured in conformance with specifications of EWP DESIGN INC. as outlined below.

SPECIFICATIONS

1. Trusses designed by EWP DESIGN INC. conform to the relevant section of the Ontario Building Code of Canada (Part 9 or Part 4) or to the Canadian code for farm buildings, whichever applies to the building type, as indicated on the EWP DESIGN INC. drawings, and conform to the design procedures established by the Truss Plate Institute of Canada. Unit stresses used for truss designs are as per the edition of CSA-O86 shown on EWP DESIGN INC. drawings.
2. Lumber is to be the size, species and grade as specified on EWP DESIGN INC. drawings.
3. Moisture content of lumber shall not exceed 19% in service unless specified otherwise.
4. Metal connector plates shall be applied to both faces of truss at each joint and shall be positioned as specified.
5. Top chords of trusses are assumed to be continuously braced laterally by roof sheathing or by purlins at intervals not exceeding 12.5 times the thickness of top chord member.
6. Bottom chords shall be laterally braced at intervals not exceeding 3M (10') o.c., where rigid ceiling is not applied directly to the underside of chords.

THESE DRAWINGS CONSTITUTE THE PROPERTY OF EWP DESIGN INC., SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY THE ALPA LUMBER GROUP, AND WILL BE RETRACTED BY EWP DESIGN INC. IF UTILIZED FOR ANY OTHER PURPOSE.

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H43	1		JT 45147	E24033353

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:37 2024 Page 1

ID:hd511hZTz bdeQoS817GKByhVxV-xE2LizFNGJiiLUqOk2V0?A4QP5qvJ3s9Sjr hKzqZv

Scale = 1:52

Structural diagram showing a roof truss system. The truss is supported by a wall on the left and a column on the right. The truss consists of a main horizontal chord with vertical supports and diagonal bracing. Key components include:

- Top chord members: T1, T2, T3
- Bottom chord members: B1, B2
- Vertical supports: W1, W2, W3, W4, W5
- Diagonal bracing: W1, W2, W3, W4, W5

Dimensions and member types are indicated throughout the diagram. The total weight is 145 lb.

NUMBER

N. L. G. A. RULES

CHORDS

SIZE

LUMBER

DESCR.

A - B

2x4

DRY

No.2

SPF

B - E

2x4

DRY

No.2

SPF

E - G

2x4

DRY

No.2

SPF

H - G

2x4

DRY

No.2

SPF

N - A

2x4

DRY

No.2

SPF

N - K

2x4

DRY

No.2

SPF

K - H

2x4

DRY

No.2

SPF

ALL WEBS EXCEPT

2x3

DRY

No.2

SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	6.0	2.25	2.00
B	TTWW-I	MT20	4.0	6.0	1.75	4.50
C	TMWW-t	MT20	4.0	6.0		
D	TMW+w	MT20	2.0	4.0		
E	TS-t	MT20	3.0	8.0		
F	TMWW-t	MT20	4.0	6.0		
G	TMVW-t	MT20	4.0	6.0	1.50	3.00
H	BMV1+p	MT20	2.0	4.0		
I	BMWW-t	MT20	4.0	6.0	1.50	3.00
J	BMWWW-t	MT20	5.0	6.0		
K	BS-t	MT20	3.0	8.0		
L	BMWW-t	MT20	4.0	6.0		
M	BMWW-t	MT20	4.0	6.0		
N	BMV1+p	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT DOWN	REQRD BRG IN-SX
JT	VERT	HORZ	UP/LIFT	IN-SX
H	1492	0	0	1-10
N	1492	0	0	1-10

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	1064	649 / 0	0 / 0	0 / 0	0 / 0	415 / 0	0 / 0
N	1064	649 / 0	0 / 0	0 / 0	0 / 0	415 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, N

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF G-H, F-I.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. UNBRACED LENGTH (LC)	
FR-TO		FROM TO		FR-TO			
A- B	-1211 / 0	-78.0 -78.0	0.36 (1)	5.40	M- B	-240 / 0	0.29 (1)
B- C	-1444 / 0	-78.0 -78.0	0.59 (1)	4.68	B- L	0 / 1014	0.23 (1)
C- D	-1503 / 0	-78.0 -78.0	0.60 (1)	4.60	L- C	-645 / 0	0.78 (1)
D- E	-1503 / 0	-78.0 -78.0	0.60 (1)	4.58	C- J	0 / 91	0.02 (1)
E- F	-1503 / 0	-78.0 -78.0	0.60 (1)	4.58	J- D	-465 / 0	0.56 (1)
F- G	-1073 / 0	-78.0 -78.0	0.56 (1)	5.27	J- F	0 / 665	0.15 (1)
H- G	-1443 / 0	0.0 0.0	0.41 (1)	5.44	I- F	-1097 / 0	0.44 (1)
N- A	-1461 / 0	0.0 0.0	0.20 (1)	6.77	I- G	0 / 1637	0.37 (1)
					A- M	0 / 862	0.19 (1)
N- M	0 / 0	-18.5 -18.5	0.14 (4)	10.00			
M- L	0 / 782	-18.5 -18.5	0.23 (4)	10.00			
L- K	0 / 1444	-18.5 -18.5	0.32 (1)	10.00			
K- J	0 / 1444	-18.5 -18.5	0.32 (1)	10.00			
J- I	0 / 1073	-18.5 -18.5	0.30 (4)	10.00			
I- H	0 / 0	-18.5 -18.5	0.20 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	21.0	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	0.0	PSF
	DL	=	7.4	PSF
TOTAL LOAD	=	34.4	PSF	

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.03")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (1.03")
CALCULATED VERT. DEFL.(TL)= L/ 999 (0.15")

CSI: TC=0.60/1.00 (D-F:1) , BC=0.32/1.00 (J-L:1) , WB=0.78/1.00 (C-L:1) , SSI=0.25/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR	SECTION
	(PSI)	(PLI)	(PLI)
MAX	MIN	MAX	MIN
MT20	650	371	1747
	788	1987	1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (B) (INPUT = 0.90)
JSI METAL= 0.48 (K) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H45	1		JT 45147	E24033355

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:33 2024 Page 1
ID:hd511hZTz bdeQoS817GKByhVxV-2TpqtbcCsC4CGstMdVCR4rKwfcTHINJHZX5tnYZzgZ

1-0-0-0 6-11-8 6-11-8 8-0-8 15-0-0 7-10-12 22-10-12 8-0-8 30-11-4 31-0-4
10-7-13 10-7-13
Scale = 1:52.6

14.00 12

3-8 10-7-13 3-8

4x6 || 2x4 || 2x4 || 4x6 || 3x8 || 5x8 || 3x8 || 4x6 || 2x4 ||


0-0 6-11-8 6-11-8 8-0-8 15-0-0 7-10-12 22-10-12 8-0-8 30-11-4 31-0-4
1-10 1-10
30-10-0

TOTAL WEIGHT = 4 X 182 = 728 lb

LUMBER				DESIGN CRITERIA						
N. L. G. A. RULES				SPECIFIED LOADS:						
CHORDS	SIZE	LUMBER	DESCR.	TOP CH.	LL	=	21.0 PSF			
A - B	2x6	DRY	No.2	DL						
B - D	2x4	DRY	No.2	BOT CH. <th data-cs="3" data-kind="parent"></th> <th data-kind="ghost"></th> <th data-kind="ghost"></th>						
D - F	2x4	DRY	No.2	LL <th data-cs="3" data-kind="parent"></th> <th data-kind="ghost"></th> <th data-kind="ghost"></th>						
G - F	2x4	DRY	No.2	DL <th data-cs="3" data-kind="parent"></th> <th data-kind="ghost"></th> <th data-kind="ghost"></th>						
O - A	2x4	DRY	No.2	TOTAL LOAD <th data-cs="3" data-kind="parent"></th> <th data-kind="ghost"></th> <th data-kind="ghost"></th>						
O - L	2x4	DRY	No.2							
L - J	2x4	DRY	No.2							
J - G	2x4	DRY	No.2							
ALL WEBS EXCEPT	2x4	DRY	No.2							
A - M	2x3	DRY	No.2							
DRY: SEASONED LUMBER.										
PLATES (table is in inches)				LOADING						
JT	TYPE	PLATES	W L E N Y X	TOTAL LOAD CASES: (4)						
A	TMVW+p	MT20	4.0 6.0 2.25 2.00							
B	TTWW-h	MT20	8.0 9.0 Edge 2.75							
C	TMW+w	MT20	2.0 4.0							
D	TS-t	MT20	3.0 8.0							
E	TMWW-t	MT20	4.0 6.0							
F	TMVW-t	MT20	4.0 6.0 1.75 3.00							
G	BMV1+p	MT20	2.0 4.0							
I	BMVW-t	MT20	4.0 6.0 1.75 3.00							
J	BS-t	MT20	3.0 8.0							
K	BMWWW-t	MT20	5.0 8.0							
L	BS-t	MT20	3.0 8.0							
M	BMVW-t	MT20	4.0 6.0							
O	BMV1+p	MT20	2.0 4.0							
Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.										
BUILDING DESIGNER				DESIGN CRITERIA						
BEARINGS				SPECIFIED LOADS:						
		FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT DOWN	REQRD BRG IN-SX					
JT	VERT	HORZ	DOWN	HORZ	UPLIFT					
O	1562	0	1562	0	0	1-10	1-10 & BLOCK			
G	1602	0	1602	0	0	1-10	1-10 & BLOCK			
UNFACTORED REACTIONS				DESIGN CRITERIA						
		1ST LCASE COMBINED	MAX /MIN. COMPONENT REACTIONS							
JT	SNOW	LIVE	PERM.LIVE	WIND	DEAD					
O	1120	649 / 0	0 / 0	0 / 0	470 / 0					
G	1152	649 / 0	0 / 0	0 / 0	503 / 0					
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, G										
2x4 DRY SPF No.2 BEARING BLOCK 12" LONG AT JT. G ATTACHED TO FRONT SIDE WITH 2 ROWS OF (0.122"x3") SPIRAL NAILS SPACED 2" C.C. 12 NAILS TOTAL.										
2x4 DRY SPF No.2 BEARING BLOCK 12" LONG AT JT. O ATTACHED TO FRONT SIDE WITH 2 ROWS OF (0.122"x3") SPIRAL NAILS SPACED 2" C.C. 12 NAILS TOTAL.										
BRACING				DESIGN CRITERIA						
FOR SECTION B-F, MAX. PURLIN SPACING = 2.00 FT.										
FOR OTHER SECTIONS, TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.23 FT.										
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.										

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2






JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H47P		1	TRUSS DESC. JT 45147	E24033360

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:40 2024 Page 1

ID:hd511hZTz bdeQoS817GKByhVxV-LpkTL HFZE4HCyPzPA3jdoizCljCWahb8h4elfzqZyb




TOTAL WEIGHT = 2 X 86 = 172 lb

LUMBER N. L. G. A. RULES CHORDS SIZE LUMBER DESCR. A - C 2x4 DRY No.2 SPF C - E 2x4 DRY No.2 SPF E - G 2x4 DRY No.2 SPF H - G 2x4 DRY No.2 SPF B - J 2x4 DRY No.2 SPF J - H 2x4 DRY No.2 SPF ALL WEBS 2x3 DRY No.2 SPF DRY: SEASONED LUMBER.					DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER BEARINGS <table><tr><th rowspan="2">JT</th><th colspan="2">FACTORED GROSS REACTION</th><th colspan="2">MAXIMUM FACTORED GROSS REACTION</th><th colspan="2">INPUT BRG</th><th colspan="2">REQRD BRG</th></tr><tr><th>VERT</th><th>HORZ</th><th>DOWN</th><th>HORZ</th><th>UPLIFT</th><th>IN-SX</th><th>IN-SX</th></tr><tr><td>H</td><td>278</td><td>0</td><td>278</td><td>0</td><td>0</td><td>23-5-10 (9-6-10)</td><td></td></tr><tr><td>B</td><td>222</td><td>0</td><td>222</td><td>0</td><td>0</td><td>23-5-10 (9-6-10)</td><td></td></tr><tr><td>L</td><td>329</td><td>0</td><td>329</td><td>0</td><td>0</td><td>23-5-10 (9-6-10)</td><td></td></tr><tr><td>K</td><td>766</td><td>0</td><td>766</td><td>0</td><td>0</td><td>23-5-10 (9-6-10)</td><td></td></tr><tr><td>I</td><td>700</td><td>0</td><td>700</td><td>0</td><td>0</td><td>23-5-10 (9-6-10)</td><td></td></tr></table> <u>VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH</u> UNFACTORED REACTIONS <table><tr><th rowspan="2">JT</th><th colspan="2">1ST LCASE COMBINED</th><th colspan="2">MAX./MIN. COMPONENT REACTIONS</th><th rowspan="2">WIND</th><th rowspan="2">DEAD</th><th rowspan="2">SOIL</th></tr><tr><th>SNOW</th><th>LIVE</th><th>PERM.LIVE</th><th></th></tr><tr><td>H</td><td>198</td><td>122 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>76 / 0</td><td>0 / 0</td></tr><tr><td>B</td><td>155</td><td>116 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>39 / 0</td><td>0 / 0</td></tr><tr><td>L</td><td>239</td><td>118 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>121 / 0</td><td>0 / 0</td></tr><tr><td>K</td><td>544</td><td>346 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>197 / 0</td><td>0 / 0</td></tr><tr><td>I</td><td>500</td><td>300 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>200 / 0</td><td>0 / 0</td></tr></table> BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, B, L, K, I BRACING TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED. ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED. LOADING TOTAL LOAD CASES: (4) <table><tr><th colspan="3">CHORDS</th><th colspan="3">WEBS</th></tr><tr><th>MEMB.</th><th>MAX. FACTORED FORCE (LBS)</th><th>FACTORED VERT. LOAD (PLF)</th><th>MEMB.</th><th>MAX. FACTORED FORCE (LBS)</th><th>FACTORED MAX. CSI (LC)</th></tr><tr><td>FR-TO</td><td></td><td>FROM TO</td><td>FR-TO</td><td></td><td></td></tr><tr><td>A- B</td><td>0 / 10</td><td>-78.0 -78.0 0.01 (1)</td><td>L- C</td><td>-199 / 0</td><td>0.05 (1)</td></tr><tr><td>B- N</td><td>0 / 77</td><td>-78.0 -78.0 0.07 (1)</td><td>C- K</td><td>-87 / 0</td><td>0.10 (1)</td></tr><tr><td>N- C</td><td>-101 / 0</td><td>-78.0 -78.0 0.08 (1)</td><td>K- D</td><td>-582 / 0</td><td>0.14 (1)</td></tr><tr><td>C- D</td><td>0 / 25</td><td>-78.0 -78.0 0.49 (1)</td><td>K- F</td><td>-49 / 0</td><td>0.06 (1)</td></tr><tr><td>D- E</td><td>0 / 25</td><td>-78.0 -78.0 0.50 (1)</td><td>I- F</td><td>-565 / 0</td><td>0.13 (1)</td></tr><tr><td>E- F</td><td>0 / 25</td><td>-78.0 -78.0 0.50 (1)</td><td>I- G</td><td>0 / 20</td><td>0.00 (1)</td></tr><tr><td>F- G</td><td>-18 / 0</td><td>-78.0 -78.0 0.50 (1)</td><td>M- N</td><td>-320 / 0</td><td>0.00 (1)</td></tr><tr><td>H- G</td><td>-227 / 0</td><td>0.0 0.0 0.05 (1)</td><td></td><td></td><td></td></tr><tr><td>B- M</td><td>0 / 58</td><td>-18.5 -18.5 0.08 (1)</td><td></td><td></td><td></td></tr><tr><td>M- L</td><td>0 / 58</td><td>-18.5 -18.5 0.14 (4)</td><td></td><td></td><td></td></tr><tr><td>L- K</td><td>0 / 53</td><td>-18.5 -18.5 0.16 (4)</td><td></td><td></td><td></td></tr><tr><td>K- J</td><td>0 / 18</td><td>-18.5 -18.5 0.22 (4)</td><td></td><td></td><td></td></tr><tr><td>J- I</td><td>0 / 18</td><td>-18.5 -18.5 0.22 (4)</td><td></td><td></td><td></td></tr><tr><td>I- H</td><td>0 / 0</td><td>-18.5 -18.5 0.21 (4)</td><td></td><td></td><td></td></tr></table>					JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG		VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	H	278	0	278	0	0	23-5-10 (9-6-10)		B	222	0	222	0	0	23-5-10 (9-6-10)		L	329	0	329	0	0	23-5-10 (9-6-10)		K	766	0	766	0	0	23-5-10 (9-6-10)		I	700	0	700	0	0	23-5-10 (9-6-10)		JT	1ST LCASE COMBINED		MAX./MIN. COMPONENT REACTIONS		WIND	DEAD	SOIL	SNOW	LIVE	PERM.LIVE		H	198	122 / 0	0 / 0	0 / 0	0 / 0	76 / 0	0 / 0	B	155	116 / 0	0 / 0	0 / 0	0 / 0	39 / 0	0 / 0	L	239	118 / 0	0 / 0	0 / 0	0 / 0	121 / 0	0 / 0	K	544	346 / 0	0 / 0	0 / 0	0 / 0	197 / 0	0 / 0	I	500	300 / 0	0 / 0	0 / 0	0 / 0	200 / 0	0 / 0	CHORDS			WEBS			MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED MAX. CSI (LC)	FR-TO		FROM TO	FR-TO			A- B	0 / 10	-78.0 -78.0 0.01 (1)	L- C	-199 / 0	0.05 (1)	B- N	0 / 77	-78.0 -78.0 0.07 (1)	C- K	-87 / 0	0.10 (1)	N- C	-101 / 0	-78.0 -78.0 0.08 (1)	K- D	-582 / 0	0.14 (1)	C- D	0 / 25	-78.0 -78.0 0.49 (1)	K- F	-49 / 0	0.06 (1)	D- E	0 / 25	-78.0 -78.0 0.50 (1)	I- F	-565 / 0	0.13 (1)	E- F	0 / 25	-78.0 -78.0 0.50 (1)	I- G	0 / 20	0.00 (1)	F- G	-18 / 0	-78.0 -78.0 0.50 (1)	M- N	-320 / 0	0.00 (1)	H- G	-227 / 0	0.0 0.0 0.05 (1)				B- M	0 / 58	-18.5 -18.5 0.08 (1)				M- L	0 / 58	-18.5 -18.5 0.14 (4)				L- K	0 / 53	-18.5 -18.5 0.16 (4)				K- J	0 / 18	-18.5 -18.5 0.22 (4)				J- I	0 / 18	-18.5 -18.5 0.22 (4)				I- H	0 / 0	-18.5 -18.5 0.21 (4)				DESIGN CRITERIA SPECIFIED LOADS: TOP CH. LL = 21.0 PSF DL = 6.0 PSF BOT CH. LL = 0.0 PSF DL = 7.4 PSF TOTAL LOAD = 34.4 PSF SPACING = 24.0 IN. C/C LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015 THIS DESIGN COMPLIES WITH: - PART 9 OF BCBC 2018 , NBC-2019AE - PART 9 OF OBC 2012 (2019 AMENDMENT) - CSA 086-14 - TPIC 2014 (55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD CSI: TC=0.50/1.00 (D-F:1) , BC=0.22/1.00 (I-K:4) , WB=0.14/1.00 (D-K:1) , SSI=0.25/1.00 (F-G:1) DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10 COMPANION LIVE LOAD FACTOR = 1.00 TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT . NAIL VALUES PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI) MAX MIN MAX MIN MAX MIN MT20 650 371 1747 788 1987 1873 PLATE PLACEMENT TOL. = 0.250 inches PLATE ROTATION TOL. = 5.0 Deg. JSI GRIP= 0.87 (C) (INPUT = 0.90) JSI METAL= 0.13 (E) (INPUT = 1.00)				
JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG																																																																																																																																																																																																																									
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX																																																																																																																																																																																																																									
H	278	0	278	0	0	23-5-10 (9-6-10)																																																																																																																																																																																																																										
B	222	0	222	0	0	23-5-10 (9-6-10)																																																																																																																																																																																																																										
L	329	0	329	0	0	23-5-10 (9-6-10)																																																																																																																																																																																																																										
K	766	0	766	0	0	23-5-10 (9-6-10)																																																																																																																																																																																																																										
I	700	0	700	0	0	23-5-10 (9-6-10)																																																																																																																																																																																																																										
JT	1ST LCASE COMBINED		MAX./MIN. COMPONENT REACTIONS		WIND	DEAD	SOIL																																																																																																																																																																																																																									
	SNOW	LIVE	PERM.LIVE																																																																																																																																																																																																																													
H	198	122 / 0	0 / 0	0 / 0	0 / 0	76 / 0	0 / 0																																																																																																																																																																																																																									
B	155	116 / 0	0 / 0	0 / 0	0 / 0	39 / 0	0 / 0																																																																																																																																																																																																																									
L	239	118 / 0	0 / 0	0 / 0	0 / 0	121 / 0	0 / 0																																																																																																																																																																																																																									
K	544	346 / 0	0 / 0	0 / 0	0 / 0	197 / 0	0 / 0																																																																																																																																																																																																																									
I	500	300 / 0	0 / 0	0 / 0	0 / 0	200 / 0	0 / 0																																																																																																																																																																																																																									
CHORDS			WEBS																																																																																																																																																																																																																													
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED MAX. CSI (LC)																																																																																																																																																																																																																											
FR-TO		FROM TO	FR-TO																																																																																																																																																																																																																													
A- B	0 / 10	-78.0 -78.0 0.01 (1)	L- C	-199 / 0	0.05 (1)																																																																																																																																																																																																																											
B- N	0 / 77	-78.0 -78.0 0.07 (1)	C- K	-87 / 0	0.10 (1)																																																																																																																																																																																																																											
N- C	-101 / 0	-78.0 -78.0 0.08 (1)	K- D	-582 / 0	0.14 (1)																																																																																																																																																																																																																											
C- D	0 / 25	-78.0 -78.0 0.49 (1)	K- F	-49 / 0	0.06 (1)																																																																																																																																																																																																																											
D- E	0 / 25	-78.0 -78.0 0.50 (1)	I- F	-565 / 0	0.13 (1)																																																																																																																																																																																																																											
E- F	0 / 25	-78.0 -78.0 0.50 (1)	I- G	0 / 20	0.00 (1)																																																																																																																																																																																																																											
F- G	-18 / 0	-78.0 -78.0 0.50 (1)	M- N	-320 / 0	0.00 (1)																																																																																																																																																																																																																											
H- G	-227 / 0	0.0 0.0 0.05 (1)																																																																																																																																																																																																																														
B- M	0 / 58	-18.5 -18.5 0.08 (1)																																																																																																																																																																																																																														
M- L	0 / 58	-18.5 -18.5 0.14 (4)																																																																																																																																																																																																																														
L- K	0 / 53	-18.5 -18.5 0.16 (4)																																																																																																																																																																																																																														
K- J	0 / 18	-18.5 -18.5 0.22 (4)																																																																																																																																																																																																																														
J- I	0 / 18	-18.5 -18.5 0.22 (4)																																																																																																																																																																																																																														
I- H	0 / 0	-18.5 -18.5 0.21 (4)																																																																																																																																																																																																																														

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2





TOTAL WEIGHT = 62 lb

LUMBER					
N. L. G. A. RULES					
CHORDS	SIZE		LUMBER		DESCR.
A - D	2x4	DRY	No.2		SPF
D - E	2x4	DRY	1650F 1.5E		SPF
H - B	2x4	DRY	No.2		SPF
F - E	2x4	DRY	No.2		SPF
H - G	2x4	DRY	No.2		SPF
G - F	2x4	DRY	No.2		SPF

ALL WEBS 2x3 DRY No.2 SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	2.0	4.0		
C	TMWW+t	MT20	3.0	4.0	1.50	1.50
D	TTW+p	MT20	4.0	6.0		
E	TMVW+p	MT20	4.0	6.0	2.25	2.00
F	BMV1+p	MT20	2.0	4.0		
G	BBWWW-p	MT20	4.0	10.0	Edge	6.25
H	BMVW1-p	MT20	3.0	4.0	Edge	

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG	
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	
F	595	0	595	0	0	MECHANICAL		
H	704	0	704	0	0	5-8	1-8	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-12.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED		MAX./MIN. COMPONENT REACTIONS				
			SNOW	LIVE	PERM.LIVE	WIND	DEAD
F	424		259 / 0	0 / 0	0 / 0	0 / 0	165 / 0
H	500		318 / 0	0 / 0	0 / 0	0 / 0	182 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)	
FR-TO		FROM TO				FR-TO			
A- B	0 / 42	-78.0	-78.0	0.11 (1)	10.00	G- D	0 / 354	0.08 (1)	
B- C	0 / 22	-78.0	-78.0	0.12 (1)	10.00	G- E	0 / 299	0.07 (1)	
C- D	-475 / 0	-78.0	-78.0	0.10 (1)	6.25	H- C	-703 / 0	0.46 (1)	
D- E	-455 / 0	-78.0	-78.0	0.31 (1)	6.25	C- G	-53 / 5	0.01 (1)	
H- B	-199 / 0	0.0	0.0	0.03 (1)	7.81				
F- E	-539 / 0	0.0	0.0	0.07 (1)	7.81				
H- G	0 / 379	-18.5	-18.5	0.25 (4)	10.00				
G- F	0 / 0	-18.5	-18.5	0.20 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP	CH.	LL	=	21.0	PSF
		DL	=	6.0	PSF
BOT	CH.	LL	=	0.0	PSF
		DL	=	7.4	PSF
TOTAL	LOAD	=	34.4	PSF	

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.41")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.41")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.09")

CSI: TC=0.31/1.00 (D-E:1) , BC=0.25/1.00 (G-H:4) ,
WB=0.46/1.00 (C-H:1) , SSI=0.12/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.88 (C) (INPUT = 0.90)
JSI METAL= 0.40 (C) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2




JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H62S		1	TRUSS DESC. JT 45147	E24033365

Alpa Roof Truss, Maple

ID:hd511hZTz bdeQoS817GKBvhVxV-HCrElqJW5rK?RFYMXb5BiDnMs6Q3 Waub?ZIMYzgZYZ

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:42 2024 Page 1



TOTAL WEIGHT = 2 X 57 = 114 lb

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	
B - C	2x4	DRY 1650F 1.5E	SPF	
A - B	2x4	DRY 1650F 1.5E	SPF	
D - C	2x4	DRY No.2	SPF	
F - A	2x4	DRY No.2	SPF	
F - D	2x4	DRY No.2	SPF	
ALL WEBS EXCEPT	2x3	DRY No.2	SPF	
DRY: SEASONED LUMBER.				

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
A	TMVW+p	MT20	4.0	6.0	2.25 2.00
B	TTW+p	MT20	4.0	6.0	
C	TMVW+p	MT20	4.0	6.0	2.25 2.00
D	BMV1+p	MT20	2.0	4.0	
E	BMWW-t	MT20	4.0	6.0	
F	BMV1+p	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER							
<u>BEARINGS</u>							
JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REQRD BRG	
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	
D	577	0	577	0	0	MECHANICAL	
F	577	0	577	0	0	1-10 1-8	
A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 1-8.							

UNFACTORED REACTIONS							
JT	1ST LCASE COMBINED		MAX./MIN. COMPONENT REACTIONS				
	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL	
D	412	251 / 0	0 / 0	0 / 0	160 / 0	0 / 0	
F	412	251 / 0	0 / 0	0 / 0	160 / 0	0 / 0	

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF B-E.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS					WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO				FR-TO		
B- C	-304 / 0	-78.0 -78.0	0.30 (1)	6.25	E- B	-5 / 94	0.03 (4)	
A- B	-304 / 0	-78.0 -78.0	0.30 (1)	6.25	E- C	0 / 210	0.05 (1)	
D- C	-535 / 0	0.0 0.0	0.07 (1)	7.81	A- E	0 / 211	0.05 (1)	
F- A	-535 / 0	0.0 0.0	0.07 (1)	7.81				
F- E	0 / 0	-18.5 -18.5	0.19 (4)	10.00				
E- D	0 / 0	-18.5 -18.5	0.19 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.40")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.40")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.03")

CSI: TC=0.30/1.00 (B-C:1) , BC=0.19/1.00 (E-F:4) , WB=0.05/1.00 (A-E:1) , SSI=0.12/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873


PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (E) (INPUT = 0.90)
JSI METAL= 0.16 (C) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2







LUMBER					DESCR.
N. L. G. A. RULES	CHORDS	SIZE	LUMBER		
A - D	2x4	DRY	No.2		SPF
D - F	2x4	DRY	No.2		SPF
G - F	2x4	DRY	No.2		SPF
B - G	2x4	DRY	No.2		SPF
ALL WEBS EXCEPT	2x3	DRY	No.2		SPF
H - E	2x4	DRY	No.2		SPF
J - C	2x4	DRY	No.2		SPF
DRY: SEASONED LUMBER.					

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH-I	MT20	3.0	4.0	1.50	2.75
C	TMWW-t	MT20	4.0	6.0	2.00	2.00
D	TTW+p	MT20	4.0	6.0		
E	TMWW-t	MT20	4.0	6.0	2.00	2.00
F	TMVW+p	MT20	4.0	6.0	2.25	2.00
G	BMV1+p	MT20	2.0	4.0		
H	BMWW-t	MT20	4.0	6.0		
I	BMWWW-t	MT20	4.0	6.0		
J	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG		HEEL WEDGE
	VERT	HORZ	DOWN	HORZ	IN-SX	IN-SX	IN-SX	IN-SX	
G	652	0	652	0	0	MECHANICAL			
J	921	0	921	0	0	5-8	1-8		2x4 L

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT G. MINIMUM BEARING LENGTH AT JOINT G = 1-8.

UNFACTORED REACTIONS							
1ST LCASE		MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
G	465	282 / 0	0 / 0	0 / 0	0 / 0	183 / 0	0 / 0
J	654	413 / 0	0 / 0	0 / 0	0 / 0	240 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. LC1 CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. CSI (LC)
FR-TO		FROM TO			FR-TO		
A-B	0 / 39	-78.0 -78.0	0.11 (1)	10.00	I-D	0 / 164	0.05 (4)
B-L	-393 / 0	-78.0 -78.0	0.08 (1)	6.25	I-E	-305 / 0	0.26 (1)
L-C	-5 / 173	-78.0 -78.0	0.52 (1)	10.00	H-E	-369 / 0	0.04 (1)
C-D	-414 / 0	-78.0 -78.0	0.43 (1)	6.25	C-I	0 / 178	0.04 (1)
D-E	-414 / 0	-78.0 -78.0	0.43 (1)	6.25	J-C	-962 / 0	0.10 (1)
E-F	-487 / 0	-78.0 -78.0	0.38 (1)	6.25	H-F	0 / 721	0.16 (1)
G-F	-693 / 0	0.0 0.0	0.07 (1)	7.81	K-L	0 / 643	0.00 (1)
B-K	0 / 69	-18.5 -18.5	0.21 (1)	10.00			
K-J	0 / 69	-18.5 -18.5	0.21 (1)	10.00			
J-I	0 / 69	-18.5 -18.5	0.18 (4)	10.00			
I-H	0 / 538	-18.5 -18.5	0.22 (4)	10.00			
H-G	0 / 0	-18.5 -18.5	0.12 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:			
TOP CH.	LL =	21.0	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.4	PSF
TOTAL LOAD	=	34.4	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.46")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.46")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CANTILEVER DEFLECTION:
ALLOWABLE DEFL.(LL)= L/120 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/120 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.52/1.00 (C-L:1) , BC=0.22/1.00 (H-I:4) , WB=0.26/1.00 (E-I:1) , SSI=0.41/1.00 (B-K:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES					
PLATE	GRIP(DRY)	SHEAR	SECTION	(PSI)	(PLI)
				MAX	MIN
MT20	650	371	1747	788	1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.74 (H) (INPUT = 0.90)
JSI METAL= 0.20 (J) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



[illegible]

NUMBER N. L. G. A. RULES CHORDS SIZE LUMBER DESCR. A - B 2x4 DRY No.2 SPF B - D 2x4 DRY 1650F 1.5E SPF D - G 2x4 DRY 1650F 1.5E SPF H - G 2x6 DRY No.2 SPF N - A 2x6 DRY No.2 SPF N - J 2x6 DRY No.2 SPF J - H 2x6 DRY No.2 SPF BEARING BLOCKS BL1 2x4 DRY No.2 SPF ALL WEBS 2x3 DRY No.2 SPF EXCEPT DRY: SEASONED LUMBER.	DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER BEARINGS FACTORED MAXIMUM FACTORED INPUT REQRD GROSS REACTION GROSS REACTION BRG BRG JT VERT HORZ DOWN HORZ UPLIFT IN-SX IN-SX H 2701 0 2701 0 0 3-8 3-8 N 1912 0 1912 0 0 5-8 2-1 UNFACTORED REACTIONS 1ST LCASE MAX /MIN. COMPONENT REACTIONS JT COMBINED SNOW LIVE PERM.LIVE WIND DEAD SOIL H 1925 1179 / 0 0 / 0 0 / 0 0 / 0 746 / 0 0 / 0 N 1363 832 / 0 0 / 0 0 / 0 0 / 0 531 / 0 0 / 0 BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, N BRACING TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.11 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED. ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED. LOADING TOTAL LOAD CASES: (4) CHORDS MAX. FACTORED FACTORED WEBS MAX. FACTORED MEMB. FORCE VERT. LOAD LC1 MAX. MAX. MEMB. FORCE MAX (LBS) (PLF) CSI (LC) UNBRAC (LBS) CSI (LC) FR-TO FROM TO LENGTH FR-TO A- B -1728 / 0 -78.0 -78.0 0.19 (1) 4.86 M- B -347 / 0 0.14 (1) B- C -2625 / 0 -78.0 -78.0 0.37 (1) 4.43 A- M 0 / 1213 0.30 (1) C- D -3559 / 0 -78.0 -78.0 0.43 (1) 3.86 B- L 0 / 2033 0.50 (1) D- E -3559 / 0 -78.0 -78.0 0.43 (1) 3.86 L- C -1308 / 0 0.53 (1) E- O -3559 / 0 -78.0 -78.0 0.86 (1) 3.11 C- K 0 / 1268 0.31 (1) O- F -3559 / 0 -153.5 -153.5 0.86 (1) 3.11 K- E -529 / 0 0.21 (1) F- G -2504 / 0 -153.5 -153.5 0.79 (1) 3.76 K- F 0 / 1433 0.35 (1) H- G -2631 / 0 0.0 0.0 0.77 (1) 6.37 I- F -1967 / 0 0.80 (1) N- A -1908 / 0 0.0 0.0 0.15 (1) 7.23 I- G 0 / 3479 0.86 (1) N- M 0 / 0 -18.5 -18.5 0.06 (4) 10.00 M- L 0 / 1110 -18.5 -18.5 0.20 (1) 10.00 L- K 0 / 2626 -18.5 -18.5 0.45 (1) 10.00 K- P 0 / 2504 -18.5 -18.5 0.58 (1) 10.00 P- J 0 / 2504 -36.4 -36.4 0.58 (1) 10.00 J- I 0 / 2504 -36.4 -36.4 0.58 (1) 10.00 I- H -122 / 0 -36.4 -36.4 0.16 (4) 6.25 FACTORED CONCENTRATED LOADS (LBS) JT LOC. LC1 MAX- MAX+ FACE DIR. TYPE HEEL CONN. P 14-39 -1217 -1217 --- FRONT VERT TOTAL --- C1 CONNECTION REQUIREMENTS 1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.	DESIGN CRITERIA *** SPECIAL LOADS ANALYSIS *** GEOMETRY AND/OR BASIC LOADS CHANGED BY USER. LOADS WERE DERIVED FROM USER INPUT NO FURTHER MODIFICATIONS WERE MADE SPECIFIED LOADS: TOP CH. LL = 21.0 PSF DL = 6.0 PSF BOT CH. LL = 0.0 PSF DL = 7.4 PSF TOTAL LOAD = 34.4 PSF SPACING = 24.0 IN./C LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM GIRDER TYPE: CPrimeHip LEFT SETBACK = 3-0-7 RIGHT SETBACK = 0-0 END SETBACK = 5-10-8 END WALL WIDTH = 0-0 CORNER FRAMING TYPE: CONVENTIONAL END JACK TYPE: CONVENTIONAL APPLIED TO FRONT SIDE - ADDT'L LOADS BASED ON 55 % OF GSL. LOADS APPLIED TO FIRST 10-11-15 OF SPAN MEASURED FROM THE RIGHT. *** NON STANDARD GIRDER *** ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES. THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC2015 THIS DESIGN COMPLIES WITH: - PART 9 OF CBC2018 , NBC-2019AE - PART 9 OF OBC 2012 (2019 AMENDMENT) - CSA 086-14 - TPIC 2014 (55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD ALLOWABLE DEFL.(LL)= L/360 (0.82") CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12") ALLOWABLE DEFL.(TL)= L/360 (0.82") CALCULATED VERT. DEFL.(TL)= L/ 999 (0.25") CSI: TC=0.86/1.00 (E-F:1) , BC=0.58/1.00 (I-K:1) , WB=0.86/1.00 (G-I:1) , SSI=0.81/1.00 (I-K:1) DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00 COMPANION
---	---	--

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H89	1		JT 45147	E24033378

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:49 2024 Page 1
ID:hd511hZTz bdeQoS817GKByhVxv-aYntD3OvR?D?nKbiRZjqUiaQxwIk7Y2wCald6eqqZv

Scale = 1:53.0

TOTAL WEIGHT = 2 X 180 = 360 LB

NUMBER N. L. G. A. RULES CHORDS SIZE LUMBER DESCR. A - D 2x4 DRY No.2 SPF D - F 2x4 DRY No.2 SPF F - H 2x4 DRY No.2 SPF I - H 2x4 DRY No.2 SPF O - B 2x4 DRY No.2 SPF O - M 2x4 DRY No.2 SPF M - K 2x4 DRY No.2 SPF K - I 2x4 DRY No.2 SPF ALL WEBS 2x4 DRY No.2 SPF EXCEPT C - N 2x3 DRY No.2 SPF O - C 2x3 DRY No.2 SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	2.0	4.0		
C	TMWW-t	MT20	4.0	6.0	2.00	2.25
D	TTWW-I	MT20	4.0	10.0	1.75	8.50
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	3.0	8.0		
G	TMWW-t	MT20	4.0	6.0		
H	TMVW-t	MT20	4.0	6.0	1.75	3.00
I	BMV1+p	MT20	2.0	4.0		
J	BMWW-t	MT20	4.0	6.0	1.75	3.00
K	BS-t	MT20	3.0	8.0		
L	BMWWW-t	MT20	5.0	8.0		
M	BS-t	MT20	3.0	8.0		
N	BMWW-t	MT20	4.0	6.0		
O	BMVW1-t	MT20	4.0	6.0	1.75	3.00

 DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER BEARINGS | | FACTORED GROSS REACTION | MAXIMUM FACTORED GROSS REACTION | INPUT BRG | REQRD BRG | |----|-------------------------|---------------------------------|-----------|-----------| | JT | VERT | HORZ | DOWN | HORZ | | I | 1506 | 0 | 1506 | 0 | | O | 1615 | 0 | 1615 | 0 | UNFACTORED REACTIONS | JT | 1ST LCASE COMBINED | MAX /MIN. SNOW | LIVE | PERM.LIVE | WIND | DEAD | SOIL | |----|--------------------|----------------|-------|-----------|-------|---------|-------| | I | 1074 | 655 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 418 / 0 | 0 / 0 | | O | 1149 | 714 / 0 | 0 / 0 | 0 / 0 | 0 / 0 | 435 / 0 | 0 / 0 | BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) I, O BRACING TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.55 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED. ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED. 1 LATERAL BRACE(S) AT 1/2 LENGTH OF H-I, C-O, D-L, E-L, G-L, G-J, H-J. END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW LOADING TOTAL LOAD CASES: (4) | C H O R D S | | | | | W E B S | | | | | |-------------|---------------------------|---------------------------|----------|--------------------|---------|---------------------------|--------------|--|--| | MEMB. | MAX. FACTORED FORCE (LBS) | FACTORED VERT. LOAD (PLF) | LC1 MAX | MAX. UNBRAC LENGTH | MEMB. | MAX. FACTORED FORCE (LBS) | MAX CSI (LC) | | | | FR-TO | | FROM TO | | | FR-TO | | | | | | A- B | 0 / 42 | -78.0 -78.0 | 0.11 (1) | 10.00 | C- N | 0 / 48 | 0.02 (4) | | | | B- C | 0 / 24 | -78.0 -78.0 | 0.16 (1) | 10.00 | N- D | 0 / 139 | 0.03 (4) | | | | C- D | -1304 / 0 | -78.0 -78.0 | 0.20 (1) | 5.46 | O- C | -1571 / 0 | 0.51 (1) | | | | D- E | -1196 / 0 | -78.0 -78.0 | 0.82 (1) | 4.57 | D- L | 0 / 594 | 0.10 (1) | | | | E- F | -1197 / 0 | -78.0 -78.0 | 0.82 (1) | 4.55 | L- E | -675 / 0 | 0.38 (1) | | | | F- G | -1197 / 0 | -78.0 -78.0 | 0.82 (1) | 4.55 | L- G | 0 / 434 | 0.07 (1) | | | | G- H | -933 / 0 | -78.0 -78.0 | 0.78 (1) | 5.05 | J- G | -1027 / 0 | 0.58 (1) | | | | I- H | -1447 / 0 | 0.0 0.0 | 0.81 (1) | 5.43 | J- H | 0 / 1515 | 0.24 (1) | | | | O- B | -217 / 0 | 0.0 0.0 | 0.03 (1) | 7.81 | | | | | | | O- N | 0 / 814 | -18.5 -18.5 | 0.34 (4) | 10.00 | | | | | | | N- M | 0 / 830 | -18.5 -18.5 | 0.35 (4) | 10.00 | | | | | | | M- L | 0 / 830 | -18.5 -18.5 | 0.35 (4) | 10.00 | | | | | | | L- K | 0 / 933 | -18.5 -18.5 | 0.38 (4) | 10.00 | | | | | | | K- J | 0 / 933 | -18.5 -18.5 | 0.38 (4) | 10.00 | | | | | | | J- I | 0 / 0 | -18.5 -18.5 | 0.29 (4) | 10.00 | | | | | | | DESIGN CRITERIA SPECIFIED LOADS: | | | | | | |---------|----|---|-------|-----| | TOP CH. | LL | = | 21.0 | PSF | | | DL | = | 6.0</ | | |

[illegible]

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2

A circular professional engineer seal from the Province of Ontario. The outer ring contains the text "LICENSED PROFESSIONAL ENGINEER" at the top and "PROVINCE OF ONTARIO" at the bottom. Inside the ring, the name "Y. WIDYA" is prominently displayed above the license number "100225448". Below the license number is the date "02/28/2024". A stylized signature or scribble is visible across the center of the seal.

N. L. G. A. RULES
CHORDS SIZE LUMBER DESCR.
A - C 2x4 DRY No.2 SPF
C - F 2x6 DRY No.2 SPF
F - I 2x6 DRY No.2 SPF
J - L 2x6 DRY No.2 SPF
Q - B 2x6 DRY No.2 SPF
Q - M 2x6 DRY 1650F 1.5E SPF
M - J 2x6 DRY 1650F 1.5E SPF

BEARING BLOCKS
BL1 2x4 DRY No.2 SPF

ALL WEBS 2x3 DRY No.2 SPF
EXCEPT
C - O 2x4 DRY No.2 SPF
K - I 2x4 DRY No.2 SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)
JT TYPE PLATES W LEN Y X
B TMVW-t MT20 6.0 10.0 1.50 4.50
C TTWW-h MT20 10.0 12.0 4.25 8.50
D TMWW-t MT20 4.0 6.0 2.00 2.75
E TMW+w MT20 2.0 4.0
F TS-t MT20 5.0 6.0
G TMWWW-t MT20 4.0 6.0
H TMVVW-t MT20 5.0 8.0 2.25 3.00
I TMVW-t MT20 6.0 10.0 2.75 3.75
J BMVK1-t MT20 8.0 9.0 5.50 Edge
K BMWW-t MT20 6.0 7.0 2.25 1.75
L BMWW-t MT20 5.0 6.0 2.00 1.75
M BS-t MT18HS 6.0 14.0
N BMWWW-t MT20 5.0 8.0 2.75 3.00
O BMWW-t MT20 8.0 9.0
P BMWW+t MT20 5.0 8.0 4.25 1.50
Q BMV1+t MT20 6.0 10.0 5.50

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

FACTORED CONCENTRATED LOADS (LBS)
JT LOC. LC1 MAX- MAX+ FACE DIR. TYPE HEEL CONN.
V 21-5-7 -393 -393 --- FRONT VERT TOTAL --- C1
W 26-6-9 -393 -393 --- FRONT VERT TOTAL --- C1

CONNECTION REQUIREMENTS
1) C1: A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

BUILDING DESIGNER
BEARINGS
FACTORED MAXIMUM FACTORED INPUT REQ'D
GROSS REACTION GROSS REACTION BRG BRG
VERT HORZ DOWN HORZ UPLIFT IN-SX IN-SX
JT 3670 0 3670 0 0 3-8 3-8
Q 4817 0 4817 0 0 5-8 5-8

UNFACTORED REACTIONS
1ST LCASE MAX /MIN. COMPONENT REACTIONS
JT COMBINED SNOW LIVE PERM.LIVE WIND DEAD SOIL
J 2616 1599 / 0 0 / 0 0 / 0 1017 / 0 0 / 0
Q 3432 2107 / 0 0 / 0 0 / 0 1325 / 0 0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) J, Q
BEARING SIZE FACTOR = 1.15 AT JNT(S) J, Q (BASED ON SUPPORT DEPTH = 1-8)

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

C H O R D S W E B S
MEMB. MAX. FORCE FACTORED VERT. LOAD LC1 MAX. MAX. MEMB. MAX. FORCE MAX
(LBS) (PLF) CSI (LC) UNBRAC (LBS) CSI (LC)
FR-TO FROM TO LENGTH FR-TO
A-B 0 / 42 -78.0 -78.0 0.12 (1) 10.00 P-C -488 / 0 0.14 (1)
B-C -3723 / 0 -78.0 -78.0 0.26 (1) 3.43 B-P 0 / 2993 0.74 (1)
C-D -6642 / 0 -78.0 -78.0 0.54 (1) 3.03 C-O 0 / 5204 0.92 (1)
D-E -8008 / 0 -78.0 -78.0 0.62 (1) 2.71 O-D -1504 / 0 0.44 (1)
E-R -8008 / 0 -78.0 -78.0 0.72 (1) 2.58 D-N 0 / 1701 0.42 (1)
R-F -8008 / 0 -137.2 -137.2 0.72 (1) 2.58 N-E -462 / 0 0.13 (1)
F-G -8008 / 0 -137.2 -137.2 0.72 (1) 2.58 N-G 0 / 1233 0.31 (1)
G-S -7017 / 0 -137.2 -137.2 0.65 (1) 2.82 L-G -1385 / 0 0.40 (1)
S-H -7017 / 0 -78.0 -78.0 0.65 (1) 2.82 L-H 0 / 3164 0.78 (1)
H-T -4476 / 0 -78.0 -78.0 0.49 (1) 3.65 K-H -2546 / 0 0.74 (1)
T-I -4476 / 0 -130.8 -130.8 0.49 (1) 3.65 K-I 0 / 5665 1.00 (1)
J-I -3544 / 0 0.0 0.0 0.68 (1) 5.62
Q-B -4775 / 0 0.0 0.0 0.39 (1) 4.88

Q-P 0 / 0 -256.7 -256.7 0.29 (1) 10.00
P-O 0 / 2412 -256.7 -256.7 0.54 (1) 10.00
O-N 0 / 6642 -256.7 -256.7 0.88 (1) 10.00
N-M 0 / 7017 -256.7 -256.7 0.78 (1) 10.00
M-U 0 / 7017 -256.7 -256.7 0.78 (1) 10.00
U-L 0 / 7017 -33.5 -33.5 0.78 (1) 10.00
L-V 0 / 4476 -33.5 -33.5 0.55 (1) 10.00
V-K 0 / 4476 -18.5 -18.5 0.55 (1) 10.00
K-W -193 / 0 -18.5 -18.5 0.18 (1) 6.25
W-J -193 / 0 -31.0 -31.0 0.18 (1) 6.25

SPECIAL CRITERIA
*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN./C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

GIRDER TYPE: CStdGirder
START DISTANCE = 0-0
START SPAN CARRIED = 11-10-8
END DISTANCE = 16-6-0
END SPAN CARRIED = 11-10-8
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDTL LOADS BASED ON 55 % OF GSL.

GIRDER TYPE: CPrimeHip
LEFT SETBACK = 2-2-5
RIGHT SETBACK = 0-0
END SETBACK = 4-8-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL LOADS BASED ON 55 % OF GSL.
LOADS APPLIED TO FIRST 4-10-15 OF SPAN MEASURED FROM THE RIGHT.

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.03")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.28")
ALLOWABLE DEFL.(TL)= L/360 (1.03")
CALCULATED VERT. DEFL.(TL) = L/ 660 (0.56")

CSI: TC=0.72/1.00 (E-G:1) , BC=0.88/1.00 (N-O:1) , WB=1.00/1.00 (I-K:1) , SSI=0.51/1.00 (N-O:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY


TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .


NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873
MT18HS 586 403 2455 1382 3163 3004

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.89 (D) (INPUT = 0.90)
JSI METAL= 0.95 (K) (INPUT = 1.00)





LUMBER							DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER										DESIGN CRITERIA			
N. L. G. A. RULES																				
CHORDS SIZE LUMBER DESCR.																	SPECIFIED LOADS:			
I - B 2x4 DRY No.2 SPF																	TOP CH. LL = 21.0 PSF			
A - D 2x4 DRY No.2 SPF																	DL = 6.0 PSF			
D - E 2x4 DRY No.2 SPF																	BOT CH. LL = 0.0 PSF			
F - E 2x4 DRY No.2 SPF																	DL = 7.4 PSF			
I - G 2x6 DRY No.2 SPF																	TOTAL LOAD = 34.4 PSF			
G - F 2x6 DRY No.2 SPF																				
ALL WEBS 2x3 DRY No.2 SPF																	SPACING = 24.0 IN. C/C			
DRY: SEASONED LUMBER.																	LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM			
PLATES (table is in inches)																	THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015			
JT TYPE PLATES W LEN Y X																	THIS DESIGN COMPLIES WITH:			
B TMVW+p MT20 4.0 6.0 2.75 2.00																	- PART 9 OF CBC 2018 , NBC-2019AE			
C TMWW-t MT20 3.0 4.0 1.50 1.00																	- PART 9 OF OBC 2012 (2019 AMENDMENT)			
D TTW+p MT20 3.0 4.0																	- CSA 086-14			
E TMVW-t MT20 4.0 6.0																	- TPIC 2014			
F BMV1+p MT20 2.0 4.0																	(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD			
G BBWWW-p MT20 8.0 9.0																	ALLOWABLE DEFL.(LL)= L/ 360 (0.40")			
H BMWW-t MT20 4.0 6.0																	CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")			
I BMV1+p MT20 2.0 4.0																	ALLOWABLE DEFL.(TL)= L/360 (0.40")			
																	CALCULATED VERT. DEFL.(TL) = L/ 999 (0.09")			
																	CSI: TC=0.23/1.00 (B-C:1) , BC=0.22/1.00 (G-H:1) , WB=0.30/1.00 (C-G:1) , SSI=0.12/1.00 (C-D:1)			
																	DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10			
																	COMPANION LIVE LOAD FACTOR = 1.00			
																	TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .			
																	NAIL VALUES			
																	PLATE GRIP(DRY) SHEAR SECTION			
																	(PSI) (PLI) (PLI)			
																	MAX MIN MAX MIN MAX MIN			
																	MT20 650 371 1747 788 1987 1873			
																	PLATE PLACEMENT TOL. = 0.250 inches			
																	PLATE ROTATION TOL. = 5.0 Deg.			
																	JSI GRIP= 0.67 (C) (INPUT = 0.90)			
																	JSI METAL= 0.59 (B) (INPUT = 1.00)			

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



TOTAL WEIGHT = 6 X 46 = 278 lb

[M][F]

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	
A - D	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF
F - B	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				
DRY: SEASONED LUMBER.				

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	2.0	4.0		
C	TMWW-t	MT20	3.0	4.0		
D	TMV+p	MT20	2.0	4.0		
E	BMVW1-t	MT20	3.0	4.0		
F	BMVW1-t	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG	
	VERT	HORZ	DOWN	HORZ	IN-SX	IN-SX	IN-SX	IN-SX
E	342	0	342	0	0	MECHANICAL		
F	450	0	450	0	0	5-8	1-8	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT E. MINIMUM BEARING LENGTH AT JOINT E = 1-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED		MAX./MIN. SNOW		LIVE		PERM.LIVE		WIND		DEAD		SOIL	
E	244	149 / 0			0 / 0		0 / 0	0 / 0	0 / 0		95 / 0		0 / 0	
F	319	207 / 0			0 / 0		0 / 0	0 / 0	0 / 0		112 / 0		0 / 0	

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF D-E.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX		MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX	
			FROM	TO				CSI (LC)	CSI (LC)
FR-TO						FR-TO			
A- B	0 / 38	-78.0	-78.0	0.11 (1)	10.00	C- E	-198 / 0	0.18 (1)	
B- C	0 / 24	-78.0	-78.0	0.17 (1)	10.00	F- C	-200 / 0	0.18 (1)	
C- D	-24 / 0	-78.0	-78.0	0.13 (1)	6.25				
E- D	-106 / 0	0.0	0.0	0.05 (1)	6.25				
F- B	-211 / 0	0.0	0.0	0.03 (1)	7.81				
F- E	0 / 100	-18.5	-18.5	0.28 (4)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP	CH.	LL	=	21.0	PSF
		DL	=	6.0	PSF
BOT	CH.	LL	=	0.0	PSF
		DL	=	7.4	PSF
TOTAL LOAD		=	34.4	PSF	

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(TL)= L/360 (0.24")
CALCULATED VERT. DEFL.(TL) = L/ 749 (0.11")

CSI: TC=0.17/1.00 (B-C:1) , BC=0.28/1.00 (E-F:4) ,
WB=0.18/1.00 (C-E:1) , SSI=0.10/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (C) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2





TOTAL WEIGHT = 3 X 65 = 196 lb

[M][F]

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
F - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
DRY: SEASONED LUMBER.				

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	4.0	6.0	1.50	2.75
C	TMWW-t	MT20	3.0	4.0	1.50	1.25
D	TS-t	MT20	3.0	8.0		
E	TMV+p	MT20	2.0	4.0		
F	BMVW1-t	MT20	3.0	4.0		
G	BMWW-t	MT20	3.0	4.0		
H	BMV1+p	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG	
	VERT	HORZ	DOWN	HORZ	IN-SX	IN-SX	MECHANICAL	
F	611	0	611	0	0			
H	719	0	719	0	0	5-8	1-8	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 1-8.

UNFACTORED REACTIONS	
1ST LCASE	MAX./MIN. COMPONENT REACTIONS
JT	COMBINED
F	436
H	510

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/ 2 LENGTH OF E-F, C-F.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING				
TOTAL LOAD CASES: (4)				
C H O R D S				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
FR-TO		FROM TO		FR-TO
A- B	0 / 35	-78.0 -78.0	0.11 (1)	10.00
B- C	-474 / 0	-78.0 -78.0	0.42 (1)	6.25
C- D	-39 / 0	-78.0 -78.0	0.41 (1)	6.25
D- E	-39 / 0	-78.0 -78.0	0.41 (1)	6.25
F- E	-184 / 0	0.0 0.0	0.13 (1)	6.25
H- B	-674 / 0	0.0 0.0	0.07 (1)	7.81
H- G	0 / 0	-18.5 -18.5	0.21 (4)	10.00
G- F	0 / 394	-18.5 -18.5	0.25 (4)	10.00

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH. LL = 21.0 PSF

DL = 6.0 PSF

BOT CH. LL = 0.0 PSF

DL = 7.4 PSF

TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , NBC-2019AE

- PART 9 OF OBC 2012 (2019 AMENDMENT)

- CSA 086-14

- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.42")

CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")

ALLOWABLE DEFL.(TL)= L/360 (0.42")

CALCULATED VERT. DEFL.(TL) = L/ 999 (0.04")

CSI: TC=0.42/1.00 (B-C:1) , BC=0.25/1.00 (F-G:4) , WB=0.28/1.00 (C-F:1) , SSI=0.19/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)

MAX MIN MAX MIN MAX MIN

MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches


PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.67 (C) (INPUT = 0.90)

JSI METAL= 0.17 (B) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2





LUMBER						DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER						DESIGN CRITERIA					
N. L. G. A. RULES						BEARINGS						SPECIFIED LOADS:					
CHORDS		SIZE		LUMBER		DESCR.						TOP CH.		LL = 21.0 PSF			
A - G		2x4		DRY		No.2		SPF				DL = 6.0 PSF					
G - J		2x4		DRY		No.2		SPF		THIS TRUSS DESIGNED FOR CONTINUOUS BEARINGS.		BOT CH.		LL = 0.0 PSF			
K - J		2x4		DRY		No.2		SPF		THIS TRUSS REQUIRES RIGID SHEATHING ON EXPOSED FACE.		DL = 7.4 PSF					
R - B		2x4		DRY		No.2		SPF				TOTAL LOAD =		34.4 PSF			
R - K		2x4		DRY		No.2		SPF									
ALL WEBS 2x3 DRY No.2 SPF						PROVIDE ANCHORAGE AT BEARING JOINT Q FOR 150 LBS. FACTORED UPLIFT BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S)						SPACING = 24.0 IN. C/C					
ALL GABLE WEBS 2x3 DRY No.2 SPF						BRACING						THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015					
DRY: SEASONED LUMBER.						TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.						THIS DESIGN COMPLIES WITH:					
GABLE STUDS SPACED AT 2-0-0 OC.						ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.						- PART 9 OF BCBC 2018 , NBC-2019AE					
						2x4 DRY SPF No.2 T-BRACE AT J-K, I-L						- PART 9 OF OBC 2012 (2019 AMENDMENT)					
						FASTEN T AND I-BRACES TO NARROW EDGE OF WEB WITH ONE ROW PER PLY OF 3" COMMON WIRE NAILS @ 6" O.C. WITH 3" MINIMUM END DISTANCE. BRACE MUST COVER 90% OF WEB LENGTH.						- CSA 086-14					
						END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW						- TPIC 2014					
						LOADING						DESIGN ASSUMPTIONS					
						TOTAL LOAD CASES: (4)						-OVERHANG NOT TO BE ALTERED OR CUT OFF.					
PLATES (table is in inches)												(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD					
JT TYPE PLATES W LEN Y X						C H O R D S						W E B S					
B TMV+p MT20 2.0 4.0						MEMB. MAX. FACTORED FORCE (LBS) FACTORED VERT. LOAD (PLF) LC1 MAX CSI (LC)						MEMB. MAX. FACTORED FORCE (LBS) MAX CSI (LC)					
C, D, E, F, H, I						FR-TO FROM TO						FR-TO					
C TMW+w MT20 2.0 4.0						A- B 0 / 35 -78.0 -78.0 0.11 (1) 10.00						L- I -169 / 0 0.13 (1)					
G TS-t MT20 3.0 8.0						B- C -75 / 0 -78.0 -78.0 0.09 (1) 6.25						M- H -153 / 0 0.21 (1)					
J TMV+p MT20 2.0 4.0						C- D -15 / 0 -78.0 -78.0 0.04 (1) 6.25						N- F -154 / 0 0.11 (1)					
K BMV1+p MT20 2.0 4.0						D- E -14 / 0 -78.0 -78.0 0.04 (1) 6.25						O- E -152 / 0 0.06 (1)					
L, M, N, O, P, Q						E- F -9 / 0 -78.0 -78.0 0.04 (1) 10.00						P- D -159 / 0 0.03 (1)					
L BMW1+w MT20 2.0 4.0						F- G -6 / 0 -78.0 -78.0 0.04 (1) 10.00						Q- C -8 / 0 0.00 (1)					
R BMV1+p MT20 2.0 4.0						G- H -6 / 0 -78.0 -78.0 0.04 (1) 10.00											
						H- I -3 / 0 -78.0 -78.0 0.04 (1) 10.00											
						I- J -8 / 0 -78.0 -78.0 0.04 (1) 10.00											
						K- J -71 / 0 0.0 0.0 0.02 (1) 7.81											
						R- B -229 / 0 0.0 0.0 0.03 (1) 7.81											
						R- Q 0 / 16 -18.5 -18.5 0.03 (1) 10.00											
						Q- P 0 / 15 -18.5 -18.5 0.02 (4) 10.00											
						P- O 0 / 10 -18.5 -18.5 0.02 (4) 10.00											
						O- N 0 / 7 -18.5 -18.5 0.02 (4) 10.00											
						N- M 0 / 5 -18.5 -18.5 0.02 (4) 10.00											
						M- L 0 / 3 -18.5 -18.5 0.02 (4) 10.00											
						L- K 0 / 1 -18.5 -18.5 0.02 (4) 10.00											

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2


JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H102	2		JT 45147	E24033391

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:55 2024 Page 1
ID:hd511hZTz bdeQoS817GKByhVxV-Pi88U7Tf1rz9VF2soqqEkzqbzLrxXLnpbWCxJHqgZy

Scale = 1:29.6

[illegible]




JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H104		2	TRUSS DESC. JT 45147	E24033394

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MITek Industries, Inc. Wed Feb 28 16:08:56 2024 Page 1

ID:hd511hZTz bdeQoS817GKByhVxV-tuiXhTUlo95?6Pd2LXLTGANK1I2ZGkMypAyVskzgZYL



TOTAL WEIGHT = 2 X 76 = 151 lb

LUMBER					DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER										DESIGN CRITERIA						
N. L. G. A. RULES																					
CHORDS		SIZE	LUMBER		DESCR.																
A - C	2x4	DRY	No.2	SPF											SPECIFIED LOADS:						
C - D	2x4	DRY	No.2	SPF											TOP CH. LL = 21.0 PSF						
H - A	2x12	DRY	No.2	SPF											DL = 6.0 PSF						
E - D	2x6	DRY	No.2	SPF											BOT CH. LL = 0.0 PSF						
H - E	2x6	DRY	No.2	SPF											DL = 7.4 PSF						
															TOTAL LOAD = 34.4 PSF						
BEARING BLOCKS															SPACING = 24.0 IN. C/C						
BL1	2x4	DRY	No.2	SPF											GIRDER TYPE: CStdGirder						
															START DISTANCE = 0-0						
ALL WEBS															START SPAN CARRIED = 33-3-0						
EXCEPT	2x3	DRY	No.2	SPF											END DISTANCE = 11-9-8						
															END SPAN CARRIED = 33-3-0						
															END WALL WIDTH = 0-0						
															APPLIED TO FRONT SIDE OF BOTTOM CHORD.						
DRY: SEASONED LUMBER.															- ADDTL LOADS BASED ON 55 % OF GSL.						
															THIS TRUSS IS DESIGNED FOR RESIDENTIAL						
DESIGN CONSISTS OF <u>2</u> TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:															OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015						
															THIS DESIGN COMPLIES WITH:						
															- PART 9 OF BCBC 2018 , NBC-2019AE						
															- PART 9 OF OBC 2012 (2019 AMENDMENT)						
															- CSA 086-14						
															- TPIC 2014						
															(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F.						
															RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED						
															ROOF LIVE LOAD						
															ALLOWABLE DEFL.(LL)= L/360 (0.37")						
															CALCULATED VERT. DEFL.(LL) = L/ 999 (0.07")						
															ALLOWABLE DEFL.(TL)= L/360 (0.37")						
															CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")						
															CSI: TC=0.32/1.00 (C-D:1) , BC=0.75/1.00 (F-G:1) ,						
															WB=0.48/1.00 (C-F:1) , SSI=0.76/1.00 (E-F:1)						
															DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00						
															COMP=1.00 SHEAR=1.00 TENS= 1.00						
															COMPANION LIVE LOAD FACTOR = 1.00						
															AUTOSOLVE HEELS OFF						
															TRUSS PLATE MANUFACTURER IS NOT						
															RESPONSIBLE FOR QUALITY CONTROL IN THE						
															TRUSS MANUFACTURING PLANT .						
															NAIL VALUES						
															PLATE GRIP(DRY) SHEAR SECTION						
															(PSI) (PLI) (PLI)						
															MAX MIN MAX MIN MAX MIN						
															MT20 650 371 1747 788 1987 1873						
															PLATE PLACEMENT TOL. = 0.250 inches						
															PLATE ROTATION TOL. = 5.0 Deg.						
															JSI GRIP= 0.86 (C) (INPUT = 0.90)						
															JSI METAL= 0.50 (G) (INPUT = 1.00)						

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H106		1	TRUSS DESC.	JT 45147
				E24033396	


Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:57 2024 Page 1
ID:hd511hZTz bdeQoS817GKByhVxV-L5FvvoVwZSDskZCEvFspOvte9RY?4v62qh2OAzqZy

[illegible]

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2





LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H107	1		JT 45147	E24033398

Alpa Roof Truss, Maple


Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:08:59 2024 Page 1
ID:hd511hZTz bdeQoS817GKBvhVxV-ITNfKUWA44TaztLd1gvAup 7Ey5DT?eOV8A9S3zqZ

The diagram illustrates a roof truss system with various members labeled T1 through T6, W1 through W6, B1 through B3, and BL1. Joints are identified by letters A through Q. Dimensions are provided for both horizontal and vertical spans. Horizontal dimensions at the top include segments like -1-3-8, 0-0, 6-3-4, 6-3-4, 6-1-11, 12-4-15, 7-10-3, 20-3-2, 8-0-11, 28-3-13, 2-4-1, 30-7-14, 1-10-4, 32-6-2, 33-8-0, and 1-1-14. Vertical dimensions on the left include 14-4-3, 13-4-11, and 11-12. A total horizontal dimension of 32-9-8 is shown at the bottom. A scale of 1:58 is indicated in the upper right corner.

Scale = 1:58

TOTAL WEIGHT = 7 X 170 = 1190 LB

NUMBER N. L. G. A. RULES CHORDS SIZE LUMBER DESCR. A - E 2x6 DRY No.2 SPF E - F 2x6 DRY No.2 SPF F - H 2x6 DRY No.2 SPF H - Q 2x4 DRY No.2 SPF B - M 2x6 DRY 1650F 1.5E SPF M - K 2x6 DRY No.2 SPF K - I 2x6 DRY No.2 SPF REINFORCING MEMBERS HW1 2x4 DRY No.2 SPF BEARING BLOCKS BL1 2x4 DRY No.2 SPF ALL WEBS 2x3 DRY No.2 SPF DRY: SEASONED LUMBER. PLATES (table is in inches) JT TYPE PLATES W LEN Y X B TMBMR1-I MT20 6.0 10.0 3.75 3.75 B RT-I MT20 4.0 6.0 B RT-I MT20 4.0 6.0 D TMWW-t MT20 4.0 6.0 E TS-t MT20 4.0 10.0 F TTWW-h MT20 7.0 12.0 2.25 8.75 G TMW+w MT20 2.0 4.0 H TTWW-I MT20 6.0 10.0 3.25 5.00 I TBMK1*+p MT20 8.0 9.0 Edge 3.25 J BMW+w MT20 2.0 4.0 K BS-t MT20 4.0 6.0 L BMWWW-t MT20 5.0 8.0 2.50 2.25 M BBWW-h MT20 7.0 12.0 N BMW+w MT20 2.0 4.0 Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.	DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR FOR DESIGN BY BUILDING DESIGNER BEARINGS FACTORED MAXIMUM FACTORED INPUT REQRD GROSS REACTION GROSS REACTION BRG BRG JT VERT HORZ DOWN HORZ UPLIFT IN-SX IN-SX B 1763 0 1763 0 0 5-8 1-11 I 1652 0 1652 0 0 MECHANICAL A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT I. MINIMUM BEARING LENGTH AT JOINT I = 1-13. ALLOW FOR 0.9" OF HORIZONTAL MOVEMENT DUE TO TOTAL LOAD UNFACTORED REACTIONS 1ST LCASE MAX/MIN COMPONENT REACTIONS JT COMBINED SNOW LIVE PERM.LIVE WIND DEAD SOIL B 1259 759 / 0 0 / 0 0 / 0 0 / 0 500 / 0 0 / 0 I 1184 684 / 0 0 / 0 0 / 0 0 / 0 500 / 0 0 / 0 BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B BRACING FOR SECTION F-H, MAX. PURLIN SPACING = 2.00 FT. FOR OTHER SECTIONS, TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 2.81 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED. ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED. LOADING TOTAL LOAD CASES: (4) CHORDS WEBS MEMB. MAX. FACTORED FORCE (LBS) FACTORED VERT. LOAD (PLF) LC1 MAX UNBRAC MEMB. MAX. FACTORED FORCE (LBS) MAX CSI (LC) FR-TO FROM TO LENGTH FR-TO A- B 0 / 24 -78.0 -78.0 0.06 (1) 10.00 N- D -226 / 0 0.03 (1) B- P -4889 / 0 -78.0 -78.0 0.19 (1) 3.85 D- M 0 / 420 0.09 (1) P- C -4413 / 0 -78.0 -78.0 0.67 (1) 3.38 M- F 0 / 3948 0.89 (1) C- D -4413 / 0 -78.0 -78.0 0.67 (1) 3.38 J- H 0 / 302 0.07 (4) D- E -6293 / 0 -78.0 -78.0 0.77 (1) 2.81 F- L 0 / 223 0.05 (1) E- F -6293 / 0 -78.0 -78.0 0.77 (1) 2.81 L- G -812 / 0 0.20 (1) F- G -3652 / 0 -85.5 -85.5 0.38 (1) 2.00 L- H 0 / 1953 0.44 (1) G- H -3653 / 0 -85.5 -85.5 0.39 (1) 2.00 O- P 0 / 2539 0.00 (1) H- S -2455 / 0 -78.0 -78.0 0.29 (1) 4.16 O- C -3445 / 0 0.43 (1) S- Q -2476 / 0 -78.0 -78.0 0.12 (1) 4.30 R- S -141 / 71 0.00 (1) B- O 0 / 3580 -18.5 -18.5 0.57 (1) 10.00 O- N 0 / 5189 -18.5 -18.5 0.69 (1) 10.00 N- M 0 / 5379 -18.5 -18.5 0.68 (1) 10.00 M- L 0 / 3452 -18.5 -18.5 0.51 (1) 10.00 L- K 0 / 1891 -18.5 -18.5
--	---



LUMBER					DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER										DESIGN CRITERIA					[M]		
N. L. G. A. RULES					BEARINGS										SPECIFIED LOADS:							
CHORDS		SIZE		LUMBER	DESCR.	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG	REQRD BRG	TOP	CH.	LL	=	PSF						
A - C	2x4	DRY	No.2	SPF	JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX										
B	378	0	378	0	0	14-8-10	1-8															
E	381	0	381	0	0	14-8-10	1-8															
H	306	0	306	0	0	14-8-10	1-8															
G	430	0	430	0	0	14-8-10	1-8															
ALL WEBS 2x3 DRY: SEASONED LUMBER.					No.2	SPF											TOTAL LOAD = 34.4 PSF					
SPACING = 24.0 IN. C/C																						
LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM																						

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMB1-I	MT20	3.0	4.0	1.50 2.50
C	TTWW-I	MT20	4.0	6.0	2.00 4.50
D	TTW+p	MT20	3.0	4.0	
E	TMB1-I	MT20	3.0	4.0	1.50 2.00
G	BMWW1-t	MT20	3.0	4.0	
H	BMW1+w	MT20	2.0	4.0	

CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)	
FR-TO		FROM TO				FR-TO			
A- B	0 / 11	-78.0	-78.0	0.01 (1)	10.00	H- C	-188 / 0	0.06 (1)	
B- J	-43 / 1	-78.0	-78.0	0.09 (1)	6.25	C- G	-23 / 0	0.02 (1)	
J- C	-228 / 0	-78.0	-78.0	0.16 (1)	6.25	G- D	-271 / 0	0.08 (1)	
C- D	-129 / 0	-78.0	-78.0	0.43 (1)	6.25	I- J	-441 / 0	0.00 (1)	
D- L	-190 / 0	-78.0	-78.0	0.24 (1)	6.25	K- L	-548 / 0	0.00 (1)	
L- E	-41 / 72	-78.0	-78.0	0.13 (1)	6.25				
E- F	0 / 12	-78.0	-78.0	0.02 (1)	10.00				
B- I	0 / 152	-18.5	-18.5	0.15 (1)	10.00				
I- H	0 / 152	-18.5	-18.5	0.15 (1)	10.00				
H- G	0 / 148	-18.5	-18.5	0.14 (4)	10.00				
G- K	0 / 136	-18.5	-18.5	0.20 (1)	10.00				
K- E	0 / 136	-18.5	-18.5	0.20 (1)	10.00				

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2




JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H114P		1	TRUSS DESC. JT 45147	E24033401

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:09:00 2024 Page 1

ID:hd511hZTz bdeQoS817GkByhVxV-mqx1XqXorNbRb0wpaNQPR0XN1MWqCeeYkowi?VzqZyH



TOTAL WEIGHT = 53 lb

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
DRY: SEASONED LUMBER.				

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	1.50	2.50
C	TMTW+p	MT20	3.0	4.0	1.25	1.50
D	TMWW-t	MT20	3.0	4.0	1.50	1.25
E	TMB1-I	MT20	3.0	4.0	1.50	2.00
G	BMW1+w	MT20	2.0	4.0		
H	BMW1-t	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT
B	493	0	493	0	0
E	361	0	361	0	0
H	280	0	280	0	0
G	361	0	361	0	0

UNFACTORED REACTIONS		1ST LCASE	MAX/MIN. COMPONENT REACTIONS				
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	348	229 / 0	0 / 0	0 / 0	0 / 0	120 / 0	0 / 0
E	255	170 / 0	0 / 0	0 / 0	0 / 0	85 / 0	0 / 0
H	204	102 / 0	0 / 0	0 / 0	0 / 0	102 / 0	0 / 0
G	257	158 / 0	0 / 0	0 / 0	0 / 0	99 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX LC1 CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO			FR-TO		
A- B	0 / 11	-78.0 -78.0	0.01 (1)	10.00	H- C	-54 / 11	0.05 (1)
B- J	-20 / 524	-78.0 -78.0	0.35 (1)	6.25	H- D	-45 / 0	0.02 (1)
J- C	-242 / 0	-78.0 -78.0	0.45 (1)	6.25	G- D	-316 / 0	0.07 (1)
C- D	-225 / 0	-78.0 -78.0	0.20 (1)	6.25	I- J	-1201 / 0	0.00 (1)
D- L	-223 / 0	-78.0 -78.0	0.20 (1)	6.25	K- L	-143 / 30	0.00 (1)
L- E	-231 / 0	-78.0 -78.0	0.02 (1)	6.25			
E- F	0 / 12	-78.0 -78.0	0.02 (1)	10.00			
B- I	0 / 156	-18.5 -18.5	0.36 (1)	10.00			
I- H	0 / 156	-18.5 -18.5	0.36 (1)	10.00			
H- G	0 / 188	-18.5 -18.5	0.24 (1)	10.00			
G- K	0 / 188	-18.5 -18.5	0.11 (1)	10.00			
K- E	0 / 188	-18.5 -18.5	0.09 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.45/1.00 (C-J:1) , BC=0.36/1.00 (B-I:1) , WB=0.07/1.00 (D-G:1) , SSI=0.94/1.00 (B-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873


PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.49 (B) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2





TOTAL WEIGHT = 12 X 53 = 637 lb

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	
A - C	2x4	DRY	No.2	SPF
C - F	2x4	DRY	No.2	SPF
B - E	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
DRY: SEASONED LUMBER.				

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMB1-I	MT20	3.0	4.0	1.50	2.50
C	TTW-I	MT20	4.0	6.0		
D	TMWW-t	MT20	3.0	4.0	1.50	1.25
E	TMB1-I	MT20	3.0	4.0	1.50	2.00
G	BMW1+w	MT20	2.0	4.0		
H	BMW1-t	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG	
JT		VERT	HORZ	DOWN	HORZ	IN-SX	IN-SX	IN-SX	IN-SX
B	493	0		493	0	0	14-8-10	1-8	
E	361	0		361	0	0	14-8-10	1-8	
H	280	0		280	0	0	14-8-10	1-8	
G	361	0		361	0	0	14-8-10	1-8	

UNFACTORED REACTIONS		1ST LCASE		MAX/MIN. COMPONENT REACTIONS	
JT		COMBINED	SNOW	LIVE	PERM.LIVE
B	348	229 / 0	0 / 0	0 / 0	0 / 0
E	255	170 / 0	0 / 0	0 / 0	0 / 0
H	204	102 / 0	0 / 0	0 / 0	0 / 0
G	257	158 / 0	0 / 0	0 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, E, H, G

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	FACTORED LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO			FR-TO		
A- B	0 / 11	-78.0 -78.0	0.01 (1)	10.00	H- C	-54 / 11	0.05 (1)
B- J	-20 / 524	-78.0 -78.0	0.35 (1)	6.25	H- D	-45 / 0	0.02 (1)
J- C	-242 / 0	-78.0 -78.0	0.45 (1)	6.25	G- D	-316 / 0	0.07 (1)
C- D	-225 / 0	-78.0 -78.0	0.20 (1)	6.25	I- J	-1201 / 0	0.00 (1)
D- L	-223 / 0	-78.0 -78.0	0.20 (1)	6.25	K- L	-143 / 30	0.00 (1)
L- E	-231 / 0	-78.0 -78.0	0.02 (1)	6.25			
E- F	0 / 12	-78.0 -78.0	0.02 (1)	10.00			
B- I	0 / 156	-18.5 -18.5	0.36 (1)	10.00			
I- H	0 / 156	-18.5 -18.5	0.36 (1)	10.00			
H- G	0 / 188	-18.5 -18.5	0.24 (1)	10.00			
G- K	0 / 188	-18.5 -18.5	0.11 (1)	10.00			
K- E	0 / 188	-18.5 -18.5	0.09 (1)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.45/1.00 (C-J:1) , BC=0.36/1.00 (B-I:1) , WB=0.07/1.00 (D-G:1) , SSI=0.94/1.00 (B-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.49 (B) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	H355A	1		JT 45147	E24033409

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:09:04 2024 Page 1
ID:hd511hZTz bdeQoS817GKBvhVxV-eRBYNCaJvc6t4eEapDULbsi?izn37E87fQw8GzqZy

Scale = 1:53.8

The drawing illustrates a roof truss system with the following details:

- Members:** Top chord (T2, T3), Bottom chord (B1, B2, B3, B4, B5), Verticals (W1, W2, W3, W4, W5, W6, W7, W8, W9), Diagonals (D, E, F, G, H, I, J, K), and Bracing (B1, B2, B3, B4, B5).
- Connections:** Various connection types are shown, including gusset plates (e.g., 6x10, 4x6, 2x4, 5x8, 4x10), and bolts (e.g., 1/2", 3/4", 1/4").
- Dimensions:** Horizontal dimensions are provided at the top and bottom. Vertical dimensions are shown on the left and right sides.
- Labels:** Members are labeled with letters (A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U) and numbers (1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100).

LUMBER				
N. L. G. A. RULES				
CHORDS		SIZE	LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - F	2x6	DRY	No.2	SPF
F - K	2x6	DRY	No.2	SPF
L - K	2x4	DRY	No.2	SPF
U - B	2x6	DRY	No.2	SPF
U - R	2x6	DRY	No.2	SPF
R - P	2x6	DRY	No.2	SPF
P - O	2x6	DRY	No.2	SPF
O - N	2x6	DRY	No.2	SPF
N - M	2x6	DRY	No.2	SPF
M - L	2x6	DRY	No.2	SPF
BEARING BLOCKS				
BL1	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT		2x3	DRY	No.2
DRY: SEASONED LUMBER.				

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	8.0	1.75	2.50
C	TTWW-I	MT20	6.0	10.0	3.00	5.25
D	TMWW-t	MT20	4.0	6.0		
E	TMW+w	MT20	2.0	4.0		
F	TS-t	MT20	4.0	6.0		
G	TMWWWW-t	MT20	5.0	8.0	2.25	4.00
H	TMW+w	MT20	2.0	4.0		
I	TMWW-t	MT20	5.0	8.0	2.50	2.25
J	TMWW+t	MT20	5.0	8.0	3.25	1.50
K	TMVW+p	MT20	4.0	10.0		
L	BMVK1-t	MT20	8.0	9.0	5.50	Edge
M	BBWW-I	MT20	8.0	9.0	2.75	5.00
N	BBWW-I	MT20	10.0	12.0	4.50	6.00
O	BBWWWW-h	MT20	8.0	12.0	3.75	5.50
P	BBW-h	MT20	8.0	9.0	3.50	4.50
Q	BMWWWW-t	MT20	5.0	6.0	2.50	2.00
R	BS-t	MT20	4.0	6.0		
S	BMWW-t	MT20	5.0	6.0	2.00	1.75
T	BMWW-t	MT20	5.0	6.0		
U	BMV1+p	MT20	4.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2



DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER							
<u>BEARINGS</u>							
JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT	REQRD	
	VERT	HORZ	DOWN	HORZ	UPLIFT	BRG IN-SX	BRG IN-SX
L	2964	0	2964	0	0	3-8	3-8
U	3000	0	3000	0	0	5-8	4-4

UNFACTORED REACTIONS							
	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
L	2113	1291 / 0	0 / 0	0 / 0	0 / 0	822 / 0	0 / 0
U	2138	1311 / 0	0 / 0	0 / 0	0 / 0	827 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) L, U
BEARING SIZE FACTOR = 1.15 AT JNT(S) L (BASED ON SUPPORT DEPTH = 1-8)

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.41 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

2x3 DRY SPF No.2 T-BRACE AT K-L, J-M

FASTEN T AND I-BRACES TO NARROW EDGE OF WEB WITH ONE ROW PER PLY OF 3" COMMON WIRE NAILS @ 6" O.C. WITH 3" MINIMUM END DISTANCE. BRACE MUST COVER 90% OF WEB LENGTH.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS				
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX. UNBRAC	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)		
FR-TO		FROM TO		LENGTH	FR-TO				
A-B	0 / 42	-78.0	-78.0	0.12 (1)	10.00	T-C	-703 / 0 0.27 (1)		
B-C	-2443 / 0	-78.0	-78.0	0.21 (1)	4.20	C-S	0 / 3032 0.75 (1)		
C-D	-3920 / 0	-153.5	-153.5	0.50 (1)	3.83	S-D	-1726 / 0 0.65 (1)		
D-E	-4774 / 0	-153.5	-153.5	0.56 (1)	3.45	D-Q	0 / 1113 0.28 (1)		
E-F	-4774 / 0	-153.5	-153.5	0.46 (1)	3.58	Q-E	-861 / 0 0.33 (1)		
F-G	-4774 / 0	-153.5	-153.5	0.46 (1)	3.58	Q-G	0 / 541 0.13 (1)		
G-H	-5204 / 0	-78.0	-78.0	0.46 (1)	3.41	P-G	-2637 / 0 1.00 (1)		
H-I	-5203 / 0	-78.0	-78.0	0.41 (1)	3.50	G-O	0 / 1752 0.43 (1)		
I-J	-2536 / 0	-78.0	-78.0	0.37 (1)	4.75	O-H	0 / 44 0.02 (4)		
J-K	-669 / 0	-153.5	-153.5	0.33 (1)	6.25	O-I	0 / 3125 0.77 (1)		
L-K	-2940 / 0	0.0	0.0	0.73 (1)	6.55	N-I	-2392 / 0 0.55 (1)		
U-B	-2995 / 0	0.0	0.0	0.25 (1)	6.04	N-J	0 / 3742 0.93 (1)		
						M-J	-2784 / 0 0.90 (1)		
U-T	0 / 0	-36.4	-36.4	0.12 (4)	10.00	M-K	0 / 2623 0.65 (1)		
T-S	0 / 1576	-36.4	-36.4	0.30 (1)	10.00	B-T	0 / 1840 0.46 (1)		
S-R	0 / 3920	-36.4	-36.4	0.60 (1)	10.00				
R-Q	0 / 3920	-36.4	-36.4	0.60 (1)	10.00				
Q-P	0 / 4359	-36.4	-36.4	0.67 (1)	10.00				
P-O	0 / 5171	-112.0	-112.0	0.71 (1)	10.00				
O-N	0 / 2607	-112.0	-112.0	0.63 (1)	10.00				
N-M	0 / 732	-112.0	-112.0	0.14 (1)	10.00				
M-L	-88 / 0	-36.4	-36.4	0.01 (4)	6.25				

FACTORED CONCENTRATED LOADS (LBS)									
JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	2-9-0	-156	-156	---	FRONT	VERT	TOTAL	---	C1

CONNECTION REQUIREMENTS

1) **C1:** A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED.

DESIGN CRITERIA

SPECIFIED LOADS:

TOP	CH.	LL	=	21.0	PSF
		DL	=	6.0	PSF
BOT	CH.	LL	=	0.0	PSF
		DL	=	7.4	PSF
TOTAL LOAD			=	34.4	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE
OF 2.00/12 MINIMUM

GIRDER TYPE: CPrimeHip
LEFT SETBACK = 2-9-0
RIGHT SETBACK = 0-0
END SETBACK = 5-10-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL LOADS BASED ON 55 % OF GSL.
LOADS APPLIED TO FIRST 20-5-0 OF SPAN
MEASURED FROM THE LEFT.

GIRDER TYPE: CPrimeHip
LEFT SETBACK = 2-9-0
RIGHT SETBACK = 0-0
END SETBACK = 5-10-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL LOADS BASED ON 55 % OF GSL.
LOADS APPLIED TO FIRST 1-9-8 OF SPAN
MEASURED FROM THE RIGHT.

GIRDER TYPE: CStdGirder
START DISTANCE = 20-5-0
START SPAN CARRIED = 5-10-8
END DISTANCE = 29-9-0
END SPAN CARRIED = 5-10-8
END WALL WIDTH = 0-0
APPLIED TO FRONT SIDE OF BOTTOM CHORD.
- ADDTL LOADS BASED ON 55 % OF GSL.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL
OR SMALL BUILDING REQUIREMENTS OF PART
9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.04")
CALCULATED VERT. DEFL.(LL) = L/999 (0.21")
ALLOWABLE DEFL.(TL)= L/360 (1.04")
CALCULATED VERT. DEFL.(TL) = L/879 (0.42")

CSI: TC=0.73/1.00 (K-L:1), BC=0.71/1.00 (O-P:1),
WB=1.00/1.00 (G-P:1), SSI=0.36/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES						
PLATE	GRIP(DRY)		SHEAR		SECTION	
	(PSI)		(PLI)		(PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	650	371	1747	788	1987	1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (I) (INPUT = 0.90)
JSI METAL= 0.97 (R) (INPUT = 1.00)

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER		DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - J	2x4	DRY	No.2	SPF
K - J	2x4	DRY	No.2	SPF
S - A	2x4	DRY	No.2	SPF
S - Q	2x4	DRY	No.2	SPF
Q - O	2x4	DRY	No.2	SPF
O - N	2x6	DRY	No.2	SPF
N - M	2x4	DRY	No.2	SPF
M - L	2x4	DRY	No.2	SPF
L - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x4	DRY	No.2	SPF
F - N	2x3	DRY	No.2	SPF
N - G	2x3	DRY	No.2	SPF
M - H	2x3	DRY	No.2	SPF
M - I	2x3	DRY	No.2	SPF
S - B	2x3	DRY	No.2	SPF
B - R	2x3	DRY	No.2	SPF
DRY: SEASONED LUMBER.				

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
A	TMV+p	MT20	2.0	4.0		
B	TMWWW-t	MT20	4.0	6.0	2.00	2.00
C	TTWW-I	MT20	4.0	10.0	1.75	8.50
D	TMW+w	MT20	2.0	4.0		
E	TS-t	MT20	3.0	8.0		
F	FTMWWW-t	MT20	5.0	8.0		
G	TMW+w	MT20	2.0	4.0		
H	TMWWW-t	MT20	4.0	6.0		
I	TMWWW+t	MT20	4.0	6.0	2.75	2.00
J	TMVW-t	MT20	4.0	6.0	2.00	2.75
K	BMV1+p	MT20	2.0	4.0		
L	BBWWW-I	MT20	4.0	10.0	2.00	7.75
M	BBWWW-I	MT20	8.0	9.0	Edge	
N	BBWWW-p	MT20	8.0	9.0	3.25	4.50
O	BBW-h	MT20	5.0	8.0	2.50	5.50
P	BMWWW-t	MT20	5.0	8.0		
Q	BS-t	MT20	3.0	8.0		
R	BMWWW-t	MT20	4.0	6.0		
S	BMVW1-t	MT20	4.0	6.0	1.75	3.00

Edge - INDICATES REFERENCE CORNER OF PLATE
TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2



DIMENSIONS, SUPPORTS, LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT UPLIFT	REQRD BRG	
	VERT	HORZ	DOWN	HORZ		IN-SX	IN-SX
K	1492	0	1492	0	0	1-10	1-10
S	1492	0	1492	0	0	1-10	1-10

UNFACTORED REACTIONS

JT	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	1064	649 / 0	0 / 0	0 / 0	0 / 0	415 / 0	0 / 0
S	1064	649 / 0	0 / 0	0 / 0	0 / 0	415 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, S

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.15 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF J-K, D-P, F-Q, G-N, H-M, I-L, B-S.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING

TOTAL LOAD CASES: (4)

C H O R D S					W E B S				
MEMB.	MAX. FACTORED FORCE (LBS)		FACTORED VERT. LOAD (PLF)		MEMB.	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)	
			MAX. UNBRACED LENGTH						
FR-TO	FROM	TO	FROM	TO	FR-TO	FROM	TO	FROM	TO
A-B	0 / 23		-78.0	-78.0	0.14 (1)	10.00	R-C	0 / 96	0.02 (4)
B-C	-1240 / 0		-78.0	-78.0	0.18 (1)	5.58	C-P	0 / 651	0.10 (1)
C-D	-1137 / 0		-78.0	-78.0	0.57 (1)	5.15	P-D	-583 / 0	0.33 (1)
D-E	-1138 / 0		-78.0	-78.0	0.56 (1)	5.15	P-F	0 / 177	0.03 (1)
E-F	-1138 / 0		-78.0	-78.0	0.56 (1)	5.15	O-F	-612 / 0	0.35 (1)
F-G	-1066 / 0		-78.0	-78.0	0.24 (1)	5.79	F-N	0 / 130	0.03 (1)
G-H	-1069 / 0		-78.0	-78.0	0.22 (1)	5.83	N-G	-257 / 0	0.15 (1)
H-I	-533 / 0		-78.0	-78.0	0.17 (1)	6.25	N-H	0 / 1035	0.17 (1)
I-J	-209 / 0		-78.0	-78.0	0.07 (1)	6.25	M-H	-1261 / 0	0.72 (1)
K-J	-1478 / 0		0.0	0.0	0.84 (1)	5.39	M-I	0 / 1489	0.34 (1)
S-A	-103 / 0		0.0	0.0	0.01 (1)	7.81	L-I	-1482 / 0	0.85 (1)
							L-J	0 / 1405	0.23 (1)
S-R	0 / 742		-18.5	-18.5	0.27 (4)	10.00	S-B	-1528 / 0	0.51 (1)
R-Q	0 / 789		-18.5	-18.5	0.28 (4)	10.00	B-R	0 / 89	0.02 (4)
Q-P	0 / 789		-18.5	-18.5	0.28 (4)	10.00			
P-O	0 / 1044		-18.5	-18.5	0.27 (4)	10.00			
O-N	0 / 1245		-18.5	-18.5	0.15 (1)	10.00			
N-M	0 / 547		-18.5	-18.5	0.21 (4)	10.00			
M-L	0 / 226		-18.5	-18.5	0.05 (1)	10.00			
L-K	0 / 0		-18.5	-18.5	0.01 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF CBC 2018, NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.03")
CALCULATED VERT. DEFL.(LL)= L/999 (0.07")
ALLOWABLE DEFL.(TL)= L/360 (1.03")
CALCULATED VERT. DEFL.(TL)= L/999 (0.18")

CSI: TC=0.84/1.00 (J-K:1), BC=0.28/1.00 (P-R:4),
WB=0.85/1.00 (L-L:1), SS=0.24/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.10 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.89 (I) (INPUT = 0.90)
JSI METAL= 0.36 (C) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	J05		1	JT 45147	E24033416

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:09:08 2024 Page 1

ID:hd511hZTz bdeQoS817GKBvhVxV-XCQ3DZdpzrcIzFYM23ZHlismDaHf3HlIja2s7H1zgZy9



TOTAL WEIGHT = 20 X 19 = 388 lb

LUMBER					
N. L. G. A. RULES					
CHORDS	SIZE		LUMBER	DESCR.	
E - B	2x4	DRY	No.2	SPF	
A - C	2x4	DRY	No.2	SPF	
E - D	2x4	DRY	No.2	SPF	

DRY: SEASONED LUMBER.

PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMV+p	MT20	2.0	4.0	
E	BMV1+p	MT20	2.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG IN-SX	REQRD BRG IN-SX
	VERT	HORZ	DOWN	HORZ		
E	494	0	494	0	5-8	1-8
C	190	0	190	0	1-8	1-8
D	50	0	56	0	1-8	1-8

SEE MITEK STANDARD DETAIL MSD2015-H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED		MAX/MIN. COMPONENT REACTIONS		WIND PERM.LIVE	DEAD	SOIL
	SNOW	LIVE	SNOW	LIVE			
E	349	228 / 0	0 / 0	0 / 0	0 / 0	121 / 0	0 / 0
C	132	102 / 0	0 / 0	0 / 0	0 / 0	29 / 0	0 / 0
D	40	0 / 0	0 / 0	0 / 0	0 / 0	40 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. (PLF)	LOAD LC1 MAX CSI (LC)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX UNBRAC LENGTH	FACTORED MAX CSI (LC)
FR-TO		FROM	TO	FR-TO			
E- B	-424 / 0	0.0	0.0 0.13 (4)	7.81			
A- B	0 / 30	-78.0	-78.0 0.10 (1)	10.00			
B- C	-35 / 0	-78.0	-78.0 0.44 (1)	6.25			
E- D	0 / 0	-18.5	-18.5 0.16 (4)	10.00			

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.22")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.22")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.44/1.00 (B-C:1) , BC=0.16/1.00 (D-E:4) ,
WB=0.00/1.00 (n/a:0) , SSI=0.21/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.26 (B) (INPUT = 0.90)
JSI METAL= 0.22 (B) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2




JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	J08		1	TRUSS DESC. JT 45147	E24033418

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MITek Industries, Inc. Wed Feb 28 16:09:09 2024 Page 1

ID:hd511hZTz bdeQoS817GKBvhVxV-?O RQveRk8k9AP6Ycm4XlwP?O fTok?tpibhpUzqZY8



TOTAL WEIGHT = 2 X 12 = 23 lb

LUMBER N. L. G. A. RULES CHORDS SIZE LUMBER DESCR. E - B 2x4 DRY No.2 SPF A - C 2x4 DRY No.2 SPF E - D 2x4 DRY No.2 SPF DRY: SEASONED LUMBER.						DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER BEARINGS <table><tr><th rowspan="2">JT</th><th colspan="2">FACTORED GROSS REACTION</th><th colspan="2">MAXIMUM FACTORED GROSS REACTION</th><th colspan="2">INPUT BRG</th><th colspan="2">REQRD BRG</th></tr><tr><th>VERT</th><th>HORZ</th><th>DOWN</th><th>HORZ</th><th>UPLIFT</th><th>IN-SX</th><th>IN-SX</th></tr><tr><td>E</td><td>292</td><td>0</td><td>292</td><td>0</td><td>0</td><td>5-8</td><td>1-8</td></tr><tr><td>C</td><td>113</td><td>0</td><td>113</td><td>0</td><td>0</td><td>1-8</td><td>1-8</td></tr><tr><td>D</td><td>30</td><td>0</td><td>34</td><td>0</td><td>0</td><td>1-8</td><td>1-8</td></tr></table> SEE MITEK STANDARD DETAIL MSD2015-H FOR CONNECTION TO JOINT(S) C , D UNFACTORED REACTIONS <table><tr><th rowspan="2">JT</th><th rowspan="2">1ST LCASE</th><th colspan="6">MAX./MIN. COMPONENT REACTIONS</th><th rowspan="2">SOIL</th></tr><tr><th>COMBINED</th><th>SNOW</th><th>LIVE</th><th>PERM.LIVE</th><th>WIND</th><th>DEAD</th></tr><tr><td>E</td><td>207</td><td>135 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>72 / 0</td><td>0 / 0</td></tr><tr><td>C</td><td>78</td><td>61 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>17 / 0</td><td>0 / 0</td></tr><tr><td>D</td><td>24</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>0 / 0</td><td>24 / 0</td><td>0 / 0</td></tr></table> BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E BRACING TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED. ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED. LOADING TOTAL LOAD CASES: (4) <table><tr><th colspan="4">C H O R D S</th><th colspan="4">W E B S</th></tr><tr><th>MEMB.</th><th>MAX. FACTORED FORCE (LBS)</th><th>FACTORED VERT. LOAD (PLF)</th><th>LC1 MAX CSI (LC)</th><th>MAX. UNBRAC LENGTH</th><th>MEMB. FR-TO</th><th>MAX. FACTORED FORCE (LBS)</th><th>MAX CSI (LC)</th></tr><tr><td>FR-TO</td><td></td><td>FROM TO</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>E- B</td><td>-250 / 0</td><td>0.0 0.0</td><td>0.04 (4)</td><td>7.81</td><td></td><td></td><td></td></tr><tr><td>A- B</td><td>0 / 17</td><td>-78.0 -78.0</td><td>0.04 (1)</td><td>10.00</td><td></td><td></td><td></td></tr><tr><td>B- C</td><td>-21 / 0</td><td>-78.0 -78.0</td><td>0.15 (1)</td><td>6.25</td><td></td><td></td><td></td></tr><tr><td>E- D</td><td>0 / 0</td><td>-18.5 -18.5</td><td>0.06 (4)</td><td>10.00</td><td></td><td></td><td></td></tr></table>						JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG		VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	E	292	0	292	0	0	5-8	1-8	C	113	0	113	0	0	1-8	1-8	D	30	0	34	0	0	1-8	1-8	JT	1ST LCASE	MAX./MIN. COMPONENT REACTIONS						SOIL	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	E	207	135 / 0	0 / 0	0 / 0	0 / 0	0 / 0	72 / 0	0 / 0	C	78	61 / 0	0 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0	D	24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	24 / 0	0 / 0	C H O R D S				W E B S				MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)	FR-TO		FROM TO						E- B	-250 / 0	0.0 0.0	0.04 (4)	7.81				A- B	0 / 17	-78.0 -78.0	0.04 (1)	10.00				B- C	-21 / 0	-78.0 -78.0	0.15 (1)	6.25				E- D	0 / 0	-18.5 -18.5	0.06 (4)	10.00				DESIGN CRITERIA SPECIFIED LOADS: TOP CH. LL = 21.0 PSF DL = 6.0 PSF BOT CH. LL = 0.0 PSF DL = 7.4 PSF TOTAL LOAD = 34.4 PSF SPACING = 24.0 IN. C/C THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015 THIS DESIGN COMPLIES WITH: - PART 9 OF BCBC 2018 , NBC-2019AE - PART 9 OF OBC 2012 (2019 AMENDMENT) - CSA 086-14 - TPIC 2014 DESIGN ASSUMPTIONS -OVERHANG NOT TO BE ALTERED OR CUT OFF. (55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD ALLOWABLE DEFL.(LL)= L/360 (0.19") CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00") ALLOWABLE DEFL.(TL)= L/360 (0.19") CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01") CSI: TC=0.15/1.00 (B-C:1) , BC=0.06/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.12/1.00 (B-C:1) DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10 COMPANION LIVE LOAD FACTOR = 1.00 AUTOSOLVE RIGHT HEEL ONLY TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT . NAIL VALUES PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI) MAX MIN MAX MIN MAX MIN MT20 650 371 1747 788 1987 1873 PLATE PLACEMENT TOL. = 0.250 inches PLATE ROTATION TOL. = 5.0 Deg. JSI GRIP= 0.15 (B) (INPUT = 0.90) JSI METAL= 0.13 (B) (INPUT = 1.00)					
JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG																																																																																																																																																				
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX																																																																																																																																																				
E	292	0	292	0	0	5-8	1-8																																																																																																																																																				
C	113	0	113	0	0	1-8	1-8																																																																																																																																																				
D	30	0	34	0	0	1-8	1-8																																																																																																																																																				
JT	1ST LCASE	MAX./MIN. COMPONENT REACTIONS						SOIL																																																																																																																																																			
		COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD																																																																																																																																																				
E	207	135 / 0	0 / 0	0 / 0	0 / 0	0 / 0	72 / 0	0 / 0																																																																																																																																																			
C	78	61 / 0	0 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0																																																																																																																																																			
D	24	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	24 / 0	0 / 0																																																																																																																																																			
C H O R D S				W E B S																																																																																																																																																							
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)																																																																																																																																																				
FR-TO		FROM TO																																																																																																																																																									
E- B	-250 / 0	0.0 0.0	0.04 (4)	7.81																																																																																																																																																							
A- B	0 / 17	-78.0 -78.0	0.04 (1)	10.00																																																																																																																																																							
B- C	-21 / 0	-78.0 -78.0	0.15 (1)	6.25																																																																																																																																																							
E- D	0 / 0	-18.5 -18.5	0.06 (4)	10.00																																																																																																																																																							

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359637K	P04	1		JT 45147	E24033421

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Wed Feb 28 16:09:10 2024 Page 1
ID:hd511hZTz bdeQoS817GKByhVxV-TbYpeF4VSs0oZhkATbmr7y6ROzHXBF01MLELwzgZ

Scale = 1:12.

Structural drawing of a roof truss system. The drawing shows a side elevation of a truss with a main horizontal beam (B1) and a sloped top chord (T1). The truss is supported by a vertical post (E) and a horizontal beam (D). The drawing includes dimensions for the truss members and the overall structure. The top chord (T1) is labeled with a dimension of 3.00' 12". The horizontal beam (B1) is labeled with a dimension of 5-5-0. The vertical post (E) is labeled with a dimension of 4x6 ||. The horizontal beam (D) is labeled with a dimension of 5-5-0. The overall height of the truss is 2-2-0. The overall width of the truss is 5-5-0. The drawing also includes a section line A-A and a section line B-B.

TOTAL WEIGHT = 9 X 15 = 133

LUMBER

N. L. G. A. RULES

CHORDS	SIZE	DRY	LUMBER	DESCR.
E - B	2x6	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B						
E						
E	TMBMV1+p	MT20	4.0	6.0	3.50	2.00

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED		MAXIMUM		INPUT	REQRD
	GROSS REACTION	FACTORED	GROSS REACTION	FACTORED		
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX
E	429	0	429	0	0	3-0
C	158	0	158	0	0	5-8
D	38	0	43	0	0	5-8

BEVELED PLATE OR SHIM REQUIRED TO PROVIDE FULL BEARING SURFACE WITH TRUSS CHORD AT JT(S): C

UNFACTORED REACTIONS

JT	1ST LCASE		MAX./MIN. COMPONENT REACTIONS		WIND	DEAD	SOIL
	COMBINED	SNOW	LIVE	PERM.LIVE			
E	304	198 / 0	0 / 0	0 / 0	0 / 0	106 / 0	0 / 0
C	110	85 / 0	0 / 0	0 / 0	0 / 0	24 / 0	0 / 0
D	31	0 / 0	0 / 0	0 / 0	0 / 0	31 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C, D

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS			WEBS		
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. UNBRACED LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)
FR-TO		FROM TO		FR-TO	
E-B	-367 / 0	0.0 0.0	0.07 (4)	7.81	
A-B	0 / 13	-78.0 -78.0	0.10 (1)	10.00	
B-C	-13 / 0	-78.0 -78.0	0.39 (1)	6.25	
E-D	0 / 0	-18.5 -18.5	0.15 (4)	10.00	

DESIGN CRITERIA

SPECIFIED LOADS:

TOP	CH.	LL	=	21.0	PSF
		DL	=	6.0	PSF
BOT	CH.	LL	=	0.0	PSF
		DL	=	7.4	PSF
TOTAL	LOAD	=	34.4	PSF	

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , NBC-2019AE

- PART 9 OF OBC 2012 (2019 AMENDMENT)

- CSA 086-14

- TPIC 2014

DESIGN ASSUMPTIONS

-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")

CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")

ALLOWABLE DEFL.(TL)= L/360 (0.19")

CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.39/1.00 (B-C:1) , BC=0.15/1.00 (D-E:4) , WB=0.00/1.00 (n/a:0) , SSI=0.20/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10

COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY)	SHEAR (PSI)	SECTION (PLI)
		MAX MIN	MAX MIN
MT20	650	371 1747	788 1987

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.22 (E) (INPUT = 0.90)

JSI METAL= 0.04 (E) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2


LICENSED PROFESSIONAL ENGINEER

Y. WIDYA

100225448

02/28/2024

PROVINCE OF ONTARIO



LUMBER

N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.
A - E	2x4	DRY	No.2	SPF
E - H	2x4	DRY	No.2	SPF
I - H	2x4	DRY	No.2	SPF
O - L	2x6	DRY	No.2	SPF
L - I	2x6	DRY	No.2	SPF

BEARING BLOCKS

BL1	2x4	DRY	No.2	SPF
-----	-----	-----	------	-----

ALL WEBS EXCEPT

O - B	2x4	DRY	No.2	SPF
-------	-----	-----	------	-----

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS #ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"x3") SPIRAL NAILS		
A- E	1 12	SIDE(39.0)
E- H	1 12	SIDE(39.0)
H- I	1 12	TOP
BOTTOM CHORDS : (0.122"x3") SPIRAL NAILS		
O- L	2 12	SIDE(10.5)
L- I	2 12	SIDE(10.5)
WEBS : (0.122"x3") SPIRAL NAILS		
2x3	1 6	
2x4	1 6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.


SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERRING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-t	MT20	4.0	6.0	1.75	2.50
C, D, G						
C	TMWW-t	MT20	4.0	6.0		
E	TS-t	MT20	3.0	8.0		
F	TMW+w	MT20	2.0	4.0		
H	TMVW-t	MT20	4.0	6.0	1.50	2.00
I	BMVKt+p	MT20	8.0	9.0	Edge	4.00
J	BMWWW-t	MT20	5.0	6.0	2.50	2.00
K	BMWWW-t	MT20	5.0	6.0	2.50	1.50
L	BS-t	MT20	4.0	6.0		
M	BMWW-t	MT20	4.0	6.0		
N	MBMW-t	MT20	5.0	6.0		
O	BMWt+w	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2



A circular professional engineer seal for the Province of Ontario. The outer ring contains the text "LICENSED PROFESSIONAL ENGINEER" at the top and "PROVINCE OF ONTARIO" at the bottom. The center of the seal features the name "Y. WIDYA", the license number "100225448", and the expiration date "02/29/2024". A stylized signature is written across the seal.

<

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***

GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.

LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP	CH.	LL	=	21.0	PSF
		DL	=	6.0	PSF
BOT	CH.	LL	=	0.0	PSF
		DL	=	7.4	PSF
TOTAL		LOAD	=	34.4	PSF

SPACING = 24.0 IN./C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

GIRDER TYPE: CPrimeHip
SIDE SETBACK = 0-0
END SETBACK = 5-10-8
END WALL WIDTH = 0-0
CORNER FRAMING TYPE: CONVENTIONAL
END JACK TYPE: CONVENTIONAL
APPLIED TO FRONT SIDE
- ADDTL LOADS BASED ON 55 % OF GSL.
LOADS APPLIED TO FIRST 5-7-15 OF SPAN
MEASURED FROM THE RIGHT.

*** NON STANDARD GIRDER ***

ADDTL USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (1.02")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/360 (1.02")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.27")

CSI: TC=0.78/1.00 (H-I:1) , BC=0.54/1.00 (K-M:1) ,
WB=0.59/1.00 (H-J:1) , SSI=0.33/1.00 (M-N:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00
COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) SHEAR		SECTION
	(PSI)	(PLI)	
	MAX	MIN	MAX MIN
MT20	650	371	1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (K) (INPUT = 0.90)
JSI METAL= 0.72 (L) (INPUT = 1.00)

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359636K	H132	1		JT 45147	E24033426

Alpa Roof Truss, Maple

Version 8.630 S Aug 30 2023 MiTek Industries, Inc. Thu Feb 29 08:36:04 2024 Page 1
 ID:hd511hZTz bdeQoS817GKBVhVxV-iOU9MaGxWYCFmUTB?TxIi9PFQvYoUdcoHtCaenzqLU

0-0 1-3-15 7-4-13 8-8-11 7-4-9 16-1-4 7-4-9 23-5-13 7-6-13 31-0-1031-1-10
 1-3-15 7-4-13 8-8-11 7-4-9 16-1-4 7-4-9 23-5-13 7-6-13 31-0-1031-1-10
 Scale = 1:50.4

0-4 6-7-13 3-8 30-9-3 1-10

2x4 // 4x6 = 4x6 = 3x8 = 2x4 // 4x6 = 4x6 = 2x4 //

W1 W2 W3 W4 W5

T1 T2 B1 B2

M L K J I H


8-8-11 7-4-9 16-1-4 7-4-9 23-5-13 7-7-13 31-1-10

TOTAL WEIGHT = 130 lb

NUMBER		N. L. G. A. RULES		CHORDS		SIZE		LUMBER		DESCR.	
A	-	D	2x4	DRY	No.2	SPF					
D	-	G	2x4	DRY	No.2	SPF					
H	-	G	2x4	DRY	No.2	SPF					
N	-	L	2x4	DRY	No.2	SPF					
L	-	J	2x4	DRY	No.2	SPF					
J	-	H	2x4	DRY	No.2	SPF					
ALL WEBS EXCEPT		2x4	DRY	No.2	SPF						
B	-	M	2x3	DRY	No.2	SPF					
M	-	C	2x3	DRY	No.2	SPF					
C	-	K	2x3	DRY	No.2	SPF					
K	-	E	2x3	DRY	No.2	SPF					
K	-	F	2x3	DRY	No.2	SPF					
I	-	F	2x3	DRY	No.2	SPF					
I	-	G	2x3	DRY	No.2	SPF					
DRY: SEASONED LUMBER.											
PLATES (table is in inches)											
JT	TYPE	PLATES	W	LEN	Y	X					
B	TMWW-t	MT20	4.0	6.0	2.00	2.50					
C	TMWW-t	MT20	4.0	6.0							
D	TS-t	MT20	3.0	8.0							
E	TMW+w	MT20	2.0	4.0							
F	TMWW-t	MT20	4.0	6.0							
G	TMVW-t	MT20	4.0	6.0	1.75	2.50					
H	BMV1+p	MT20	2.0	4.0							
I	BMWW-t	MT20	4.0	6.0	1.75	2.50					
J	BS-t	MT20	3.0	8.0							
K	BMWWW-t	MT20	5.0	6.0							
L	BS-t	MT20	3.0	8.0							
M	BMWW-t	MT20	4.0	6.0	1.75	3.00					
N	BMW1+w	MT20	2.0	4.0							

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2





[illegible]

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
O - M	2x4	DRY	No.2	SPF
M - K	2x4	DRY	No.2	SPF
K - H	2x4	DRY	No.2	SPF
ALL WEBS	2x4	DRY	No.2	SPF
DRY: SEASONED LUMBER.				


PLATES (table is in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B, C, F					
B	TMWW-t	MT20	4.0	6.0	
D	TS-t	MT20	3.0	8.0	
E	TMW+w	MT20	2.0	4.0	
G	TMVW-t	MT20	4.0	6.0	1.75 3.00
H	BMV1+p	MT20	2.0	4.0	
J	BMWW-t	MT20	4.0	6.0	1.75 3.00
K	BS-t	MT20	3.0	8.0	
L	BMWWW-t	MT20	5.0	8.0	
M	BS-t	MT20	3.0	8.0	
N	BMWW-t	MT20	4.0	6.0	
O	BMW1+w	MT20	2.0	4.0	

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2



LUMBER				DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER			
N. L. G. A. RULES	CHORDS	SIZE	LUMBER	DESCR.	BEARINGS		
A - D	2x4	DRY	No.2	SPF	FACTORED	MAXIMUM FACTORED	INPUT
D - G	2x4	DRY	No.2	SPF	GROSS REACTION	GROSS REACTION	BRG
H - G	2x4	DRY	No.2	SPF	VERT	DOWN	HORZ
O - M	2x4	DRY	No.2	SPF		UP	IN-SX
M - K	2x4	DRY	No.2	SPF			
K - H	2x4	DRY	No.2	SPF			
ALL WEBS 2x4 DRY: SEASONED LUMBER.				SPF	UNFACTORED REACTIONS		
					1ST LCASE	MAX./MIN. COMPONENT REACTIONS	
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1148	643 / 0	0 / 0	0 / 0	0 / 0	504 / 0	0 / 0
H	1157	650 / 0	0 / 0	0 / 0	0 / 0	507 / 0	0 / 0
BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, H							
2x4 DRY SPF NO.2 BEARING BLOCK 12" LONG AT JT. H ATTACHED TO FRONT SIDE WITH 2 ROWS OF (0.122"x3") SPIRAL NAILS SPACED 2" C.C. 12 NAILS TOTAL.							
BRACING							
FOR SECTION A-G, MAX. PURLIN SPACING = 2.00 FT.							
FOR OTHER SECTIONS, TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.							
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.							
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.							
1 LATERAL BRACE(S) AT 1/2 LENGTH OF B-O, G-H, C-N, E-L, F-J.							
END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW							
LOADING							
TOTAL LOAD CASES: (4)							
CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX LC1 CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX LC1 CSI (LC)
FR-TO		FROM TO			FR-TO		
A - B	0 / 0	-85.5 -85.5	0.24 (1)	10.00	O - B	-1556 / 0	0.95 (1)
B - C	-1065 / 0	-85.5 -85.5	0.72 (1)	2.00	B - N	0 / 1353	0.22 (1)
C - D	-1232 / 0	-85.5 -85.5	0.75 (1)	2.00	N - C	-937 / 0	0.54 (1)
D - P	-1232 / 0	-85.5 -85.5	0.75 (1)	2.00	C - L	0 / 294	0.05 (1)
P - E	-1232 / 0	-85.5 -85.5	0.75 (1)	2.00	L - E	-570 / 0	0.33 (1)
E - F	-1232 / 0	-85.5 -85.5	0.78 (1)	2.00	L - F	0 / 536	0.09 (1)
F - G	-926 / 0	-85.5 -85.5	0.75 (1)	2.00	J - F	-1151 / 0	0.66 (1)
H - G	-1556 / 0	0.0 0.0	0.89 (1)	5.29	J - G	0 / 1602	0.26 (1)
O - N	0 / 301	-18.5 -18.5	0.37 (4)	10.00			
N - M	0 / 1065	-18.5 -18.5	0.46 (4)	10.00			
M - L	0 / 1065	-18.5 -18.5	0.46 (4)	10.00			
L - K	0 / 926	-18.5 -18.5	0.35 (4)	10.00			
K - J	0 / 926	-18.5 -18.5	0.35 (4)	10.00			
J - I	0 / 0	-18.5 -18.5	0.25 (4)	10.00			
I - H	0 / 0	-18.5 -18.5	0.25 (4)	10.00			

DESIGN CRITERIA					
SPECIFIED LOADS:					
TOP	CH.	LL	=	21.0	PSF
		DL	=	6.0	PSF
BOT	CH.	LL	=	0.0	PSF
		DL	=	7.4	PSF
TOTAL		LOAD	=	34.4	PSF
SPACING = 24.0 IN. C/C					
LOADING IN FLAT SECTION BASED ON PIGGYBACK TRUSS WITH SLOPES OF 6.00/12 AND -6.00/12 AND RESPECTIVE HEEL HEIGHTS OF 0-0-0 AND 0-0 AND AN ADDITIONAL DEAD LOAD OF 3.0 P.S.F.					
THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015					
THIS DESIGN COMPLIES WITH:					
- PART 9 OF BCBC 2018 , NBC-2019AE					
- PART 9 OF OBC 2012 (2019 AMENDMENT)					
- CSA 086-14					
- TPIC 2014					
(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD					
ALLOWABLE DEFL.(LL)= L/360 (1.03")					
CALCULATED VERT. DEFL.(LL)= L/ 999 (0.06")					
ALLOWABLE DEFL.(TL)= L/360 (1.03")					
CALCULATED VERT. DEFL.(TL)= L/ 999 (0.21")					
CSI: TC=0.89/1.00 (G-H:1) , BC=0.46/1.00 (L-N:4) , WB=0.95/1.00 (B-O:1) , SSI=0.30/1.00 (F-G:1)					
DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10					
COMPANION LIVE LOAD FACTOR = 1.00					
TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .					
NAIL VALUES					
PLATE	GRIP(DRY)	SHEAR	SECTION		
	(PSI)	(PLI)	(PLI)		
	MAX MIN	MAX MIN	MAX MIN		
MT20	650 371	1747 788	1987 1873		
PLATE PLACEMENT TOL. = 0.250 inches					
PLATE ROTATION TOL. = 5.0 Deg.					
JSI GRIP= 0.88 (N) (INPUT = 0.90)					
JSI METAL= 0.36 (M) (INPUT = 1.00)					



TOTAL WEIGHT = 2 X 82 = 163 lb

LUMBER				
N. L. G. A. RULES				
CHORDS	SIZE	LUMBER	DESCR.	
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - H	2x4	DRY	No.2	SPF
B - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF
EXCEPT				
G - N	2x4	DRY	No.2	SPF
DRY: SEASONED LUMBER.				

PLATES (table is in inches)				
JT	TYPE	PLATES	W	LEN Y X
B	TMB1-I	MT20	3.0	4.0 1.50 2.50
C	TTWW-h	MT20	5.0	6.0 1.25 3.00
D	TMW+w	MT20	2.0	4.0
E	TS-t	MT20	3.0	8.0
F	TMWW-t	MT20	4.0	6.0
G	TMWW-t	MT20	4.0	6.0
I	BWM1-I	MT20	2.0	4.0
J	BMWW1-t	MT20	4.0	6.0
K	BS-t	MT20	3.0	8.0
L	BMWWW1-t	MT20	5.0	6.0
M	BMW1+w	MT20	2.0	4.0

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

JT	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION		INPUT BRG		REQRD BRG	
	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX	
B	226	0	226	0	0	21-1-10 (7-2-10)		
M	292	0	292	0	0	21-1-10 (7-2-10)		
L	708	0	708	0	0	21-1-10 (7-2-10)		
J	612	0	612	0	0	21-1-10 (7-2-10)		
I	407	0	407	0	0	21-1-10 (7-2-10)		

VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED		MAX./MIN. COMPONENT REACTIONS		WIND	DEAD	SOIL
	SNOW	LIVE	PERM.LIVE				
B	158	115 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0
M	212	105 / 0	0 / 0	0 / 0	0 / 0	108 / 0	0 / 0
L	502	322 / 0	0 / 0	0 / 0	0 / 0	180 / 0	0 / 0
J	437	261 / 0	0 / 0	0 / 0	0 / 0	177 / 0	0 / 0
I	287	195 / 0	0 / 0	0 / 0	0 / 0	92 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, M, L, J, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

MAX. UNBRACED INTERIOR CHORD LENGTH = 7.81 FT

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)		MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED MAX CSI (LC)	
		FROM	TO			LENGTH	FR-TO
A-B	0 / 10	-78.0	-78.0	G-I	-369 / 0	0.07 (1)	
B-P	0 / 65	-78.0	-78.0	I-N	0 / 0	0.00 (1)	
P-C	-101 / 0	-78.0	-78.0	M-C	-172 / 0	0.04 (1)	
C-D	0 / 19	-78.0	-78.0	C-L	-84 / 0	0.08 (1)	
D-E	0 / 18	-78.0	-78.0	L-D	-529 / 0	0.12 (1)	
E-F	0 / 18	-78.0	-78.0	L-F	-57 / 0	0.05 (1)	
F-G	-31 / 0	-78.0	-78.0	J-F	-456 / 0	0.11 (1)	
G-H	0 / 0	-78.0	-78.0	J-G	-50 / 0	0.04 (1)	
				O-P	-306 / 0	0.00 (1)	
B-O	0 / 59	-18.5	-18.5				
O-M	0 / 59	-18.5	-18.5				
M-L	0 / 54	-18.5	-18.5				
L-K	0 / 31	-18.5	-18.5				
K-J	0 / 31	-18.5	-18.5				
J-I	0 / 72	-18.5	-18.5				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 21.0 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.4 PSF
TOTAL LOAD = 34.4 PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 23.0 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 21.0 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.42/1.00 (G-H:1) , BC=0.18/1.00 (I-J:4) ,
WB=0.12/1.00 (D-L:1) , SSI=0.23/1.00 (B-O:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.83 (C) (INPUT = 0.90)
JSI METAL= 0.27 (I) (INPUT = 1.00)

LATERAL BRACE(S) SHOWN SHALL BE 2X4 SPF#2



JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
359636K	H350F		2	JT 45147	E24033440(2)

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
R	BBWW-I	MT20	8.0	9.0	Edge	
S	BBWW-h	MT20	5.0	6.0	2.50	3.50
T	BMV1+p	MT20	2.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

LATERAL BRACE(S) SHOWN SHALL BE
2X4 SPF#2



LUS — Double-Shear Joist Hangers

SIMPSON
Strong-Tie

All LUS hangers have double-shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections.

Material: 18 gauge

Finish: G90 galvanized

Design:


- Factored resistances are in accordance with CSA O86-14 and CSA O86:19.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:


- Use all specified fasteners
- Nails: 16d = 0.162" dia. x 3½" long common wire,
10d = 0.148" x 3" long common wire
- Double-shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

Options:

- These hangers cannot be modified




Typical LUS
Installation




Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
		W	H	B	d _o ¹	Face	Joist	D.Fir-L		S-P-F	
								Uplift (K _o =1.15)	Normal (K _o =1.00)	Uplift (K _o =1.15)	Normal (K _o =1.00)
LUS24	18	1⅞	3⅞	1¼	1⅝	(4) 10d	(2) 10d	710	1630	645	1155
LUS24-2	18	3⅞	3⅞	2	1⅝	(4) 16d	(2) 16d	835	2020	590	1435
LUS26	18	1⅞	4¾	1¼	3⅝	(4) 10d	(4) 10d	1420	2170	1290	1630
LUS26-2	18	3⅞	4¾	2	4	(4) 16d	(4) 16d	1720	2595	1545	1920
LUS26-3	18	4⅝	4¾	2	3¼	(4) 16d	(4) 16d	1720	2595	1545	2340
LUS28	18	1⅞	6⅝	1¼	3¾	(6) 10d	(6) 10d	1420	2520	1290	1790
LUS28-2	18	3⅞	7	2	4	(6) 16d	(4) 16d	1720	3325	1545	2575
LUS28-3	18	4⅝	6¼	2	3¼	(6) 16d	(4) 16d	1720	3325	1545	2375
LUS210	18	1⅞	7⅞	1¼	3⅞	(8) 10d	(4) 10d	1420	2785	1290	2210
LUS210-2	18	3⅞	9	2	6	(8) 16d	(6) 16d	2580	4500	2320	3195
LUS210-3	18	4⅝	8⅞	2	5¼	(8) 16d	(6) 16d	2580	3345	2320	2375

1. d_o is the distance from the seat of the hanger to the highest joist nail.



Dome double-shear nailing prevents tabs breaking off (available on some models).

US Patent
5,603,580



Double-shear nailing top view.



This technical bulletin is effective until December 31, 2024, and reflects information available as of July 1, 2022. This information is updated periodically and should not be relied upon after December 31, 2024. Contact Simpson Strong-Tie for current information and limited warranty or see strongtie.com.

© 2022 Simpson Strong-Tie Company Inc. • P.O. Box 10789, Pleasanton, CA 94588

T-SPECLUS22 7/22 exp. 12/24

(800) 999-5099
strongtie.com

HUS/LJS — Double-Shear Joist Hangers

All hangers have double-shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections. Do not bend or remove tabs.

Material: See table

Finish: G90 galvanized

Design:


- Factored resistances are in accordance with CSA O86-14 and CSA O86:19.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:


- Use all specified fasteners
- Nails: 16d = 0.162" dia. x 3½" long common wire
- Double-shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

Options:


- See current catalogue for options




LJS26DS




HUS210
(HUS26, HUS28, similar)



Typical LJS26DS
Installation




Typical HUS
Installation




Typical HUS Installation
(Truss designer to provide fastener quantity for connecting multiple members together)

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
		W	H	B	d _e ¹	Face	Joist	D.Fir-L		S-P-F	
								Uplift (K ₀ =1.15)	Normal (K ₀ =1.00)	Uplift (K ₀ =1.15)	Normal (K ₀ =1.00)
LJS26DS	18	1⅞	5	3½	4⅝	(16) 16d	(6) 16d	2055	4265	1460	4115
HUS26	16	1⅝	5⅝	3	3⅞	(14) 16d	(6) 16d	2705	4940	2065	3875
HUS28	16	1⅝	7⅞	3	6⅞	(22) 16d	(8) 16d	3605	5365	2675	4345
HUS210	16	1⅝	9⅞	3	7⅞	(30) 16d	(10) 16d	4505	5795	4010	4740
HUS1.81/10	16	1⅞	9	3	8	(30) 16d	(10) 16d	4505	6450	4010	5200


1. d_e is the distance from the seat of the hanger to the highest joist nail.



Dome double-shear nailing prevents tabs breaking off (available on some models).
US Patent 5,603,580



Double-shear nailing side view. Do not bend tab back.



Double-shear nailing top view.



This technical bulletin is effective until December 31, 2024, and reflects information available as of July 1, 2022. This information is updated periodically and should not be relied upon after December 31, 2024. Contact Simpson Strong-Tie for current information and limited warranty or see strongtie.com.

© 2022 Simpson Strong-Tie Company Inc. • P.O. Box 10789, Pleasanton, CA 94588

T-SPECHUS22 7/22 exp. 12/24

(800) 999-5099
strongtie.com

HHUS — Double-Shear Joist Hangers

SIMPSON
Strong-Tie

All HHUS hangers have double-shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections. Do not bend or remove tabs.

Material: 14 gauge

Finish: G90 galvanized

Design:


- Factored resistances are in accordance with CSA O86-14 and CSA O86:19.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:


- Use all specified fasteners
- Nails: 16d = 0.162" dia. x 3½" long common wire
- Double-shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

Options:

- See current catalogue for options




HHUS410




Typical HHUS Installation
(Truss designer to provide fastener quantity for connecting multiple members together)

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
		W	H	B	d _g ¹	Face	Joist	D-Fir-L		S-P-F	
								Uplift (K _g =1.15)	Normal (K _g =1.00)	Uplift (K _g =1.15)	Normal (K _g =1.00)
HHUS26-2	14	3⅞	5⅞	3	3⅞	(14) 16d	(6) 16d	2850	7335	2065	5205
HHUS28-2	14	3⅞	7⅞	3	6⅞	(22) 16d	(8) 16d	3765	8940	2675	6345
HHUS210-2	14	3⅞	9⅞	3	8	(30) 16d	(10) 16d	4670	9660	4235	7000
HHUS210-3	14	4⅞	9	3	7⅞	(30) 16d	(10) 16d	4670	9670	4235	6865
HHUS210-4	14	6⅞	8⅞	3	7⅞	(30) 16d	(10) 16d	4670	10155	4235	7210
HHUS46	14	3⅞	5⅞	3	3⅞	(14) 16d	(6) 16d	2540	7335	2065	5205
HHUS48	14	3⅞	7⅞	3	6⅞	(22) 16d	(8) 16d	3765	8945	2267	6345
HHUS410	14	3⅞	9	3	8	(30) 16d	(10) 16d	4670	9855	4235	7000
HHUS5.50/10	14	5½	9	3	8	(30) 16d	(10) 16d	4670	10155	4235	7210
HHUS7.25/10	14	7¼	9	3⅞	7⅞	(30) 16d	(10) 16d	4670	10155	3370	7210


1. d_g is the distance from the seat of the hanger to the highest joist nail.




Dome double-shear nailing prevents tabs breaking off (available on some models).
US Patent 5,603,580



Double-shear nailing side view. Do not bend tab back.



Double-shear nailing top view.



Typical HHUS Installation




This technical bulletin is effective until December 31, 2024, and reflects information available as of July 1, 2022. This information is updated periodically and should not be relied upon after December 31, 2024. Contact Simpson Strong-Tie for current information and limited warranty or see strongtie.com.

© 2022 Simpson Strong-Tie Company Inc. • P.O. Box 10789, Pleasanton, CA 94588

T-SPECHHUS22 7/22 exp. 12/24

(800) 999-5099
strongtie.com




Wood Truss Installation

**A Guide to proper handling, erecting and bracing
metal plate connected wood trusses**

Table of Content

Warning.....	4
1 Unloading & Lifting.....	5
2 Job Site Handling.....	5
3 Hoisting.....	6
4 Beginning the Erection Process.....	7
5 Erection Tolerance.....	8
6 Bracing.....	8
7 Bracing Requirements for 3 Planes of Roof.....	9
8 Stacking Materials.....	10
Caution Notes.....	11

Warning



General

Familiarity with the Construction Design Documents, the Truss Design Drawings, and Truss Placement Plans (if required by the Construction Design Documents) is required to properly erect, brace, and connect the trusses to the building system.

All of the care and quality involved in the design and manufacture of wood trusses can be jeopardized if the trusses are not properly handled, erected, and braced.

The consequences of improper handling, erecting, and bracing may be a collapse of the structure, which at best is a substantial loss of time and materials, and at worst is a loss of life. The majority of truss accidents occur during truss installation and not as a result of improper design or manufacture.

Prior to truss erection, the builder/erector shall meet with the erection crew for a safety and planning meeting, making sure each crew member understands his or her roles and responsibilities during the erection process.

Temporary Erection Bracing

Trusses are not marked in any way to identify the frequency, or location of temporary erection bracing.

All temporary bracing shall comply with the latest edition of *Commentary and Recommendations for Handling, Installing & Bracing Metal Plate Connected Wood Trusses* (HIB), published by the Truss Plate Institute, and/or as specified in the Construction Design Documents prepared by the building designer.

Permanent Truss Bracing

Permanent bracing for the roof or floor trusses is the responsibility of the building designer and should be shown on the Construction Design Documents. Permanent bracing locations for individual compression members of a wood truss are shown on the Truss Design Drawings, and shall be installed by the building or erection contractor. This bracing is needed for the proper performance of individual trusses within the roof or floor system. The design and connection of the bracing to the truss and then to the overall building system is the responsibility of the building designer, and is in addition to the permanent bracing plan, which is also specified by the building designer.


Special Design Requirements

Special design requirements, such as wind bracing, portal bracing, seismic bracing, diaphragms, shear walls, or other load transfer elements and their connections to wood trusses must be considered separately by the building designer, who shall determine size, location, and method of connections for all bracing as needed to resist these forces.

1 Unloading & Lifting

Never handle trusses flat



Beginning with the unloading process, and throughout all phases of construction, care must be taken to avoid lateral bending of trusses, which can cause damage to the lumber and metal connector plates at the joints.



Avoid lateral bending


- Use special care in windy weather.
- If using a crane within 10 feet of an electric line, contact the local power company.
- If using a crane within 5 miles of an airport, contact the airport 30 days prior to erection to learn about any safety regulations that must be followed.

2 Job Site Handling




All trusses should be picked up at the top chords in a vertical position only

Proper banding and smooth ground allow for unloading of trusses without damage. This should be done as close to the building site as possible to minimize handling. Do not break banding until installation begins. Hand erection of trusses is allowed, provided excessive lateral bending is prevented.




Do not store unbraced bundles upright

If trusses are stored vertically they shall be braced in a manner that will prevent tipping or topping. Generally cutting of the banding is done just prior to installation.



Do not store on uneven ground

If trusses are stored horizontally, blocking should be used on eight to ten foot centers, or as required, to minimize lateral bending and moisture gain.




Care should be exercised when removing banding to avoid damaging trusses.


During long term storage, trusses shall be protected from the environment in a manner that provides for adequate ventilation of the trusses. If tarpaulins or other material is used, the ends shall be left open for ventilation. Plastic is not recommended, since it can trap moisture.

3 Hoisting


All trusses that are erected one at a time shall be held safely in position by the erection equipment until such time as all necessary bracing has been installed and the ends of the trusses are securely fastened to the building.




Avoid lateral bending




$L \leq 30'$




Truss sling is acceptable where these criteria are met.




$30' < L \leq 60'$



Use spreader bar in all other cases. It should be noted that the lines from the ends of the spreader bar "TOE IN"; if these lines should "TOE OUT" the truss may fold in half.



$L > 60'$




For lifting trusses with spans in excess of 60 feet, it is recommended that a strongback/spreader bar be used as illustrated. The strongback/spreader bar should be attached to the top chord and web members at intervals of approximately 10 feet. Further, the strongback/spreader bar should be at or above the mid-height of the truss to prevent overturning. The strongback/spreader bar can be of any material with sufficient strength to safely carry the weight of the truss and sufficient rigidity to adequately resist bending of the truss.

4 Beginning the Erection Process

It is important for the builder or erection contractor to provide substantial bracing for the first truss erected. The two or more trusses making up the rest of the first set are tied to and rely upon the first truss for stability. Likewise, after this first set of trusses is adequately cross-braced, the remaining trusses installed rely upon this first set for stability. Thus, the performance of the truss bracing system depends to a great extent on how well the first group of trusses is braced.

Ground Brace - Exterior




One satisfactory method ties the first unit of trusses off to a series of braces that are attached to a stake driven into the ground and securely anchored. The ground brace itself should be supported as shown below or it is apt to buckle. Additional ground braces in the opposite direction, inside the building, are also recommended.



Note: Locate ground braces for first truss directly in line with all rows of top chord continuous lateral bracing (either temporary or permanent).

Ground Brace - Interior

Another satisfactory method where height of building or ground conditions prohibit bracing from the exterior is to tie the first truss rigidly in place from the interior at the floor level, provided the floor is substantially completed and capable of supporting the ground bracing forces. Securely fasten the first truss to the middle of the building. Brace the bracing similar to exterior ground bracing shown at left. Set trusses from the middle toward the end of the building. Properly cross-brace the first set of trusses before removing floor braces and setting remaining trusses.




Inadequate size of bracing material or inadequate fastening is a major cause of erection dominoing.


5 Erection Tolerance

Complying with erection tolerances is critical to achieving an acceptable roof or floor line, and to accomplishing effective bracing. Setting trusses within tolerance the first time will prevent the need for the hazardous practice of respacing or adjusting trusses when roof sheathing or roof purlins are installed. Trusses leaning or bowing can cause nails to miss the top chords when sheathing is applied, and create cumulative stresses on the bracing, which is a frequent cause of dominoing.


When sheathing, make sure nails are driven into the top chord of the trusses.



6 Bracing




Do not install trusses on temporarily connected supports



Do not walk on unbraced trusses



Do not walk on trusses or gable ends lying flat




Nails in withdrawal (parallel to force)

All anchors, hangers, tie-downs, seats, bearing ledgers, etc., that are part of the supporting structure shall be accurately and properly placed and permanently attached before truss installation begins. No trusses shall ever be installed on anchors or ties that have temporary connections to the supporting structure.

Nailing scabs to the end of the building to brace the first truss is not recommended.

All nailing of bracing should be done so that nails are driven perpendicular to the direction of force, as shown at right.




Well nailed (perpendicular to force)

7 Bracing Requirements for 3 Planes of Roof

Temporary erection bracing must be applied to three planes of the roof system to ensure stability: Plane 1) Top Chord (sheathing), Plane 2) Bottom Chord (ceiling plane), and Plane 3) Web Member plane or vertical plane perpendicular to trusses.

1) Top Chord Plane

Most important to the builder or erection contractor is bracing in the plane of the top chord. Truss top chords are susceptible to lateral buckling before they are braced or sheathed.




Exact spacing between trusses should be maintained as bracing is installed to avoid the hazardous practice of removing bracing to adjust spacing. This act of "adjusting spacing" can cause trusses to topple if connections are removed at the wrong time.

3) Web Member Plane

"X" bracing, as shown, is critical in preventing trusses from leaning or dominoing. Repeat as shown to create a succession of rigid units.


X-bracing should be installed on vertical web members wherever possible, at or near lateral bracing. Plywood or OSB may be substituted for X-bracing.



Note: Top chords and some web members are not shown, in order to make drawings more readable.


2) Bottom Chord Plane

In order to hold proper spacing on the bottom chord, temporary bracing is recommended on the top of the bottom chord.




* Long spans, heavy loads or other spacing configurations may require closer spacing between lateral bracing and closer intervals between diagonals. Consult the building designer or HIB and DSB (Recommended Design Specification for Temporary Bracing of Metal-Plate Connected Wood Trusses) for details.

Diagonal or cross-bracing is very important!



Do not use short blocks to brace individual trusses without a specific bracing plan detailing their use





Bracing requirements using the same principles apply to parallel chord trusses

8 Stacking Materials

Do not proceed with building completion until all bracing is securely and properly in place



Never stack materials on unbraced or inadequately braced trusses




Platform must be rigidly braced

Proper distribution of construction materials is a must during construction.



Never stack materials near a peak



Never stack materials on the cantilever of a truss




Always stack materials over two or more trusses.





Single truss

Never overload small groups or single trusses. Position load over as many trusses as possible.



Roofing and mechanical contractors are cautioned to stack materials only along outside supporting members or directly over inside supporting members. Trusses are not designed for dynamic loads (i.e., moving vehicles). Extreme care should be taken when loading and stacking construction materials (rolled roofing, mechanical equipment, etc.) on the roof or floor system.

Never cut any structural member of a truss.



Panel point

Sleepers for mechanical equipment should be located at panel points (joints) or over main supporting members, and only on trusses that have been designed for such loads.

Caution Notes

Errors in building lines and/or dimensions, or errors by others shall be corrected by the contractor or responsible construction trade subcontractor or supplier **before** erection of trusses begins.


Cutting of nonstructural overhangs is considered a part of normal erection and shall be done by the builder or erection contractor.

Any field modification that involves the cutting, drilling, or relocation of any structural truss member or connector plate shall not be done without the approval of the truss manufacturer or a licensed design professional.

The methods and procedures outlined are intended to ensure that the overall construction techniques employed will put floor and roof trusses safely in place in a completed structure. These recommendations for bracing wood trusses originate from the collective experience of leading technical personnel in the wood truss industry, but must, due to the nature of responsibilities involved, be presented only as a guide for use by a qualified building designer, builder, or erection contractor. Thus, the Wood Truss Council of America expressly disclaims any responsibility for damages arising from the use, application, or reliance on the recommendations and information contained herein.

[Selected text and figures referenced or reproduced from HIB and DSB by permission of the Truss Plate Institute, Madison, WI.]

THE CANADIAN WOOD TRUSS ASSOCIATION



L'ASSOCIATION CANADIENNE DES FABRICANTS DE FERMES DE BOIS

1400 Blair Place, Suite 210, Ottawa, ON K1J 9B8
Tel.: 613-747-5544 Fax: 613-747-6264



**Wood Truss Council
of America**

One WTCA Center
6300 Enterprise Lane, Madison, WI 53719-1140
Tel.: 608-274-4849 Fax: 608-274-3329
wtca@woodtruss.com www.woodtruss.com