10/12 ROOF PITCH
UNLESS OTHERWISE SPECIFIED



12 " FINISH O.H
R.T.M.C
2X6 EXTERIOR WALLS
ASPHALT SHINGLES
2X6 FASCIA BOARD

DESIGN LOADS:

GS LOAD	1.8	KPA
TC DEAD	6	PSF
BC LIVE	10.5	PSF
BC DEAD	7	PSF

ALL CONVENTIONAL ROOF FRAMING TO CONFORM TO PART9 OF THE OBC.LATEST EDITION ROOF RAFTERS THAT MEET OR CROSS OVER TRUSSES ARE TO BE 2"X4" SPF @24"o.c. WITH A 2"X4"SPF VERTICAL POST TO THE TRUSS UNDER AT EACH CROSS POINT. POSTS LONGER THAN 6' TO BE LATERALLY BRACED SO THAT THE DISTANCE BETWEEN END POINTS AND BETWEEN ROWS OF BRACING DOES NOT EXCEED 6'.

TRUSSES DESIGNED CONFORM TO THE RELEVANT SECTION OF THE LATEST EDITION OF THE ONTARIO BUILDING CODE (RESIDENTIAL PART 9)

HARDWARE
HGUS26-2(XX)
LUS26-2(VV)
LJS26DS(V)
LUS24(O)
...

DENOTES CONVENTIONAL FRAMING

T- ...

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE M12245

TAMARACK LUMBER INC.
ALPA LUMBER GROUP

Job Track: 50033	Builder / Location: GREEN PARK HOMES / CALEDON	Model / Elevation: BARTON 1/2 - STD OR REAR UPGRADE	Mitek ver 8.2.3.229
Plan Log: 201007	Project: LAMBERT LANE PH.2		
Layout ID: 402939	Date: 5/3/2019 Sales: Mario DiCano Designer: JG		

DELIVERY SHIPLIST

TAMARACK LUMBER INC.
ALPA LUMBER GROUP

Lumber Yard:	TAMARACK LUMBER	Job Track:	50033
Builder:	GREEN PARK HOMES	PlanLog:	201007
Project:	LAMBERT LANE PH.2	Layout ID:	402939
Location:	CALEDON	Ref #	
Model:	BARTON 1	Page:	1 of 2
Lot #:		Date:	05/03/2019
Elevation:	2 - STD OR REAR UPGRADE	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1	T13 Common	6 /12	8-05-08	3-02-03	2 x 4 2 x 6	1-03-08	6-12 9-00	30.87 20.33		
	1	T13Z Common Girder	6 /12	8-05-08	3-02-03	2 x 4 2 x 6	1-03-08	6-12 9-00	30.87 20.33		
	1 2-ply	T21 Hip Girder	6 /12	27-00-00	4-01-04	2 x 4 2 x 6	1-03-08 1-03-08	1-02-00 1-02-00	252.71 158.00		
	1	T22 Hip	6 /12	27-00-00	5-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	109.31 68.83		
	1	T23 Hip	6 /12	27-00-00	6-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	110.98 70.67		
	1	T24 Hip	6 /12	27-00-00	7-01-04	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	0.6		
	8	T25 Common	6 /12	27-00-00	7-11-00	2 x 4	1-03-08 1-03-08	1-02-00 1-02-00	812.08 538.67		
	1 2-ply	T26 Hip Girder	10 /12	27-00-00	5-05-13	2 x 4 2 x 6	1-03-08 1-03-08	1-07-11 1-07-11	269.6 167.33		
	2	T27 Hip	10 /12	27-00-00	6-09-13	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	254.7 164.00		
	3	T28 Hip	10 /12	27-00-00	8-01-13	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	389.5 248.00		
	1	T29 Common	10 /12	8-10-00	5-03-14	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	40.97 26.83		
	2	T29S Scissor	10 /12 8 /12	8-10-00	5-03-14	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	82.47 55.67		
	1	T30 Hip Girder	10 /12	11-02-00	4-10-07	2 x 4 2 x 6	1-03-08 1-03-08	1-07-11 1-07-11	62.12 40.67		
	3	T31 Common	10 /12	11-02-00	6-03-08	2 x 4	1-03-08 1-03-08	1-07-11 1-07-11	149.15 99.00		

RECEIVED
JUN 10 2019
TOWN OF CALEDON
BUILDING SECTION
FILE NO

DELIVERY SHIPLIST

Lumber Yard:	TAMARACK LUMBER	Job Track:	50033
Builder:	GREEN PARK HOMES	PlanLog:	201007
Project:	LAMBERT LANE PH.2	Layout ID:	402939
Location:	CALEDON	Ref #	
Model:	BARTON 1	Page:	2 of 2
Lot #:		Date:	05/03/2019
Elevation:	2 - STD OR REAR UPGRADE	Designer:	
		Sales Rep:	Mario DiCano

Roof Trusses

PROFILE	QTY / PLY	MARK / TYPE	PITCH	SPAN	HEIGHT	LUMBER	OVERHANG LEFT / RIGHT	HEEL HEIGHT LEFT / RIGHT	LBS. / BFT.	BUNDLE # / STACK #	LOAD BY / REMARKS
	1 2-ply	T32 Jack-Closed Girder	10 /12	**3-10-08**	3-04-08	2 x 4 2 x 6		1-07-11 3-04-08	45.51 30.33		
	9	J1 Jack-Open	6 /12	**5-10-08**	4-01-04	2 x 4	1-03-08	1-02-00 4-01-04	151.15 96.00		
	4	J3 Jack-Open	10 /12	**2-00-08**	3-01-14	2 x 4	1-03-08	1-00-07 2-08-14	32.99 24.00		
	2	J5 Jack-Open	4 /12	**5-06-08**	2-07-00	2 x 4	1-03-08	3-15 2-02-02	29.29 18.67		
	7	J20 Jack-Open	8 /12	**6-01-08**	5-05-13	2 x 4	1-03-08	1-04-13 5-05-13	129.2 84.00		
	2	J21 Jack-Open	10 /12	**2-00-07**	3-04-01	2 x 4	1-03-08 0-09	1-07-11 3-04-01	21.01 15.33		
	2	J22 Jack-Open	6 /12	**3-09-07**	3-00-12	2 x 4	1-03-08 2-01-01	1-02-00 3-00-12	28.26 17.33		
	2	J23 Jack-Open Girder	6 /12	**1-09-07**	2-00-12	2 x 4	1-03-08 4-01-01	1-02-00 2-00-12	23.16 14.67		
	2	J24 Jack-Open	6 /12	**1-10-08**	3-00-12	2 x 4	1-03-08 1-10-15	1-02-00 2-01-04	19.14 12.00		
	2	J25 Jack-Open	6 /12	**1-09-07**	2-00-12	2 x 4	1-03-08 1-01	1-02-00 2-00-12	14.04 9.33		

TOTAL # TRUSS= **63** TOTAL BFT OF ALL TRUSSES= **2070.66** BFT. TOTAL WEIGHT OF ALL TRSSES **3261.7** LBS

HARDWARE

QTY	TYPE	MODEL	LENGTH
1	Hardware	HGUS26-2	
3	Hardware	LJS26DS	
4	Hardware	LUS24	
1	Hardware	LUS26-2	

TOTAL NUMBER OF ITEMS= **9**

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T13	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:48 2019 Page 1

ID:VdmZNlanRCr_yT1tp?OGrfzKFiu-bRIE7CzyFNc9GXmPwuSTU?IGCxK0ErjY2r?PxQzIqjX



TOTAL WEIGHT = 31 lb

[M](F)

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
B - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	4.0	6.0	1.75	1.50
C	TTW-p	MT20	4.0	4.0		
D	TMBH1-l	MT20	5.0	6.0		Edge
E	BMW+w	MT20	3.0	5.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
B	733	0	733	0	0	5-8	5-8	2x4 L
D	595	0	595	0	0	MECHANICAL		2x4 R

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	540	324 / 0	89 / 0	0 / 0	0 / 0	126 / 0	0 / 0
D	444	246 / 0	89 / 0	0 / 0	0 / 0	110 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 24	-102.1	-102.1	0.13 (1)	10.00
B- G	-635 / 0	-102.1	-102.1	0.10 (1)	6.25
G- C	-650 / 0	-102.1	-102.1	0.17 (1)	6.25
C- I	-655 / 0	-102.1	-102.1	0.14 (1)	6.25
I- D	-713 / 0	-102.1	-102.1	0.13 (1)	6.25
B- F	0 / 572	-38.5	-38.5	0.19 (1)	10.00
F- E	0 / 572	-38.5	-38.5	0.19 (1)	10.00
E- H	0 / 572	-38.5	-38.5	0.14 (1)	10.00
H- D	0 / 572	-38.5	-38.5	0.10 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- C	0 / 279	0.05 (2)
F- G	-244 / 24	0.00 (1)
H- I	-73 / 128	0.00 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.28")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.28")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.17/1.00 (C-G:1) , BC=0.19/1.00 (E-F:1) , WB=0.06/1.00 (C-E:2) , SSI=0.16/1.00 (B-F:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.70 (D) (INPUT = 0.90)
JSI METAL= 0.18 (B) (INPUT = 1.00)

DESIGNED FOR 7/9/0771
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	T13Z	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2016 MiTek Industries, Inc. Tue May 7 17:41:49 2019 Page 1

ID:VdmZNlanRCr_yT1tp?OGrfzKFlu-3dfdLYza0hk0thLbUbzi0CIQJLgqzGxhGVkyTszlqjW



TOTAL WEIGHT = 31 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - D	2x4	DRY	No.2	SPF
B - D	2x6	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMBH1-m	MT20	4.0	6.0	1.75	1.50
C	TTW-p	MT20	4.0	4.0		
D	TMBH1-m	MT20	5.0	6.0	2.25	Edge
E	BMW+w	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX	HEEL WEDGE
B	808	0	808	0	0	5-8	5-8	2x4 L
D	680	0	680	0	0	MECHANICAL		2x4 R

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
B	591	367 / 0	89 / 0	0 / 0	0 / 0	135 / 0	0 / 0
D	504	291 / 0	91 / 0	0 / 0	0 / 0	121 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.18 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 24	-102.1	-102.1	0.15 (1)	10.00	
B- G	-791 / 0	-102.1	-102.1	0.15 (1)	6.25	
G- J	-792 / 0	-102.1	-102.1	0.20 (1)	6.25	
J- C	-792 / 0	-102.1	-102.1	0.20 (1)	6.25	
C- I	-797 / 0	-102.1	-102.1	0.21 (1)	6.25	
I- D	-906 / 0	-102.1	-102.1	0.20 (1)	6.18	
B- F	0 / 699	-38.5	-38.5	0.22 (1)	10.00	
F- K	0 / 699	-38.5	-38.5	0.22 (1)	10.00	
K- L	0 / 699	-38.5	-38.5	0.22 (1)	10.00	
L- E	0 / 699	-38.5	-38.5	0.22 (1)	10.00	
E- M	0 / 699	-38.5	-38.5	0.15 (1)	10.00	
M- H	0 / 699	-38.5	-38.5	0.15 (1)	10.00	
H- D	0 / 699	-38.5	-38.5	0.11 (1)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- C	0 / 281	0.06 (2)
F- G	-218 / 28	0.00 (1)
H- I	0 / 141	0.00 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-5-0	-23	-25	—	FRONT	VERT	DEAD	—	—
C	4-5-0	-129	-129	—	FRONT	VERT	SNOW	—	—
H	7-11-4	-5	-7	—	BACK	VERT	TOTAL	—	—
J	3-11-4	-3	-3	—	BACK	VERT	TOTAL	—	—
K	1-11-4	1	1	—	BACK	VERT	TOTAL	—	—
L	3-11-4	1	1	—	BACK	VERT	TOTAL	—	—
M	5-11-4	1	1	—	BACK	VERT	TOTAL	—	—

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.28")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.28")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.21/1.00 (C-I:1) , BC=0.22/1.00 (B-F:1) , WB=0.06/1.00 (C-E:2) , SSI=0.17/1.00 (C-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS=1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.65 (D) (INPUT = 0.90)
JSI METAL= 0.21 (B) (INPUT = 1.00)

DWG NO. TAM 7191077Z
STRUCTURAL
COMPONENT ONLY

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100009628
PROVINCE OF ONTARIO

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T21	1	2	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:13 2019 Page 1
ID:yH3IuQzwKBaXQAh?hsf8URzKCTp-qVVnxrdSag6XyiiP_FsIaBCy48h4xqRDaEIHyczIqdW



TOTAL WEIGHT = 2 X 126 = 253 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x6	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
M - B	2x6	DRY	No.2	SPF
H - F	2x6	DRY	No.2	SPF
M - J	2x6	DRY	No.2	SPF
J - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
E-G	1	12	SIDE(61.0)
C-E	2	12	SIDE(61.0)
M-B	2	12	TOP
H-F	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
M-J	2	12	SIDE(183.1)
J-H	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
L-C	1	6	SIDE(1.4)
I-E	1	6	SIDE(1.4)
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-t	MT20	5.0	8.0		
C	TTWW+m	MT20	5.0	6.0	2.00	2.50
D	TMW+w	MT20	3.0	6.0		
E	TTWW+m	MT20	5.0	6.0	2.00	2.50
F	TMVW-t	MT20	5.0	8.0		
H	BMV1+p	MT20	3.0	6.0		
I	BMWW-t	MT20	5.0	6.0	2.50	2.75
J	BS-t	MT20	5.0	6.0		
K	BMWWW-t	MT20	5.0	8.0		
L	BMWW-t	MT20	5.0	6.0	2.50	2.75
M	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
M	3270	0	3270	0	0	5-8	5-8
H	3325	0	3325	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
M	2443	1351 / 0	487 / 0	0 / 0	0 / 0	605 / 0	0 / 0
H	2485	1373 / 0	497 / 0	0 / 0	0 / 0	616 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.88 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX. CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 31	-102.1	-102.1	0.07 (1)	10.00
B-C	-4802 / 0	-102.1	-102.1	0.54 (1)	3.92
C-N	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
N-O	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
O-P	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
P-D	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
D-Q	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
Q-R	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
R-S	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
S-T	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
T-E	-6483 / 0	-102.1	-102.1	0.48 (1)	4.20
E-F	-4902 / 0	-102.1	-102.1	0.55 (1)	3.88
F-G	0 / 31	-102.1	-102.1	0.07 (1)	10.00
M-B	-3144 / 0	0.0	0.0	0.11 (1)	7.78
H-F	-3201 / 0	0.0	0.0	0.11 (1)	7.74
M-U	0 / 0	-38.5	-38.5	0.13 (3)	10.00
U-V	0 / 0	-38.5	-38.5	0.13 (3)	10.00
V-L	0 / 0	-38.5	-38.5	0.13 (3)	10.00
L-W	0 / 4307	-38.5	-38.5	0.38 (1)	10.00
W-X	0 / 4307	-38.5	-38.5	0.38 (1)	10.00
X-Y	0 / 4307	-38.5	-38.5	0.38 (1)	10.00
Y-K	0 / 4307	-38.5	-38.5	0.38 (1)	10.00
K-Z	0 / 4396	-38.5	-38.5	0.39 (1)	10.00
Z-J	0 / 4396	-38.5	-38.5	0.39 (1)	10.00
J-AA	0 / 4396	-38.5	-38.5	0.39 (1)	10.00
AA-AB	0 / 4396	-38.5	-38.5	0.39 (1)	10.00
AB-I	0 / 4396	-38.5	-38.5	0.39 (1)	10.00
I-AC	0 / 0	-38.5	-38.5	0.13 (3)	10.00
AC-AD	0 / 0	-38.5	-38.5	0.13 (3)	10.00
AD-H	0 / 0	-38.5	-38.5	0.13 (3)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-K	0 / 2416	0.30 (1)
K-D	-1559 / 0	0.19 (1)
K-E	0 / 2317	0.29 (1)
I-E	-71 / 381	0.05 (3)
B-L	0 / 4343	0.54 (1)
L-F	0 / 4433	0.55 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	5-10-8	-473	-473	—	FRONT	VERT	TOTAL	—	—
E	21-1-8	-473	-473	—	FRONT	VERT	TOTAL	—	—
I	21-0-12	-55	-70	—	FRONT	VERT	TOTAL	—	—
J	16-1-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
L	5-11-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
N	8-1-4	-123	-123	—	FRONT	VERT	TOTAL	—	—

LICENSED PROFESSIONAL ENGINEER
es/07/19
H. J. G. ALVES
100019924
PROVINCE OF ONTARIO

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD.		=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.22")

CSI: TC=0.55/1.00 (E-F:1) , BC=0.39/1.00 (I-K:1) , WB=0.55/1.00 (F-I:1) , SSI=0.26/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

SSI GRIP= 0.88 (L) (INPUT = 0.90)
SSI METAL= 0.55 (I) (INPUT = 1.00)

BCMP MEMB. TAM 19910779
STRUCTURAL
1/2

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
402939	T21	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:13 2019 Page 2

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-qVVnxrdSag6XyiiP_FslaBCy48h4xqRDaElHyczlqdW

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
O	10-1-4	-123	-123	—	FRONT	VERT	TOTAL	—	—
P	12-1-4	-123	-123	—	FRONT	VERT	TOTAL	—	—
Q	14-1-4	-123	-123	—	FRONT	VERT	TOTAL	—	—
R	16-1-4	-123	-123	—	FRONT	VERT	TOTAL	—	—
S	18-1-4	-123	-123	—	FRONT	VERT	TOTAL	—	—
T	20-1-4	-123	-123	—	FRONT	VERT	TOTAL	—	—
U	1-11-4	-55	-74	—	FRONT	VERT	TOTAL	—	—
V	3-11-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
W	8-1-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
X	10-1-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
Y	12-1-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
Z	14-1-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
AA	18-1-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
AB	20-1-4	-55	-70	—	FRONT	VERT	TOTAL	—	—
AC	23-0-12	-55	-70	—	FRONT	VERT	TOTAL	—	—
AD	25-0-12	-55	-74	—	FRONT	VERT	TOTAL	—	—

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

19 10779
STRUCTURAL
ONLY

1/2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T22	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:46:14 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-li3A8Be4LzEOasHbXyN_7Ok7GYylgDEMouVqU2zlqdV



TOTAL WEIGHT = 109 lb [M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
O - C	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0		
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TMW+w	MT20	2.0	4.0		
F	TTWW-m	MT20	5.0	6.0	2.25	2.00
G	TMWW-t	MT20	5.0	6.0		
H	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	4.0	9.0		Edge
K	BMWW-t	MT20	4.0	4.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
O	2037	0	2037	0	0	5-8	5-8
J	2037	0	2037	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1514	863 / 0	284 / 0	0 / 0	0 / 0	367 / 0	0 / 0
J	1514	863 / 0	284 / 0	0 / 0	0 / 0	367 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.68 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 31	-102.1	-102.1	0.13 (1)	10.00
B-C	0 / 19	-102.1	-102.1	0.23 (1)	10.00
C-D	-2533 / 0	-102.1	-102.1	0.25 (1)	4.13
D-E	-2746 / 0	-102.1	-102.1	0.52 (1)	3.68
E-F	-2746 / 0	-102.1	-102.1	0.52 (1)	3.68
F-G	-2533 / 0	-102.1	-102.1	0.25 (1)	4.13
G-H	0 / 19	-102.1	-102.1	0.23 (1)	10.00
H-I	0 / 31	-102.1	-102.1	0.13 (1)	10.00
O-B	-299 / 0	0.0	0.0	0.03 (1)	7.81
J-H	-299 / 0	0.0	0.0	0.03 (1)	7.81
O-N	0 / 2250	-38.5	-38.5	0.70 (2)	10.00
N-M	0 / 2254	-38.5	-38.5	0.71 (2)	10.00
M-L	0 / 2254	-38.5	-38.5	0.71 (2)	10.00
L-K	0 / 2254	-38.5	-38.5	0.71 (2)	10.00
K-J	0 / 2250	-38.5	-38.5	0.70 (2)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-N	-3 / 138	0.03 (3)
N-D	0 / 375	0.08 (2)
D-M	0 / 647	0.15 (1)
M-E	-702 / 0	0.27 (1)
M-F	0 / 647	0.15 (1)
K-F	0 / 375	0.08 (2)
K-G	-3 / 138	0.03 (3)
O-C	-2768 / 0	0.77 (1)
G-J	-2768 / 0	0.77 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.18")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.30")

CSI: TC=0.52/1.00 (D-E:1) , BC=0.71/1.00 (K-M:2) , WB=0.77/1.00 (G-J:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.86 (C) (INPUT = 0.90)
JSI METAL= 0.73 (L) (INPUT = 1.00)

DESIGN FOR TRUSS ONLY 29/07/80

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T23	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:15 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-mudYMXei6HMFB0sn5fuDfcHKjyKoPkxW1YEO0VziqdU



TOTAL WEIGHT = 111 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
P - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
P - M	2x4	DRY	No.2	SPF
M - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTW-m	MT20	4.0	6.0		
E	TMWW-t	MT20	4.0	4.0		
F	TTW-m	MT20	4.0	6.0		
G	TMWW-t	MT20	4.0	4.0	2.00	1.75
H	TMVW-p	MT20	5.0	8.0	Edge	3.50
J	BMV1+p	MT20	3.0	4.0		
K	BMWW-t	MT20	5.0	6.0	2.50	2.25
L	BMWWW-t	MT20	4.0	9.0		
M	BS-t	MT20	3.0	6.0		
N	BMWWW-t	MT20	4.0	9.0		
O	BMWW-t	MT20	5.0	6.0	2.50	2.25
P	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
P	2037	0	2037	0	0	5-8	5-8
J	2037	0	2037	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
P	1514	863 / 0	284 / 0	0 / 0	0 / 0	397 / 0	0 / 0
J	1514	863 / 0	284 / 0	0 / 0	0 / 0	397 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) P, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.88 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 31	-102.1	-102.1	0.13 (1)		10.00
B-C	-2663 / 0	-102.1	-102.1	0.41 (1)		3.88
C-D	-2337 / 0	-102.1	-102.1	0.38 (1)		4.14
D-E	-2078 / 0	-102.1	-102.1	0.20 (1)		4.53
E-F	-2078 / 0	-102.1	-102.1	0.20 (1)		4.53
F-G	-2337 / 0	-102.1	-102.1	0.38 (1)		4.14
G-H	-2663 / 0	-102.1	-102.1	0.41 (1)		3.88
H-I	0 / 31	-102.1	-102.1	0.13 (1)		10.00
P-B	-1951 / 0	0.0	0.0	0.20 (1)		6.03
J-H	-1951 / 0	0.0	0.0	0.20 (1)		6.03
P-O	0 / 0	-38.5	-38.5	0.16 (3)		10.00
O-N	0 / 2404	-38.5	-38.5	0.56 (1)		10.00
N-M	0 / 2211	-38.5	-38.5	0.53 (2)		10.00
M-L	0 / 2211	-38.5	-38.5	0.53 (2)		10.00
L-K	0 / 2404	-38.5	-38.5	0.56 (1)		10.00
K-J	0 / 0	-38.5	-38.5	0.16 (3)		10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
O-C	-221 / 64	0.05 (1)
C-N	-410 / 0	0.26 (1)
N-D	0 / 698	0.16 (1)
N-E	-258 / 0	0.22 (1)
E-L	-258 / 0	0.22 (1)
L-F	0 / 698	0.16 (1)
L-G	-410 / 0	0.26 (1)
K-G	-221 / 64	0.05 (1)
B-O	0 / 2438	0.55 (1)
K-H	0 / 2438	0.55 (1)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100009824
PROVINCE OF ONTARIO

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	8.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.13")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.23")

CSI: TC=0.41/1.00 (G-H:1) , BC=0.58/1.00 (K-L:1) , WB=0.55/1.00 (H-K:1) , SSI=0.22/1.00 (G-H:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (K) (INPUT = 0.90)
JSI METAL= 0.85 (M) (INPUT = 1.00)

DESIGNED FOR 17910781
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T24	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:46:16 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-E4BwZfKtbU6p9RzfNPSCpqSQLfq89JfGC_xZxzlqdT



TOTAL WEIGHT = 113 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - H	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
I - G	2x4	DRY	No.2	SPF
O - K	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	8.0	Edge	3.50
C	TMWW-t	MT20	4.0	4.0	2.00	1.75
D	TTWW-m	MT20	5.0	6.0	2.25	2.00
E	TTW-m	MT20	4.0	4.0	2.00	1.75
F	TMWW-t	MT20	4.0	4.0	2.00	1.75
G	TMWW-p	MT20	5.0	8.0	Edge	3.50
I	BMV1+p	MT20	3.0	4.0		
J	BMWW-t	MT20	5.0	6.0	2.50	2.25
K	BS-t	MT20	3.0	6.0		
L	BMWWW-t	MT20	4.0	9.0		
M	BMWW-t	MT20	4.0	4.0		
N	BMWW-t	MT20	5.0	6.0	2.50	2.25
O	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	2037	0	2037	0	0	5-8	5-8
I	2037	0	2037	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1514	863 / 0	284 / 0	0 / 0	0 / 0	367 / 0	0 / 0
I	1514	863 / 0	284 / 0	0 / 0	0 / 0	367 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, I

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.63 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 31	-102.1	-102.1	0.13 (1)	10.00	
B-C	-2694 / 0	-102.1	-102.1	0.61 (1)	3.63	
C-D	-2111 / 0	-102.1	-102.1	0.53 (1)	4.11	
D-E	-1868 / 0	-102.1	-102.1	0.16 (1)	4.76	
E-F	-2113 / 0	-102.1	-102.1	0.53 (1)	4.11	
F-G	-2693 / 0	-102.1	-102.1	0.61 (1)	3.63	
G-H	0 / 31	-102.1	-102.1	0.13 (1)	10.00	
O-B	-1942 / 0	0.0	0.0	0.20 (1)	6.04	
I-G	-1942 / 0	0.0	0.0	0.20 (1)	6.04	
O-N	0 / 0	-38.5	-38.5	0.27 (3)	10.00	
N-M	0 / 2438	-38.5	-38.5	0.56 (2)	10.00	
M-L	0 / 1866	-38.5	-38.5	0.40 (1)	10.00	
L-K	0 / 2437	-38.5	-38.5	0.57 (2)	10.00	
K-J	0 / 2437	-38.5	-38.5	0.57 (2)	10.00	
J-I	0 / 0	-38.5	-38.5	0.27 (3)	10.00	

WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
N-C	-84 / 185	0.04 (3)
C-M	-692 / 0	0.67 (1)
M-D	0 / 537	0.12 (1)
D-L	0 / 4	0.00 (1)
L-E	0 / 541	0.12 (1)
L-F	-689 / 0	0.66 (1)
J-F	-86 / 183	0.04 (3)
B-N	0 / 2462	0.55 (1)
J-G	0 / 2461	0.55 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(65 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.12")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.20")

CSI: TC=0.61/1.00 (B-C:1) , BC=0.58/1.00 (M-N:2) , WB=0.67/1.00 (C-M:1) , SSI=0.26/1.00 (F-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.69 (E) (INPUT = 0.90)
JSI METAL= 0.71 (K) (INPUT = 1.00)

[illegible] 19/07/82
CTURAL
[illegible] ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T25	8	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington — Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:46:17 2019 Page 1
ID:yH3luQzwKBaXQAh?hsf8URzKCTp-iHlInDgyeuczRJ0AD4xhI1MbjlxotZpoUsjU5NzlqdS



TOTAL WEIGHT = 8 X 109 = 872 lb

[M][F]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - E	2x4	DRY	No.2	SPF
E - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
N - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
N - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
N - C	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.25
D	TS-t	MT20	3.0	6.0		
E	TTWW+p	MT20	4.0	6.0	Edge	
F	TS-t	MT20	3.0	6.0		
G	TMWW-t	MT20	5.0	6.0	2.50	2.25
H	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	4.0	9.0		Edge
K	BMWW+t	MT20	4.0	6.0		
L	BS-t	MT20	3.0	6.0		
M	BMWW+t	MT20	4.0	6.0		
N	BMVW1-t	MT20	4.0	9.0		Edge

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
N	2037	0	2037	0	0	5-8	5-8
J	2037	0	2037	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
N	1514	863 / 0	284 / 0	0 / 0	0 / 0	367 / 0	0 / 0
J	1514	863 / 0	284 / 0	0 / 0	0 / 0	367 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.54 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-N, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 31	-102.1	-102.1	0.13 (1)	10.00	
B- C	0 / 37	-102.1	-102.1	0.76 (1)	10.00	
C- D	-2435 / 0	-102.1	-102.1	0.76 (1)	3.54	
D- E	-2435 / 0	-102.1	-102.1	0.76 (1)	3.54	
E- F	-2435 / 0	-102.1	-102.1	0.76 (1)	3.54	
F- G	-2435 / 0	-102.1	-102.1	0.76 (1)	3.54	
G- H	0 / 37	-102.1	-102.1	0.76 (1)	10.00	
H- I	0 / 31	-102.1	-102.1	0.13 (1)	10.00	
N- B	-400 / 0	0.0	0.0	0.04 (1)	7.81	
J- H	-400 / 0	0.0	0.0	0.04 (1)	7.81	
N- M	0 / 2383	-36.5	-36.5	0.85 (2)	10.00	
M- L	0 / 1674	-36.5	-36.5	0.75 (2)	10.00	
L- K	0 / 1674	-36.5	-36.5	0.75 (2)	10.00	
K- J	0 / 2383	-36.5	-36.5	0.85 (2)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- K	0 / 937	0.21 (1)
K- G	-493 / 7	0.19 (1)
M- E	0 / 937	0.21 (1)
C- M	-493 / 7	0.19 (1)
N- C	-2813 / 0	0.84 (1)
G- J	-2813 / 0	0.84 (1)

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100009824
PROVINCE OF ONTARIO

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.27")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 705 (0.46")

CSI: TC=0.76/1.00 (G-H:1) , BC=0.85/1.00 (J-K:2) , WB=0.84/1.00 (G-J:1) , SSI=0.30/1.00 (E-G:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

SSI:GRIP= 0.88 (G) (INPUT = 0.90)
SSI:METAL= 0.69 (G) (INPUT = 1.00)

19110783

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
402939	T26	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:46:18 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-BTJg_ZhaPCkp2TbMmoSwHEvkq9Ohc62yjWT2dpzlqdR



TOTAL WEIGHT = 2 X 135 = 270 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - H	2x4	DRY	No.2	SPF
H - J	2x4	DRY	No.2	SPF
Q - B	2x6	DRY	No.2	SPF
K - I	2x6	DRY	No.2	SPF
Q - N	2x6	DRY	No.2	SPF
N - K	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
A-C	1	12	SIDE(61.0)
C-E	1	12	SIDE(61.0)
E-H	1	12	SIDE(0.0)
H-J	1	12	TOP
Q-B	2	12	TOP
K-I	2	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
Q-N	2	12	SIDE(0.0)
N-K	2	12	SIDE(183.1)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	
G-M	1	6	SIDE(283.2)

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMWW-p	MT20	5.0	8.0	Edge	
C	TTWW+m	MT20	7.0	8.0	Edge	2.25
D	TMW+w	MT20	2.0	4.0		
E	TS-t	MT20	3.0	6.0		
F	TMWW-t	MT20	4.0	4.0		
G	TMW+w	MT20	2.0	4.0		
H	TTWW+m	MT20	7.0	8.0	Edge	2.25
I	TMWW-p	MT20	5.0	8.0	Edge	
K	BMV1+p	MT20	3.0	6.0		
L	BMWW-t	MT20	5.0	6.0		
M	BMWWW-t	MT20	5.0	8.0	2.50	2.50
N	BS-t	MT20	5.0	6.0		
O	BMWWW-t	MT20	5.0	8.0	2.50	3.00
P	BMWW-t	MT20	5.0	6.0		
Q	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
Q	3821	0	3821	0	0	5-8	5-8
K	3513	0	3513	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	2838	1623 / 0	527 / 0	0 / 0	0 / 0	687 / 0	0 / 0
K	2601	1513 / 0	465 / 0	0 / 0	0 / 0	623 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 3.28 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 45	-102.1	-102.1	0.08 (1)	10.00
B-C	-3995 / 0	-102.1	-102.1	0.32 (1)	4.47
C-R	-5456 / 0	-102.1	-102.1	0.87 (1)	3.28
R-S	-5456 / 0	-102.1	-102.1	0.87 (1)	3.28
S-T	-5456 / 0	-102.1	-102.1	0.87 (1)	3.28
T-D	-5456 / 0	-102.1	-102.1	0.87 (1)	3.28
D-U	-5456 / 0	-102.1	-102.1	0.64 (1)	3.28
U-E	-5456 / 0	-102.1	-102.1	0.64 (1)	3.28
E-F	-5456 / 0	-102.1	-102.1	0.64 (1)	3.28
F-V	-5763 / 0	-102.1	-102.1	0.42 (1)	3.61
V-G	-5763 / 0	-102.1	-102.1	0.42 (1)	3.61
G-H	-5763 / 0	-102.1	-102.1	0.61 (1)	3.61
H-I	-3667 / 0	-102.1	-102.1	0.30 (1)	4.64
I-J	0 / 45	-102.1	-102.1	0.08 (1)	10.00
Q-B	-3737 / 0	0.0	0.0	0.14 (1)	7.25
K-I	-3461 / 0	0.0	0.0	0.13 (1)	7.5[illegible]
Q-W	0 / 0	-38.5	-38.5	0.12 (3)	10.00
W-X	0 / 0	-38.5	-38.5	0.12 (3)	10.00
X-P	0 / 0	-38.5	-38.5	0.12 (3)	10.00
P-Y	0 / 3055	-38.5	-38.5	0.29 (1)	10.00
Y-Z	0 / 3055	-38.5	-38.5	0.29 (1)	10.00
Z-AA	0 / 3055	-38.5	-38.5	0.29 (1)	10.00
AA-O	0 / 3055	-38.5	-38.5	0.29 (1)	10.00
O-AB	0 / 5551	-38.5	-38.5	0.42 (1)	10.00
AB-N	0 / 5551	-38.5	-38.5	0.42 (1)	10.00
N-M	0 / 5551	-38.5	-38.5	0.42 (1)	10.00
M-L	0 / 2802	-38.5	-38.5	0.25 (1)	10.00
L-K	0 / 0	-38.5	-38.5	0.08 (2)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
P-C	-334 / 216	0.07 (1)
C-O	0 / 3018	0.37 (1)
O-D	-1222 / 0	0.27 (1)
M-G	-776 / 0	0.17 (1)
M-H	0 / 3722	0.46 (1)
L-H	-435 / 15	0.09 (1)
B-P	0 / [illegible]	[illegible] (1)
L-I	[illegible] / 2904	0.36 [illegible]
[illegible]-F	-238 / 0	0.06 (1)
F-M	0 / 535	0.07 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
C	4-7-6	-56	-63	—	FRONT	VERT	DEAD	—	—
C	4-7-6	-327	-327	—	FRONT	VERT	SNOW	—	—
M	15-8-8	-1787	-1787	—	BACK	VERT	TOTAL	—	—
N	13-11-4	-60	-77	—	BACK	VERT	TOTAL	—	—
R	5-11-4	-133	-133	—	BACK	VERT	TOTAL	—	—
S	7-11-4	-133	-133	—	BACK	VERT	TOTAL	—	—
T	9-11-4	-133	-133	—	BACK	VERT	TOTAL	—	—
U	11-11-4	-133	-133	—	BACK	VERT	TOTAL	—	—

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

DWG NO. TAM 119/07 84
STRUCTURAL
1/2

DESIGN CRITERIA

*** SPECIAL LOADS ANALYSIS ***
GEOMETRY AND/OR BASIC LOADS CHANGED BY USER.
LOADS WERE DERIVED FROM USER INPUT
NO FURTHER MODIFICATIONS WERE MADE

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT. CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

*** NON STANDARD GIRDER ***
ADDT'L USER-DEFINED LOADS APPLIED TO ALL LOAD CASES.

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.11")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.18")

CSI: TC=0.87/1.00 (C-D:1) , BC=0.42/1.00 (M-O:1) , WB=0.46/1.00 (H-M:1) , SSI=0.26/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (O) (INPUT = 0.90)
JSI METAL= 0.55 (N) (INPUT = 1.00)

CONTINUED ON PAGE 2

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
402939	T26	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:18 2019 Page 2

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-BTJg_ZhaPCkp2TbMmoSwHEvkq9Ohc62yjWT2dpztqdR

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
V	13-11-4	-133	-133	—	BACK	VERT	TOTAL	—	—
W	1-11-4	-60	-77	—	BACK	VERT	TOTAL	—	—
X	3-11-4	-60	-77	—	BACK	VERT	TOTAL	—	—
Y	5-11-4	-60	-77	—	BACK	VERT	TOTAL	—	—
Z	7-11-4	-60	-77	—	BACK	VERT	TOTAL	—	—
AA	9-11-4	-60	-77	—	BACK	VERT	TOTAL	—	—
AB	11-11-4	-60	-77	—	BACK	VERT	TOTAL	—	—

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

LICENSED PROFESSIONAL ENGINEER
05/10/19
H. J. G. ALVES
100089624
PROVINCE OF ONTARIO

ENGINEERED 7710784
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T27	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:19 2019 Page 1

ID:yH3IuQzwKBaXQAh?hsf8URzKCTp-fft3BuhDAWsggd9YKVz9qSR0vZkfLTP5yACb9GzlqdQ



TOTAL WEIGHT = 2 X 127 = 255 lb

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - G	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF
Q - B	2x4	DRY	No.2	SPF
K - I	2x4	DRY	No.2	SPF
Q - N	2x4	DRY	No.2	SPF
N - K	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	5.0	6.0	2.50	2.50
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMWW-t	MT20	4.0	4.0		
F	TMV+w	MT20	2.0	4.0		
G	TTWW+m	MT20	5.0	6.0	2.25	1.50
H	TMWW-t	MT20	5.0	6.0	2.50	2.50
I	TMV+p	MT20	3.0	4.0		
K	BMVW1-t	MT20	5.0	6.0		
L	BMWW-t	MT20	4.0	4.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BS-t	MT20	3.0	6.0		
O	BMWW+t	MT20	4.0	4.0		
P	BMWW-t	MT20	4.0	4.0		
Q	BMVW1-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
Q	2040	0	2040	0	0	5-8	5-8
K	2040	0	2040	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
Q	1516	865 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
K	1516	865 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) Q, K

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.41 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 45	-102.1	-102.1	0.14 (1)	10.00
B- C	0 / 20	-102.1	-102.1	0.14 (1)	10.00
C- D	-1870 / 0	-102.1	-102.1	0.18 (1)	4.74
D- E	-1946 / 0	-102.1	-102.1	0.40 (1)	4.41
E- F	-1944 / 0	-102.1	-102.1	0.39 (1)	4.41
F- G	-1944 / 0	-102.1	-102.1	0.39 (1)	4.42
G- H	-1871 / 0	-102.1	-102.1	0.18 (1)	4.74
H- I	0 / 20	-102.1	-102.1	0.14 (1)	10.00
I- J	0 / 45	-102.1	-102.1	0.14 (1)	10.00
Q- B	-267 / 0	0.0	0.0	0.03 (1)	7.81
K- I	-267 / 0	0.0	0.0	0.03 (1)	7.81
Q- P	0 / 1331	-38.5	-38.5	0.42 (2)	10.00
P- O	0 / 1419	-38.5	-38.5	0.44 (2)	10.00
O- N	0 / 1946	-38.5	-38.5	0.39 (1)	10.00
N- M	0 / 1946	-38.5	-38.5	0.39 (1)	10.00
M- L	0 / 1419	-38.5	-38.5	0.44 (2)	10.00
L- K	0 / 1331	-38.5	-38.5	0.42 (2)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C- P	0 / 157	0.04 (2)
P- D	0 / 213	0.05 (3)
D- O	0 / 876	0.20 (1)
O- E	-532 / 0	0.42 (1)
E- M	-3 / 0	0.00 (1)
M- F	-531 / 0	0.41 (1)
M- G	0 / 873	0.20 (1)
L- G	0 / 213	0.05 (3)
L- H	0 / 157	0.04 (2)
Q- C	-2138 / 0	0.84 (1)
H- K	-2138 / 0	0.84 (1)

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100099024
PROVINCE OF ONTARIO

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF SBCC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.80")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.13")

CSI: TC=0.40/1.00 (D-E:1) , BC=0.44/1.00 (L-M:2) , WB=0.84/1.00 (H-K:1) , SS!=0.23/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.89 (O) (INPUT = 0.90)
JSI METAL= 0.69 (N) (INPUT = 1.00)

ENTERED BY TAM 7/7/10785

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T28	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:20 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-7sQRPEirxp?XlnkluDUOMf_Aez1d4vPFBqy8izlqdP



TOTAL WEIGHT = 3 X 130 = 389 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - D	2x4	DRY	No.2	SPF
D - F	2x4	DRY	No.2	SPF
F - I	2x4	DRY	No.2	SPF
O - B	2x4	DRY	No.2	SPF
J - H	2x4	DRY	No.2	SPF
O - L	2x4	DRY	No.2	SPF
L - J	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF
O - C	2x4	DRY	No.2	SPF
G - J	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
C	TMWW-t	MT20	4.0	9.0		
D	TTWW+m	MT20	5.0	6.0	2.25	1.50
E	TMW+w	MT20	2.0	4.0		
F	TTWW+m	MT20	5.0	6.0	2.25	1.50
G	TMWW-t	MT20	4.0	9.0		
H	TMV+p	MT20	3.0	4.0		
J	BMVW1-t	MT20	5.0	6.0		
K	BMWW-t	MT20	4.0	4.0		
L	BS-t	MT20	3.0	6.0		
M	BMWWW-t	MT20	4.0	9.0		
N	BMWW-t	MT20	4.0	4.0		
O	BMVW1-t	MT20	5.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
O	2040	0	2040	0	0	5-8	5-8
J	2040	0	2040	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
O	1516	865 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0
J	1516	865 / 0	284 / 0	0 / 0	0 / 0	368 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) O, J

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.58 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 45	-102.1	-102.1	0.14 (1)	10.00	
B-C	0 / 29	-102.1	-102.1	0.24 (1)	10.00	
C-D	-1818 / 0	-102.1	-102.1	0.23 (1)	4.76	
D-E	-1685 / 0	-102.1	-102.1	0.46 (1)	4.58	
E-F	-1685 / 0	-102.1	-102.1	0.46 (1)	4.58	
F-G	-1818 / 0	-102.1	-102.1	0.23 (1)	4.76	
G-H	0 / 29	-102.1	-102.1	0.24 (1)	10.00	
H-I	0 / 45	-102.1	-102.1	0.14 (1)	10.00	
O-B	-294 / 0	0.0	0.0	0.03 (1)	7.81	
J-H	-294 / 0	0.0	0.0	0.03 (1)	7.81	
O-N	0 / 1386	-38.5	-38.5	0.58 (2)	10.00	
N-M	0 / 1375	-38.5	-38.5	0.59 (2)	10.00	
M-L	0 / 1375	-38.5	-38.5	0.59 (2)	10.00	
L-K	0 / 1375	-38.5	-38.5	0.59 (2)	10.00	
K-J	0 / 1386	-38.5	-38.5	0.58 (2)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
C-N	-23 / 95	0.02 (3)
N-D	0 / 387	0.09 (2)
D-M	0 / 527	0.12 (1)
M-E	-708 / 0	0.91 (1)
M-F	0 / 527	0.12 (1)
K-F	0 / 387	0.09 (2)
K-G	-23 / 95	0.02 (3)
O-C	-2134 / 0	0.92 (1)
G-J	-2134 / 0	0.92 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.90")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.16")
ALLOWABLE DEFL.(TL)= L/360 (0.90")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.26")

CSI: TC=0.46/1.00 (D-E:1) , BC=0.59/1.00 (K-M:2) , WB=0.92/1.00 (G-J:1) , SSI=0.28/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE HEELS OFF

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

SSI GRIP= 0.88 (C) (INPUT = 0.90)
SSI METAL= 0.47 (L) (INPUT = 1.00)

BCIN NO. FOR PERMIT T1910786
STRUCTURAL
CERTIFICATION

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T29	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:21 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-b2_pcajTl77OvxJxSw?dvtXOcMUKpZwOPUhiE8zIqdO



TOTAL WEIGHT = 41 lb [M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW+p	MT20	4.0	6.0	Edge	
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
H	763	0	763	0	0	5-8	5-8
F	763	0	763	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	561	337 / 0	93 / 0	0 / 0	0 / 0	131 / 0	0 / 0
F	561	337 / 0	93 / 0	0 / 0	0 / 0	131 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS					WEBS		
MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	MAX. CSI (LC)	MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 45	-102.1	-102.1	0.14 (1)	10.00	G-C	0 / 181	0.04 (3)
B-C	-381 / 0	-102.1	-102.1	0.26 (1)	6.25	B-G	0 / 305	0.07 (1)
C-D	-381 / 0	-102.1	-102.1	0.26 (1)	6.25	G-D	0 / 305	0.07 (1)
D-E	0 / 45	-102.1	-102.1	0.14 (1)	10.00			
H-B	-697 / 0	0.0	0.0	0.07 (1)	7.81			
F-D	-697 / 0	0.0	0.0	0.07 (1)	7.81			
H-G	0 / 0	-38.5	-38.5	0.17 (3)	10.00			
G-F	0 / 0	-38.5	-38.5	0.17 (3)	10.00			



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.29")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.01")
ALLOWABLE DEFL.(TL)= L/360 (0.29")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.02")

CSI: TC=0.26/1.00 (C-D:1) , BC=0.17/1.00 (F-G:3) , WB=0.07/1.00 (B-G:1) , SSI=0.14/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1687	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP= 0.60 (B) (INPUT = 0.90)
JSI METAL= 0.16 (D) (INPUT = 1.00)

T1910787

CTURAL

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
402939	T29S	2	1	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2016 MiTek Industries, Inc. Tue May 7 17:46:22 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-3EYBqwk5TRFFX4u77eWsS43ZFmpUY?3Ye8RFmbzIqdN



TOTAL WEIGHT = 2 X 41 = 82 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - G	2x4	DRY	No.2	SPF
G - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW-p	MT20	5.0	6.0	Edge	
C	TTW+p	MT20	4.0	6.0	Edge	
D	TMVW-p	MT20	5.0	6.0	Edge	
F	BVM1-p	MT20	3.0	4.0		
G	BBWWW-p	MT20	5.0	8.0	2.75	4.00
H	BVM1-p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
H	783	0	783	0	0	5-8	5-8
F	783	0	783	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	561	337 / 0	93 / 0	0 / 0	0 / 0	131 / 0	0 / 0
F	561	337 / 0	93 / 0	0 / 0	0 / 0	131 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 45	-102.1	-102.1	1	0.14 (1)	10.00
B- C	-771 / 0	-102.1	-102.1	1	0.28 (1)	6.25
C- D	-771 / 0	-102.1	-102.1	1	0.28 (1)	6.25
D- E	0 / 45	-102.1	-102.1	1	0.14 (1)	10.00
H- B	-678 / 0	0.0	0.0	1	0.08 (1)	7.81
F- D	-678 / 0	0.0	0.0	1	0.09 (1)	7.81
H- G	0 / 0	-38.5	-38.5	1	0.18 (3)	10.00
G- F	0 / 0	-38.5	-38.5	1	0.18 (3)	10.00

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
G- C	0 / 536	0.12 (1)
B- G	0 / 620	0.14 (1)
G- D	0 / 620	0.14 (1)



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.29")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.04")
ALLOWABLE DEFL.(TL)= L/360 (0.29")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.06")

CSI: TC=0.26/1.00 (C-D:1) , BC=0.18/1.00 (F-G:3) , WB=0.14/1.00 (B-G:1) , SSI=0.14/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	786	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.55 (H) (INPUT = 0.90)
JSI METAL= 0.40 (H) (INPUT = 1.00)

[illegible] TAM 7910788
[illegible] CTURAL
[illegible] PARTY ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T30	1	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:22 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-3EYBqwk5TRFFX4u77eWsS43YLmjXY_wYe8RFmbzlqdN



TOTAL WEIGHT = 62 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
E - G	2x4	DRY	No.2	SPF
K - B	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
K - H	2x6	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	6.0	Edge	
C	TTW-m	MT20	4.0	4.0		
D	TMVW-t	MT20	4.0	4.0		
E	TTW-m	MT20	4.0	4.0		
F	TMVW+p	MT20	4.0	6.0	Edge	
H	BMV1+p	MT20	3.0	6.0		
I	BMWW-t	MT20	5.0	8.0		
J	BMWW-t	MT20	5.0	8.0		
K	BMV1+p	MT20	3.0	6.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
K	1108	0	1108	0	0	5-8	5-8
H	1664	0	1664	0	0	5-8	5-8

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
K	816	490 / 0	135 / 0	0 / 0	0 / 0	191 / 0	0 / 0
H	1218	751 / 0	188 / 0	0 / 0	0 / 0	280 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) K, H

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 5.65 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-B	0 / 45	-102.1	-102.1	0.15 (1)	10.00	J-C	0 / 224	0.06 (2)
B-C	-777 / 0	-102.1	-102.1	0.31 (1)	6.25	I-E	0 / 401	0.10 (1)
C-D	-600 / 0	-102.1	-102.1	0.05 (1)	6.25	B-J	0 / 623	0.15 (1)
D-E	-829 / 0	-102.1	-102.1	0.05 (1)	6.25	I-F	0 / 857	0.21 (1)
E-F	-1070 / 0	-102.1	-102.1	0.32 (1)	5.65	J-D	-433 / 0	0.16 (1)
F-G	0 / 45	-102.1	-102.1	0.15 (1)	10.00	D-I	0 / 247	0.06 (1)
K-B	-1022 / 0	0.0	0.0	0.12 (1)	7.72			
H-F	-1279 / 0	0.0	0.0	0.15 (1)	7.10			
K-J	0 / 0	-38.5	-38.5	0.08 (2)	10.00			
J-I	0 / 746	-38.5	-38.5	0.39 (1)	10.00			
I-L	0 / 0	-38.5	-38.5	0.56 (1)	10.00			
L-H	0 / 0	-38.5	-38.5	0.56 (1)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
L	8-11-8	-919	-919	—	BACK	VERT	TOTAL	—	—

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. O/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.37")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.37")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.06")

CSI: TC=0.32/1.00 (E-F:1) , BC=0.56/1.00 (H-I:1) , WB=0.21/1.00 (F-I:1) , SSI=0.46/1.00 (H-I:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	616	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.85 (F) (INPUT = 0.90)
JSI METAL= 0.54 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100099[illegible]
PROVINCE OF ONTARIO

BCIN NO. TAM 7910789
STRUCTURAL
COMPONENTS ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	T31	3	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:23 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-XR6Z1GljDkN69ETKZL15_IcifA7CHT3htoBpl1zlqdM



TOTAL WEIGHT = 3 X 50 = 149 lb

[M](F)

LUMBER

N. L. G. A. RULES

CHORDS.	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
C - E	2x4	DRY	No.2	SPF
H - B	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
H - F	2x4	DRY	No.2	SPF
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
C	TTW+p	MT20	4.0	6.0	Edge	
D	TMVW+p	MT20	4.0	4.0	1.00	2.00
F	BMV1+p	MT20	3.0	4.0		
G	BMWWW-t	MT20	4.0	9.0		
H	BMV1+p	MT20	3.0	4.0		

Edge - INDICATES REFERENCE CORNER OF PLATE TOUCHES EDGE OF CHORD.

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
H	927	0	927	0	0	5-8	5-8
F	927	0	927	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT F. MINIMUM BEARING LENGTH AT JOINT F = 3-8.

UNFACTORED REACTIONS

1ST LCASE MAX./MIN. COMPONENT REACTIONS

JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
H	884	405 / 0	117 / 0	0 / 0	0 / 0	162 / 0	0 / 0
F	884	405 / 0	117 / 0	0 / 0	0 / 0	162 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A- B	0 / 45	-102.1	-102.1	0.14 (1)	10.00	
B- C	-510 / 0	-102.1	-102.1	0.41 (1)	6.25	
C- D	-510 / 0	-102.1	-102.1	0.41 (1)	6.25	
D- E	0 / 45	-102.1	-102.1	0.14 (1)	10.00	
H- B	-845 / 0	0.0	0.0	0.09 (1)	7.81	
F- D	-845 / 0	0.0	0.0	0.09 (1)	7.81	
H- G	0 / 0	-38.5	-38.5	0.27 (3)	10.00	
G- F	0 / 0	-38.5	-38.5	0.27 (3)	10.00	

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
G- C	0 / 248	0.06 (3)
B- G	0 / 403	0.09 (1)
G- D	0 / 403	0.09 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.37")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.03")
ALLOWABLE DEFL.(TL)= L/360 (0.37")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.05")

CSI: TC=0.41/1.00 (C-D:1) , BC=0.27/1.00 (G-H:3) , WB=0.09/1.00 (B-G:1) , SSI=0.17/1.00 (C-D:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.76 (D) (INPUT = 0.90)
JSI METAL= 0.21 (B) (INPUT = 1.00)

PER NO TAM 21410790

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC. GREEN PARK HOMES	DRWG NO.
402939	T32	1	2	TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:24 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-?dgyFclL_2VzmO2W72ZKXV9zBaWl0wLq5SwMrTzIqdL

Scale = 1:20.1



TOTAL WEIGHT = 2 X 23 = 46 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - A	2x4	DRY	No.2	SPF
A - B	2x4	DRY	No.2	SPF
B - C	2x4	DRY	No.2	SPF
D - C	2x4	DRY	No.2	SPF
F - D	2x6	DRY	No.2	SPF

ALL WEBS 2x3 DRY No.2 SPF
DRY: SEASONED LUMBER.

DESIGN CONSISTS OF 2 TRUSSES BUILT SEPARATELY THEN FASTENED TOGETHER AS FOLLOWS:

CHORDS	#ROWS	SURFACE SPACING (IN)	LOAD(PLF)
TOP CHORDS : (0.122"X3") SPIRAL NAILS			
F-A	1	12	TOP
A-B	1	12	SIDE(61.0)
B-C	1	12	SIDE(61.0)
C-D	1	12	TOP
BOTTOM CHORDS : (0.122"X3") SPIRAL NAILS			
F-D	2	12	SIDE(0.0)
WEBS : (0.122"X3") SPIRAL NAILS			
2x3	1	6	

NAILS TO BE DRIVEN FROM ONE SIDE ONLY.

GIRDER NAILING ASSUMES NAILED HANGERS ARE FASTENED WITH MIN. 3-0 INCH NAILS.

TOP - COMPONENTS ARE LOADED FROM THE TOP AND MUST BE PLACED ON TOP EDGE OF ALL PLIES FOR THE LOAD TO BE TRANSFERRED TO EACH PLY.

SIDE - PLF SHOWN IS THE EQUIVALENT UDL APPLIED TO ONE SIDE THAT THE CORRESPONDING NAILING PATTERN SHALL BE CAPABLE OF TRANSFERING. REMAINING PLF MUST BE APPLIED ON THE OPPOSITE SIDE OR ON THE TOP.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
A	TMVW+p	MT20	4.0	4.0	1.00	2.00
B	TTWW+m	MT20	5.0	6.0	2.25	1.50
C	TMV+p	MT20	3.0	4.0		
D	BMVW1+p	MT20	4.0	6.0		
E	BMWW-t	MT20	5.0	6.0		
F	BMV1+p	MT20	3.0	6.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
F	1108	0	1108	0	0	5-8	5-8
D	957	0	957	0	0	MECHANICAL	

A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT D. MINIMUM BEARING LENGTH AT JOINT D = 4-0.

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	811	501 / 0	124 / 0	0 / 0	0 / 0	186 / 0	0 / 0
D	701	431 / 0	109 / 0	0 / 0	0 / 0	162 / 0	0 / 0

(MAX./MIN. COMPONENT REACTIONS)

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF) FROM	TO	MAX CSI (LC)	MAX. UNBRAC LENGTH
F-A	-627 / 0	0.0	0.0	0.04 (1)	7.81
A-B	-486 / 0	-102.1	-102.1	0.04 (1)	6.25
B-C	0 / 0	-102.1	-102.1	0.03 (1)	10.00
D-C	-91 / 0	0.0	0.0	0.01 (1)	7.81
F-G	0 / 0	-38.5	-38.5	0.13 (1)	10.00
G-E	0 / 0	-38.5	-38.5	0.13 (1)	10.00
E-H	0 / 397	-38.5	-38.5	0.10 (1)	10.00
H-I	0 / 397	-38.5	-38.5	0.10 (1)	10.00
I-D	0 / 397	-38.5	-38.5	0.10 (1)	10.00

WEBS

MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
A-E	0 / 426	0.05 (1)
E-B	0 / 718	0.09 (1)
B-D	-770 / 0	0.08 (1)

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC1	MAX-	MAX+	FACE	DIR.	TYPE
B	2-1-0	-58	-58	—	BACK	VERT	TOTAL
E	2-2-4	-2	-2	—	BACK	VERT	TOTAL
G	8-12	-729	-729	—	FRONT	VERT	TOTAL
H	2-8-12	-724	-724	—	FRONT	VERT	TOTAL
I	3-1-12	-7	-9	—	BACK	VERT	TOTAL

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.01")

CSI: TC=0.04/1.00 (A-B:1) , BC=0.13/1.00 (E-F:1) , WB=0.09/1.00 (B-E:1) , SSI=0.20/1.00 (D-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.26 (A) (INPUT = 0.90)
JSI METAL= 0.09 (D) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/07/2019
H. J. G. ALVES
100009024
PROVINCE OF ONTARIO

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

TAM 19 10791

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	J1	19	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:32 2019 Page 1

ID:VdmZNlanRCr_yT1tp?OGrfzKFlu-3MnBmkmw0SbQL4YK_XAlqd5QSVtyUbkBMM7ZNLzlqjn



TOTAL WEIGHT = 19 X 17 = 319 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	646	0	646	0	0	5-8	5-8
C	225	0	225	0	0	1-8	1-8
D	93	0	119	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	473	292 / 0	72 / 0	0 / 0	0 / 0	109 / 0	0 / 0
C	154	128 / 0	0 / 0	0 / 0	0 / 0	26 / 0	0 / 0
D	85	0 / 0	51 / 0	0 / 0	0 / 0	34 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS						WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1 CSI	MAX (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI	(LC)
FR-TO		FROM TO				FR-TO			
E-B	-514 / 0	0.0 0.0	0.22	(3)	7.81				
A-B	0 / 31	-102.1 -102.1	0.13	(1)	10.00				
B-C	-34 / 0	-102.1 -102.1	0.60	(1)	6.25				
E-D	0 / 0	-38.5 -38.5	0.22	(3)	10.00				

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.04")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 942 (0.07")

CSI: TC=0.60/1.00 (B-C:1) , BC=0.22/1.00 (D-E:3) , WB=0.00/1.00 (n/a:0) , SSI=0.25/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1658

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL = 5.0 Deg.

JSI GRIP= 0.21 (E) (INPUT = 0.90)
JSI METAL= 0.14 (B) (INPUT = 1.00)

DWG NO. TAM 1910753
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	J3	4	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.300 S Apr 23 2019 MiTek Industries, Inc. Tue May 14 10:22:21 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-9Oz5tUIGT1BRyFvJDLAREZCL3okyZzoqV6x2R3zGdVW



Scale = 1:17.0

TOTAL WEIGHT = 4 X 8 = 33 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	316	0	316	0	0	5-8	5-8
C	79	0	79	0	0	1-8	1-8
D	34	0	44	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B97791H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	226	154 / 0	24 / 0	0 / 0	0 / 0	48 / 0	0 / 0
C	54	45 / 0	0 / 0	0 / 0	0 / 0	9 / 0	0 / 0
D	31	0 / 0	19 / 0	0 / 0	0 / 0	13 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-271 / 0	0.0	0.0	0.02 (3)	7.81			
A-B	0 / 45	-102.1	-102.1	0.14 (1)	10.00			
B-C	-16 / 0	-102.1	-102.1	0.07 (1)	6.25			
E-D	0 / 0	-38.5	-38.5	0.03 (3)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 6.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.14/1.00 (A-B:1) , BC=0.03/1.00 (D-E:3) , WB=0.00/1.00 (n/a:0) , SSI=0.08/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.13 (B) (INPUT = 0.90)
JSI METAL= 0.10 (B) (INPUT = 1.00)

DWG NO. TAM 7911525
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402938	J5	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:41:34 2019 Page 1

ID:VdmZNlanRCr_yT1tp?OGrfzKFiu-0luyBQoAY4r8aOlj6yCBv2AobtVkyVDUqfcfREzlqjl



TOTAL WEIGHT = 2 X 15 = 29 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
A - C	2x4	DRY	No.2	SPF
B - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMB1-I	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
C	254	0	254	0	0	4-8	4-8
B	526	0	526	0	0	5-8	5-8
D	136	0	147	0	0	5-8	5-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
C	178	136 / 0	9 / 0	0 / 0	0 / 0	34 / 0	0 / 0
B	385	239 / 0	58 / 0	0 / 0	0 / 0	88 / 0	0 / 0
D	113	25 / 0	49 / 0	0 / 0	0 / 0	38 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) B, D

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH
A-B	0 / 20	-102.1	-102.1	0.13 (1)	10.00	
B-F	-53 / 0	-102.1	-102.1	0.13 (3)	6.25	
F-C	0 / 6	-102.1	-102.1	0.43 (1)	10.00	
B-E	0 / 0	-38.5	-38.5	0.27 (1)	10.00	
E-D	0 / 0	-38.5	-38.5	0.32 (1)	10.00	

WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-F	-261 / 125	0.00 (1)

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 806 (0.08")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 468 (0.14")

CSI: TC=0.43/1.00 (C-F:1) , BC=0.32/1.00 (D-E:1) , WB=0.00/1.00 (E-F:1) , SSI=0.28/1.00 (B-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.31 (B) (INPUT = 0.90)
JSI METAL= 0.09 (B) (INPUT = 1.00)

DWG NO. TAM 7191075S
STRUCTURAL COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	J20	7	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2016 MiTek Industries, Inc. Tue May 7 17:48:08 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-TYiuu8ZJm7UErxqRBhGat7U7371HGimUQz2WGPzlqdb



TOTAL WEIGHT = 7 X 18 = 129 lb

[M][F]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	668	0	668	0	0	5-8	5-8
C	235	0	235	0	0	1-8	1-8
D	99	0	126	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	489	302 / 0	75 / 0	0 / 0	0 / 0	112 / 0	0 / 0
C	161	133 / 0	0 / 0	0 / 0	0 / 0	28 / 0	0 / 0
D	90	0 / 0	54 / 0	0 / 0	0 / 0	38 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-531 / 0	0.0	0.0	0.19 (3)		7.81			
A- B	0 / 39	-102.1	-102.1	0.14 (1)		10.00			
B- C	-43 / 0	-102.1	-102.1	0.50 (1)		6.25			
E- D	0 / 0	-38.5	-38.5	0.24 (3)		10.00			

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	8.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 799 (0.09")

CSI: TC=0.50/1.00 (B-C:1) , BC=0.24/1.00 (D-E:3) , WB=0.00/1.00 (n/a:0) , SSI=0.25/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1967	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.23 (B) (INPUT = 0.90)
JSI METAL= 0.18 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100090[illegible]
PROVINCE OF ONTARIO

DWG As a Tool 79910773
STRUCTURAL
COMPONENTS ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	J21	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2016 MiTek Industries, Inc. Tue May 7 17:48:09 2019 Page 1
ID:yH3luQzwKBaXQAh?hsf8URzKCTp-xkGH5UaxXRc5T5PdlPnpQL1LhXPZ?90dfdn3przlqda



TOTAL WEIGHT = 2 X 11 = 21 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
F - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
F - D	2x4	DRY	No.2	SPF
ALL WEBS	2x3	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW+p	MT20	4.0	4.0	1.00	2.00
E	BMW+w	MT20	2.0	4.0		
F	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG	REQRD BRG
F	399	0	399	0	0	5-8	5-8
D	40	0	51	0	0	1-8	1-8

SEE MiTEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
F	283	204 / 0	22 / 0	0 / 0	0 / 0	57 / 0	0 / 0
D	36	0 / 0	22 / 0	0 / 0	0 / 0	15 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) F

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH	WEBS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
F- B	-359 / 0	0.0	0.0	0.04 (1)	7.81	B- E	0 / 0	0.00 (1)
A- B	0 / 45	-102.1	-102.1	0.14 (1)	10.00			
B- C	-70 / 0	-102.1	-102.1	0.32 (1)	6.25			
F- E	0 / 0	-38.5	-38.5	0.04 (3)	10.00			
E- D	0 / 0	-38.5	-38.5	0.03 (3)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.32/1.00 (B-C:1) , BC=0.04/1.00 (E-F:3) , WB=0.00/1.00 (B-E:1) , SSI=0.13/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.28 (B) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

DWG NO. TAM 1910774
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	J22	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:10 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-QxqfJqbZHlky5Ezqt6l2yYaXVxiCkcFmtGXdLHzIqdZ



TOTAL WEIGHT = 2 X 14 = 28 lb

[M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	513	0	513	0	0	5-8	5-8
C	145	0	145	0	0	1-8	1-8
D	93	0	119	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	382	216 / 0	72 / 0	0 / 0	0 / 0	93 / 0	0 / 0
C	100	63 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	85	0 / 0	51 / 0	0 / 0	0 / 0	34 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 MAX. (PLF) CSI (LC)	WEBS MAX. MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO	UNBRAC LENGTH FR-TO		
E- B	-380 / 0	0.0 0.0 0.21 (3)	7.81		
A- B	0 / 31	-102.1 -102.1 0.13 (1)	10.00		
B- C	-22 / 0	-102.1 -102.1 0.25 (1)	6.25		
E- D	0 / 0	-38.5 -38.5 0.21 (3)	10.00		

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.04")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 942 (0.07")

CSI: TC=0.25/1.00 (B-C:1) , BC=0.21/1.00 (D-E:3) , WB=0.00/1.00 (n/a:0) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

MAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.16 (E) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

LICENSED PROFESSIONAL ENGINEER
05/m/19
H. J. C. ALVES
100099
PROVINCE OF ONTARIO

DWG NO. TAM 7910775
STRUCTURAL
COMPONENT ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	J23	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:10 2019 Page 1

ID:yH3IuQzwKBaXQAh?hsf8URzKCTp-QxqfJqbZHlky5EzqI6I2yYaYVxiokcFmtGXdLHzIqdZ



TOTAL WEIGHT = 2 X 12 = 23 lb [M]

LUMBER

N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	352	0	352	0	0	5-8	5-8
C	94	0	97	0	0	1-8	1-8
D	94	0	123	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	259	156 / 0	42 / 0	0 / 0	0 / 0	61 / 0	0 / 0
C	76	24 / 0	28 / 0	0 / 0	0 / 0	24 / 0	0 / 0
D	86	0 / -3	53 / 0	0 / 0	0 / 0	35 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (7)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC	MAX CSI (LC)	WEBS MAX. UNBRAC LENGTH	MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E-B	-229 / 26	0.0	0.0	0	0.18 (3)	7.81			
A-B	0 / 31	-102.1	-102.1	0	0.15 (1)	10.00			
B-C	0 / 27	-102.1	-102.1	0	0.16 (3)	10.00			
E-F	0 / 0	-38.5	-38.5	0	0.23 (3)	10.00			
F-G	0 / 0	-38.5	-38.5	0	0.23 (3)	10.00			
G-D	0 / 0	-38.5	-38.5	0	0.23 (3)	10.00			

FACTORED CONCENTRATED LOADS (LBS)

JT	LOC.	LC	MAX-	MAX+	FACE	DIR.	TYPE	HEEL	CONN.
F	1-11-4	6	1	13	BACK	VERT	TOTAL	—	—
G	3-11-4	1	1	—	BACK	VERT	TOTAL	—	—

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF	
	DL =	6.0	PSF	
BOT CH.	LL =	10.5	PSF	
	DL =	7.0	PSF	
TOTAL LOAD	=	52.5	PSF	

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.20")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.05")
ALLOWABLE DEFL.(TL)= L/360 (0.20")
CALCULATED VERT. DEFL.(TL) = L/ 839 (0.08")

CSI: TC=0.18/1.00 (B-E:3) , BC=0.23/1.00 (D-E:3) , WB=0.00/1.00 (n/a:0) , SSI=0.14/1.00 (D-E:3)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.00 COMP=1.00 SHEAR=1.00 TENS= 1.00

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	786	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.10 (E) (INPUT = 0.90)
JSI METAL= 0.06 (B) (INPUT = 1.00)

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

LICENSED PROFESSIONAL ENGINEER
05/07/19
H. J. G. ALVES
100099824
PROVINCE OF ONTARIO

ENG. NO. TAM 7910776
STRUCTURAL
CERTIFICATE ONLY

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	J24	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:11 2019 Page 1

ID:yH3luQzwKBaXQAh?hsf8URzKCTp-u7O1W9bB22spiOY0sqqHVm6iFK5DT3Vw6wGAtjzlqdY



TOTAL WEIGHT = 2 X 10 = 19 lb

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN Y	X
B	TMV+p	MT20	3.0	4.0	
E	BMV1+p	MT20	3.0	4.0	

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

	FACTORED GROSS REACTION		MAXIMUM FACTORED GROSS REACTION			INPUT BRG	REQRD BRG
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX	IN-SX
E	420	0	420	0	0	5-8	5-8
C	145	0	145	0	0	1-8	1-8
D	32	0	41	0	0	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

UNFACTORED REACTIONS

	1ST LCASE	MAX./MIN. COMPONENT REACTIONS					
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	297	216 / 0	22 / 0	0 / 0	0 / 0	59 / 0	0 / 0
C	100	83 / 0	0 / 0	0 / 0	0 / 0	17 / 0	0 / 0
D	29	0 / 0	18 / 0	0 / 0	0 / 0	12 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS						WEBS		
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF)	LC1	MAX CSI (LC)	MAX. UNBRAC LENGTH	MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
FR-TO		FROM TO			FR-TO			
E- B	-380 / 0	0.0 0.0		0.01 (3)	7.81			
A- B	0 / 31	-102.1 -102.1		0.13 (1)	10.00			
B- C	-22 / 0	-102.1 -102.1		0.25 (1)	6.25			
E- D	0 / 0	-38.5 -38.5		0.03 (3)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN



DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL	=	29.1	PSF
	DL	=	6.0	PSF
BOT CH.	LL	=	10.5	PSF
	DL	=	7.0	PSF
TOTAL LOAD		=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.25/1.00 (B-C:1) , BC=0.03/1.00 (D-E:3) , WB=0.00/1.00 (n/a:0) , SSI=0.17/1.00 (B-C:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)		SECTION (PLI)	
	MAX	MIN	MAX	MIN	MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.16 (E) (INPUT = 0.90)
JSI METAL= 0.11 (B) (INPUT = 1.00)

T910777

JOB NAME	TRUSS NAME	QUANTITY	PLY	JOB DESC.	DRWG NO.
402939	J25	2	1	GREEN PARK HOMES TRUSS DESC.	

Tamarack Roof Truss, Burlington

Version 8.230 S Nov 17 2018 MiTek Industries, Inc. Tue May 7 17:48:12 2019 Page 1
ID:yH3luQzwKBaXQAh?hsf8URzKCTp-MJyPjVcqpM_gKY7CQXLW2zftpkRGCVl3La0jQAzlqdX



TOTAL WEIGHT = 2 X 7 = 14 lb

[M]

LUMBER
N. L. G. A. RULES

CHORDS	SIZE		LUMBER	DESCR.
E - B	2x4	DRY	No.2	SPF
A - C	2x4	DRY	No.2	SPF
E - D	2x4	DRY	No.2	SPF

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMV+p	MT20	3.0	4.0		
E	BMV1+p	MT20	3.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

JT	FACTORED GROSS REACTION VERT	HORZ	MAXIMUM FACTORED GROSS REACTION DOWN	HORZ	UPLIFT	INPUT BRG IN-SX	REQRD BRG IN-SX
E	318	0	318	0	0	5-8	5-8
C	51	0	51	0	-26	1-8	1-8
D	24	0	41	0	-4	1-8	1-8

SEE MITEK STANDARD DETAIL B37821H FOR CONNECTION TO JOINT(S) C , D

PROVIDE ANCHORAGE AT BEARING JOINT C FOR 150 LBS FACTORED UPLIFT
PROVIDE ANCHORAGE AT BEARING JOINT D FOR 150 LBS FACTORED UPLIFT

OK w/ 10d Toenails

UNFACTORED REACTIONS

JT	1ST LCASE COMBINED	MAX./MIN. COMPONENT REACTIONS SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
E	226	160 / 0	20 / 0	0 / 0	0 / 0	46 / 0	0 / 0
C	36	27 / -21	2 / 0	0 / 0	0 / 0	7 / 0	0 / 0
D	24	0 / -9	18 / 0	0 / 0	0 / 0	11 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) E, C

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING
TOTAL LOAD CASES: (5)

CHORDS MEMB. FR-TO	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD (PLF) FROM	TO	LC1 MAX CSI (LC)	MAX. UNBRAC LENGTH FR-TO	WEBS MEMB.	MAX. FACTORED FORCE (LBS)	MAX CSI (LC)
E- B	-270 / 0	0.0	0.0	0.04 (5)	7.81			
A- B	0 / 31	-102.1	-102.1	0.13 (1)	10.00			
B- C	-18 / 0	-102.1	-102.1	0.10 (1)	6.25			
E- D	0 / 0	-38.5	-38.5	0.04 (5)	10.00			

CANTILEVER ANALYSIS HAS BEEN CONSIDERED IN THIS DESIGN

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	29.1	PSF
	DL =	6.0	PSF
BOT CH.	LL =	10.5	PSF
	DL =	7.0	PSF
TOTAL LOAD	=	52.5	PSF

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2010, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018 , OBC 2012
- CSA 086-09, CSA 086-14
- TPIC 2011, TPIC 2014

DESIGN ASSUMPTIONS
-OVERHANG NOT TO BE ALTERED OR CUT OFF.

(55 % OF 37.6 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 29.1 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.19")
CALCULATED VERT. DEFL.(LL) = L/ 999 (0.00")
ALLOWABLE DEFL.(TL)= L/360 (0.19")
CALCULATED VERT. DEFL.(TL) = L/ 999 (0.00")

CSI: TC=0.13/1.00 (A-B:1) , BC=0.04/1.00 (D-E:5) , WB=0.00/1.00 (n/a:0) , SSI=0.10/1.00 (A-B:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

AUTOSOLVE RIGHT HEEL ONLY

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES

PLATE	GRIP(DRY) (PSI) MAX	MIN	SHEAR (PLI) MAX	MIN	SECTION (PLI) MAX	MIN
MT20	618	354	1667	788	1987	1656

PLATE PLACEMENT TOL. = 0.250 Inches

PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.11 (E) (INPUT = 0.90)
JSI METAL= 0.07 (B) (INPUT = 1.00)

ENGINEERING BY T1410778
STRUCTURAL
COMPONENT ONLY

isDesign™

Client:
Project:
Address:

Date: 5/7/2019
Designer:
Job Name: 201007
Project #:

BM1 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level





Member Information

Type:	Girder	Application:	Roof (Residential)
Plies:	2	Slope:	0/12
Moisture Condition:	Dry	Design Method:	LSD
Deflection LL:	360	Building Code:	NBCC 2015
Deflection TL:	360	Load Sharing:	No
Importance:	Normal	Deck:	Not Checked
		Vibration:	Not Checked

Unfactored Reactions UNPATTERNED lb (Uplift)

Brg	Live	Dead	Snow	Wind
1	207	257	583	0
2	199	246	558	0

Bearings and Factored Reactions

Bearing	Length	Cap.	React D/L lb	Total	Ld. Case	Ld. Comb.
1 - SPF	5.500"	14%	321 / 1081	1402	L	1.25D+1.5S +L
2 - HGUS...	4.000"	18%	308 / 1036	1344	L	1.25D+1.5S +L

Analysis Results

Analysis	Actual	Location	Allowed	Capacity	Comb.	Case
Moment	1585 ft-lb	3'	6039 ft-lb	0.262 (26%)	1.25D+1.5S +L	L
Unbraced	1585 ft-lb	3'	5236 ft-lb	0.303 (30%)	1.25D+1.5S +L	L
Shear	1217 lb	1'2"	3984 lb	0.306 (31%)	1.25D+1.5S +L	L
LL Defl inch	0.014 (L/4497)	3'	0.174 (L/360)	0.080 (8%)	S+0.5L	L
TL Defl inch	0.019 (L/3273)	3'	0.174 (L/360)	0.110 (11%)	D+S+0.5L	L

Design Notes

1 Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c. Maximum end distance not to exceed 6".
2 Refer to last page of calculations for fasteners required for specified loads.
3 Girders are designed to be supported on the bottom edge only.
4 Top braced at bearings.
5 Bottom braced at bearings.
6 Lateral slenderness ratio based on single ply width.

LICENSED PROFESSIONAL ENGINEER
5/07/19
H. J. G. ALVES
100089
PROVINCE OF ONTARIO

1910792

1/2

ID	Load Type	Location	Trib Width	Side	Dead	Live	Snow	Wind	Comments
1	Uniform		6-7-0	Near Face	13 PSF	10.5 PSF	29.5 PSF	0 PSF	

This design is valid until 12/11/2021

Manufacturer Info

Tamarack Roof Trusses
3289 North Service Rd., ON
Canada
L7N3G2
(905) 335-1115

TAMARACK LUMBER INC
ALPA LUMBER GROUP

BM1 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level



Multi-Ply Analysis

Fasten all plies using 3 rows of Pneumatic Gun Nail (.120x3.25") at 12" o.c.. Maximum end distance not to exceed 6"

Capacity	68.7 %
Load	233.7 PLF
Yield Limit per Foot	340.0 PLF
Yield Limit per Fastener	113.3 lb.
Yield Mode	g
Edge Distance	1 1/2"
Min. End Distance	3"
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

PROFESSIONAL ENGINEER 7910792

Manufacturer Info	Tamarack Roof Trusses 3269 North Service Rd., ON Canada L7N3G2 (905) 335-1115

This design is valid until 12/11/2021

BM2 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level





Member Information

Type:	Girder	Application:	Roof (Residential)
Plies:	2	Slope:	0/12
Moisture Condition:	Dry	Design Method:	LSD
Deflection LL:	360	Building Code:	NBCC 2015
Deflection TL:	360	Load Sharing:	No
Importance:	Normal	Deck:	Not Checked
		Vibration:	Not Checked

Unfactored Reactions UNPATTERNED lb (Uplift)

Brg	Live	Dead	Snow	Wind
1	149	192	449	0
2	81	101	232	0

Bearings and Factored Reactions

Bearing	Length	Cap.	React D/L lb	Total	Ld. Case	Ld. Comb.
1 - SPF	5.500"	10%	239 / 822	1062	L	1.25D+1.5S +L
2 - SPF	5.500"	5%	127 / 430	557	L	1.25D+1.5S +L

Analysis Results

Analysis	Actual	Location	Allowed	Capacity	Comb.	Case
Moment	504 ft-lb	1'9"	6039 ft-lb	0.084 (8%)	1.25D+1.5S +L	L
Unbraced	504 ft-lb	1'9"	5676 ft-lb	0.089 (9%)	1.25D+1.5S +L	L
Shear	691 lb	1'2"	3984 lb	0.173 (17%)	1.25D+1.5S +L	L
LL Defl inch	0.002 (L/20503)	2' 3/4"	0.117 (L/360)	0.020 (2%)	S+0.5L	L
TL Defl inch	0.003 (L/14977)	2' 3/4"	0.117 (L/360)	0.020 (2%)	D+S+0.5L	L

Design Notes

1 Fasten all plies using 2 rows of 10d Box nails (.128x3") at 12" o.c. Maximum end distance not to exceed 6".
2 Refer to last page of calculations for fasteners required for specified loads.
3 Girders are designed to be supported on the bottom edge only.
4 Top loads must be supported equally by all plies.
5 Top braced at bearings.
6 Bottom braced at bearings.
7 Lateral slenderness ratio based on single ply width.



[illegible] TAM 7910793
[illegible] CTURAL

ID	Load Type	Location	Trib Width	Side	Dead	Live	Snow	Wind	Comments
1	Uniform		3-1-0	Near Face	13 PSF	10.5 PSF	29.5 PSF	0 PSF	
2	Point	0-10-2		Top	121 lb	91 lb	291 lb	0 lb	

This design is valid until 12/11/2021

Manufacturer Info

Tamarack Roof Trusses
3289 North Service Rd., ON
Canada
L7N3G2
(905) 335-1115

TAMARACK LUMBER INC
ALPA LUMBER GROUP

BM2 S-P-F #2 2.000" X 10.000" 2-Ply - PASSED

Level: Level



Multi-Ply Analysis

Fasten all plies using 2 rows of 10d Box nails (.128x3") at 12" o.c.. Maximum end distance not to exceed 6"

Capacity	42.8 %
Load	109.5 PLF
Yield Limit per Foot	255.6 PLF
Yield Limit per Fastener	127.8 lb.
Yield Mode	g
Edge Distance	1 1/2"
Min. End Distance	3"
Load Combination	1.25D+1.5S+L
Duration Factor	1.00

LICENSED PROFESSIONAL ENGINEER
H. J. G. ALVES
100089024
PROVINCE OF ONTARIO

TM 7910793
STRUCTURAL

Manufacturer Info	Tamarack Roof Trusses 3269 North Service Rd., ON Canada L7N3G2 (905) 335-1115

This design is valid until 12/11/2021

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

ONTARIO WOOD TRUSS FABRICATORS ASSOCIATION

TECH-NOTES

TN 15-001
Piggyback Bracing

Overview:

Where piggybacks are connected overtop of base trusses, 2x4 purlins must be first added to the flat portion of the base truss at a spacing no more than 24" o/c. These purlins not only provide support for the piggyback trusses above, but are required to laterally support the top chord of the base truss which will not have the sheathing directly connected to the flat portion of the base truss. This ensures the top chord, most often in compression, will not buckle laterally.

Further, the purlins in the plane of the flat portion require diagonal bracing to prevent lateral displacement of the purlins themselves where under certain conditions, the trusses may in fact all buckle in the same direction if this additional bracing is not added in the plane of the purlins.

Detail:



NOTE: THE SLOPED PORTION OF THE TOP CHORD OF THE BASE TRUSS AND PIGGYBACK TRUSS IN THIS SKETCH IS ASSUMED TO BE SHEATHED IN ACCORDANCE WITH THE OBC.

SKETCH FROM BCSI-CANADA 2013

LUS – Double Shear Joist Hangers

SIMPSON Strong-Tie®

All LUS hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections.

Material: 18 gauge

Finish: G90 galvanized

Design:

- Factored resistances are in accordance with CSA O86-14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.



LUS28

Installation:

- Use all specified fasteners.
- Nails: 16d = 0.162" dia. x 3½" long common wire, 10d = 0.148" x 3" long common wire.
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads.
- Not designed for welded or nailer applications.

Options:

- These hangers cannot be modified



Typical LUS Installation

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
								D.Fir-L		S-P-F	
		W	H	B	d_e[1]	Face	Joist	Uplift (K_D=1.15)	Normal (K_D=1.00)	Uplift (K_D=1.15)	Normal (K_D=1.00)
LUS24	18	1⁹⁄₁₆	3⅛	1¾	1¹⁵⁄₁₆	(4) 10d	(2) 10d	710	1630	645	1155
LUS24-2	18	3⅛	3⅛	2	1¹³⁄₁₆	(4) 16d	(2) 16d	835	2020	590	1435
LUS26	18	1⁹⁄₁₆	4¾	1¾	3⅝	(4) 10d	(4) 10d	1420	2170	1290	1630
LUS26-2	18	3⅛	4⅞	2	4	(4) 16d	(4) 16d	1720	2595	1545	1920
LUS26-3	18	4⅝	4³⁄₁₆	2	3¼	(4) 16d	(4) 16d	1720	2595	1545	2340
LUS28	18	1⁹⁄₁₆	6⅝	1¾	3¾	(6) 10d	(6) 10d	1420	2520	1290	1790
LUS28-2	18	3⅛	7	2	4	(6) 16d	(4) 16d	1720	3325	1545	2575
LUS28-3	18	4⅝	6¼	2	3¼	(6) 16d	(4) 16d	1720	3325	1545	2375
LUS210	18	1⁹⁄₁₆	7¹³⁄₁₆	1¾	3⅞	(8) 10d	(4) 10d	1420	2765	1290	2210
LUS210-2	18	3⅛	9	2	6	(8) 16d	(6) 16d	2580	4500	2320	3195
LUS210-3	18	4⅝	8³⁄₁₆	2	5¼	(8) 16d	(6) 16d	2580	3345	2320	2375

1. d_e is the distance from the seat of the hanger to the highest joist nail.



Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580



Double Shear Nailing Top View.



HUS/LJS – Double Shear Joist Hangers

SIMPSON Strong-Tie®

All hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections. Do not bend or remove tabs.

Material: See table

Finish: G90 galvanized

Design:

- Factored resistances are in accordance with CSA O86-14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:

- Use all specified fasteners
- Nails: 16d = 0.162" dia. x 3½" long common wire
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

Options:

- See current catalogue for options



LJS26DS



HUS210
(HUS26, HUS28, similar)


Typical LJS26DS Installation


Typical HUS Installation


Typical HUS Installation (Truss Designer to provide fastener quantity for connecting multiple members together)

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.)			
								D.Fir-L		S-P-F	
		W	H	B	d_e[1]	Face	Joist	Uplift (K_D=1.15)	Normal (K_D=1.00)	Uplift (K_D=1.15)	Normal (K_D=1.00)
								lb.	lb.	lb.	lb.
LJS26DS	18	1 9/16	5	3½	4⅝	(16) 16d	(6) 16d	2055	4265	1460	4115
HUS26	16	1⅝	5⅜	3	3 15/16	(14) 16d	(6) 16d	2705	4940	2065	3875
HUS28	16	1⅝	7 3/32	3	6 9/32	(22) 16d	(8) 16d	3605	5365	2675	4345
HUS210	16	1⅝	9 3/32	3	7 31/32	(30) 16d	(10) 16d	4505	5795	4010	4740
HUS1.81/10	16	1 13/16	9	3	8	(30) 16d	(10) 16d	4505	6450	4010	5200

1. d_e is the distance from the seat of the hanger to the highest joist nail.



Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580



Double Shear Nailing Side View. Do not bend tab back.


Double Shear Nailing Top View.



(800) 999-5099
strongtie.com

HGUS – Double Shear Joist Hangers

SIMPSON Strong-Tie®

All HGUS hangers have double shear nailing. This patented innovation distributes the load through two points on each joist nail for greater strength. It also allows the use of fewer nails, faster installation and the use of common nails for all connections. Do not bend or remove tabs.

Material: 12 gauge

Finish: G90 galvanized

Design:

- Factored resistances are in accordance with CSA O86-14.
- Uplift resistances have been increased 15%. No further increase is permitted.
- Wood shear is not considered in the factored resistances given. The specifier must ensure that the joist and header capacities are capable of withstanding these loads.

Installation:

- Use all specified fasteners
- Nails: 16d = 0.162" dia x 3½" long common wire
- Double shear nails must be driven at an angle through the joist or truss into the header to achieve the table loads
- Not designed for welded or nailer applications

Options:

- See current catalogue for options



HGUS28-2



Typical HGUS Installation



Typical HGUS Installation (Truss Designer to provide fastener quantity for connecting multiple members together)

Model No.	Ga.	Dimensions (in.)				Fasteners		Factored Resistance (lb.) D.Fir-L		S-P-F	
		W	H	B	d_s[1]	Face	Joist	Uplift (K_D=1.15)	Normal (K_D=1.00)	Uplift (K_D=1.15)	Normal (K_D=1.00)
HGUS26	12	1⅝	5⅜	5	4⅝₃₂	(20) 16d	(8) 16d	2685	6625	2685	5700
HGUS26-2	12	3⁵⁄₁₆	5⁷⁄₁₆	4	4⅛	(20) 16d	(8) 16d	4385	8950	3100	6355
HGUS26-3	12	4¹⁵⁄₁₆	5½	4	4⅛	(20) 16d	(8) 16d	4385	8950	3100	6355
HGUS26-4	12	6⁵⁄₁₆	5⁷⁄₁₆	4	4⅛	(20) 16d	(8) 16d	4385	8950	3100	6355
HGUS28	12	1⅝	7⅛	5	6⅛	(36) 16d	(12) 16d	3310	7675	3100	6900
HGUS28-2	12	3⁵⁄₁₆	7⁵⁄₁₆	4	6⅛	(36) 16d	(12) 16d	6070	12980	4310	9215
HGUS28-3	12	4¹⁵⁄₁₆	7¼	4	6⅜	(36) 16d	(12) 16d	6070	12980	4310	9215
HGUS28-4	12	6⁵⁄₁₆	7⁵⁄₁₆	4	6⅛	(36) 16d	(12) 16d	6070	12980	4310	9215
HGUS210-2	12	3⁵⁄₁₆	9⁵⁄₁₆	4	8⅛	(46) 16d	(16) 16d	6840	14645	4855	10400
HGUS210-3	12	4¹⁵⁄₁₆	9¼	4	8⅜	(46) 16d	(16) 16d	6840	14645	4855	10400
HGUS210-4	12	6⁵⁄₁₆	9⁵⁄₁₆	4	8⅛	(46) 16d	(16) 16d	6840	14645	4855	10400
HGUS212-4	12	6⁵⁄₁₆	10⅝	4	10⅛	(56) 16d	(20) 16d	7640	14995	5425	10645
HGUS214-4	12	6⁵⁄₁₆	12⅝	4	11⅛	(66) 16d	(22) 16d	10130	16400	7195	11645

1. d_s is the distance from the seat of the hanger to the highest joist nail.



Dome Double Shear Nailing prevents tabs breaking off (available on some models).

U.S. Patent 5,603,580



Double Shear Nailing Side View. Do not bend tab back.



Double Shear Nailing Top View.

(800) 999-5099
strongtie.com



45° Hip End

LUMBER SPECIFICATION

TOP CHORD	:	2 x 4 SPF#2
BOTTOM CHORD	:	2 x 4 SPF#2
WEBS	:	2 x 3 SPF#2

UNLESS OTHERWISE SHOWN

DESIGN LOAD

TOP CHORD SNOW LOAD	:	40.5 P.S.F.
TOP CHORD DEAD LOAD	:	3.0 P.S.F.
BOTTOM CHORD LIVE LOAD	:	0.0 P.S.F.
BOTTOM CHORD DEAD LOAD	:	7.0 P.S.F.
TOTAL LOAD	:	50.5 P.S.F

LICENSED PROFESSIONAL ENGINEER
06/11/16
H.J.G. ALVES
PROVINCE OF ONTARIO



Corner Side Jacks



Corner End Jacks



Common End Jacks



NOTE: DESIGN CONFORMS TO PART 9, O.B.C. 2012 (L.S.D. DESIGN)

T-1820216



45° Hip End

LUMBER SPECIFICATION

TOP CHORD	:	2 x 4 SPF#2
BOTTOM CHORD	:	2 x 4 SPF#2
WEBS	:	2 x 3 SPF#2

UNLESS OTHERWISE SHOWN

DESIGN LOAD

TOP CHORD SNOW LOAD	:	40.5 P.S.F.
TOP CHORD DEAD LOAD	:	3.0 P.S.F.
BOTTOM CHORD LIVE LOAD	:	0.0 P.S.F.
BOTTOM CHORD DEAD LOAD	:	7.0 P.S.F.
TOTAL LOAD		50.5 P.S.F

LICENSED PROFESSIONAL ENGINEER
06/11/2018
H.J.G. ALVES
PROVINCE OF ONTARIO



Corner Side Jacks



Corner End Jacks



Common End Jacks



NOTE: DESIGN CONFORMS TO PART 9, O.B.C. 2012 (L.S.D. DESIGN)

T-1800217

Symbols

PLATE LOCATION AND ORIENTATION

Center plate on joint unless x, y offsets are indicated. Dimensions are in ft-in-sixteenths or mm. Apply plates to both sides of truss and fully embed teeth.



For 4 x 2 orientation, locate plates 0-1/16" from outside edge of truss.

This symbol indicates the required direction of slots in connector plates.

*Plate location details available in MiTek software or upon request.

PLATE SIZE

4 X 4

The first dimension is the plate width measured perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING LOCATION

Indicated by symbol shown and/or by text in the bracing section of the output. Use T, I or Eliminator bracing if indicated.

BEARING



Indicates location where bearings (supports) occur. Icons vary but reaction section indicates joint number where bearings occur.

Industry Standards:

TPIC: Truss Design Procedures and Specifications for Light Metal Plate Connected Wood Trusses

DSB-89: Design Standard for Bracing.

BCSI: Building Component Safety Information, Guide to Good Practice for Handling, Installing & Bracing of Metal Plate Connected Wood Trusses.

Numbering System



dimensions shown in ft-in-sixteenths or mm (Drawings not to scale)



JOINTS ARE GENERALLY NUMBERED/LETTERED CLOCKWISE AROUND THE TRUSS STARTING AT THE JOINT FARTHEST TO THE LEFT.

CHORDS AND WEBS ARE IDENTIFIED BY END JOINT NUMBERS/LETTERS.

PRODUCT CODE APPROVALS

CCMC Reports:

11996-L, 10319-L, 13270-L, 12691-R

MiTek®

POWER TO PERFORM.™

MiTek Engineering Reference Sheet: MII-7473C rev. 10-'08

General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Additional stability bracing for truss system, e.g. diagonal or X-bracing, is always required. See BCSI.
2. Truss bracing must be designed by an engineer. For wide truss spacing, individual lateral braces themselves may require bracing, or alternative T, I, or Eliminator bracing should be considered.
3. Never exceed the design loading shown and never stack materials on inadequately braced trusses.
4. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
5. Cut members to bear tightly against each other.
6. Place plates on each face of truss at each joint and embed fully. Knots and wane at joint locations are regulated by TPIC.
7. Design assumes trusses will be suitably protected from the environment in accord with TPIC.
8. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
9. Unless expressly noted, this design is not applicable for use with fire retardant, preservative treated, or green lumber.
10. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
11. Plate type, size, orientation and location dimensions indicated are minimum plating requirements.
12. Lumber used shall be of the species and size, and in all respects, equal to or better than that specified.
13. Top chords must be sheathed or purlins provided at spacing indicated on design.
14. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
15. Connections not shown are the responsibility of others.
16. Do not cut or alter truss member or plate without prior approval of an engineer.
17. Install and load vertically unless indicated otherwise.
18. Use of green or treated lumber may pose unacceptable environmental, health or performance risks. Consult with project engineer before use.
19. Review all portions of this design (front, back, words and pictures) before use. Reviewing pictures alone is not sufficient.
20. Design assumes manufacture in accordance with TPIC Quality Criteria.



Alves Engineering Services Inc.
5208 Easton road
Burlington, Ontario L7L 6N6
(289) 259 5455

RESPONSABILITIES

1-Alves Engineering Services Inc. is responsible for the design of trusses as individual components

2-It is the responsibility of others to ascertain that the design loads utilized on this drawing meet or exceed the actual dead load imposed by the structure and the live load imposed by the local building code or the authorities having jurisdictions.

3- All dimensions are to be verified by owner, contractor, architect or other authority before manufacture.

4- Alves Engineering Services Inc. bears no responsibility for the erection of the trusses. Persons erecting trusses are cautioned to seek professional advice regarding temporary and permanent bracing system. Bracing shown on Alves Engineering Services Inc. drawings is specified for the truss as a single component and forms an integral part of the truss design, but is not meant to represent the only required bracing for that truss when trusses are installed in a series of trusses forming a roof truss system.

5- It is the manufactures responsibility to ensure that the trusses are manufactured in conformance with Alves Engineering Services Inc. specifications outlined below.

SPECIFICATIONS

1-Truss components sealed by Alves Engineering Services Inc. conform to the relevant sections of the current Building Code of Ontario and Canada (part 4 or part 9) or the current Canadian code for Farm Buildings in accordance with the application specified on the sealed truss component drawing. All truss component design procedures must conform to the current design standard issued by the truss plate institute of Canada (TPIC). All lumber and nailing stresses to conform to the current CSA wood design standard identified on the current Building Code and TPIC.

2- Lumber is to be the sizes and grade specified on the truss drawing.

3- Moist content of lumber is not to exceed 19% in service unless otherwise specified.

4- Plates shall be applied to both faces of the each truss joint and shall be positioned as shown on the truss drawings

5- Lumber used on manufacture of trusses is not to be treated with chemicals unless otherwise specified on the truss drawings.

6- The top chord is assumed to be continuously laterally braced by the roof sheathing or purlins at intervals specified on the truss drawing but not exceeding 24" c/c for (part 9) and not exceeding 48" for (part 4 or farm design)

7- When rigid ceiling is not attached directly to the bottom chord, lateral bracing is required and it should not exceed more than 3m or 10' intervals.

8-Refer to Mitek sheet MII7473C REV.10-08 attached for information on symbols, numbering system and General Safety notes.

THIS STRUCTURE MUST BE CONSTRUCTED TO MEET OR EXCEED THE PROVISIONS OF THE ONTARIO BUILDING CODE

T-1800218

Feb 09, 2018