





LUMBER								DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER				DESIGN CRITERIA			
N. L. G. A. RULES															
CHORDS SIZE				LUMBER				DESCR.							
E - B 2x4				DRY No.2				SPF				SPECIFIED LOADS:			
A - C 2x4				DRY No.2				SPF				TOP CH. LL = 34.8 PSF			
E - D 2x4				DRY No.2				SPF				BOT CH. LL = 0.0 PSF			
												DL = 7.3 PSF			
												TOTAL LOAD = 48.1 PSF			
DRY: SEASONED LUMBER.															



LUMBER N, L, G, A, RULES CHORDS SIZE LUMBER DESCR. DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER BEARINGS UNFACTORED REACTIONS DESIGN CRITERIA

CHORDS	SIZE	LUMBER	DESCR.	BEARINGS	UNFACTORED REACTIONS	DESIGN CRITERIA
A - D	2x4	DRY No.2	SPF	FACTORED	1ST CASE	SPECIFIED LOADS:
D - E	2x4	DRY No.2	SPF	GROSS REACTION	COMBINED	TOP CH. LL = 34.8 PSF
E - F	2x4	DRY No.2	SPF	DOWN HORZ	SNOW	DL = 6.0 PSF
F - I	2x4	DRY No.2	SPF	UP LIFT	LIVE	BOT CH. LL = 0.0 PSF
N - B	2x4	DRY No.2	SPF	IN-SX	PERM. LIVE	DL = 7.3 PSF
J - H	2x4	DRY No.2	SPF	IN-SX	WIND	TOTAL LOAD = 48.1 PSF
N - L	2x4	DRY No.2	SPF	DEAD	DEAD	
L - J	2x4	DRY No.2	SPF	SOIL	SOIL	
ALL WEBS EXCEPT	2x4	DRY No.2	SPF			
K - G	2x3	DRY No.2	SPF			
C - M	2x3	DRY No.2	SPF			
N - C	2x3	DRY No.2	SPF			
G - J	2x3	DRY No.2	SPF			

DRY: SEASONED LUMBER. BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N, J. BRACING TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.68 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED. 1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-N, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW.

LOADING TOTAL LOAD CASES: (4)

CHORDS	MEMB.	MAX. FORCE (LBS)	FACTORED VERT. LOAD (PLF)	MAX. CSI (LC)	UNBRACED LENGTH	WEBS	MEMB.	MAX. FORCE (LBS)	MAX. FACTORED CSI (LC)
FR-TO	FR-TO	FR-TO	FR-TO	FR-TO	FR-TO	FR-TO	FR-TO	FR-TO	FR-TO
A-B	0 / 49	-119.4	-119.4	0.16 (1)	10.00	E-K	0 / 643	0.10 (1)	
B-C	0 / 50	-119.4	-119.4	0.65 (1)	10.00	K-G	-479 / 0	0.29 (1)	
C-D	-1487 / 0	-119.4	-119.4	0.55 (1)	4.68	M-E	0 / 643	0.10 (1)	
D-E	-1487 / 0	-119.4	-119.4	0.55 (1)	4.68	C-M	-479 / 0	0.29 (1)	
E-F	-1487 / 0	-119.4	-119.4	0.55 (1)	4.68	N-C	-1824 / 0	0.76 (1)	
F-G	-1487 / 0	-119.4	-119.4	0.55 (1)	4.68	G-J	-1824 / 0	0.76 (1)	
G-H	0 / 50	-119.4	-119.4	0.65 (1)	10.00				
H-I	0 / 49	-119.4	-119.4	0.16 (1)	10.00				
I-B	-422 / 0	0.0	0.0	0.04 (1)	7.81				
J-H	-422 / 0	0.0	0.0	0.04 (1)	7.81				
N-M	0 / 1316	-18.2	-18.2	0.34 (1)	10.00				
M-L	0 / 920	-18.2	-18.2	0.30 (4)	10.00				
L-K	0 / 920	-18.2	-18.2	0.30 (4)	10.00				
K-J	0 / 1316	-18.2	-18.2	0.34 (1)	10.00				

COMPANION LIVE LOAD FACTOR = 1.00. TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.


NAIL VALUES PLATE GRIP (DRY) SHEAR SECTION (PSI) (PL) (PL) MAX MIN MAX MIN MAX MIN MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches. PLATE ROTATION TOL. = 5.0 Deg.

JSI GRIP= 0.90 (K) (INPUT = 0.90) JSI METAL= 0.53 (G) (INPUT = 1.00)

MODULUS ENGINEERING LTD.

REVIEW FOR TRUSS COMPONENT ONLY
NOTE: ALTERING THIS DOCUMENT VOIDS THE ENGINEER'S SEAL



LUMBER				N. L. G. A. RULES			
CHORDS	SIZE	LUMBER	DESCR.	CHORDS	SIZE	LUMBER	DESCR.
A - D	2x4	DRY	No.2	A - D	2x4	DRY	No.2
D - E	2x4	DRY	No.2	D - E	2x4	DRY	No.2
E - F	2x4	DRY	No.2	E - F	2x4	DRY	No.2
F - I	2x4	DRY	No.2	F - I	2x4	DRY	No.2
N - B	2x4	DRY	No.2	N - B	2x4	DRY	No.2
J - H	2x4	DRY	No.2	J - H	2x4	DRY	No.2
N - L	2x4	DRY	No.2	N - L	2x4	DRY	No.2
L - J	2x4	DRY	No.2	L - J	2x4	DRY	No.2
ALL WEBS	2x4	DRY	No.2	ALL WEBS	2x4	DRY	No.2
EXCEPT				EXCEPT			
K - G	2x3	DRY	No.2	K - G	2x3	DRY	No.2
C - M	2x3	DRY	No.2	C - M	2x3	DRY	No.2
N - C	2x3	DRY	No.2	N - C	2x3	DRY	No.2
G - J	2x3	DRY	No.2	G - J	2x3	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table in inches)					
JT	TYPE	PLATES	W	LEN	Y X
B	TMV+p	MT20	2.0	4.0	
C	TMVW+4	MT20	4.0	5.0	1.75 1.50
D	TS4	MT20	3.0	6.0	
E	TTVW+p	MT20	3.0	5.0	
F	TS4	MT20	3.0	6.0	
G	TMVW+4	MT20	4.0	5.0	1.75 1.50
H	TMV+p	MT20	2.0	4.0	
J	BMVW+4	MT20	4.0	5.0	1.75 2.25
K	BMVW+4	MT20	3.0	4.0	
L	BS4	MT20	3.0	4.0	
M	BMVW+4	MT20	3.0	4.0	
N	BMVW+4	MT20	4.0	5.0	1.75 2.25

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS		FACTORED	MAXIMUM FACTORED	INPUT	REQRD
JT	GROSS REACTION	DOWN	UP	BRG	BRG
N	1742	0	1742	0	5-8
J	1742	0	1742	0	5-8

UNFACTORED REACTIONS		1ST CASE	MAX./MIN.	COMPONENT REACTIONS	WIND	DEAD	SOIL
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
N	1215	894 / 0	0 / 0	0 / 0	0 / 0	321 / 0	0 / 0
J	1215	894 / 0	0 / 0	0 / 0	0 / 0	321 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) N, J

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.68 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-N, G-J.

END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW

LOADING		TOTAL LOAD CASES: (4)		CHORDS		WEBS	
MEMB.	FORCE (LBS)	FR-TO	TO	MEMB.	FORCE (LBS)	FR-TO	TO
A-B	0 / 49	-119.4	-119.4	E-K	0 / 643	0.10	(1)
B-C	0 / 50	-119.4	-119.4	K-G	-479 / 0	0.29	(1)
C-D	-1487 / 0	-119.4	-119.4	M-E	0 / 643	0.10	(1)
D-E	-1487 / 0	-119.4	-119.4	C-M	-479 / 0	0.29	(1)
E-F	-1487 / 0	-119.4	-119.4	N-C	-1824 / 0	0.76	(1)
F-G	-1487 / 0	-119.4	-119.4	G-J	-1824 / 0	0.76	(1)
G-H	0 / 50	-119.4	-119.4				
H-I	0 / 49	-119.4	-119.4				
N-B	-422 / 0	0.0	0.0				
J-H	-422 / 0	0.0	0.0				
N-M	0 / 1316	-18.2	-18.2				
M-L	0 / 920	-18.2	-18.2				
L-K	0 / 920	-18.2	-18.2				
K-J	0 / 1316	-18.2	-18.2				

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 34.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.3 PSF
TOTAL LOAD = 48.1 PSF

SPACING = 24.0 IN. GIG

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 48.1 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 34.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL)= L/360 (0.76")
CALCULATED VERT. DEFL.(LL) = L/999 (0.06")
ALLOWABLE DEFL.(TL)= L/360 (0.76")
CALCULATED VERT. DEFL.(TL) = L/999 (0.14")

CSI: TC=0.65/1.00 (B-C:1), BC=0.34/1.00 (M-N:1), WB=0.76/1.00 (C-N:1), SS=0.27/1.00 (C-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION
(PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.90 (K) (INPUT = 0.90)
JSI METAL= 0.53 (G) (INPUT = 1.00)

MODULUS ENGINEERING LTD.


REVIEW FOR TRUSS COMPONENT ONLY
NOTE: ALTERING THIS DOCUMENT
VOIDS THE ENGINEER'S SEAL

WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED IN MODULUS ENGINEERING LTD. NOTES ME-TC001 (VER 06/2017) BEFORE USE.
Design valid for use only with Mitek connectors. This design is based only upon parameters shown, and is for individual building components. Applicability of design parameters and proper incorporation of component is responsibility of building designer - not truss designer. Bracing shown is for lateral support of individual web members only. Additional temporary bracing to ensure stability during construction is the responsibility of the erector. Additional permanent bracing of the overall structure is the responsibility of the building designer. For general guidance regarding fabrication, quality control, storage, delivery, erection and bracing, consult
TPIC Appendix G - Minimum quality Manufacturing Criteria available from www.tpica.ca and BCSI-CANADA (Building Component Safety Information) available from TPI, 781 N. Lee Street, Suite 312, Alexandria, VA 22314 or www.sbindustry.com






N. L. G. A. RULES										DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER										DESIGN CRITERIA									
CHORDS SIZE LUMBER DESCR.										BEARINGS										SPECIFIED LOADS:									
A - D 2x4 DRY No.2 SPF										FACTORED MAXIMUM FACTORED INPUT REQD										TOP CH. LL = 34.8 PSF									
D - E 2x4 DRY No.2 SPF										GROSS REACTION BRG BRG										DL = 6.0 PSF									
E - F 2x4 DRY No.2 SPF										JT VERT HORZ DOWN HORZ UPLIFT IN-SX IN-SX										BOT CH. LL = 0.0 PSF									
F - H 2x4 DRY No.2 SPF										M 1725 0 1725 0 0 5-8 1-14										DL = 7.3 PSF									
M - B 2x4 DRY No.2 SPF										I 1560 0 1560 0 0 MECHANICAL										TOTAL LOAD = 48.1 PSF									
I - H 2x4 DRY No.2 SPF										A SUITABLE HANGER/MECHANICAL CONNECTION IS REQUIRED AT JOINT I. MINIMUM BEARING LENGTH AT JOINT I = 1-11.										SPACING = 24.0 IN. C/C									
M - K 2x4 DRY No.2 SPF																				THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015									
K - I 2x4 DRY No.2 SPF																				THIS DESIGN COMPLIES WITH:									
ALL WEBS 2x4 DRY No.2 SPF																				- PART 9 OF BCBC 2018, NBC-2019AE									
EXCEPT																				- PART 9 OF OBC 2012 (2019 AMENDMENT)									
J - G 2x3 DRY No.2 SPF										UNFACTORED REACTIONS										- CSA 086-14									
C - L 2x3 DRY No.2 SPF										1ST CASE MAX./MIN. COMPONENT REACTIONS										- TPIC 2014									
M - C 2x3 DRY No.2 SPF										JT COMBINED SNOW LIVE PERM LIVE WIND DEAD SOIL										(55 % OF 48.1 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 34.8 P.S.F. SPECIFIED ROOF LIVE LOAD									
G - I 2x3 DRY No.2 SPF										M 1203 885 / 0 0 / 0 0 / 0 318 / 0 0 / 0										ALLOWABLE DEFL.(LL)= L/360 (0.76")									
DRY: SEASONED LUMBER.										I 1090 789 / 0 0 / 0 0 / 0 301 / 0 0 / 0										CALCULATED VERT. DEFL.(LL) = L/999 (0.06")									
										BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) M										ALLOWABLE DEFL.(TL)= L/360 (0.76")									
										BRACING										CALCULATED VERT. DEFL.(TL) = L/999 (0.13")									
										TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 4.71 FT.										CSI TC=0.65/1.00 (B-C:1), BC=0.34/1.00 (L-M:1),									
										MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.										WB=0.75/1.00 (C-M:1), SSI=0.27/1.00 (C-E:1)									
										ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.										DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10									
										1 LATERAL BRACE(S) AT 1/2 LENGTH OF C-M, G-I.										COMP=1.10 SHEAR=1.10 TENS=1.10									
										END VERTICAL(S) MUST BE SHEATHED OR HAVE BRACES AS INDICATED IN THE MAX. UNBRACED LENGTH COLUMN OF THE TABLE BELOW										COMPANION LIVE LOAD FACTOR = 1.00									
										LOADING										TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.									
										TOTAL LOAD CASES: (4)										NAIL VALUES									
										C H O R D S										P L A T E									
										MEMB. MAX. FACTORED FORCE (LBS)										MEMB. MAX. FACTORED FORCE (LBS)									
										VERT. LOAD (PLF)										MAX. UNBRACED LENGTH FR-TO									
										CSI (LC)										E - J 0 / 588									
										FR-TO										J - G -427 / 0									
										A - B 0 / 49										L - E 0 / 647									
										B - C 0 / 50										C - L -482 / 0									
										C - D -1464 / 0										M - C -1799 / 0									
										D - E -1464 / 0										G - I -1783 / 0									
										E - F -1435 / 0																			
										F - G -1435 / 0																			
										G - H 0 / 50																			
										M - B -422 / 0																			
										I - H -242 / 0																			
										M - L 0 / 1298																			
										L - K 0 / 900																			
										K - J 0 / 900																			
										J - I 0 / 1258																			



LUMBER				DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER				DESIGN CRITERIA			
N, L, G, A, RULES	CHORDS	SIZE	LUMBER	DESCR.	BEARINGS	FACTORED	MAXIMUM FACTORED	INPUT	REQRD	SPECIFIED LOADS:	
A - D	2x4	DRY	No.2	SPF	JT	GROSS REACTION	GROSS REACTION	BRG	BRG	TOP CH. LL	= 34.8 PSF
D - E	2x4	DRY	No.2	SPF	M	VERT	DOWN	UP	IN-SX	DL	= 6.0 PSF
E - H	2x4	DRY	No.2	SPF	I	1742	0	1742	0	BOT CH. LL	= 0.0 PSF
M - B	2x4	DRY	No.2	SPF						DL	= 7.3 PSF
I - G	2x4	DRY	No.2	SPF						TOTAL LOAD	= 48.1 PSF
M - K	2x4	DRY	No.2	SPF						SPACING = 24.0 IN. GIG	
K - I	2x4	DRY	No.2	SPF						LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM	
ALL WEBS EXCEPT	2x3	DRY	No.2	SPF						THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC2015	
DRY, SEASONED LUMBER.										THIS DESIGN COMPLIES WITH:	
										- PART 9 OF CBC2018, NBC-2019AE	
										- PART 9 OF OBC 2012 (2019 AMENDMENT)	
										- CSA 086-14	
										- TPIC 2014	
										(55 % OF 48.1 P.S.F., G.S.L. PLUS 8.4 P.S.F., RAIN LOAD) EQUALS 34.8 P.S.F., SPECIFIED ROOF LIVE LOAD	
										ALLOWABLE DEFL.(LL)= L/360 (0.76")	
										CALCULATED VERT. DEFL.(LL) = L/999 (0.05")	
										ALLOWABLE DEFL.(TL)= L/360 (0.76")	
										CALCULATED VERT. DEFL.(TL) = L/999 (0.24")	
										CSI: TC=0.46/1.00 (C-D-1), BC=0.39/1.00 (I-J-1), WB=0.84/1.00 (C-M-1), SS=0.24/1.00 (E-F-1)	
										DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10	
										COMPANION LIVE LOAD FACTOR = 1.00	
										TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.	
										NAIL VALUES	
										PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)	
										MAX MIN MAX MIN MAX MIN	
										650 371 1747 788 1987 1873	
										PLATE PLACEMENT TOL. = 0.250 inches	
										PLATE ROTATION TOL. = 5.0 Deg.	
										JSI GRIP= 0.90 (D) (INPUT = 0.90)	
										JSI METAL= 0.49 (K) (INPUT = 1.00)	

PLATES (table is in inches)				UNFACTORED REACTIONS				LOADING			
JT	TYPE	PLATES	W LEN Y X	1ST CASE	MAX./MIN.	COMPONENT REACTIONS		1ST CASE	MAX./MIN.	COMPONENT REACTIONS	
B	TMV+p	MT20	2.0 4.0	JT	COMBINED	SNOW	LIVE	JT	COMBINED	SNOW	LIVE
C	TMVW4	MT20	4.0 5.0 1.75 2.50	M	1215	894 / 0	0 / 0	M	1215	894 / 0	0 / 0
D	TTW+m	MT20	3.0 5.0 2.50 1.00	I	1215	894 / 0	0 / 0	I	1215	894 / 0	0 / 0
E	TTWV+m	MT20	5.0 5.0 2.25 1.50								
F	TMVW4	MT20	4.0 5.0 1.75 2.50								
G	TMV+p	MT20	2.0 4.0								
I	BMVW14	MT20	4.0 5.0 1.75 2.25								
J	BMVW4	MT20	3.0 4.0								
K	BS4	MT20	3.0 6.0								
L	BMVWV4	MT20	3.0 8.0								
M	BMVW14	MT20	4.0 5.0 1.75 2.25								

CHORDS				WEBS			
MEMB.	MAX. FACTORED	FORCE	VERT. LOAD	MEMB.	MAX. FACTORED	FORCE	MAX. FACTORED
(LBS)	(PLF)	(LBS)	(LBS)	(LBS)	(LBS)	(LBS)	(LBS)
FR-TO	FROM	TO	LENGTH	FR-TO	FROM	TO	LENGTH
A-B	0 / 49	-119.4	-119.4	0.16 (1)	10.00	C-L	-225 / 4
B-C	0 / 55	-119.4	-119.4	0.45 (1)	10.00	L-D	0 / 266
C-D	-1403 / 0	-119.4	-119.4	0.48 (1)	4.96	L-E	0 / 0
D-E	-1095 / 0	-119.4	-119.4	0.37 (1)	5.57	J-E	0 / 266
E-F	-1403 / 0	-119.4	-119.4	0.46 (1)	4.96	J-F	-225 / 4
F-G	0 / 55	-119.4	-119.4	0.45 (1)	10.00	M-C	-1885 / 0
G-H	0 / 49	-119.4	-119.4	0.16 (1)	10.00	F-I	-1885 / 0
M-B	-285 / 0	0.0	0.0	0.03 (1)	7.81		
I-G	-285 / 0	0.0	0.0	0.03 (1)	7.81		
M-L	0 / 1277	-18.2	-18.2	0.39 (4)	10.00		
L-K	0 / 1095	-18.2	-18.2	0.36 (4)	10.00		
K-J	0 / 1095	-18.2	-18.2	0.36 (4)	10.00		
J-I	0 / 1277	-18.2	-18.2	0.39 (1)	10.00		



Scale = 1/25,7 TOTAL WEIGHT = 2 X 50 = 99 lb

LUMBER

N, L, G, A, RULES

CHORDS	SIZE	LUMBER	DESCR.
A - C	2x4	DRY	2100F 1.8E
C - E	2x4	DRY	2100F 1.8E
H - B	2x4	DRY	No.2
F - D	2x4	DRY	No.2
H - F	2x4	DRY	No.2
ALL WEBS EXCEPT	2x3	DRY	No.2

DRY: SEASONED LUMBER.

PLATES (table is in inches)

JT	TYPE	PLATES	W	LEN	Y	X
B	TMVW4	MT20	3.0	5.0	1.50	1.75
C	TTW+p	MT20	3.0	4.0	2.25	1.50
D	TMVW4	MT20	3.0	5.0	1.50	1.75
F	BMV1+p	MT20	2.0	4.0		
G	BMVW4	MT20	4.0	6.0		
H	BMV1+p	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER

BEARINGS

FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQRD BRG
JT	VERT	DOWN	UP
H	962	0	962
F	962	0	962

UNFACTORED REACTIONS

1ST CASE	MAX. MIN. COMPONENT REACTIONS
JT	COMBINED
H	670
F	670

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) H, F

BRACING

TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 6.25 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 10.00 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

LOADING

TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	FORCE (LBS)	VERT. LOAD (PLF)	MAX. CSI (LC)	MEMB.	FORCE (LBS)	MAX. CSI (LC)	UNBRACED LENGTH FR-TO
FR-TO							
A-B	0 / 49	-119.4	-119.4	0.11 (1)	10.00	G-C	-47 / 95
B-C	-537 / 0	-119.4	-119.4	0.34 (1)	6.25	B-G	0 / 439
C-D	-537 / 0	-119.4	-119.4	0.34 (1)	6.25	G-D	0 / 439
D-E	0 / 49	-119.4	-119.4	0.11 (1)	10.00		
H-B	-922 / 0	0.0	0.0	0.10 (1)	7.81		
F-D	-922 / 0	0.0	0.0	0.10 (1)	7.81		
H-G	0 / 0	-18.2	-18.2	0.18 (4)	10.00		
G-F	0 / 0	-18.2	-18.2	0.18 (4)	10.00		

[M] [F]

DESIGN CRITERIA

SPECIFIED LOADS:

TOP CH.	LL =	34.8	PSF
	DL =	6.0	PSF
BOT CH.	LL =	0.0	PSF
	DL =	7.3	PSF
TOTAL LOAD	=	48.1	PSF

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF CBC 2018, NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 48.1 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 34.8 P.S.F. SPECIFIED ROOF LIVE LOAD

ALLOWABLE DEFL.(LL) = L/360 (0.39")

CALCULATED VERT. DEFL.(LL) = L/999 (0.01")

ALLOWABLE DEFL.(TL) = L/360 (0.39")

CALCULATED VERT. DEFL.(TL) = L/999 (0.03")

CSI TC=0.34/1.00 (C-D-1), BC=0.18/1.00 (G-H-4), WB=0.10/1.00 (B-G-1), SSI=0.22/1.00 (C-D-1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES

PLATE	GRIP (DRY)	SHEAR (PSI)	SECTION (PL)
MT20	650	371	1747

MAX MIN MAX MIN MAX MIN

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.74 (D) (INPUT = 0.90)

JSI METAL= 0.24 (D) (INPUT = 1.00)

MODULUS ENGINEERING LTD.

REVIEW FOR TRUSS COMPONENT ONLY

NOTE: ALTERING THIS DOCUMENT VOIDS THE ENGINEERS SEAL



K	240	0	240	0	0	14-10-2	14-9-88
L	439	0	439	0	0	14-10-2	14-9-88
I	240	0	240	0	0	14-10-2	14-9-88
H	439	0	439	0	0	14-10-2	14-9-88

SPACING = 240 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL

J	250	174 / 0	0 / 0	0 / 0	0 / 0	77 / 0	0 / 0	(55 % OF 48,1 P.S.F., G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 34.8 P.S.F. SPECIFIED ROOF LIVE LOAD
K	167	124 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0	
L	307	221 / 0	0 / 0	0 / 0	0 / 0	87 / 0	0 / 0	
I	167	124 / 0	0 / 0	0 / 0	0 / 0	43 / 0	0 / 0	
H	307	221 / 0	0 / 0	0 / 0	0 / 0	87 / 0	0 / 0	

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.

MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

SPACING = 24.0 IN. C/C

THIS TRUSS IS DESIGNED FOR RESIDENTIAL

OR SMALL BUILDING REQUIREMENTS OF PART
9, NBCC 2015

THIS DESIGN COMPLIES WITH:

- PART 9 OF BCBC 2018 , NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 48.1 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 34.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.13/1.00 (B-N:1), BC=0.11/1.00 (L-M:1),
WB=0.14/1.00 (D-J:1), SS=0.12/1.00 (B-N:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS= 1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT .

NAIL VALUES				
PLATE	GRIP(DRY) (PSI)		SHEAR (PLI)	SECTION (PLI)
	MAX	MIN	MAX	MIN
MT20	650	371	1747	788
			1987	1873

PLATE PLACEMENT TOL. = 0.250 inches

JSI GRIP= 0.22 (F) (INPUT = 0.90)
JSI METAL= 0.17 (F) (INPUT = 1.00)



REVIEW FOR TRUSS COMPONENT ONLY

*NOTE: ALTERING THIS DOCUMENT
VOIDS THE ENGINEERS SEAL*





WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED IN MODULUS ENGINEERING LTD. NOTES ME-TC001 (VER 06/2017) BEFORE USE.

Design valid for use only with Mitek connectors. This design is based only upon parameters shown, and is for individual building components. Applicability of design parameters and proper incorporation of component is responsibility of building designer - not truss designer. Bracing shown is for lateral support of individual web members only. Additional temporary bracing to ensure stability during construction is the responsibility of the erector. Additional permanent bracing of the overall structure is the responsibility of the building designer. For general guidance regarding fabrication, quality control, storage, delivery, erection and bracing, consult

TPI Appendix G - Minimum quality Manufacturing Criteria available from www.tpic.ca and **BCSI-CANADA (Building Component Safety Information)** available from TPI, 781 N. Lee Street, Suite 312, Alexandria, VA 22314 or www.sbcindustry.com





<u>UNFACTORED REACTIONS</u> 1ST LCASE MAX./MIN. COMPONENT REACTIONS		<u>SPACING =</u> 24.0 IN. C/C
THIS TRUSS IS DESIGNED FOR RESIDENTIAL		

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT

LOADING TOTAL LOAD CASES: (4)		CSI: TC=0,12/1,00 (B-H:1) , BC=0,11/1,00 (D-G:1) ,
--	--	---

WB=0.07/1.00 (B-D:1) SSI=0.09/1.00 (C-G:1)

| | | TRUSS MANUFACTURING PLANT. | |

A-E	-149/0	-18.2	-18.2	0.11 (1)	6.25
-----	--------	-------	-------	----------	------

E-D	-126 / 0	-18.2	-18.2	0.11 (1)	6.25	NAIL VALUES PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
D-G	-128 / 0	-18.2	-18.2	0.11 (1)	6.25	
G-C	-149 / 0	-18.2	-18.2	0.11 (1)	6.25	

[illegible]

PLATE PLACEMENT TOL. = 0.250 inches

		PLATE ROTATION TOL = 5.0 Deg.
--	--	-------------------------------

		JSI GRIP= 0,30 (B) (INPUT = 0,90)
--	--	------------------------------------

		JSI METAL= 0.10 (B) (INPUT = 1.00)
--	--	-------------------------------------

MODULUS ENGINEERING LTD.

PROFESSIONAL

ED PR... AL EN

07/05/2023		
------------	--	--

CERTIFICATE OF ADOPTION
D.A. SHERMAN

17	D. A. SHERMAN 100123373	LIB	
----	----------------------------	-----	--

1031230070

INCE OF ON

REVIEW FOR TRUSS COMPONENT ONLY

NOTE: ALTERING THIS DOCUMENT
VOIDS THE ENGINEERS SEAL

1. Identify the main idea of the passage. 2. Identify the supporting details. 3. Identify the author's purpose. 4. Identify the author's tone. 5. Identify the author's bias. 6. Identify the author's point of view. 7. Identify the author's audience. 8. Identify the author's style. 9. Identify the author's structure. 10. Identify the author's language.	1. Identify the main idea of the passage. 2. Identify the supporting details. 3. Identify the author's purpose. 4. Identify the author's tone. 5. Identify the author's bias. 6. Identify the author's point of view. 7. Identify the author's audience. 8. Identify the author's style. 9. Identify the author's structure. 10. Identify the author's language.	1. Identify the main idea of the passage. 2. Identify the supporting details. 3. Identify the author's purpose. 4. Identify the author's tone. 5. Identify the author's bias. 6. Identify the author's point of view. 7. Identify the author's audience. 8. Identify the author's style. 9. Identify the author's structure. 10. Identify the author's language.
--	--	--

WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED IN MODULUS ENGINEERING LTD. NOTES ME.TCD01 (VER 06/2017) BEFORE USE					


Design valid for use only with Mitek connectors. This design is based only upon parameters shown, and is for individual building components. Applicability of design parameters and proper incorporation of component is responsibility of building designer - not truss designer. Bracing shown is for lateral support of individual web members only. Additional temporary bracing to assure

incorporation of component is responsibility of building designer - not truss designer; bracing shown is for lateral support of individual web members only. Additional temporary bracing to ensure stability during construction is the responsibility of the erector. Additional permanent bracing of the overall structure is the responsibility of the building designer. For general guidance regarding fabrication, quality control, storage, delivery, erection and bracing, consult


TPIC Appendix G - Minimum quality Manufacturing Criteria available from www.tpic.ca and BCSI-CANADA (Building Component Safety Information) available from TPI, 781 N. Lee Street, Suite 312, Alexandria, VA 22314 or www.bcsiindustry.com

Shelley, Suite 312, Alexandria, VA 22314 or www.shelleyusa.com

--	--



LUMBER N. L. G. A. RULES CHORDS SIZE LUMBER DESCR. SPF A - B 2x4 DRY No.2 B - D 2x4 DRY No.2 D - E 2x4 DRY No.2 A - F 2x4 DRY No.2 F - E 2x4 DRY No.2 ALL WEBS 2x3 DRY No.2 DRY: SEASONED LUMBER.		DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER BEARINGS FACTORED GROSS REACTION MAXIMUM FACTORED GROSS REACTION INPUT REQD BRG BRG JT VERT HORZ DOWN HORZ UPLIFT IN-SX IN-SX A 97 0 97 0 0 15-11-10 (12-9-8) E 111 0 111 0 0 15-11-10 (12-9-8) F 630 0 630 0 0 15-11-10 (12-9-8) G 688 0 688 0 0 15-11-10 (12-9-8) H 665 0 665 0 0 15-11-10 (12-9-8) VALUE IN PARENTHESIS INDICATES EFFECTIVE BEARING LENGTH UNFACTORED REACTIONS 1ST CASE MAX/MIN COMPONENT REACTIONS JT COMBINED SNOW LIVE PERM LIVE WIND DEAD SOIL A 67 52/0 0/0 0/0 0/0 15/0 0/0 E 78 57/0 0/0 0/0 0/0 21/0 0/0 F 441 317/0 0/0 0/0 0/0 124/0 0/0 G 480 352/0 0/0 0/0 0/0 128/0 0/0 H 466 330/0 0/0 0/0 0/0 136/0 0/0 BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, E, F, G, H BRACING TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT. MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT OR RIGID CEILING DIRECTLY APPLIED. ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED. LOADING TOTAL LOAD CASES: (4) CHORDS MAX. FACTORED WEBS MAX. FACTORED MEMB. FORCE (LBS) VERT. LOAD LC1 MAX. MAX. MEMB. FORCE (LBS) MAX. MAX. (PLF) CSI (LC) UNBRAC (LBS) CSI (LC) FR-TO FROM TO LENGTH FR-TO A-J 0/260 -119.4 -119.4 0.09 (1) 10.00 F-D -535/0 0.10 (1) J-B 0/255 -119.4 -119.4 0.22 (1) 10.00 G-C -619/0 0.12 (1) B-C 0/221 -119.4 -119.4 0.38 (1) 10.00 H-B -533/0 0.10 (1) C-D 0/221 -119.4 -119.4 0.38 (1) 10.00 I-J -243/0 0.00 (1) D-L 0/261 -119.4 -119.4 0.23 (1) 10.00 K-L -214/3 0.00 (1) L-E 0/251 -119.4 -119.4 0.07 (1) 10.00 A-I -244/0 -18.2 -18.2 0.16 (1) 6.25 I-H -201/0 -18.2 -18.2 0.16 (1) 6.25 H-G -220/0 -18.2 -18.2 0.09 (1) 6.25 G-F -220/0 -18.2 -18.2 0.07 (4) 6.25 F-K -203/0 -18.2 -18.2 0.16 (1) 6.25 K-E -244/0 -18.3 -18.3 0.16 (1) 6.25		DESIGN CRITERIA SPECIFIED LOADS: TOP CH. LL = 34.8 PSF DL = 6.0 PSF BOT CH. LL = 0.0 PSF DL = 7.3 PSF TOTAL LOAD = 48.1 PSF SPACING = 24.0 IN. G/C LOADING IN FLAT SECTION BASED ON A SLOPE OF 2.00/12 MINIMUM THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBC 2015 THIS DESIGN COMPLIES WITH: - PART 9 OF BCBC 2018, NBC-2019AE - PART 9 OF OBC 2012 (2019 AMENDMENT) - CSA 086-14 - TPIC 2014 (55 % OF 48.1 P.S.F., G.S.L. PLUS 8.4 P.S.F., RAIN LOAD) EQUALS 34.8 P.S.F., SPECIFIED ROOF LIVE LOAD CSI: TC=0.38/1.00 (C-D-1), BC=0.16/1.00 (H-I-1), WB=0.12/1.00 (C-G-1), SSI=0.24/1.00 (B-C-1) DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10 COMPANION LIVE LOAD FACTOR = 1.00 TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT. NAIL VALUES PLATE GRIP (DRY) SHEAR SECTION (PSI) (PLI) (PLI) MAX MIN MAX MIN MAX MIN MT20 650 371 1747 788 1987 1873 PLATE PLACEMENT TOL. = 0.250 inches PLATE ROTATION TOL. = 5.0 Deg. JSI GRIP= 0.65 (B) (INPUT = 0.90) JSI METAL= 0.20 (F) (INPUT = 1.00)	
---	--	--	--	--	--



LUMBER		
N. L. G. A. RULES		
CHORDS	SIZE	LUMBER
A - B	2x4	DRY No.2
B - C	2x4	DRY No.2
A - C	2x4	DRY No.2
ALL WEBS	2x3	DRY No.2
DRY: SEASONED LUMBER,		

PLATES (table is in inches)						
JT	TYPE	PLATES	W	LEN	Y	X
A	TBM1+h	MT20	3.0	4.0		
B	TTW+p	MT20	3.0	5.0		
C	TBM1+h	MT20	3.0	4.0		
D	BMW1+w	MT20	2.0	4.0		

DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER						
BEARINGS						
	FACTORED GROSS REACTION	MAXIMUM FACTORED GROSS REACTION	INPUT BRG	REQRD BRG		
JT	VERT	HORZ	DOWN	HORZ	UPLIFT	IN-SX
A	62	0	62	0	0	8-8-10
C	62	0	62	0	0	8-8-10
D	1077	0	1077	0	0	8-8-10

UNFACTORED REACTIONS							
1ST LCASE				MAX./MIN. COMPONENT REACTIONS			
JT	COMBINED	SNOW	LIVE	PERM.LIVE	WIND	DEAD	SOIL
A	43	32 / 0	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0
C	43	32 / 0	0 / 0	0 / 0	0 / 0	12 / 0	0 / 0
D	753	544 / 0	0 / 0	0 / 0	0 / 0	209 / 0	0 / 0

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, C, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT. OR RIGID CEILING DIRECTLY APPLIED.
ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE Laterally RESTRAINED.

LOADING
TOTAL LOAD CASES: (4)

CHORDS				WEBS			
MEMB.	MAX. FACTORED FORCE (LBS)	FACTORED VERT. LOAD LC1 (PLF)	MAX. FACTORED FORCE (LBS)	MEMB.	MAX. FACTORED FORCE (LBS)	MAX. FACTORED FORCE (LBS)	
FR-TO		FROM TO	CSI (LC)	LENGTH FR-TO			
A-F	0 / 376	-119.4	-119.4	0.17 (1)	10.00	D-B	-853 / 0
F-B	0 / 342	-119.4	-119.4	0.28 (1)	10.00	E-F	-333 / 0
B-H	0 / 342	-119.4	-119.4	0.28 (1)	10.00	G-H	-333 / 0
H-C	0 / 376	-119.4	-119.4	0.17 (1)	10.00		
A-E	-330 / 0	-18.2	-18.2	0.21 (1)	6.25		
E-D	-273 / 0	-18.2	-18.2	0.22 (1)	6.25		
D-G	-273 / 0	-18.2	-18.2	0.22 (1)	6.25		
G-C	-330 / 0	-18.3	-18.3	0.21 (1)	6.25		

DESIGN CRITERIA

SPECIFIED LOADS:
TOP CH. LL = 34.8 PSF
DL = 6.0 PSF
BOT CH. LL = 0.0 PSF
DL = 7.3 PSF
TOTAL LOAD = 48.1 PSF

SPACING = 24.0 IN. GIG

THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015

THIS DESIGN COMPLIES WITH:
- PART 9 OF BCBC 2018, NBC-2019AE
- PART 9 OF OBC 2012 (2019 AMENDMENT)
- CSA 086-14
- TPIC 2014

(55 % OF 48.1 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 34.8 P.S.F. SPECIFIED ROOF LIVE LOAD

CSI: TC=0.28/1.00 (B-F:1), BC=0.22/1.00 (D-E:1), WB=0.18/1.00 (B-D:1), SSI=0.18/1.00 (A-E:1)

DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10
COMP=1.10 SHEAR=1.10 TENS=1.10

COMPANION LIVE LOAD FACTOR = 1.00

TRUSS PLATE MANUFACTURER IS NOT RESPONSIBLE FOR QUALITY CONTROL IN THE TRUSS MANUFACTURING PLANT.

NAIL VALUES
PLATE GRIP(DRY) SHEAR SECTION (PSI) (PLI) (PLI)
MAX MIN MAX MIN MAX MIN
MT20 650 371 1747 788 1987 1873

PLATE PLACEMENT TOL. = 0.250 inches

PLATE ROTATION TOL. = 5.0 Deg.


JSI GRIP= 0.43 (D) (INPUT = 0.90)
JSI METAL= 0.18 (D) (INPUT = 1.00)

MODULUS ENGINEERING LTD.

REVIEW FOR TRUSS COMPONENT ONLY

NOTE: ALTERING THIS DOCUMENT
VOIDS THE ENGINEERS SEAL





TOTAL WEIGHT = 131b

LUMBER				DIMENSIONS, SUPPORTS AND LOADINGS SPECIFIED BY FABRICATOR TO BE VERIFIED BY BUILDING DESIGNER				DESIGN CRITERIA			
N. L. G. A. RULES				BEARINGS				SPECIFIED LOADS:			
CHORDS	SIZE	LUMBER	DESCR.	FACTORED	MAXIMUM FACTORED	INPUT	REQRD	TOP CH. LL	=	34.8	PSF
A - B	2x4	DRY	No.2	GROSS REACTION	GROSS REACTION	BRG	BRG	DL	=	6.0	PSF
B - C	2x4	DRY	No.2	VERT	DOWN	HORIZ	UPLIFT	BOT CH. LL	=	0.0	PSF
A - C	2x4	DRY	No.2	SPF	SPF	IN-SX	IN-SX	DL	=	7.3	PSF
ALL WEBS				A	100	0	0	TOTAL LOAD	=	48.1	PSF
DRY, SEASONED LUMBER,				C	100	0	0	SPACING = 24.0 IN. G/C			
				D	506	0	0	THIS TRUSS IS DESIGNED FOR RESIDENTIAL OR SMALL BUILDING REQUIREMENTS OF PART 9, NBCC 2015			

PLATES (table is in inches)				UNFACTORED REACTIONS				THIS DESIGN COMPLIES WITH:			
JT	TYPE	PLATES	W	LEN	Y	X	1ST LCASE	- PART 9 OF CBC 2018, NBC-2019AE			
A	TBM1+h	MT20	3.0	4.0			COMBINED	- PART 9 OF OBC 2012 (2019 AMENDMENT)			
B	TMTM+W+p	MT20	3.0	4.0			SNOW	- CSA 086-14			
C	TBM1+h	MT20	3.0	4.0			LIVE	- TPIC 2014			
D	BMW1+w	MT20	2.0	4.0			PERM.LIVE	(55 % OF 48.1 P.S.F. G.S.L. PLUS 8.4 P.S.F. RAIN LOAD) EQUALS 34.8 P.S.F. SPECIFIED ROOF LIVE LOAD			
							WIND	CSI: TC=0.08/1.00 (B-F:1), BC=0.08/1.00 (A-E:1), WB=0.05/1.00 (B-D:1), SSI=0.08/1.00 (A-E:1)			
							DEAD	DOL LUMBER=1.00 NAIL=1.00 LS BEND=1.10 COMP=1.10 SHEAR=1.10 TENS=1.10			
							SOIL	COMPANION LIVE LOAD FACTOR = 1.00			

BEARING MATERIAL TO BE SPF NO.2 OR BETTER AT JOINT(S) A, C, D

BRACING
TOP CHORD TO BE SHEATHED OR MAX. PURLIN SPACING = 10.00 FT.
MAX. UNBRACED BOTTOM CHORD LENGTH = 6.25 FT. OR RIGID CEILING DIRECTLY APPLIED.

ALL PITCH BREAKS AND PERIMETER CORNER JOINTS MUST BE LATERALLY RESTRAINED.

MAX. FACTORED MEMB. FORCE (LBS)		FACTORED VERT. LOAD (PLF)		MAX CSI (LC)	MAX. UNBRAC	MEMB.	MAX. FACTORED FORCE (LBS)		MAX CSI (LC)	COMPANION LIVE LOAD FACTOR = 1.00
FR-TO	FROM	TO	LENGTH	FR-TO						
A-F	0 / 95	-119.4	-119.4	0.03 (1)	10.00	D-B	-347 / 0	0.05 (1)		
F-B	0 / 98	-119.4	-119.4	0.08 (1)	10.00	E-F	-148 / 0	0.00 (1)		
B-H	0 / 98	-119.4	-119.4	0.08 (1)	10.00	G-H	-148 / 0	0.00 (1)		
H-C	0 / 95	-119.4	-119.4	0.03 (1)	10.00					
A-E	-99 / 0	-18.2	-18.2	0.08 (1)	6.25					
E-D	-77 / 0	-18.2	-18.2	0.08 (1)	6.25					
D-G	-77 / 0	-18.2	-18.2	0.08 (1)	6.25					
G-C	-99 / 0	-18.2	-18.2	0.08 (1)	6.25					
NAIL VALUES										
PLATE GRIP(DRY) SHEAR SECTION										
(PSI) (PLI) (PLI)										
MAX MIN MAX MIN MAX MIN										
MT20 650 371 1747 788 1987 1873										

WARNING - Verify design parameters and READ NOTES ON THIS AND INCLUDED IN MODULUS ENGINEERING LTD. NOTES ME-TCD01 (VER 06/2017) BEFORE USE.
Design valid for use only with Mitek connectors. This design is based only upon parameters shown, and is for individual building components. Applicability of design parameters and proper incorporation of component is responsibility of building designer - not truss designer. Bracing shown is for lateral support of individual web members only. Additional temporary bracing to ensure stability during construction is the responsibility of the erector. Additional permanent bracing of the overall structure is the responsibility of the building designer. For general guidance regarding fabrication, quality control, storage, delivery, erection and bracing, consult
TPIC Appendix G - Minimum quality Manufacturing Criteria available from www.tpica.ca and BCSI-CANADA (Building Component Safety Information) available from TPI, 781 N. Lee Street, Suite 312, Alexandria, VA 22314 or www.sbindustry.com

MODULUS ENGINEERING LTD.

