

COLOUR SELECTION

UNIT: 203

ADDRESS: 430 Square One Drive

MODEL TYPE: 1B
KITCHEN TYPE Galley
PURCHASER: Shimona Jain

| | DESCRIPTION | | | | |
|--|--|---|--|--|--|
| TCHEN; CABINETS | DESCRIPTION UP Shorewood H3090, Flat Panel (Standard Package ABOVE) . | | | | |
| NAIN BATH: VANITY CABINETS | Shorewood H3090, Flat Panel (Slandard Package ABOVE) | | | | |
| NAIN BATH: MEDICINE CABINET* | Shorewood H3090. Flat Panel (Standard Package ABOVE) | | | | |
| MASTER ENSUITE: VANITY CABINETS | N/A | | | | |
| AASTER ENSUITE: MEDICINE CABINET* | N/A | | | | |
| | TILE | . 25.6899986 aváty | | | |
| LOCATION | DESCRIPTION | UPGRADI | | | |
| STCHEN BACKSPLASH | Colours & Dimensions, Colour: Dove Grey Brighl, Chevron 2 x 9 (Standard Package ABOVE) | | | | |
| MAIN BATH: FLOOR TILE | | | | | |
| AAIN BATH: TUB SURROUND TILE | Rhyme, Colour: Stone Chamber, 12"x 24" (Standard Package ABOVE) Colours & Dimensions, Arctir White, Block, Einkh ("V) 6" (Standard Package ABOVE) | | | | |
| MASTER ENSUITE: FLOOR TILE | Colours & Dimensions. Arctic White. Bright Finish 4"x16" (Standard Package ABOVE) | | | | |
| MASTER ENSUITE: SHOWER SURROUND TILE | N/A | | | | |
| | N/A | | | | |
| AUNDRY | Rhyme. Colout: Stone Chamber. 12" x 24" (Standard Package ABOVE) COUNTERTOPS | | | | |
| 1004900 | 4 | 0.0000000000000000000000000000000000000 | | | |
| LOCATION | DESCRIPTION | UPGRAD | | | |
| KITCHEN COUNTERTOP | Nordic Loli. 6041. Classico Line. (Standard Package ABOVE) | ļ | | | |
| KITCHEN WATERFALL* | N/A | | | | |
| KITCHEN BUILD UP | Edge 3/4" (Standard) | | | | |
| MAIN BATH COUNTERTOP | Nordic Loft, 6041, Classico Line, (Standard Package ABOVE) | ļ | | | |
| MAIN BATH BUILD UP | Edge 3/4" (Slandard) | | | | |
| MASTER ENSUITE COUNTERTOP | N/A | | | | |
| MASTER ENSUITE BUILD UP | N/A | | | | |
| | FLOORING | distribut savir Ngga savir | | | |
| LOCATION | DESCRIPTION | UPGRAD | | | |
| DINNING ROOM, DEN, BEDROOM(s)* | | i i | | | |
| DINNING ROOM, DEN, BEDROOM(\$)* | APPUANCES DESCRIPTION | UPGRAD | | | |
| | DESCRIPTION LG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JC356305MSS - 30" - Stainless Steet (Galley and L-Shape Standard) | UPGRAD | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Dishwasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) | UPGRAD | | | |
| LOCATION | DESCRIPTION UG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) | UPGRAD | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distwasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ff Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distwasher - GBT6322SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distwasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: FAUCET | DESCRIPTION UG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Pollsh Chrome (Standard) | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Dishwasher - GBT6322SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Baltroom Sink Faucet K-99760-4, Polished Chrome (Standard) | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS | DESCRIPTION UG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Balth K-199763-4. Polished Chrome (Standard) | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET | DESCRIPTION UG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distwasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Pollsh Chrome (Standard) Single Handle Balthroom Sink Faucet K-99760-4. Pollshed Chrome (Standard) Rite-Temp 2.0 GPM Balth K-199763-4. Pollshed Chrome (Standard) Elongated 1.28 GPF Toilet K-3946-RA (Standard) | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANIFY FAUCET MAIN BATH: TOILET MAIN BATH: TOILET MAIN BATH: ACCESSORIES | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Balth K-199763-4. Polished Chrome (Standard) Elongated L28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONIROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cobinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated L28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distwasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cobinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elangated L.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A N/A | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONIROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET | DESCRIPTION UG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cobinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elangated L.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A N/A | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Pollsh Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Pollshed Chrome (Standard) Rite-Temp 2.0 GPM Balth K-799763-4. Pollshed Chrome (Standard) Elongated L-28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A N/A N/A | UPGRAD | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET | DESCRIPTION UG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cobinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elangated L.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A N/A | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Pollsh Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Pollshed Chrome (Standard) Rite-Temp 2.0 GPM Balth K-799763-4. Pollshed Chrome (Standard) Elongated L-28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A N/A N/A | | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OTR LOCATION KITCHEN: SINK KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cobinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Pollsh Chrome (Standard) Single Handle Balthroom Sink Faucet K-99760-4. Pollshed Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Pollshed Chrome (Standard) Elangated L 28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Pollshed Chrome (Standard) N/A N/A N/A N/A EXTRAS | UPGRAI | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES: OIR LOCATION KITCHEN: SINK KITCHEN: SINK KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TOILET MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: SHOWER CONTROLS MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES | DESCRIPTION UG Refrigerator - LBNC1 5231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Pollsh Chrome (Standard) Single Handle Balthroom Sink Faucet K-99760-4. Pollshed Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Pollshed Chrome (Standard) Elangated 1.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Pollshed Chrome (Standard) N/A N/A N/A N/A PLATERS DESCRIPTION DESCRIPTION | UPGRAI | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES; OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS | DESCRIPTION UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Balth K-199763-4. Polished Chrome (Standard) Elongated L.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A N/A PV/A EXTRAS DESCRIPTION Fiat - 4 1/2" Baseboard / 2-3/4" Casing (Standard) | UPGRAI | | | |
| LOCATION KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER KITCHEN APPLIANCES; OIR LOCATION KITCHEN: SINK KITCHEN: FAUCET MAIN BATH: VANITY FAUCET MAIN BATH: TUB CONTROLS MAIN BATH: TOILET MAIN BATH: ACCESSORIES MASTER ENSUITE: VANITY FAUCET MASTER ENSUITE: TOILET MASTER ENSUITE: TOILET MASTER ENSUITE: ACCESSORIES LOCATION BASEBOARDS/CASINGS INTERIOR DOORS | UG Refrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steet (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steet (Galley and L-Shape Standard) GE Distrivasher - GB1632SSMSS - 24" - Stainless Steet (Galley and L-Shape Standard) Cyclone Under Hood Cabinet Range - SC-32230 - 30" - Stainless Steet (Galley and L-Shape Standard) PLUMBING AND ACCESSORIES DESCRIPTION Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Baltinoom Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Balth K-199763-4. Polished Chrome (Standard) Elongated L.28 GPF Toilet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A N/A Pid EXTRAS DESCRIPTION Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flat Stab Hollow Core (Standard) | UPGRAI | | | |

"as per plon



Purchaser's Signature: F94C5B433CCE4C5...

Purchaser's Signature:

Pg 1/3



UPGRADE SELECTION

UNIT: 203

ADDRESS: 430 Square One Drive

MODEL TYPE: 1B
KITCHEN TYPE Galley
PURCHASER: Shimona Jain

| UPGRADES | | 4200 | Baryon 2488 |
|--|---------------------------|------|-------------|
| | SUBTOTAL: | \$ | • |
| | HST | \$ | - |
| The following are the ferms for the payment of the above extras: | DÉCOR CREDIT: | | |
| 1. Cheque payable to Akd & Beills LLP in Yord OR via Credit Card Payment | FOTAL: | \$ | • |
| 2. Full payment via Visa. Mastercard, or Cheque(s) for upgrades below five Thousand five Thousand (\$5000.00) | DEPÓSIT | \$ | - |
| 3. Twenty Percent (25%) Deposit via Visa, Mastercard or Cheque(s) for upgrades above five Thousand (\$5000.01) with the remaining balance due on Occupancy | BALANCE DUE ON OCCUPANCY: | s | |

Purchaser(s) is responsible for verifying the accuracy of the information contained within this Upgrade Agreement

Purchaser has been advised of available Upgrades offered by the Builder, and has declined any additional upgrades. Purchaser acknowledges and accepts that any further request for Upgrades at a later date may not be possible due to construction scheduling and shall remain subject to Vendor's complete discretion. All requests for Upgrades from and after the date hereof, if accepted and approved by the Vendor, shall be subject to an administration fee.. The Builder reserves the right in its sole and unfettered discretion at any time, whether before or after acceptance of a request to Upgrade, to decline to accommodate any requested Upgrade, Purchaser also acknowledges and accepts that all Upgrades charges are subject to increase based on availability and/or time of order. All Upgrade and/or change requests are find and binding on the Purchaser once approved and accepted by the Builder. No credit is available for any deterion of selected Upgrade or change request, once approved by the Builder. Payment of deposit is to be made at time of order by way of either valid credit card from acciden or personal cheque made payable to Aird & Berils LLP in Trust. All Upgrade deposits will be held in trust with Builder's solicitor pending completion, permitted release to the Builder or termination of the transaction as contemplated by the Agreement of Purchase and Sale.







TERMS AND CONDITIONS

UNIT: 203

ADDRESS: 430 Square One Drive PURCHASER: Shimona Jain

The Purchaser acknowledges and agrees that the Vendor's obligation to install the chosen finishing selections is conditional and subject to the following terms and conditions.

1. Enishing choices are from Vendor's samples. Colour, texture, appearance, grain, etc. of all installed materials may vary from Vendor's samples due to manufacturing, natural variations in colour, product and installation process. The Purchaser acknowledges that the Vendor accepts no responsibility in the event that a chosen selection becomes subsequently unavailable for any reason whatsoever. If the Vendor is unable or unwilling to supply any of the Purchaser's selections, the Purchaser will, at the request of the Vendor, choose an alternate selection from the Vendor's samples within five (5) business days of being notified by the Vendor to do so. If the Purchaser does not re-select within five (5) business days, the Vendor will make such selections, which selections shall be final and binding on the Purchaser.

2. Where the Purchaser has made Upgrade selections or requested changes that are subject to additional charge, and provided the Vendor or its Sales Representative has notified the Purchaser of its agreement to complete same and the cost(s) for such Upgrade or change request, the Purchaser shall pay the total amount owing by certified cheque to the Vendor within seven (7) business days from being so notified. All cheques are to be made payable to Aird & Berlis LLP, in Trust, Failure to pay the Upgrade or change request fees within the permitted time shall constitute a default under the Agreement of Purchase and Sale and, in such event, the Vendor may, at its option and without further notice, complete the unit to its original specifications.

3. The value of any credit(s) issued to the Purchaser far incomplete or deleted items, where applicable, shall be calculated by the Vendor in its sole and unfettered discretion and shall be non-negotiable. Credit(s), where applicable, shall be adjusted on the final closing Statement of Adjustments.

4.The Purchaser acknowledges and agrees that there shall be no change, alteration or deletion from this finishing selections sheet after acceptance by the Vendor.

5.thany Upgrade or item of finishing remains incomplete in whole or in part on the Occupancy Date, the Purchaser shall accept, without holdback, the Vendor's undertaking to complete such upgrade or item of finishing as soon as possible following occupancy closing. In the event the Vendor elects not to provide or install any selected upgrade or item of finishing that is at additional cost, the Vendor shall refund to the Purchaser by way of an adjustment on the final Statement of Adjustments that portion of the amount paid by the Purchaser allocated to the particular Upgrade or item of finishing not provided. The value of such adjustment to be determined by the Vendor in its sole and unfettered discretion. The said adjustment shall be accepted by the Purchaser as full and final settlement of any claim the Purchaser may have with respect to the said Upgrade or item of finishing and the Purchaser shall complete the closing [whether occupancy or final] without delay, condition or holdback.

6.In the event the purchase and sale transaction is not completed for any reason, the Vendor shall be entitled to retain the full payment for any Upgrade or change request. All sums so paid are acknowledged by the purchaser to be non-refundable.

ALL OTHER TERMS AND CONDITIONS OF THE AGREEMENT OF PURCHASE AND SALE TO REMAIN THE SAME AND CONTINUE IN FULL FORCE AND EFFECT, AND TIME REMAINS OF THE ESSENCE

| | Mississauga DATED of | 1/24/2022 this | 1/24/2022 of | . 2022 |
|-------------------|---|-----------------------------------|-----------------------|--------|
| Witness Signature | bocusigned by: katic terull 603EF72B63F842A | Purchaser Signature: | sPurchaser Signature: | |
| | | | | |
| | | THE UNDERSIGNED hereby accepts to | his offer. | |
| | DATED at | this | or_Februar | , 2022 |
| | | AMACON DEVELOPMENT (CITY CENTR | RE) CORP. | |
| | | PER: | | |