

## **COLOUR SELECTION**

UNIT: 407
ADDRESS: 430 Square One Drive

MODEL TYPE: 1B + D
KITCHEN TYPE Galley

PURCHASER: ALEN VUKOBRAD

LOCATION	DECORPTION	Times
	DESCRIPTION	UPGRADE
(ITCHEN: CABINETS	Shorewood H3090. Flat Panel (Slandard Package ABOVE)	
MAIN BATH: VANITY CABINETS	Shorewood H3090, Flot Panel (Standard Package ABOVE)	
MAIN BATH: MEDICINE CABINET*	Shorewood H3070. Flal Panel (Standard Package ABOVE)	
MASTER ENSUITE: VANITY CABINETS	N/A	
MASTER ENSUITE: MEDICINE CABINET*	N/A	<u> </u>
	THE STATE OF THE S	
LOCATION	DESCRIPTION	UPGRADE
KITCHEN BACKSPLASH	Colours & Dimensions. Colour: Dove Grey Bright. Chevron 2 x 9 (Standard Package ABOVE)	<b></b>
MAIN BATH: FLOOR TILE	Rhyme. Colour, Stone Chamber, 12" x 24" (Standard Package ABOVE)	
MAIN BATH: TUB SURROUND TILE	Colours & Dimensions. Arctic White, Bright Finish 4'x16" (Standard Package ABOVE)	
MASTER ENSUITE: FLOOR TILE	N/A	
MASTER ENSUITE: SHOWER SURROUND TILE	N/A	
LAUNDRY	Rhyme. Colour: Slone Chamber. 12" x 24" (Standard Package ABOVE)	
	COUNTERTOPS	haestera (i
LOCATION	DESCRIPTION	UPGRADE
KITCHEN COUNTERTOP	Nordic Loft, 6041, Classico Line, (Standard Package ABOVE)	
KITCHEN WATERFALL*	N/A	
KITCHEN BUILD UP	Edge 3/4" (5landard)	
MAIN BATH COUNTERTOP	Nordic Loft, 6041, Classica Line, (Standard Package ABOVF)	
MAIN BATH BUILD UP	Edge 3/4" (Standard)	
MASTER ENSUITE COUNTERTOP	N/A	T
MASTER ENSUITE BUILD UP	N/A	
	FLOORING	and Section
LOCATION	DESCRIPTION	UPGRAD
ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(s)*	Solo Laminate 7". Urban Grey (Standard Package ABOVE)	
	APPUANCES	1
	APPLIANCES  DESCRIPTION	UPGRAD
		UPGRAD
LOCATION	DESCRIPTION  LG Reinigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Slove - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Standard)	UPGRAD
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER	DESCRIPTION  LG Retrigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refrigerator - Stainless Steel (Galley and L-Shape Standard) GE Stove - JCSS630SMSS - 30" - Stainless Steel (Galley and L-Shape Standard)	UPGRAD
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:	DESCRIPTION  LG Rehigerator - LBNC1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Refigerator - Stainless Steel (Galley and L-Shape Standard) GE Slove - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and t-Shape Standard)	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION	DESCRIPTION  LG Reinigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK	DESCRIPTION  LG Rehigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Refigerator - Stainless Steel (Gatley and L-Shape Standard) GE Slove - JCSS430SMSS - 30" - Stainless Steel (Gatley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Gatley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Gatley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series. 30" UDF-28181018. (Standard Gatley and L-Shape)	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: FAUCET	DESCRIPTION  LG Reinigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard)	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET	DESCRIPTION  LG Reinigerator - LBNC15231 V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMS5 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bathroam Sink Faucet K-99760-4, Polished Chrome (Standard)	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS	DESCRIPTION  LG Rehigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Rehigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4, Polished Chrome (Standard)	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TOILET	DESCRIPTION  LG Rehigerator - LBNC15231V - 28" - 14.7 cu.ft Bottom Freezer Depth Rehigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMS5 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4, Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard)	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES	DESCRIPTION  LG Rehigerator - LBNC15231 V - 28" - 14.7 cu.ft Bottom Freezer Depth Rehigerator - Stainless Steel (Galley and L-Shape Standard) GE Stave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMS5 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4, Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder, Polished Chrome (Standard)	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET	DESCRIPTION  LG Reinigerator - LBNC15231 V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMS5 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series. 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome (Standard) N/A	UPGRAD
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: SHOWER CONTROLS	DESCRIPTION  LG Rehigerator - LBNC15231 V - 28" - 14.7 cu.ft Bottom Freezer Depth Rehigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMS5 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4, Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder, Polished Chrome (Standard) N/A N/A	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: SHOWER CONTROLS  MASTER ENSUITE: SHOWER CONTROLS  MASTER ENSUITE: TOILET	DESCRIPTION  LG Reinigerator - LBNC 1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMS5 - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4, Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder, Polished Chrome (Standard) N/A N/A	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: SHOWER CONTROLS	DESCRIPTION  LG Rehigerator - LBNC15231 V - 28" - 14.7 cu.ft Bottom Freezer Depth Rehigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4, Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder, Polished Chrome (Standard) N/A N/A N/A N/A	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TÜB CONTROLS  MAIN BATH: TÖLLET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: TÖLLET  MASTER ENSUITE: TÖLLET  MASTER ENSUITE: TÖLLET  MASTER ENSUITE: ACCESSORIES	DESCRIPTION  LG Reinigerator - LBNC 1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Stave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series . 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-9760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-197763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A  EXTRAS	UPGRAD
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: TOILET  MASTER ENSUITE: ACCESSORIES  LOCATION	DESCRIPTION  LG Reinigerator - LBNC 1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Slave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series . 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-9760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-197763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A  DESCRIPTION  DESCRIPTION	
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TOILET  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: TOILET  MASTER ENSUITE: ACCESSORIES  MASTER ENSUITE: ACCESSORIES  LOCATION  BASSEBOARDS/CASINGS	DESCRIPTION  LG Reinigerator - LBNC 1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Stave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series . 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-9760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A  PEXTRAS  DESCRIPTION  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)	UPGRAD
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: TOILET  MASTER ENSUITE: ACCESSORIES  LOCATION  BASEBOARDS/CASINGS  INTERIOR DOORS	DESCRIPTION  LG Reinigerator - LBNC 1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Stave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series . 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-9760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-197763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A N/A  PEXTRAS  DESCRIPTION  Flot - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flot Stab Hollow Core (Standard)	UPGRAD
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TOILET  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: TOILET  MASTER ENSUITE: ACCESSORIES  MASTER ENSUITE: ACCESSORIES  LOCATION  BASSEBOARDS/CASINGS	LG Rehigerator - LBNC 1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Rehigerator - Stainless Steel (Galley and L-Shape Standard) GE Stave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series, 30" UDF-28181018, (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596, Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-99760-4, Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-199763-4, Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Toilet Paper Holder, Polished Chrome (Standard) N/A N/A N/A N/A N/A N/A N/A PEXTRAS  DESCRIPTION  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flat Stab Hollow Core (Standard) 2000 Series Latchset LH201R Lagan, Flat, Satin Nickle (Standard)	UPGRAD
LOCATION  KITCHEN APPLIANCES: FRIDGE - OVEN - DISHWASHER  KITCHEN APPLIANCES HOOD FAN:  LOCATION  KITCHEN: SINK  KITCHEN: SINK  KITCHEN: FAUCET  MAIN BATH: VANITY FAUCET  MAIN BATH: TUB CONTROLS  MAIN BATH: TOILET  MAIN BATH: ACCESSORIES  MASTER ENSUITE: VANITY FAUCET  MASTER ENSUITE: TOILET  MASTER ENSUITE: ACCESSORIES  LOCATION  BASEBOARDS/CASINGS  INTERIOR DOORS	DESCRIPTION  LG Reinigerator - LBNC 1523 I V - 28" - 14.7 cu.ft Bottom Freezer Depth Reinigerator - Stainless Steel (Galley and L-Shape Standard) GE Stave - JCSS430SMSS - 30" - Stainless Steel (Galley and L-Shape Standard) GE Dishwasher - GBT6325SMSS - 24" - Stainless Steel (Galley and L-Shape Standard) Cyclone Hood Fan - SC-32230 - 30" - Stainless Steel (Galley and L-Shape Standard)  PLUMBING AND ACCESSORIES  DESCRIPTION  Undermount Series . 30" UDF-28181018. (Standard Galley and L-Shape) Pull down Kitchen Sink Faucet K-596. Polish Chrome (Standard) Single Handle Bothroam Sink Faucet K-9760-4. Polished Chrome (Standard) Rite-Temp 2.0 GPM Bath K-197763-4. Polished Chrome (Standard) Elongated 1.28 GPF Tollet K-3946-RA (Standard) Infinity Series 24" Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard) N/A N/A N/A N/A N/A  PEXTRAS  DESCRIPTION  Flot - 4 1/2" Baseboard / 2-3/4" Casing (Standard) Flot Stab Hollow Core (Standard)	UPGRAD

Pg 1/3



## **UPGRADE SELECTION**

UNIT: 407
ADDRESS: 430 Square One Drive
MODEL TYPE: 1B + D
KITCHEN TYPE Galley
PURCHASER: ALEN VUKOBRAD

UPGRADES					
	JATOTBUZ	1	-		
	HS	\$	-		
The following are the teams for the payment of the above extras:	DÉCOR CREDIT	:	,,,		
1. Cheque payable to Alid & Berlis ILP in Trust OR via Credit Card Payment	IATOT	: \$	*		
2. Full payment via Visa, Mastercard, or Cheque(s) for upgrades below five Thousand five Thousand (\$5000.00)	DEPOSI	T \$			
3. Twenty Percent (25%) Deposit via Visa, Mastarcard or Cheque(s) for upgrades above five Thousand (\$5000.01) with the remaining bolance due on Occupancy  BALANCE D	DUE ON OCCUPANCY	: \$	,		

Purchaser(s) is responsible for verifying the accuracy of the information contained within this Upgrade Agreement

Purchaser has been advised of available Upgrades offered by the Builder, and has declined any additional upgrades. Purchaser acknowledges and accepts that any further request for Upgrades at a later date may not be possible due to construction scheduling and shall remain subject to Vendor's complete discretion. All requests for Upgrades from and after the date hereof, if accepted and approved by the Vendor, shall be subject to an administration fee. The Builder reserves the right in its sole and unfettered discretion at any time, whether before or after acceptance of a request to Upgrade, to decline to accommodate any requested Upgrade. Purchaser also acknowledges and accepts that all Upgrades charges are subject to increase based on availability and/or lime of order. All Upgrade and/or change requests one final and binding on the Purchaser once approved by the Builder. No credit is available for any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected Upgrade or change request, once approved by the Builder. Por any deletion of selected upgrade or change request, once approved by the Builder. Por any deletion of selected upgrade or change request, once approved by the Builder or termination of the t

Vendor:

Purchaser's Signature:

Purchaser's Signature:

Pg 2/3



## **TERMS AND CONDITIONS**

UNIT: 407

ADDRESS: 430 Square One Drive PURCHASER: ALEN VUKOBRAD

The Purchaser acknowledges and agrees that the Vendar's obligation to install the chosen finishing selections is conditional and subject to the following terms and conditions.

1. Finishing choices are from Vendor's samples. Colour, texture, appearance, grain, etc. of all installed materials may vary from Vendor's samples due to manufacturing, natural variations in colour, product and installation process. The Purchaser acknowledges that the Vendor accepts no responsibility in the event that a chosen selection becomes subsequently unavailable for any reason whatsoever. If the Vendor is unable or unwilling to supply any of the Purchaser's selections, the Purchaser will, at the request of the Vendor, choose an alternate selection from the Vendor's samples within five (5) business days of being notified by the Vendor to do so. If the Purchaser does not re-select within five (5) business days, the Vendor will make such selections, which selections shall be final and binding on the Purchaser.

2. Where the Purchaser has made Upgrade selections or requested changes that are subject to additional charge, and provided the Vendor or its Sales Representative has notified the Purchaser of its agreement to complete same and the cost(s) for such Upgrade or change request, the Purchaser shall pay the total amount owing by certified cheque to the Vendor within seven (7) business days from being so notified. All cheques are to be made payable to Aird & Berlis LLP, in Trust, Foilure to pay the Upgrade or change request fees within the permitted time shall constitute a default under the Agreement of Purchase and Sale and, in such event, the Vendor may, at its option and without further notice, complete the unit to its original specifications.

3.The value of any credit(s) issued to the Purchaser far incomplete or deleted items, where applicable, shall be calculated by the Vendor in its sole and unfettered discretion and shall be non-negotiable. Credit(s), where applicable, shall be adjusted on the final closing Statement of Adjustments.

4. The Purchaser acknowledges and agrees that there shall be no change, alteration or deletion from this finishing selections sheet after acceptance by the Vendor,

5.If any Upgrade or item of finishing remains incomplete in whole or in part on the Occupancy Date, the Purchaser shall accept, without holdback, the Vendor's undertaking to complete such upgrade or item of finishing as soon as possible following occupancy closing. In the event the Vendor elects not to provide or install any selected upgrade or item of finishing that is at additional cost, the Vendor shall refund to the Purchaser by way of an adjustment on the final Statement of Adjustments that portion of the amount paid by the Purchaser allocated to the particular Upgrade or item of finishing not provided. The value of such adjustment to be determined by the Vendor in its sole and unfettered discretion. The sold adjustment shall be accepted by the Purchaser as fulf and final settlement of any claim the Purchaser may have with respect to the sold Upgrade or item of finishing and the Purchaser shall complete the closing (whether occupancy or final) without detay, condition or holdback.

6.In the event the purchase and sale transaction is not completed for any reason, the Vendor shall be entitled to retain the full payment for any Upgrade or change request. All sums so paid are acknowledged by the purchaser to be non-refundable.

ALL OTHER TERMS AND CONDITIONS OF THE AGREEMENT OF PURCHASE AND SALE TO REMAIN THE SAME AND CONTINUE IN FULL FORCE AND EFFECT, AND TIME REMAINS OF THE

DATED at Mississingly this 25 of January 2022

Witness Signature: A M. Purchaser Signature:

THE UNDERSIGNED hereby accepts this offer.

ATED at TOWN this 4

AMACON DEVELOPMENT (CITY CENTRE) CORP

have the authority to bind the corporation