

## COLOUR SELECTION

UNIT: 3704
ADDRESS: 4130 Parkside Village Drive
MODEL TYPE: 2B
KITCHEN TYPE Galley
PURCHASER: Mohammad E Islam and Farhana Islam

DECEMPON			
Columbris	LOCATION		GRADE
State   Stat	KITCHEN: CABINETS	Shorewood H3090, Flat Ponel (Standard Package ABOVE)	
NON  INTERMINATION  Carbon & Distriction  Ca	MAIN BATH: VANITY CABINETS	Shoxewood H3370, Holi Panel (Standard Package ABOVE)  NJA	
Declaration   Public Standard Recitage, AROVE	MASTER ENSUITE: VANITY CADINETS	Shorewood H3090. Flat Panel (Slandard Package ABOVE)	
Intel	MASTER ENSUITE: MEDICINE CABINET*	Sharewood H3090. Flat Panel (Standard Package ABOVE)	L
IOCANON   Const. & Discussion. Colours Days Early Bolyd. Cheward & S. Sicussian Practicage AstOVIII			
Columbia	LOCATION		GRADE
Payme, Colone, Stone Chamber, 12° x 2° (Stondood Pecdage ABOVR)	KITCHEN BACKSPLASH	Colours & Dimensions, Colour: Dave Grey Bright, Chevron 2x9 (Slandard Package ABOVE)	
Cooling & Contempore A right Write Might Right A 16' (Stinnidad Mockage ABOVE)	MAIN BATH: FLOOR TILE	Rhyme. Colour. Stone Chamber. 12" x 24" (Standard Package ABOVE)	:
Birtyme, Colour Silter Octomber, 17; 24° (Simple ADOVE)	MAIN BATH: TUB SURROUND TILE	Colours & Dimensions. Arcite White. Bright Finish 4"x16" (Standard Package A3OVE)	
Cocion & Dimension, Acide Write, sight Fight Acide (Standard Poccage ASOVE)  Reyms Colonistore Chrimenion (17 x 45 fill Standard Poccage ASOVE)  Reyms Colonistore Chrimenion (17 x 45 fill Standard Poccage ASOVE)  Redge 3/4 (Standard)  Redge 3	MASTER ENSUITE: FLOOR TILE	Rhyme, Colour: Stane Chamber, 12"x 24" (Standard Package ABOVE)	
NOCATION   Property   27 x 24 (Spinichoel Accopte ABOVE)	MASTER ENSUITE: SHOWER SURROUND TILE	Colours & Dimensions, Arctic While, Bright Finish 4"x16" (Standard Package ABOVE)	¥
MOCATION	LAUNDRY	Rhyme. Colour: Stane Chamber. 12" x 24" (Standard Package ABOVE)	
IOCANION         DESCRIPTION         IV           Nords: Lot II, CEAL I. Classico Van, (Standard Pociciogo ABOVE)         IV           Permission Van, (Standard Pociciogo ABOVE)         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria         Inchina Van Alexandria         Inchina Van Alexandria           DP         Inchina Van Alexandria			380
Nordic Loff, ACA1, Classico Une,  Standard Pockage ABOVE	LOCATION	The second secon	GRADE
NOP ROPERTY OF The Control of Processor ADVER    Column	KITCHEN COUNTERTOP	Nordic Loil, 6041, Classico Line, (Skandard Package ABOVE)	
Redge Str   Standard	KITCHEN WATERFALL	N/A	
Rocation   Red   Record   Re	KITCHEN BUILD UP	Edge 3/4" (Standard)	
Edge 3/4" (Standard)  Edge 3/4" (Standard)  FIOORING  DESCRIPTION  Solo Laminate 7: Utbon Grey (Standard Package ABOVE)  APPLIANCES  APPLIANCES  APPLIANCES  DESCRIPTION  IG Refriganator LBNC1523) V - 28" - 1.4" c.u.lt Bottom Freeze Path Headquester - Standard)  GE Dehrwcher - CRISC3SMS3 - 27" - Standard Package ABOVE)  GE Dehrwcher - CRISC3SMS3 - 27" - Standard Package ABOVE)  FILMBRIG AND ACCESSONES  DESCRIPTION  In Commount Standard - 28" - 12" - 1.4" c.u.lt Bottom Freeze Path Headquester - Standard - Standard - CRISC3SMS3 - 27" - Standard - Standard - Standard - Standard - CRISC3SMS3 - 27" - Standard - Standard - Standard - Standard - CRISC3SMS3 - 27" - Standard - Standard - Standard - CRISC3SMS3 - 27" - Standard - Standard - CRISC3SMS3 - 28" - Standard - Standard - Standard - CRISC3SMS3 - 28" - Standard - CRISC3SMS3 - Standard - CRISC3SMS3 - 28" - Standard - CRISC3SMS3 - CRISC3SMS3 - Standard - CRISC3SMS3 -	MAIN BATH COUNTERTOP	Nordic Loll. 6041. Classica Line. (Standard Package ABOVE)	
Redge 3/# (Standard)   RIOORING   DESCRIPTION   Up	MAIN BATH BUILD UP	Edge 2/4" (Standard)	
APPLIANCES  DESCRIPTION  LG Reifigerator - LBNC15231V - 28" - 1 A7 cut ill Boltom Finester Dought Reifigerator - Stankes Stord (Callery and L-Shapes Standard) CE Store - LCSSSSSNS - 30" - Stankes Steel (Callery and L-Shapes Standard) CE Dishwarber - GE163225NS - 30" - Stankes Steel (Callery and L-Shapes Standard) CE Dishwarber - GE163225NS - 30" - Stankes Steel (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - CE JWA21625NS - 30" (Callery and L-Shapes Standard) CE Reificerator - CR - C	MASTER ENSUITE BUILD UP	Notation (Int. A)41. Classico Inte. (stational rockoge ASOVE) Edge 3/4" (Standard)	Annual Control of the
APPLIANCES  APPLIANCES  DESCRIPTION  LIG Reingrander - LENCI 5231 V - 28" - 1.1.7 cut.ll Bottom Frenze Depth Reingrander - Standard)  GE Bohres - CSXSGSMSS - 39" - Standard Standard Standard Standard)  GE Bohres - CSXSGSMSS - 39" - Standard Standard Standard Standard)  GE Bohres - CSXSGSMSS - 39" - Standard			
APPLIANCES  APPLIANCES  DESCRIPTION  U.G. Beingwarder - LIBNC15531V - 28" - 14.7 c.u.l.l betterm finesze hospit Reinfoardor - Stanless Steel (Calley and LiShape Standard) GE Stove - LCSS6305NSS - 30" - Stanless Steel (Calley and LiShape Standard) GE Stove - LCSS6305NSS - 30" - Stanless Steel (Calley and LiShape Standard) GE Microwove Off - GE LYVIA/1653NSS - 30" - Calles y and LiShape Standard) GE Microwove Off - GE LYVIA/1653NSS - 30" - Calles y and LiShape Ligandes Pull Manny Michael Standard AND ACCESSORIES  DESCRIPTION  Undomount Series, 30" UDF-28181018, (Standard Golley and LiShape Ligandes) Pull down Michael Standard Nr. Fouciet K-97769-4. Polish Chrome (Standard)  Stande Handle Bathroom Shr. Fouciet K-97769-4. Polished Chrome (Standard)  Elongaled 1.28 GPF Tollet K-3945A-R. Albindard Chrome (Standard)  Stande Handle Bathroom Shr. Fouciet K-97769-4. Polished Chrome (Standard)  Stande Handle Bathroom Shr. Fouciet K-97769-4. Polished Chrome (Standard)  Stande Handle Bathroom Shr. Fouciet K-97769-4. Polished Chrome (Standard)  Stande Handle Bathroom Shr. Fouciet K-97769-4. Polished Chrome (Standard)  Stande Handle Bathroom Shr. Fouciet K-97769-4. Polished Chrome (Standard)  Standard Standard)  Standard Standard Standard Chrome (Standard)  Finity Series 24" Towel Bat G2-98424 and Toleit Paper Holder, Polished Chrome (Standard)  Finity Series 24" Towel Bat G2-98424 and Toleit Paper Holder, Polished Chrome (Standard)  Finity Series 24" Towel Bat G2-98424 and Toleit Paper Holder, Polished Chrome (Standard)  Finity Series 24" Towel Bat G2-98424 and Toleit Paper Holder, Polished Chrome (Standard)  Finity Series (Calley Standard)  Finity Series (Calley Stand	LOCATION		PGRADE
APPLIANCES  DESCRIPTION  I.G. Berlingwollor - I.B.N.C.I. 2623 IV - 28" - 1.4 7 o.J.II. Boltom Reage Doshih Redisperior - Stanless Steel (Galley and L.Shape Standard) GE Storier - J.C.S.K.2636N.S. 30" - Stanless Steel (Galley and L.Shape Standard) GE Storier - J.C.S.K.2636N.S. 30" - Stanless Steel (Galley and L.Shape Standard) GE Microwave O'TR - GE J.N.A.2 1625N.S 30" (Galley and L.Shape Standard) GE Microwave O'TR - GE J.N.A.2 1625N.S 30" (Galley and L.Shape Standard) Indomnount Stafes. 30" UDF-28181018, (Standard Galley and L.Shape Upgrade)  Pull down Allahen SNK Faucet K.594. ARIS ACCESSONIES DESCRIPTION  Undown Allahen SNK Faucet K.594. ARIS ACCESSONIES DESCRIPTION  Undown Allahen SNK Faucet K.594. ARIS ARIS ARIS ARIS ARIS ARIS ARIS ARIS	ENTRY, KITCHEN, HALLWAY, LIVING ROOM, DINNING ROOM, DEN, BEDROOM(s)*	Solo Laminale 7'. Urban Grey (Slandard Package ABOVE)	
DESCRIPTION  I.G. Reinigerator - LINC (1523) V - 28" - 1.4" a.u.ll Boltom Pressur Papith Reinigerator - Stanless Sheel (Galley and LiShape Shandard) GE Dehrwacher - C8163253MS - 29" - Stanless Seel (Galley and LiShape Shandard) GE Microwave O'R - GE I/M/X1625MS - 29" - Stanless Seel (Galley and LiShape Shandard)  Put Geometry CR - GE I/M/X1625MS - 29" (Galley and LiShape Shandard)  Put down Kitchen Sink Faucet K-978-04. Polishod Chrome (Standard) Shape Handle Bahtroom Sink Faucet K-978-04. Polishod Chrome (Standard)  Infinity Series 21" (Towne Berr 02.0 GPM Baht K-1997-05-44. Ristandard)  Infinity Series 22" (Towne Berr 02.0 GPM Baht K-1997-05-44. Ristandard)  Infinity Series 22" (Towne Berr 02.0 GPM Baht K-1997-05-44. Polished Chrome (Standard)  Infinity Series 22" (Towne Berr 02.0 GPM Series CPT-01-01-01-01-01-01-01-01-01-01-01-01-01-			
GE Nove - LCNC 15331 V - 28" - 1.47 c.u.ll Bollom Presear Depth Redispettor - Stanless Steel (Galley and L-Shape Standard) GE Dishwo-Sher - GB163253MS - 24" - Stanless Steel (Galley and L-Shape Standard) GE Dishwo-Sher - GB163253MS - 24" - Stanless Steel (Galley and L-Shape Standard) GE Microwave O'R. GE 19W21625MS - 37" (Galley and L-Shape Standard) Pull down standard	LOCATION		GRADE
PLIMBING AND ACCESSORIES  PRIMBING AND ACCESSORIES  PRIMBING AND ACCESSORIES  DESCRIPTION  Undamount Series. 30" UDF-28:18:018. (Standard Galley and L-Shape)  Pull down Kitchen Sink Foucet K-978.0-4. Polished Chrame (Standard)  Single Handle Bathroom Sink Foucet K-97780-4. Polished Chrame (Standard)  Elongated 1.28 GPF Tallet K-374.6-RA (Standard)  Elongated 1.28 GPF Tallet K-374.6-RA (Standard)  Infinity Series 24" Towel Bar 02:08424 and Tallet Paper Holder, Polished Chrame (Standard)  Elongated 1.28 GPF Tallet K-374.6-RA (Standard)  Rillet-Iemp 2.0 GPM Shower Tirm K-19754-4. Polished Chrame (Standard)  Elongated 1.28 GPF Tallet K-374.6-RA (Standard)  Elongated 1.28 GPF Tallet K-374.6-RA (Standard)  ENTRAS:  DESCRIPTION  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2"	KITCHEN APPLIANCES; FRIDGE - OVEN - DISHWASHER	LG Reingeralor - LBNC 15231 V - 28" - 14.7 cu.II Bottom Freezer Depth Reingerator - Stainless Steel (Galley and L-Shape Slandard) GE Stove - JCSS630SNSS - 30" - Stainless Steel (Galley and L-Shape Slandard) GE Dishwasher - GBT632SSMSS - 24" - Stainless Steel (Galley and L-Shape Slandard)	
OCATION  PUIMBING AND ACCESSORIES  DESCRIPTION  Undormoun's Series, 30" UDF-28 181018, (Slandard Golley and U-Shape)  Pull down Nilatens Sink Faucet K-594, Polsts Chrome (Slandard)  Single Handle Bathroom Sink Faucet K-59780-4, Polsts ochrome (Slandard)  Single Handle Bathroom Sink Faucet K-59780-4, Polsts ochrome (Slandard)  Rille-Tenno 2.0 GPM Bath K-199783-4, Polsts ochrome (Slandard)  Elongated 1.28 GPF Tollet K-3948-RA (Slandard)  ENTRAS  DESCRIPTION  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  Fibit - 4 1/2" Baseboard / 2-31/4" Casing (Slandard)  White finith, Fabric - 39% Sun Secent - C-12-04-04-04-04-04-04-04-04-04-04-04-04-04-	KITCHEN APPLIANCES: HOOD FAN	GE Microwave OTR - GE JVM2162SMSS - 30" (Galley and L-Shape Upgrade)	YES
Undarmount Series, 30" UDF-28181018, (Slandard Golley and LShape)  Pull down Kilchen Sink Foucet K-594, Polish Chrome (Standard)  Single Handle Bathroom Sink Foucet K-594, Polished Chrome (Standard)  Single Handle Bathroom Sink Foucet K-59780-4, Polished Chrome (Standard)  Elongarded 1,28 GPF Tollet K-3946-RA (Standard)  Infinity Series 24" Towel Batr 02-D8424 and Tollet Paper Holder, Polished Chrome (Standard)  Elongarded 1,28 GPF Tollet K-3946-RA (Standard)  ONIROLS  Ritle-Temp 2.0 GPM Bath K-199780-4, Polished Chrome (Standard)  Elongarded 1,28 GPF Tollet K-3946-RA (			
Undomnount Series, 30" UDF-2818 IOT8, (Standard Galley and L-Shape)		Z	PGRADE
Pull down Klichen Sink Faucet K-598, Polish Chrome [Standard]	KITCHEN: SINK	Undarmount Series, 30" UDF-28181018, (Standard Galley and L-Shape)	The second secon
Rile-Tenno 2.0 GPM Bath K-1997&3-4. Polished Chrome (Standard)  Rile-Tenno 2.0 GPM Bath K-1997&3-4. Polished Chrome (Standard)  Elongated 1.28 GPF Toilet K-394&RA (Standard)  Rile-Tenno 2.0 GPM Shower Trim K-1997&4-4. Polished Chrome (Standard)  Rile-Tenno 2.0 GPM Shower Trim K-1997&4-4. Polished Chrome (Standard)  Rile-Tenno 2.0 GPM Shower Trim K-1997&4-4. Polished Chrome (Standard)  Elongated 1.28 GPF Toilet K-394&RA (Standard)  Elongated 1.28 GPF Toilet K-394&RA (Standard)  Extract  Letter Chrome (Standard)  Letter Chrome (Standard)  Virile Chrome (Standard)	KITCHEN: FAUCET	Pull down Klichen Shk Faucet K-596, Polish Chrome (Slandard)	
Elongated 1.28 GPF Tollet K-3946-RA (Standard)  ALCET  ACCHIROLS  Rile-Temp 2.0 GPM Shower firm K-199764-4, Polished Chrome (Standard)  CONIROLS  Rile-Temp 2.0 GPM Shower firm K-199764-4, Polished Chrome (Standard)  CONIROLS  Rile-Temp 2.0 GPM Shower firm K-199764-4, Polished Chrome (Standard)  CONIROLS  Rile-Temp 2.0 GPM Shower firm K-199764-4, Polished Chrome (Standard)  EXTRAS  DESCRIPTION  Florinity Series 2x: Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard)  EXTRAS  DESCRIPTION  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flori - 4 1/2" Baseboard / 2-3/4" Casing (Standard)	MARIN BATH-TIRE CONTROLS	Riths-Term 20 CPM Both K-7997K-4. Polithed Chrome (Standard)	
AUCET  Single Handle Bolhroom Sink Faucet K-9760-4, Polished Chrome (Standard)  CONIROLS  Rile-Temp 2.0 GPM Shower Tim K-179764-4, Polished Chrome (Standard)  Elongaried 1.2B GPF Tollet K-3946-A (Standard)  RES  Infinity Series 2x* Tower Bar 02-D8424 and Tollet Paper Holder. Polished Chrome (Standard)  EXTRAS  DESCRIPTION  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  RE  100CATION  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2* Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Standard)  Flat - 4 1/2** Baseboard / 2-3/4** Casing (Sta	MAIN BATH: TOILET	Eiongated 1.28 GPF Tollet K-3946-RA (Standard)	
FR CONIROLS  Rile-Temp 2.0 GPM Shower Tifm K-179764-4. Polished Chrome (Standard)  Elongated 1.28 GPF Solver Tifm K-179764-4. Polished Chrome (Standard)  Elongated 1.28 GPF Toilet K-3946-RA (Standard)  SOORIES  LOCATION  LOCATION  Fiat - 4 1/2" Saceboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Saceboard / 2-3/4" Casing (Standard)  Flat Stab Hollow Coro (Standard)  While Flatis, Fabric - 3% Sun Screen - CL-103-01 - Living Room (Standard)  While Flatis, Fabric - 3% Sun - Neptune 102 - Beforem (Standard)  While Flatis, Fabric - Room Darkening - Neptune 102 - Beforems (Standard)  While Flatis, Fabric - Room Darkening - Neptune 102 - Beforems (Standard)  While Flatis, Fabric - Room Darkening - Neptune 102 - Beforems (Standard)	MAIN BATH: ACCESSORIES	Infinity Series 24" Towel Bar 02-08424 and Tailet Poper Holder, Polished Chrome (Standard)	
ER CONIROLS  Rile-Temp 2.0 GPM Shower Trim K.799764-4. Polished Chrome (Standard)  Elongated 1.28 GPF Toilet K.3946-RA [Standard)  STORIES  Entry Series 22: Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome [Standard]  EXTRAS  DESCRIPTION  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  White Finith, Factor 3/5. Non Screen - CL-10-301 - Living Room (Standard)  White Finith, Factor 3/5. Non Screen - CL-10-301 - Living Room (Standard)  White Finith, Factor 4/5. Non Screen - CL-10-301 - Living Room (Standard)  White Finith, Factor 4/5. Non Screen - CL-10-301 - Living Room (Standard)  White Finith, Factor Room Darkening - Neptune - 02- Bedrooms (Standard)	MASTER ENSUITE: VANITY FAUCET	Single Handle Balhroom Sink Faucet K-99760-4, Polished Chrome [Standard]	
Elongaried 1.28 GFF Toilet K-3946-RA [Standard]  SSORIES  Infinity Series 2:*Towel Bar 02-D8424 and Toilet Paper Holder. Polished Chrome [Standard]  EXTRAS  IOCATION  Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat Stab Hollow Core (Standard)  VARE  2000 Series Latchset LH-20 R Logan. Plat. Sofin Nickle (Standard)  Pura Lighting - 4 Feet Track Light Square with Aluminum Bollom Bar (Standard)  Sunscreen Roller Shade - Open Roll St. System with Aluminum Bollom Bar (Standard)  Vinite Finish, Fabric - 3%. Sun - CL-102-91 - Luving Room (Standard)  White Finish, Fabric - 3%. Sun - Neptune - 02: - Bedrooms (Standard)  White Finish, Fabric - 3%. Sun - Neptune - 02: - Bedrooms (Standard)  White Finish, Fabric - 3%. Sun - Neptune - 02: - Bedrooms (Standard)	MASTER ENSUITE: SHOWER CONTROLS	Rile-temp 2.0 GPM Shower Trim K-199764-4, Polished Chrome (Standard)	
SORIES  Infinity Series 24: Towel Bar 02-D8424 and Tollet Paper Holder. Polished Chrome [Standard]  EXTRAS  LOCATION  Flot - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flot 54 1/2" Baseboard / 2-3/4" Casing (Standard)  Flot 54 1/2" Baseboard / 2-3/4" Casing (Standard)  Flot 64 1/2" Baseboard / 2-3/4" Casing (	MASTER ENSUITE: TOILET	Elongated 1.28 GFF Toilet K-3946-RA (Standard)	
EXIRAS  LOCATION  Flot - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flot Stab Hollow Core (Standard)  Flot Stab Hollow Core (Standard)  2000 Series Latchset LH201R Logan, Flot, Sofin Nickle (Standard)  Pura Lighting - 4 Feet Track Light Square with 3 Track Heads - Track Light #PTt-A-03-SQ - White (Standard)  Sunscreen Roller Shade - Open Roll St. System with Auminum Bottom Bar (Standard)  White Finish, Facha: - 3% Sun Screen - CL-103-01 - Luring Room (Standard)  White Finish, Facha: - 3% Som Screen - CD - Bedroom (Standard)  White Finish, Facha: - 3% Som Screen - CD - Bedroom (Standard)	MASTER ENSUITE: ACCESSORIES	Infinity Series 2:"Towel Bar 02-D8424 and Toile! Paper Holder. Polished Chrome (Standard)	
Flat - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flat State Hollow Core (Standard)  Flat State Hollow Core (Standard)  2000 Series Latchset LH201R Logan, Flat. Softh Nickle (Standard)  Puta Lighting - 4 Feel Track Light Square with 3 Track Heads - Track Light #P-TL-A-03-SQ - White (Standard)  Sunscreen Roller Shade - Open Roll St. System with Aumilinum Bollom Bor (Standard)  White Finish, Fabric - Rosen Screen - CL-103-01 - Living Room (Standard)  White Finish, Fabric - Rosen Darkering - Neptime - 02 - Bedrooms (Standard)			
Flot - 4 1/2" Baseboard / 2-3/4" Casing (Standard)  Flot Stab Hollow Core (Standard)  2000 Series Latchset LH201R Logan, Flat, Satin Nickle (Standard)  Pura Lightling - 4 Feet Track Light Square with 3 Track Heads - Track Light #P-TL-A-03-5Q - White (Standard)  Pura Lightling - 4 Feet Track Light Square with 3 Track Heads - Track Light #P-TL-A-03-5Q - White (Standard)  White Finish, Fabric - 3% Sun Screen - C-103-01 - Living Room (Standard)  White Finish, Fabric - 8% Sun Screen - C-103-01 - Living Room (Standard)  White Finish, Fabric - 8% Sun Screen - C-103-01 - Living Room (Standard)  White Finish, Fabric - 8% Sun Screen - C-103-01 - Living Room (Standard)		DESCRIPTION	UPGRADE
Hot Stab Hollow Core (Standard)	BASEBOARDS/CASINGS	Flat - 4 1/2" Baseboard / 2:3/4" Casing (Standard)	
WARE  2000 Series Latchset LH201R Logan, Flat, Safin, Nickle (Standard)  Pura Lighting - 4 Feet Track Light Square with 3 Track Heads - Track Light #P-TL-A-03-SQ - White (Standard)  Sunscreen Roller Shade - Open Roll SU System with Aluminum Bollom Bar (Standard)  White Finish, Fabric - 3% Sun Screen - CL-103-01 - Living Room (Standard)  White Finish, Fabric - Room Darkering - Nez June - 02 - Bedrooms (Standard)  White Finish, Fabric - Room Darkering - Nez June - 02 - Bedrooms (Standard)	INTERIOR DOORS	Flot Stab Hollow Core (Standard)	
Fura Lighting - 4 feet "rack Light Square with 3 frack Heads - Track Light #P-TL-A-Q3-SQ - White (Standard)  Sunscreen Roller Shade - Open Roll SU System with Aluminum Bollom Bar (Standard)  White Finish, Fabric - 3% Sun Screen - CL-102-01 - Living Room (Standard)  White Finish, Fabric - Room Darkering - Nee June - 02 - Bedrooms (Standard)  White Finish, Fabric - Room Darkering - Nee June - 02 - Bedrooms (Standard)	INTERIOR DOOR HARDWARE	2000 Series Latichset LH201R Logan, Flat, Satin Nickte (Standard)	
	KITCHEN TRACK LIGHT	Q - White (Stanc	
	WINDOW COVERING: LIVING ROOM AND BEDROOMSIS!*	Sunscreen Roller Shade – Open Roll SU System with Aluminum Bollom Bor (Standard) White Finish, Fabric - 3% Sun Screen – CL-103-01 - Living Room (Standard) White Finish, Fabric - Room Darkening – Neptione - 02 - Bedroamts (Standard)	

Islem



### **UPGRADE SELECTION**

UPGRADES
GE Marowave 018 - GE J/N/21625NSS - 30" (Galley and L-Shape Upgrade) UNIT: 3704
ADDRESS: 4130 Parkside Village Drive
MODEL TYPE: 2B
KITCHEN TYPE Galley
PURCHASSER: Mohammad E Islam and Farhana Islam \$ 2,070,00 SUBTOTAL: \$ 2,070,00 HST \$ 289.10 COR CREDTI:

KITCHEN APPLIANCES: OTR The lollowing are like terms for the payment of the above extras:

1. Cheque poyoble to Aird & Berlis LLP in Trust OR via Credit Card Payment

2. Full payment vio Visa, Mariercard, or Cheque(s) for upgrades below five Thou sand Five Thousand (\$5000.00) DÉCOR CREDIT:
101AL: \$ 2.339.10
DEPOSIT VIA VISA \$ 2.339.10

Twenty fercent (25%) Deposit via Visa, Mastericard or Cheque(s) for upgrades above five thousand (\$5000.01)
with the remaining balance due on Occupancy

BALANCE DUE ON OCCUPANCY: \$

Purchaser has been advised of available Upgrades offered by the Builder, and has declined any additional upgrades. Purchaser acknowledges and accepts that any further request for Upgrades at a laker date may not be possible due to construction scheduling and shall remain subject to Vendor's complete discretion. All requests for Upgrades from and after the date hereof, if accepted and approved by the Vendor, shall be subject to an administration fee. The Builder reserves the right in its sale and unfeitered discretion at any lime, whether before or after acceptance of a request or requested Upgrade. Purchaser also acknowledges and accepts that all Upgrades charges are subject to increase based on availability and/or time of order. All Upgrade and/or charge requests are final and binding on the Purchaser ance approved and accepts that all Upgrades charges are subject to increase based on availability and/or time of order, all Upgrade and/or charge requests are final and binding on the Purchaser ance approved and accepted by the Builder, No credit is available for any deletion of selected Upgrade or charge request, ance approved by the Builder. Payment of deposits to be made at time of order by way of either valid credit card inascation or personal cheque made poyable to Aird & Berlis LIP in Trust. All Upgrade deposits will be held in Irust with Builder's sokicitor pending completion, permitted release to the Builder or termination of the transaction as contemplated by the Agreement of Purchase and Sale.

John



# **TERMS AND CONDITIONS**

ADDRESS: 4130 Parkside Village Drive PURCHASER: Mohammad E Islam and Farhana Islam

I. Finishing choices are from Vendor's samples. Colour, texture, appearance, grain, etc. of all installed materials may vary from Vendor's samples due to manufacturing, natural variotions in colour, product and installation process. The Purchaser acknowledges that the Vendor accepts no responsibility in the event that a chosen selection becomes subsequently unavailable for any reason whatsoever. If the Vendor is unable or unwilling to supply any of the Purchaser's selections, the Purchaser will, at the request of the Vendor, choose an alternate selection from the Vendor's samples within five (5) business days of being notified by the Vendor to do so. If the Purchaser does not re-select within five (5) business days, the Vendor will make such selections, which selections shall be final and binding on the Purchaser.

acknowledges and agrees that the Vendar's obligation to install the chosen finishing selections is conditional and subject to the following terms and conditions.

ihe Purchaser

2. Where the Purchaser has made Upgrade selections or requested changes that are subject to additional charge, and provided the Vendar or its Sales Representative has notified the Purchaser of its agreement to complete same and the cost(s) for such Upgrade or change request, the Purchaser shall pay the total amount owing by certified cheque to the Vendar within seven (7) business days from being so notified. All cheques are to be made payable to Aird & Berlis LLP, in Trust, Failure to pay the Upgrade or change request fees within the permitted time shall constitute a default under the Agreement of Purchase and Sale and, in such event, the Vendor may, at its option and without further notice, complete the unit to its original specifications.

3.The value of any credit(s) issued to the Purchaser for incomplete or deleted liems, where applicable, shall be calculated by the Vendor in its sole and unfettered discretion and shall be non-negotiable. Credit(s), where applicable, shall be adjusted on the final closing Statement of Adjustments.

4.The Purchaser acknowledges and agrees that there shall be no change, atteration or detetion from this finishing selections sheet after acceptance by the Vendor.

5.If any Upgrade or item of finishing remains incomplete in whole or in part on the Occupancy Date, the Purchaser shall accept, without holoback, the Vendor's undertaking to camplete such upgrade or item of finishing as soon as possible following occupancy closing. In the event the Vendor elects not to provide or install any selected upgrade or item of finishing that is at additional cost, the Vendor shall refund to the Purchaser by way of an adjustment on the final Statement of Adjustments that portion of the amount paid by the Purchaser allocated to the particular Upgrade or item of finishing not provided. The value of such adjustment to be determined by the Vendor in its sale and unfettered discretion. The said adjustment shall be accepted by the Purchaser as full and final settlement of any claim the Purchaser may have with respect to the said Upgrade or item of finishing and the Purchaser shall complete the closing (whether occupancy or final) without delay, condition or holdback.

6.In the event the purchase and sale transaction is not completed for any reason, the Vendor shall be entitled to retain the full payment for any Upgrade or change so poid are acknowledged by the purchaser to be non-refundable. request. All sums

ALL OTHER TERMS AND CONDITIONS OF THE AGREEMENT OF PURCHASE AND SALE TO REMAIN THE SAME AND CONTINUE IN FULL FORCE AND EFFECT, AND TIME REMAINS OF THE ESSENCE

DATED at MISSISSAINS Purchaser Signature: Purchaser Signature: 🏒 2022

THE UNDERSIGNED hereby accepts this offer.

AMACON DEVELOPMENT (CITY CENTRE) CORP

I have the authorit lo bind the corporation

--- TRANSACTION RECORD ---AMACON
856 HOMER ST 500
VANCOUVER BC

May 25,2022 VISA Purchase 11:49:00 \*\*\*\*\*\*\*\*4775

Entry: Chip (C)
Ref#: 468-102145425401799
Auth#: 07023i Response: 01-027
Order: MG01653493740403
Username: Decor2022

Amount

\$ 2 339.10

A0000000031010 VISA CREDIT TVR 8080008000 TSI 6800

Approved VERIFIED BY PIN

