



CONSTRUCTION SUMMARY

61 Right - 1 - The Sedona 5 (30-5C) Elev A
CEILINGS

Inv.170	1 - SMOOTH CEILINGS - MAIN FLOOR
Line1698	Note:
12Jul15 / 3Sep15	
Inv.170	1 - SMOOTH CEILINGS - 2ND FLOOR
Line1699	Note:
12Jul15 / 3Sep15	

DRYWALL

Inv.170	1 - ROUNDED CORNERS - 3/4" RADIUS
Line1700	Note:
12Jul15 / 3Sep15	

ELECTRICAL

Inv.170	6 - POT LIGHT EXTERIOR- AS PER SKETCH (X6)
Line1885	Note:
12Jul15 / 3Sep15	

HARDWOOD FLOORING


Inv.170	1 - HARDWOOD - STANDARD - 2¼ MERCIER SOLID OAK - STANDARD COLOURS - UPPER HALL
Line1705	Note:
12Jul15 / 3Sep15	
Inv.170	1 - HARDWOOD - STANDARD - 2¼ MERCIER SOLID OAK - STANDARD COLOURS - LANDING
Line1709	Note:
12Jul15 / 3Sep15	

PLUMBING

Inv.170	1 - FRAMELESS GLASS SHOWER ENCLOSURE FOR TOWNS & SEMI FOOT S PLAN PENDING -MASTER ENSUITE - 1/2 WALL (APPROX 1 FOOT HIGH) BETWEEN TUB AND SHOWER WITH GLASS TOP
Line1706	Note:
12Jul15 / 3Sep15	

STAIRS AND RAILINGS / NOSINGS

Inv.170	1 - UPGRADE RAILING - UPGRADE 2 - LEVEL 1 - WROUGHT IRON- BLACK
Line1707	Note:
12Jul15 / 3Sep15	



Sedona 5
Elev A
Lot 61 R

Second Floor
Elevation A

