

63R.

## RF28HFEDBSR

28 cu. ft. French Door Refrigerator with CoolSelect Pantry™

### Features


- Large Capacity - 28 cu. ft.
- Twin Cooling Plus System™
- Ice Master Ice Maker in the Refrigerator
- ENERGY STAR® Compliant
- CoolSelect Pantry™ with Temperature Control
- Premium External Filtered Water and Ice Dispenser
- High-Efficiency Top and Side LED Lighting
- EZ-Open Handle™ on Freezer Door
- Adjustable Shelf for Tall Oversized Items
- Two Humidity Controlled Crispers
- Tempered Glass Spill-Proof Shelves
- Auto Pull-Out Upper Freezer Drawer
- Easy-to-Access Water Filter

### Convenience


- Cool Light Door
- Door Alarm
- Water Filter Indicator



**ENERGY STAR®** Rated: CEE Tie 1  
 (2011) with highest tier efficiency standard  
 7.25 kWh/yr



Ice Master



CoolSelect Pantry™ with Temperature Control

### Available Colors



Stainless Steel



White



Black

### Signature Features

#### TWIN COOLING PLUS™

- Separate frost-free system for each refrigerator and freezer compartment (up to 3 for higher humidity levels)
- Refrigerator and freezer compartments provide optimal humidity to keep produce fresh and vegetables crisp longer
- Freezer compartment provides optimal humidity for better storing frozen foods

#### ICE MASTER

- Produces 36 lbs. of ice per day and stores 4.7 lbs.
- Space-saving design means more room in the refrigerator

#### COOLSELECT PANTRY™

- Provides additional temperature control for your food storage needs with Def, Fresh, and Chiller options



*Ranked "Highest in customer satisfaction with French Door refrigerators, in a tie."\**  
 -J.D. Power

**SAMSUNG**

63R


# RF28HFEDBSR

28 cu. ft. French Door Refrigerator with CoolSelect Pantry™


## Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboard, molding, tile, counter top overhang, etc. Check to make sure there is enough room to open the door (consider work islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water relief to all connections. Allow a 3/8" minimum clearance at back and top for ease of installation.
5. Ensure path door and entry way at the home is wide enough for the refrigerator to be moved through easily.

**Important:** The following clearance and install information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual and visit [samsung.com](http://samsung.com).



## Dimensions



## Total Capacity: 28.07 cu. ft.

### Refrigerator: 19.14 cu. ft.

- Premium External Filtered Water and Ice Dispenser
- Ice Master Ice Maker
- CoolSelect Pantry™ with Temperature Control - Deli (41°F), Fresh (38°F) and Chilled (32°F) options
- 7 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves
- Adjustable Shelf for Tall oversized Items
- 5 Door Bins
  - Right Door: 3 Gallon Bins
  - Left Door: 3 Regular Bins
- High Efficiency Top and Side LED Lighting

### Freezer: 8.93 cu. ft.

- 1/2-Open Handle \*
- 1 Drawer Divider
- High Efficiency LED Lighting

## Accessories

Water Filter: HAF-CIN

## Warranty

One (1) Year Parts and Labor on Refrigerator

Five (5) Years Parts and Labor on Sealed Refrigeration System Only\*

Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

\*Compressor, evaporator, condenser coils, connecting tubing

## Product Dimensions & Weight

Dimensions (WxHxD) with hinges, handles and doors:

35 1/4" x 70" x 36"

Dimensions (WxHxD) without hinges and door:

35 1/4" x 68 1/4" x 29"

Dimensions (WxHxD) with hinge and door, no handle:

35 1/4" x 70" x 33 1/4"

Weight: 326 lbs.

## Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/4" x 76 1/4" x 36 1/4"

Weight: 352 lbs.

| Color           | Model #     | UPC Code     |
|-----------------|-------------|--------------|
| Stainless Steel | RF28HFEDBSR | 887276956083 |
| White           | RF28HFEDBWW | 887276957691 |
| Black           | RF28HFEDBDC | 887276958415 |

**SAMSUNG**

\*Optimizing for lowest the highest numerical value for French door refrigerator in the world (by D. Power 2014 Kitchen Appliances Study). Study based on 15,780 data points from 10 French door refrigerators. Brands and measures collected of consumers over a two year period (up to October the last 24 months). Proprietary study results are based on experiences and perceptions of consumers surveyed in January, March 2014. Your experiences may vary. Visit [japower.com](http://japower.com)

Actual color may vary. Design, specifications, and other availability are subject to change without notice. Net weight, weight and dimensions are approximate.

©2014 Samsung Electronics America, Inc. 8535 Fallingham Road, Houston, TX 77063 Tel: 800-SAMSUNG [samsung.com](http://samsung.com). Samsung is a registered trademark of Samsung Electronics Co., Ltd.

63R

# NE59J7750WS



5.9 cu. ft. Freestanding Flex Duo™ Electric Range

## Features


- Flex Duo™ Technology – Large 5.9 cu. ft. Convection Oven Splits into Two Cavities with a Removable Smart Divider™
- Soft Close and Clean View Door
- Dual Convection Oven
  - Top: Fan Convection
  - Bottom: True Convection
- Large Oven Capacity – 5.9 cu. ft.
- Five Electric Cooktop Burners
  - One Triple Burner (6 1/2" x 12")
  - Two Bridged 1/2"
  - One Single Burner (6")
  - Warming Center (7")
- SteamQuick™ (20 min. oven cleaning) and Self Clean
- Warming Drawer: High, Medium, Low

## Convenience

- Auto Oven Light
- Proofing
- Sabbath Mode
- Kitchen Timer
- Delay Start
- Child Safety Lock
- Touch-Preheat Cook Options



Flex Duo Oven



Soft Close and Clean View Door

Available Colour:



Stainless Steel

## Signature Features

### FLEX DUO™ OVEN

- The spacious 5.9 cu. ft. oven splits into two ovens with the Smart Divider™ to cook at two different temperatures at the same time
- Two temperature controls
- 50 temperature settings of up to 500°F

### SOFT CLOSE AND CLEAN VIEW DOOR

- Warming Drawer Soft Close Door
- Soft Close and Clean View Door prevents heat and odors from escaping

### 5.9 CU. FT. LARGE CAPACITY

- Cook a big roast, multiple bag chickens, or several rack of lamb roasts at once
- Three oven racks let you prepare enough food for large family feasts
- 100 quart capacity for turkey dinner

### FIVE-BURNER COOKTOP

- Cook with different sized pans simultaneously
- The triple burner is a 6 1/2" x 12" burner, ideal for large roasts and casseroles
- The built-in warming center allows for convenient keeping
- Bridge technology creates an extra large cooking surface for oversized pots and pans



Ranked "Highest in Customer Satisfaction with Ranges, Cooktops and Ovens."™  
—J.D. Power

**SAMSUNG**

63R


# NE59J7750WS

5.9 cu. ft. Freestanding Flex Duo™ Electric Range

## Installing Your Range

\*30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame-retardant millboard covered with not less than no. 28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

\*\*15" minimum between the countertop and the adjacent cabinet bottom.



**IMPORTANT:** To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

## Radiant Ceramic Cooktop

- Right Front: 6/9/12", 3.0 kW
- Left Front: 7", 1.8 kW (bridge)
- Right Rear: 6", 1.2 kW
- Left Rear: 7", 1.8 kW (bridge)
- Centre Rear Warming Center: 7"

## Dual Oven (with Divider)

- Hidden Bake Element
- Bake: 175°F - 550°F (79°C - 288°C)
- Convection Bake: 175°F - 550°F (79°C - 288°C)
- Convection Roast: 175°F - 550°F (79°C - 288°C)
- Broil: Low/High
- Convection Element/Heater: 1250 W
- Freezing
- Sabbath Mode

## Warming Drawer

- Capacity: 1.4 cu. ft.
- Heating Performance: 600 W (4 pass)
- Temperature Settings: High, Medium, Low

## Warranty

- One (1) Year All Parts and Labour
- Five (5) Years Electric Cooktop

## Product Dimensions & Weight (WxHxD)

Actual Oven Dimensions:  
25" x 20<sup>25/32</sup>" x 18<sup>11/16</sup>"

Outside Net Dimensions:  
29<sup>1/8</sup>" x 47<sup>3/32</sup>" x 25<sup>7/32</sup>"

Weight: 186.1 lbs


## Shipping Dimensions & Weight (WxHxD)

Dimensions:  
33<sup>1/32</sup>" x 50<sup>11/64</sup>" x 30<sup>7/32</sup>"

Weight: 210.3 lbs

| Colour          | Model #     | UPC Code     |
|-----------------|-------------|--------------|
| Stainless Steel | NE59J7750WS | 807276093756 |

## Dimensions



**SAMSUNG**

\*Samsung received the highest number of scores for safety, cooktop and oven in the proprietary J.D. Power 2014 Kitchen Appliance Survey. Study based on 15,186 online responses measuring 12 ranges, cooktops, and ovens. Samsung will release additional responses about their new appliances purchased in the past 24 months. Preliminary study results are based on responses received from a portion of customers surveyed separately, March 2014. Your experience may vary. Visit jdpower.com.

Actual colour may vary. Design, specifications and construction details are subject to change without notice. All measurements and measurements are approximate. Clearance requirements are minimums only. Check the regulations and identify your area for additional requirements.

© 2013 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. used with permission.

63R

**KitchenAid®**

FOR THE WAY IT'S MADE®

## Undercounter Dishwasher

### PRODUCT MODEL NUMBERS

KDFE234E, KDFE104E, KDFE204E, KDFE254E, KDTM354E, KDTM384E, KDTM434E, KDTM504E, KDTM704E, KDTM804E

**Electrical Requirements:** 120-volt, 60 Hz, AC only, 15- or 20-amp fused electrical supply. Copper wire only. A time delay fuse or circuit breaker and separate circuit is recommended.

**If direct wiring dishwasher:** Use flexible, armored or non-metallic sheathed copper wire with grounding wire that meets the wiring requirements for your home and local codes and ordinances.

Use a UL Listed or CSA Approved conduit connector.

**If connecting dishwasher with a power supply cord:**

Use power supply cord kit (Part

Number 4317824) marked for use

with dishwashers. Follow the kit

instructions for installing the power supply cord.

Power supply cord must plug into a grounded three-prong outlet located in the cabinet next to the dishwasher opening. Outlet must meet all local codes and ordinances.

**Water Supply Requirements:** A hot water line with 20 to 120 psi (138 to 862 kPa) water pressure. Water temperature must be 120°F (49°C) water at dishwasher. Use 3/8" O.D. copper tubing with compression fitting or flexible braided water supply line.

**Note:** 1/2" minimum plastic tubing is not recommended.


Use a 90° elbow with 1/4" hose connection with rubber washer (part number W10273489). Do not solder within 6" (15.2 cm) from water inlet valve.

**Drain Requirements:** A new drain hose is supplied with your dishwasher. If this is not long enough, use a new drain hose with a maximum length of 12' (3.7 m) (Part No. 3985556) that meets all current AHAM/API/ISO test standards, is resistant to heat and detergent, and fits the 1" (2.5 cm) drain connector of the dishwasher.

Make sure to connect the drain hose to waste tee or disposer inlet above drain trap in house plumbing and 20" (50.8 cm) minimum above the floor. It is recommended

that the drain hose either be looped up and securely fastened to the underside of the counter, or be connected to an air gap.

Make sure to use an air gap if the drain hose is connected to house plumbing lower than 20" (50.8 cm) above subfloor or




floor.

Use 1/2" (1.3 cm) minimum I.D. drain line fittings.

If required, the air gap should be installed in accordance with the air gap installation instructions. When connecting the air gap a rubber hose (not provided) will be needed to connect to the waste tee or disposer inlet.

### PRODUCT DIMENSIONS




- A. Insulation may be compressed (not used on all models).
- B. For panel-ready models, dishwasher depth is 24" (60 cm) not including the 3/4" (1.9 cm) custom door panel.
- C. Door handles may protrude forward of the face of the dishwasher; varies by model.

### CABINET CUTOUT DIMENSIONS

### CABINET CUTOUT DIMENSIONS

**NOTE:** Shaded areas of cabinet walls show where utility connections may be installed.

\*Measure from the lowest point on the underside of the countertop. May be reduced to 33½" (85.1 cm) by removing the rear leveling legs from dishwasher.

<sup>a</sup> Minimum, measured from narrowest point of opening


PERFEKT PYRAMID 30  
30" Wall Mount Range Hood

 **AEG**  
perfekt in form und funktion

63R

# Perfekt Pyramid 30

## 30" Wall Mount Range Hood



### RANGE HOOD FEATURES

- 30" (76cm) stainless steel wall-mount range hood
- LED lighting
- 3 speed adjustment
- Electronic back-lit push buttons
- 2 x dishwasher safe baffle filters
- Quiet (8 sones/58 dB) 500 CFM motor

### RANGE HOOD DIMENSIONS

- D: 18<sup>7/8"</sup> x W: 30" x H: 22<sup>1/2"</sup> - 35<sup>1/2"</sup>
- D: 480mm x W: 762mm x H: 572mm - 902mm

### DUCT SIZE

- 7" Duct Size
- 6" Duct Adapter Included

### ELECTRICAL REQUIREMENTS

- 115 Volt, 60Hz, 15AMP
- Extension flue available for 9' ceilings (EFP)
- AEG Range Hoods are supplied with a Canadian cord and plug


**AEG**



63R

# Specifications

## Perfekt Pyramid 30



Specifications are subject to change without notice.

Detailed Specification Available at [www.aeg-appliances.ca](http://www.aeg-appliances.ca)

**AEG**

WYMIAROWA

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26



- 5.0 cu.ft. Ultra Large Capacity with NeverRust™ Stainless Steel Drum (IEC)
- DirectDrive™ Motor for the Ultimate in Durability and Reliability with 10 Year Warranty
- 10" HiTub™ for Easy Reach into the Rear of the Drum
- 1300 RPM Powerful Spin for Efficient Water Extraction

## Intelligent Fabric Care



- TurboWash® Technology
- Steam Technology
- ASC Certified Allergren™ Cycle
- NSF Certified Sanitary Cycle
- ColdWash™ Technology
- 6Motion™ Technology
- NFC Tag On
- SmartDiagnosis®
- TrueBalance™ Anti-Vibration System
- Magnet Ventilation
- SenseClean® System for Intelligent Fabric Care
- 12 Washing Programs and 5 Temperature Settings
- Delay Wash up to 19 hours for Washing Convenience

### Style and Design

- Upfront Electronic Control Panel with Dual LED Display and Dial-A-Cycle™
- Large Chrome Rimmed Glass Door with Dark Blue Tinted Cover

### Technology Benefits

- LoDecibel™ Quiet Operation
- Highly Energy and Water Efficient



Life's Good

## FRONT LOAD WASHERS

**Fast Forward your Laundry**

Tired of spending hours on end finishing your family's laundry? Now, those days are gone. LG's revolutionary TurboWash™ Technology allows you to save 20 minutes on larger loads, with outstanding cleaning performance! It's like pressing the fast forward button on your laundry.

### Deep Clean with Steam

**LG Steam Technology** penetrate fabric to remove soil and enhance cleaning results, it also removes common household allergens. The Allergen™ cycle gently removes over 95% of common household allergens, like dust mites and pet dander from even the most delicate fabrics. It's so effective it's certified by the Asthma Society of Canada (ASC).

### More Free Time

Towers of towels, piles of sweatshirts, and a mountain of jeans? Go for it. The **ultra large capacity (5.0 cu.ft.)** washer lets you do more laundry in fewer loads. That's time well saved.

### Count On It:

When you buy a washer, you don't want to worry that it won't last. Because the **DirectDrive™ Motor** uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.

## NFC Tag On


Easily change and customize cycles with a simple tap of a smart phone app. Can't find a cycle you need? There's an app for that. Your laundry just got a little bit smarter.

## Call, Connect, Resolve

**SmartDiagnosis™** uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone, providing you with comfort and reliability.

## All the Right Moves

With **6Motion™ Technology**, each wash cycle combines up to 6 different wash motions to provide a revolutionary cleaning experience and ultimate fabric care.



LG ELECTRONICS CANADA INC.  
20 Norwood Drive, North York, Ontario, M2L 2X5  
Tel. 647.233.6300 / LG.com  
Customer Service & Parts  
1-888-467-2628

[illegible]

Large numbers of people are involved in the...  
of the... and...  
of the... and...  
of the... and...


Figure 1. The study area.

63R

LAUNDRY

DIEX570V

## ELECTRIC DRYERS



DIEX570V

### Performance

- 7.4 cu.ft. Ultra Large Capacity with Aluminum Alloy Steel Drum (Alcosta)

### Intelligent Fabric Care

- TrueSteam™ Technology
- SteamFRESH™ Cycle
- SteamSanitary™ Cycle
- ReduceStatic™ Option
- EasyIron™ Option
- Sensor Dry System for intelligent Fabric Care and Energy Efficiency
- Precise Temperature Control with Variable Heat Source
- NFC Tag On
- SmartDiagnosis™
- 12 Drying Programs
- 5 Temperature Settings
- 3 Minute Installation Check
- FlowSense™ Duct Clogging Indicator
- Drying Rack
- Wrinkle Care Option
- Anti-Bacterial Cycle
- Custom Program
- Damp Dry Signal

### Style and Design


- Upfront Electronic Control Panel with Dual LED Display and Dual A Cycle™
- Large Chrome-Rimmed Glass Door with Dark Blue Tinted Cover

### Technology Benefits

- 60Decibel™ Quiet Operation



60Decibel™



## ELECTRIC DRYERS

## Harness the Power of Steam

LG's TrueSteam™ Technology uses a steam generator to produce real steam right into the dryer giving you unique cycle options that remove wrinkles, odours, static and allergens.

## The Quick Fix

Late for the party and no time to iron your favorite outfit? The **SteamFresh™ Cycle** refreshes and reduces wrinkles in up to five garments at a time with one 20-minute dryer cycle.

## Refresh and Sanitize

**SteamSanitary™ Cycle** refreshes and sanitizes dry items in the steam dryer. The SteamSanitary™ Cycle kills bacteria on your clothes and is great for decorative pillows and other non-washable items.

## Dry Big Loads

**Accurately dry big and bulky loads with 7.4 cu.ft. ultra large capacity** Less time in laundry room, more time for life.

## NFC Tag On


Easily change and customize cycles with a simple tap of a smart phone app. Can't find a cycle you need? There's an app for that. Your laundry just got a little bit smarter.

## Call, Connect, Resolve

**SmartDiagnosis™** uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

### Accurate Drying

LG's Sensor Dry System measures the moisture levels during the cycle and automatically adjusts the drying time, assuring you get dry laundry every time.



LG ELECTRONICS CANADA INC.  
20 Murdoch Drive, North York, Ontario, M9L 2K6  
Tel: 647-253-6300 | LG.com  
Customer Service & Parts  
1-888-542-2623

[illegible]

Large, deep, and somewhat warm, subject for a long while - other  
for a long while - and the subject is a typical  
Alaska native person - I have a good reason.