

RF18HFENBSR

33" Wide, 18 cu. ft. Counter Depth French Door Refrigerator


Features

- 18 cu. ft. Capacity in Counter Depth Category
- 33" Wide
- LED Lighting
- Automatic Filtered Ice Maker in Freezer (External Filter Not Included)
- Twin Cooling System®
- Surround Air Flow
- Power Freeze and Power Cool Options
- Two Humidity-Controlled Crispers
- Tempered Glass Shelves
- Gallon Door Bins
- EZ-Open Handle™ on Freezer Door


Convenience

- CoolNight Door
- Door Alarm

Meets DOE Standards:
59.4 kWh/yr



French Door Design



Automatic Filtered Ice Maker in Freezer
(External Filter Not Included)

Available Colors



Stainless Steel
(shown)



White



Black



Stainless Platinum

Signature Features

COUNTER DEPTH

- More capacity, smaller floor space.
- Our 18 cu. ft. capacity French Door has enough room to fit up to 18 bags of groceries.*
- Stylish counter-depth design allows for more workable space in the kitchen.

*Based on average 18 lb. bags of groceries. Actual capacity may vary depending on how items are packed.


TWIN COOLING SYSTEM®

- Refrigerator air is kept at higher, near-commercial-grade humidity levels to keep perished fruits and vegetables from spoiling quickly.*
- Drier freezer air means less freezer burn for better-tasting frozen foods.

*Some Spoilage-Resisting ability may vary due to slight differences in humidity levels.

LED LIGHTING

- Dimmability lights up the interior so you're able to quickly spot what you want.
- Sleek design saves more space than traditional incandescent light bulbs.



**Ranked "Highest in Customer
Satisfaction with French Door
Refrigerators, in a Tie."***
—J.D. Power

SAMSUNG


RF18HFENBSR

33" Wide, 18 cu. ft. Counter Depth French Door Refrigerator


Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each floor and entryway in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and content information is for planning purposes only. For complete installation details consult manual packed with product, or download manual online at samsung.com



Dimensions



Total Capacity: 17.51 cu. ft.

Refrigerator: 11.79 cu. ft.

- Surround Air Flow
- 2 Humidity Controlled Crispers
- 3 Tempered Glass Shelves
- 2 Gallon Door Bins
- 1 Dairy Bin
- LED Lighting

Freezer: 5.72 cu. ft.

- EZ-Open Handle™
- Automatic Filtered Ice Maker (Cubed)
- LED Lighting

Accessories

External Filter (not included)

Warranty

One (1) Year Parts and Labor on Refrigerator

Five (5) Years Parts and Labor on Sealed Refrigeration System Only*

Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

*Compressor, evaporator, condenser, lines, connecting tubing

Product Dimensions & Weight

Dimensions (WxHxD) with electrical box, handles and doors:
32 1/8" x 70 13/16" x 30 1/2"

Dimensions (WxHxD) with hinges and doors:
32 1/8" x 70 1/8" x 24 1/4"

Dimensions (WxHxD) with electrical box and door, no handle:
32 1/8" x 70 1/8" x 28 1/8"

Weight: 231.5 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 34 11/16" x 75" x 30 1/4"

Weight: 253.5 lbs.

Color	Model #	UPC Code
Stainless Steel	RF18HFENBSR	887276038414
White	RF18HFENBWW	887276038421
Black	RF18HFENBBC	887276038391
Stainless Platinum	RF18HFENBSP	887276038407

SAMSUNG

*Samsung received the highest numerical score for French door refrigerators in a tie in the proprietary U.S. Power 2014 Kitchen Appliance Study™. Study based on 15,000 total responses measuring 10 French door refrigerators for ease and enjoyment of consumers about their new appliances purchased in the last 24 months. Proprietary study results are based on consumer feedback and perceptions of enjoyment surveyed January–March 2014. Your experiences may vary. Visit jappower.com.

Always refer to my Samsung Features and Color availability are subject to change without notice. Non-metric weights and measurements are approximate.

© 2015 Samsung Electronics America, Inc. 45 Chalfonte Road, Ridgefield Park, NJ 07640. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

NE59J3420SS


5.9 cu. ft. Freestanding Electric Range

Features

- Convection Oven
- Large Oven Capacity – 5.9 cu. ft.
- SteamQuick™ (20 min. oven cleaning) and Self Clean
- Five Electric Cooktop Elements
 - One Dual Burner (9" / 12")
 - One Dual Burner (8" / 9")
 - Two Single Burners (6")
 - Warming Center (7")

Convenience

- Hot Surface Indicator Light
- Auto Oven Light
- Proofing
- Sabbath Mode
- Kitchen Timer
- Delay Start
- Child Safety Lock
- 4 Easy Cook Presets



Convection Oven



Large Capacity

Available Colors



Stainless Steel
(shown)



Black

Signature Features

CONVECTION OVEN

- The convection fan over system is great for baking and broiling because heat is distributed thoroughly and food cooks evenly. Enjoy faster results each time.

LARGE CAPACITY


- Our extra-spacious 5.9 cu. ft. large-capacity oven easily handles turkey roasters and large baking sheets.

STEAMQUICK™

- Choose Steam for a quick 20-minute clean or choose Self Clean for a deeper clean.

ADJUSTABLE COOKTOP ELEMENTS

- Easy-to-maintain ceramic cooktops with the flexibility of five elements including two dual burners.



**Ranked "Highest in Customer
Satisfaction with Ranges,
Cooktops and Ovens."***

—J.D. Power

SAMSUNG


NE59J3420SS

5.9 cu. ft. Freestanding Electric Range

Installing Your Range


*30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/2" flame-retardant millboard covered with not less than no. 23 MSG sheet steel, 0.018" stainless steel, 0.024" aluminum or 0.020" copper.

**15" minimum between the countertop and the adjacent cabinet bottom.



IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space between above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 6" beyond the bottom of the cabinets.

Dimensions



Radiant Ceramic Cooktop

- Right Front: 9 1/2", 3.0 kW
- Left Front: Radiant 6 9/16", 3.0 kW
- Right Rear: Radiant 6", 1.2 kW
- Left Rear: Radiant 6", 1.2 kW
- Center Rear: Warming Center, 7"

Oven

- Hidden Bake Element
- Bake: 175°F–550°F
- Convection Bake: 175°F–550°F
- Convection Roast: 175°F–550°F
- Convection Element/Heater: 800 W
- Broil: Low/High
- Proofing
- Sabbath Mode

Storage Drawer

Capacity: 1.4 cu. ft.

Warranty

- One (1) Year: All Parts and Labor
- Five (5) Years: Electric Cooktop

Product Dimensions & Weight (WxHxD)

Actual Oven Dimensions:

25" x 20 25/32" x 18 15/16"

Outside Net Dimensions:

29 7/8" x 47 1/32" x 25 1/16"

Weight: 159.2 lbs. (157.0 Black Model)

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33 1/32" x 50 25/64" x 30 1/32"

Weight: 183.4 lbs. (181.2 Black Model)

Color	Model #	UPC Code
Stainless Steel	NE59J3420SS	887276107240
Black	NE59J3420SB	887276107233

SAMSUNG

Samsung received the highest numerical score for range, cooktop and oven in the proprietary & Power 2014 Kitchen Appliance Study™. Study based on 13,386 total responses measuring 17 range, cooktop and oven brands who were the top line of appliances sold in the home appliance purchase in the past 24 months. Proprietary study results based on experience and perceptions of consumers surveyed January-March 2014. Your experience may vary. See samsung.com.

Actual size may vary. Design specifications and data availability are subject to change without notice. Not an official product measurement or specification.

©2014 Samsung Electronics America, Inc. 95 Chatterbox Road, Brea, CA 92603. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

DW80J3020US



Samsung Dishwasher

Features


- Quiet Operation—50 dBA
- ENERGY STAR® rated: 265 kWh/Year
- Water Consumption: 3.5 Gallons
- 15 Place Settings
- Hidden Heating Element
- Double Filtration System
- Hard Food Disposer
- 3 Spray Wash Arms (Upper, Middle, Lower)
- 4 Wash Cycles and 2 Wash Option
- Fan Condensing Drying System
- 2-Piece Silverware Basket
- 2" Adjustable Racking System
- Stainless Steel Interior

Convenience

- Child Lock
- Rinse Refill Indicator
- Cycle Progress Indicator
- Last Cycle Memory
- Five Sensors (Digital Water Leakage, Overflow, Sanitize, Turbidity, Water Fill)



Hidden Heating Element



Hard Food Disposer

Available Colours



Stainless Steel
(shown)



White

Signature Features

STAINLESS STEEL INTERIOR

- Features a durable stainless steel tub that can help reduce energy consumption and aid in the drying process by retaining heat better than plastic tubs, allowing dishes to dry faster.

HARD FOOD DISPOSER

- Our advanced system allows for disposal of solid food particles with no need to clean a filter.
- Heavy foods are easily washed away without any pre-rinsing or scrubbing involved.

HIDDEN HEATING ELEMENT


- Hidden Heat Element reduces the risk of melting plastic.

SAMSUNG

DW80J3020US

Samsung Dishwasher


Installing Your Dishwasher



Dimensions

Side View

Rear View



Features

- 4 Wash Cycles: Heavy, Normal, Quick+, Auto Wash
- 2 Options: Sanitize (Antibacterial NSF), Child Lock
- 4 Control Buttons: Cancel and Drain (2 Buttons), Child Lock (1 Button), Start & Pause (1 Button)
- 2-Stage Filtration
- Hidden Heat Element
- Stainless Steel Interior Tub

Convenience

- Child Lock
- Digital Water Leakage Sensor: Detects Water Leaks Before They Happen and Shuts Off the Dishwasher to Prevent Water Damage
- Nylon Racking
- 2 Piece Silverware Basket
- Upper Rack: 2 Cup Shelves, 2 Adjustable Tines (Adjustable to 3 different positions)
- Lower Rack: 1 removable plate support, 2 fold down tines
- Cutlery Shelves

Warranty

One (1) Year All Parts and Labour

Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage

Product Dimensions & Weight (WxHxD)

Dimensions (height is adjustable):
23 1/2" x 33 7/8" - 35 1/2" x 24 1/2"

Weight: 91.1 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 27 1/6" x 35 2/5" x 29 2/5"

Weight: 106.7 lbs.

Colour	Model #	UPC Code
Stainless Steel	DW80J3020US	887276105536
White	DW80J3020UW	887276105550

SAMSUNG

Actual colour may vary. Design, specification and price is subject to change without notice. Dimensions, weights and measurements are approximate. Clearance requirements are the minimum required clearance. Check the requirements and codes in your area for any additional requirements.
© 2015 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. Samsung.com/canada

Drain facility

The recommended height of the standpipe is 18 in / 45 cm. The drain hose must be routed through the drain hose clip to the standpipe. The standpipe must be large enough to accept the outside diameter of the drain hose. The drain hose is attached at the factory.

Flooring

For best performance, you must install your washer on a solidly constructed floor. Wood floors may need to be reinforced to minimize vibration and/or unbalanced load situations. Carpeting and soft tile surfaces are contributing factors to vibration, which can cause your washer to move slightly during the spin cycle.

Never install your washer on a platform or weakly supported structure.

Location considerations

Do not install your washer in areas where water may freeze, since your washer will always retain some water in its water valve, pump, and hose lines. Freezing water can damage the belts, the pump, hoses and other components.

Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:

Sides - 1 in / 25 mm



Top - 17 in / 432 mm

Clear - 5.9 in / 150 mm

Closet Front - 2 in / 51 mm


If the washer and dryer are installed together, the closet front must have at least a 72 in² (458 cm²) unobstructed air opening. Your washer alone does not require a specific air opening.

A. Recessed area



B. Side view - closet or confined area


Undercounter installation (washer only)




installing your washer

With optional pedestal base or stacking kit

Required Dimensions for Installation With Pedestal (Model No : WE357*)



Required Dimensions for Installation With Stacking Kit (Model No : SK-5A)



* Required spacing

** External exhaust elbow requires additional space.