




PACKAGE J

THE MINIMAL THERMAL PERFORMANCE OF BUILDING ENVELOPE AND EQUIPMENT SHALL CONFORM TO THE FOLLOWING SB-12 COMPLIANCE PACKAGE AS PER ORC SUPPLEMENTARY STANDARD SB-12, SECTION 2.1.1.1

USE SB-12 COMPLIANCE PACKAGE (J):		
COMPONENT	U-VALUE	NOTES
Roof	0.1	ROOF - LOOSE
Walls	0.15	WALLS - LOOSE
Floors	0.15	FLOORS - LOOSE
Windows	0.15	WINDOWS - LOOSE
Doors	0.15	DOORS - LOOSE
Attic	0.15	ATTIC - LOOSE
Basement	0.15	BASMENT - LOOSE
Unfinished Basement	0.15	UNFINISHED BASEMENT - LOOSE
Loft Area	0.15	LOFT AREA - LOOSE
Great Room	0.15	GREAT ROOM - LOOSE
Kitchen	0.15	KITCHEN - LOOSE
Foyer	0.15	FOYER - LOOSE
Porch	0.15	PORCH - LOOSE
Unex.	0.15	UNEX. - LOOSE
Minimum Efficiency	60%	



CROSS SECTION A-A



LOT 65
35-5

WAB DESIGN

300A Wilson Avenue
Victoria BC V8N 1S8
1 416 630 4782
wabsdesign.com

BAYVIEW WELLINGTON

VICTORIA VILLAGE
ST. CATHERINES
PRECISION 5

35-5

3/3