

46R

RF23HCEDBSR



22.5 cu. ft. Counter-Depth French Door Refrigerator with CoolSelect Pantry

Features


- * 3-Door Counter-Depth Design
- * Large Capacity – 22.5 cu. ft.
- * Twin Cooling Plus® System
- * ENERGY STAR® Compliant
- * Ice Master Ice Maker in the Refrigerator
- * CoolSelect Pantry® with Temperature Control
- * Premium External Filtered Water and Ice Dispenser
- * High-Efficiency LED Lighting
- * EZ-Open Handle on Freezer Door
- * Adjustable Shelf for Tall, Oversized Items
- * Two Humidity-Controlled Crispers
- * Tempered Glass Spill-Proof Shelves
- * Auto Pull-Out Upper Freezer Drawer
- * Easy-to-Access Water Filter

Convenience

- * Door Alarm
- * Water Filter Indicator
- * Child Lock



Ice Master



CoolSelect Pantry with Temperature Control

Available Colour:



Stainless Steel

Signature Features

SLEEK, BUILT-IN LOOK

- * Stylish, counter-depth design allows for more work space in the kitchen.
- * Sleek, built-in look enhances overall kitchen design.

TWIN COOLING PLUS

- * Refrigerator is kept at higher humidity levels to keep perishable fruits and vegetables fresher longer.*
- * Freezer air is kept drier for less freezer burn and better tasting frozen foods.
- * Fruits and veggies are no longer limited to the crispers. Produce can be placed anywhere in the fresh food compartment and retain ultimate freshness.


*When compared to Samsung fridge models that do not have triple cooling.

ICE MASTER

- * Produces up to 10 lbs. of ice per day and stores 4.2 lbs.
- * Space-saving design leaves more room in the refrigerator.

COOLSELECT PANTRY

- * Provides additional temperature control for your food storage needs with Deli, Fresh and Chilled options.



**Ranked "Highest in Customer Satisfaction
with French door Refrigerators"
in 2014 by J.D. Power and Associates.**

SAMSUNG

Lot 4612


RF23HCEDBSR

22.5 cu. ft. Counter-Depth French Door Refrigerator with CoolSelect Pantry


Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, moulding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and cut-out information is for planning purposes only. For complete installation details consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.5 cu. ft.

- Refrigerator: 15.7 cu. ft.
- * Premium External Filtered Water and Ice Dispenser
 - * Ice Master Ice Maker
 - * CoolSelect Pantry with Temperature Control – Deli (41°C), Fresh (38°F) and Chilled (32°F) options
 - * 2 Humidity-Controlled Crispers
 - * 5 Tempered Glass Spill-Proof Shelves
 - * Adjustable Shelf for Tall, Oversized Items
 - * 6 Door Bins
 - Right Door: 3 Gallon Bins
 - Left Door: 3 Regular Bins
 - * High-Efficiency LED Lighting

- Freezer: 6.8 cu. ft.
- * EZ-Open Handle
 - * 1 Drawer Divider
 - * High-Efficiency LED Lighting

Accessories
Water Filter: HAF-CIN

Warranty
One (1) Year Parts and Labour on Refrigerator
Five (5) Years Parts and Labour on Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years Labour on Digital Inverter Compressor
*Compressor, evaporator, condenser, drier, connecting tubing

Product Dimensions & Weight
Dimensions (WxHxD with hinges, handles and doors): 35 3/4" x 70" x 31"
Dimensions (WxHxD without hinges and door): 35 3/4" x 68 7/8" x 24"
Dimensions (WxHxD with hinge and door, no handle): 35 3/4" x 70" x 28 1/2"
Weight: 297.62 lbs.
Shipping Dimensions & Weight (WxHxD)
Dimensions: 38 1/4" x 76 5/8" x 31 1/4"
Weight: 321.87 lbs.

Colour	Model #	UPC Code
Stainless Steel	RF23HCEDBSR	887276966106

SAMSUNG

Samsung received the highest numerical score for ranges/cooktops/ovens, microwaves, and French door refrigerators to win the proprietary J.D. Power and Associates 2014 Kitchen Appliance Study. The 2014 Kitchen Appliance Satisfaction Study is based on more than 3,200 evaluations from customers who purchased cooktops/ranges/ovens, more than 2,100 evaluations from customers who purchased over-the-range microwaves, and more than 800 evaluations from customers who purchased refrigerators during the past 24 months. The study was fielded from January through March 2014. Actual colour may vary. Design specifications and colour availability are subject to change without notice. Non-metric weights and measurements are approximate.
© 2014 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. used with permission.

PS9685P

GE Profile™ Series 30" Slide-In Electric Range

Dimensions and Installation Information (in inches)

KW Rating	
240V	12.4
208V	9.3
Breaker Size	
240V	40 Amps
208V	40 Amps

Note: Cabinets installed adjacent to slide-in ranges must have an adhesion spec of at least 194° temperature rating.

Note: To reduce the possibility of scorching the side walls above the countertop when no load is present on burners, it is recommended that a minimum 6" spacing from adjacent side wall be allowed for possible extended high-heat element operation.

240V	40 Amps
208V	40 Amps

Receptacle Locations: For all 30" Slide-In Ranges locally approved flexible service cord or conduit must be used because terminals are not accessible after range installation. See shaded area in drawing for location of electrical outlet box. Recommended outlet locations allow range to be installed directly against rear wall.

Optional Kits For Slide-In Electric Ranges

(Available At Additional Cost)

Accessory Backguards

(Attaches to the back of range as a backguard when unit is installed in 30" free-standing cutout)

JXS32SS (Stainless) - 4" High
JXS32WW (White) - 4" High
JXS32BB (Black) - 4" High

Body Sides

(Slide-in ranges are sold without sides installed. Can be installed on either left or right when unit has one exposed side [no cabinet

Optional Lower Trim Kits

If counter height is greater than 36.5", a lower trim kit is recommended to extend the useful height to 38" maximum)




JXS56WW – White
JXS56BB – Black

JXS77WW (White)

JXS77BB (Black)

Rear Filler Strips

WB07T10680 - Black Filler
Strip Assembly




Installation information: Before installing, consult installation instructions packed with product for current dimensional data.



imagination at work

For answers to your Monogram® or GE® appliance questions, visit our website at geappliances.com or call GE Answer Center® service, 800.626.2000.

Listed by
Underwriters
Laboratories

Specification Revised 4/13

220447


Lot 46R

PS968SP

GE Profile™ Series 30" Slide-In Electric Range

Features and Benefits

- True European Convection with Precise Air - A reversing fan circulates heat and air for evenly browned and baked foods
- Convection Bake - This setting is optimal for baking casseroles or lasagnas, yeast breads, pies and pizzas with no need to turn the pan
- Convection Roast - Optimal for larger cuts of meat, this setting rotates the heat around all sides, sealing in the juices, producing rotisserie results at up to 25% faster than a conventional oven
- Self-clean Oven - Self-clean allows you to spare yourself from the trouble and effort it takes to scrub the oven interior. The oven does all the work!
- 6"9"/12" Tri-ring Element - Choose a 6"9"/12" heating element to accommodate the size of your pan
- Heavy-duty Knobs - Heavy-duty knobs offer durability and elegance
- Bridge Element - Combines three cooktop elements into one large cooking area, ideal for griddles and gourmet pans
- Glass Touch Controls - Smooth controls are easy to use and add a sophisticated style to the kitchen
- Warming Zone (Fifth element warming zone) - Simplify meals by keeping foods fresh from the oven warm and ready to serve
- 4.1 cu. ft. Oven Capacity - Remarkably large oven interior is ideal for holidays, dinner parties and everyday family cooking
- Model PS968SPSS - Stainless steel door and black patterned cooktop



Lot 46R



imagination at work