

BLK.17.UNIT.33

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993

WWW.GOEMANS.COM

Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00012939-1

Salesperson: JASON NG
 Purchase Date: 7/13/16
 Invoice Finished Date:
 Delivery/Pickup Date: Nov 09, 2016
 Invoice Type: VBL
 Date Printed: Jul 13, 2016
 Page: 1

ONLINE BANKING ACCOUNT

BILL TO: 9056660954

 PERERA, NELLA
 72 RIMROCK CRES
 LOT 33

WHITBY, ON L1N 7H9

TEL# (905) 666-0954 BUS#

Directions: ROSSLAND & BROCK ST

SHIP TO: 9056660954

 PERERA, NELLA
 72 RIMROCK CRES
 LOT 33

WHITBY, ON L1N 7H9

TEL# (905) 666-0954 BUS#

Tell us how we did at
www.goemanscustomersurvey.com for a chance to
 win fabulous prizes! See store for details

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION
1		RF23HCEDBSR/AA		STAINLES	SAM, REBC3: REFRIGERATOR, FRENCH 3-DOOR, C 23 CU.FT BM FD FRIDGE, IW DISP, COUNTER DEPTH
1		NE59J7630SS/AC		STAINLES	SAM, RAEF: RANGE, ELECTRIC, FREE-STANDING 30W,5B,5.9CUFT,TRUE CONV,DIECAST KNOB,STEAM
1		ME18H704SFS/AC		STAINLES	SAM, MIOR: MICROWAVE, OVER-THE-RANGE 1.8 CU.FT,400 CFM,SENSOR,DEFROST,ECO,LED
		Payment			MASTER CARD

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY

ME18H704SFS



1.8 cu. ft. Over-the-Range Microwave

Features

- 1.8 cu. ft. Oven Capacity
- 950 W Cooking Power
- 400 CFM Ventilation System
- Simple Clean Filter
- Ceramic Enamel Interior
- 10 Power Levels
- Sensor Cook
- Two-Stage Programmable Cooking
- Auto Defrost/Sensor Reheat
- Auto Cook
- Chrome Rack

Convenience

- Clock (12hr/24hr) with Daylight Saving Time Adjustment
- Kitchen Timer
- End Signal
- Interior Light: Halogen (1)
- Cooktop Lighting (Halogen): High/Low/Off
- Vent Fan Control: On/Off/Delay Off
- Child Safety Lock
- Sound On/Off
- Eco Mode (reduces standby power)



Ceramic Enamel Interior



Simple Clean Filter

Available Colours



Stainless Steel
(shown)



White



Black

Signature Features

SENSOR COOKING

- Whether it's the soup you just bought, last night's leftover pasta or a frozen dinner, Sensor Cook does the thinking for you so that you get optimally heated results.

SCRATCH-RESISTANT AND EASY TO CLEAN

- Durable ceramic enamel interior provides a polished surface that's easy to maintain.
- Effortlessly remove grease or oil from surfaces.
- Protects against scratches that occur from daily use.

SIMPLE CLEAN FILTER

- Convenient, easy-to-access location is simple to eject with one touch and helps you remember when to clean the filter.

LED DISPLAY

- Features a digital, blue LED display, complementing any kitchen decor.



Ranked "Highest in Customer Satisfaction with Over the Range Microwaves."*


—J.D. Power

SAMSUNG

ME18H704SFS

1.8 cu. ft. Over-the-Range Microwave

Dimensions




Installing Your Microwave

This microwave oven is designed for adaptation to the following three types of ventilation:

- A. Outside Top Exhaust (Vertical Duct)
- B. Recirculating (Non-Vented Ductless)
- C. Outside Back Exhaust (Horizontal Duct)

- The space between the cabinets must be 30" wide and free of obstructions.
- This microwave oven is for installation over ranges up to 36" wide.
- The microwave must be level. Use a level to make sure the cabinet bottom is level. If the cabinets have a front overhang only, with no back or side frame, install the mounting plate down the same distance as the front overhang depth. This will keep the microwave level.



For easier installation and personal safety, we recommend that two people install this microwave oven. **IMPORTANT:** Do not grip or use handle during installation.

NOTE: If your cabinet is metal, use the nylon grommet around the power cord hole to prevent cutting of the cord.

NOTE: We recommend using filler blocks if the cabinet front hangs below the cabinet bottom shelf.

IMPORTANT: If filler blocks are not used, case damage may occur from over-tightening screws.

NOTE: When mounting the microwave oven, thread power cord through hole in bottom of top cabinet. Do not pinch cord or lift oven by pulling cord.

Specifications

- Oven Cavity: 1.8 cu. ft.
- Power Output: 950 W
- Power Consumption: 1700 W/14.5 A
- Power Source: 120 V/60 Hz
- Control Method: Digital (Membrane Touch)
- Display: LED
- Cooking Control: 10 Power Levels including Defrost and Sensor Cook
- Cooking Timer: Digital, up to 99 Minutes, 99 Seconds
- Microwave Distribution System: Rotating Turntable + Stirrer
- Glass Turntable Diameter: 14 ³/₁₆"
- Chrome Rack (1)
- Vent Fan: 400 CFM
- Vent Fan Control: On/Off/Delay Off
- Cooktop Lighting: High/Low/Off
- Halogen Interior Light

Warranty

One (1) Year All Parts and Labour
Ten (10) Years Parts on Magnétron

Product Dimensions & Weight (WxHxD)

Outside Net Dimensions:

29 ⁷/₈" x 17 ¹/₁₆" x 15 ⁹/₁₆"

Interior Cavity Dimensions:

20 ¹³/₁₆" x 10 ¹³/₁₆" x 14 ⁹/₁₆"

Weight: 56.0 lbs. (Stainless)

54.9 lbs. (White, Black)

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33 ³/₈" x 19 ¹³/₃₂" x 20 ⁵/₃₂"

Weight: 63.6 lbs. (Stainless)

62.4 lbs. (White, Black)

Colour	Model #	UPC Code
Stainless Steel	ME18H704SFS	887276690865
White	ME18H704SFW	887276672144
Black	ME18H704SFB	887276672137

SAMSUNG

*Samsung received the highest numerical score for over the range microwaves in the proprietary J.D. Power 2014 Kitchen Appliance Study.SM Study based on 15,380 total responses measuring 15 over the range microwave brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visit jdpower.com.

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate. Clearance requirements are the recommended minimum only. Check the regulations and codes in your area for any additional requirements.

© 2015 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

NE59J7630SS


5.9 cu. ft. Freestanding Electric Range

Features


- True Convection Oven (1 Fan)
- Rapid Boil (3.3 kW)
- Five Electric Cooktop Elements
 - One Triple Burner (6"/9"/12")
 - One Dual Burner (6"/9")
 - Two Single Burners (6")
 - Warming Center (7")
- Large Oven Capacity – 5.9 cu. ft.
- SteamQuick™ (20 min. oven cleaning) and Self Clean

Convenience

- Hot Surface Indicator Light
- Auto Oven Light
- Proofing
- Sabbath Mode
- Kitchen Timer
- Delay Start
- Child Safety Lock
- 2 Chrome Oven Racks
- Three Preset Easy Cook Options



True Convection Oven



Large Capacity

Available Colour:



Stainless Steel
(shown)

Signature Features

TRUE CONVECTION OVEN

- Saves up to 25% more time than conventional ovens.*
- Fan system circulates heat to distribute thoroughly so food cooks evenly.
- Lowers the cooking temperature from conventional oven cooking times.

RAPID BOIL BURNER


- 3.3 kW of cooking power boils water faster.

5.9 CU. FT. LARGE CAPACITY

- Our extra-spacious 5.9 cu. ft. large-capacity oven easily handles turkey roasters and large baking sheets.

FIVE-BURNER COOKTOP

- Cook with different-sized pans simultaneously.
- The triple burner has three different-sized heating elements in one.
- Smooth ceramic surface allows for convenient cleaning.
- Bridge capability creates an extra-large cooking surface for oversized pots and pans.



Ranked "Highest in Customer Satisfaction with Ranges, Cooktops and Ovens."**

—J.D. Power

SAMSUNG


NE59J7630SS

5.9 cu. ft. Freestanding Electric Range

Installing Your Range


*30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame-retardant millboard covered with not less than no. 28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

**15" minimum between the countertop and the adjacent cabinet bottom.



IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

Dimensions



Radiant Ceramic Cooktop

- Right Front: 6/9/12", 3.0 kW
- Left Front: Radiant 6/9", 3.3 kW – Rapid Boil™
- Right Rear: Radiant 6", 1.2 kW
- Left Rear: Radiant 6", 1.2 kW
- Centre Rear: Warming Centre, 7"

Oven

- Hidden Bake Element
- Bake: 175°F - 550°F (79°C - 288°C)
- Convection Bake: 175°F - 550°F (79°C - 288°C)
- Convection Roast: 175°F - 550°F (79°C - 288°C)
- Broil: Low/High
- Proofing
- Sabbath Mode

Storage Drawer

Capacity: 1.4 cu. ft.

Warranty

One (1) Year All Parts and Labour

One (1) Year Electric Cooktop

Product Dimensions & Weight (WxHxD)

Actual Oven Dimensions:

25" x 20²⁵/₃₂" x 18¹⁵/₁₆"

Outside Net Dimensions:

29⁷/₈" x 47³/₃₂" x 25³¹/₃₂"

Weight: 162 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33¹/₃₂" x 50²⁵/₆₄" x 30⁹/₃₂"

Weight: 190.5 lbs.

Colour

Stainless Steel

Model #

NE59J7630SS

UPC Code

887276093703

SAMSUNG

*Samsung received the highest numerical score for ranges, cooktops and ovens in the proprietary J.D. Power 2014 Kitchen Appliance StudySM Study based on 15,380 total responses measuring 17 ranges, cooktops and oven brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveyed in January-March 2014. Your experiences may vary. Visit jdpower.com.

Actual colour may vary. Design, specifications, and colour availability are subject to change without notice. Non-metric weights and measurements are approximate. Clearance requirements are the recommended minimum only. Check the regulations and codes in your area for any additional requirements.

© 2015 Samsung Electronics Canada Inc. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd., used with permission.

RF23HCEDBSR


22.5 cu. ft. Counter-Depth French Door Refrigerator with CoolSelect Pantry

Features


- 3-Door Counter-Depth Design
- Large Capacity – 22.5 cu. ft.
- Twin Cooling Plus® System
- ENERGY STAR® Compliant
- Ice Master Ice Maker in the Refrigerator
- CoolSelect Pantry® with Temperature Control
- Premium External Filtered Water and Ice Dispenser
- High-Efficiency LED Lighting
- EZ-Open Handle on Freezer Door
- Adjustable Shelf for Tall, Oversized Items
- Two Humidity-Controlled Crispers
- Tempered Glass Spill-Proof Shelves
- Auto Pull-Out Upper Freezer Drawer
- Easy-to-Access Water Filter

Convenience

- Door Alarm
- Water Filter Indicator
- Child Lock



Ice Master



CoolSelect Pantry with Temperature Control

Available Colour:



Stainless Steel

Signature Features

SLEEK, BUILT-IN LOOK

- Stylish, counter-depth design allows for more work space in the kitchen.
- Sleek, built-in look enhances overall kitchen design.

TWIN COOLING PLUS

- Refrigerator is kept at higher humidity levels to keep perishable fruits and vegetables fresher longer.*
- Freezer air is kept drier for less freezer burn and better tasting frozen foods.
- Fruits and veggies are no longer limited to the crispers. Produce can be placed anywhere in the fresh food compartment and retain ultimate freshness.

*Effect compared to Samsung fridge models that do not have triple cooling.

ICE MASTER

- Produces up to 10 lbs. of ice per day and stores 4.2 lbs.
- Space-saving design leaves more room in the refrigerator.

COOLSELECT PANTRY

- Provides additional temperature control for your food storage needs with Deli, Fresh and Chilled options.



**Ranked "Highest in Customer Satisfaction
with French door Refrigerators"
in 2014 by J.D. Power and Associates.**

SAMSUNG

22.5 cu. ft. Counter-Depth French Door Refrigerator with CoolSelect Pantry

1. Measure the height, width and depth of the opening, making sure to include baseboards, moulding, tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Measure height including flooring. Be sure to allow for hinge clearance height if needed.

Measure width including countertop overhang.

Measure depth including moulding or trim.

Colour	Model #	UPC Code
Stainless Steel	RF23HCEDBSR	887276966106