

To Ivana - these are specs I had

COEMANS Sent cui

ID

Appliance Specification Confirmation Sheet

Appliance specifications for: Jennifer Li

Sales Rep: JESSICIA .

Involce: 4B00013923

Store Location: ST CATHARINES

· Email: jéssica dugandzic@goemans.com.

Date: -Sept 19/14.

Pages including cover:

Please find attached the most current specifications for the appliances purchased by our mutual customer.

We have included a copy of the customers packing slip with full model numbers. Please take a moment to check against the specification sheets to insure you have all the information you may require.

While we have provided the most current information available from the manufacture, the dimensions and information attached are for planning purposes only. As per the manufacturer specifications are subject to change without notice.

Please do not hesitate to call or e-mail the sales rep if you require further information not enclosed. We are always pleased to help.

We have advised the customer that it is their responsibility to communicate any changes to this order to their kitchen designer/builder as soon as possible to avoid errors in design or rough in.

Please sign below confirming both receipt of this package and that you have reviewed the information enclosed to ensure specifications match the attached packing slip.

Signature

Print

Date

Jessica Bugandzie Jessica dugandzie knoemans GOEMANS APPLIANCES WWW.GOEMANS.com

166 Hunting Road, St. Catharinec, ON L2M 3Y1 ph. 905.698.3000 fx. 905.688.3001 1.877.COEMANS

# GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993

WWW.GOEMANS.COM

Find us on Facebook at www.facebook.com/GuemansAppliances

**PACKING SLIP** 

# HB00013923

Salesperson: JESSICA DUGANDZIC

Purchase Date:

9/19/16

Invoice Finished Date:

Delivery/Pickup Date:

Nov 17, 2016 SBL

Invoice Type: Date Printed:

Sep 19, 2016

Page:

## 

ONLINE BANKING ACCOUNT

BILL TO: 2892137829

LI, JENNIFER

TBA

ST CATHARINES, ON

TEL# (289) 213-7829 BUS#

SHIP TO: 2892137829

LI, JENNIFER

TBA

ST CATHARINES, ON

TEL# (289) 213-7829

BUS#

Directions: ..

QTY LOC MODEL# SERIAL# COLOUR BRAND - DESCRIPTION

CUSTOMER AGREED TO PAY FINAL BALANCE BY CREDIT CARD 2 WEEKS PRIOR TO DELIVERY.

ALL CREDIT CARD PAYMENTS MUST BE MADE IN STORE, BY THE CARD HOLDER. YOUR DELIVERY DATE IS TENTATIVE UNTIL BALANCE OF INVOICE IS PAID IN FULL.

Payment

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY



## NE59J7630SS


5.9 cu. ft. Freestanding Electric Range



## Installing Your Range

\*30\* minimum cleerance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame-retardant millboard covered with not less than no. 28 MSG sheet steel, 0.015" atalniess steet, 0.024° aluminum or 0.020" copper.

"15" minimum between the countertop and the adjacent cabinet bottom.



IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range head that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

## Radiant Ceramic Cooktop

- Right Front: 6/9/12", 3.0 kW
- Left Front: Radiant 6/9", 3.3 kW Rapid Boll™
- Right Rear Radiant 6", 1.2 kW
- Left Rear. Radlant 6", 1.2 kW
- Centre Rear: Warming Centre, 7°

- Hidden Bake Element
- Bake: 175°F 550°F (79°C 288°C)
- Convection Bake: 175°F 550°F (79°C 288°C)
- Convection Roast: 175°F 550°F (79°C 288°C)
- · Broll: Low/High
- Proofing
- Sabbath Mode

Storage Drawer Capacity; 1.4 cu. ft.

#### Warranty

One (1) Year All Parts and Labour One (1) Year Electric Cooktop

Product Dimensions & Weight (WxHxD) Actual Oven Dimensions:

25" x 2023/32" x 18 15/16"

**Outside Net Dimensions:** 297/8" x 473/32" x 2531/32"

Weight: 162 lbs


Shipping Dimensions & Weight (WxHxD) Dimensions:

337/22" x 5025/44" x 309/32"

Weight: 190.5 |bs.

Colour Stainless Steel

Model # NE59J7630SS **UPC Code** 887276093703



## SAMSUNG

Samming received the highest numerical acore for ranges, encitops and overs in the proprietary LD. Power 2014 Kitchen Appliance Study<sup>th</sup> Study based on 15.380 total responses measuring 17 ranges, exoktops and overs brands and measures opinions of consumers about their new appliance purchased in the past 24 months. Proprietary study results are based on experiences and perceptions of consumers surveived in January-March 2014. Your experiences may very, Visit Jopower.com.

Actual colour may vary. Design, specifications, and colour evaluability are subject to change without notice, Non-metric weights and measurements are approximate, Clearance requirements are the recommended minimum only. Check the regulations and codes in your area for any additional requirements.



## FRONT LOAD WASHERS

### Fast Forward your Laundry

Tired of spending hours on end finishing your family's laundry? Now, those days are gone. LG's revolutionary TurboWash™ Technology allows you to save 20 minutes on larger loads, with outstanding cleaning performance! It's like pressing the fast forward button on your laundry.

#### Deep Clean with Steam

LG Steam Technology penetrate fabric to remove soil and enhance cleaning results, it elso removes common household allergens. The Allergiene<sup>TM</sup> cycle gently removes over 95% of common household allergens, like dust mites and pet dander from evan the most delicate fabrics, it's so effective it's certified by the Asthma Society of Canada (ASC).

#### More Free Time

Towers of towels, piles of sweatshirts, and a mountain of Jeans? Go for it. The ultra large capacity (5.0 cu.ft.) washer lets you do more laundry in fewer loads. That's time well saved.

#### Count On It

When you buy a washer, you don't want to worry that it won't last. Because the DirectDrive™ Motor uses fewer moving parts and operates more efficiently, LG confidently backs the motor with a 10-year warranty.

## NFC Tag On


Easily change and customize cycles with a simple tap of a smart phone app. Can't find a cycle you need? There's an app for that. Your laundry just got a little bit smarter.

## Call, Connect, Resolve

SmartDlagnosis™ uses self-diagnosing technology that can communicate 24/7 with LG customer service over the telephone providing you with comfort and reliability.

## All the Right Moves

With 6Motion<sup>TM</sup> Technology, each wash cycle combines up to 6 different wash motions to provide a revolutionary cleaning experience and ultimate fabric care.





LG ELECTRONICS CANADA INC. 20 Noreiro Drive, North Yurk, Ontario, M9L 2X6 Tel: 647.253.6300 { LG.com Customer Service & Parts 1-888-542-2623

TYPE	
Frank Loader	•
Dresign Look	Frank Cangral
faroCigone Electronic Controls with Dust LED (	Septral B
Ord-A-Cycle <sup>m</sup>	•
Capacity	RC 50 ruft
ENERGY	
Energy Star	
2014 ENERGY STAR MOST EPPICIENT	•
WASH PROGRAMS	
12 Programs	Cotton/Riorinal, Gulley/Langa, Parm, Prass, Delicent Download, Speed Wash, Sansany, Heavy Outy,
44.4	Brightliftices**, Towels, Alergiene**, Tub Clean
11 Options	Previeth, Rinspo Spar, Custom Program, Entra Bino Chala Lock, Signal OniOff, ColdWeshin, PrevioCarel Steem, TurboV/sishin, Delay Wasin (up to 19 hours
Wash/Ricse Temperatures	Elera Het, Het, Wern.
	Calal, Yap Gotal (All Cold Russes)
Spa Speade	Extra High (1300 masc), High,
	Nedam, Love, No Sráo
Yo. of Water Lavels	Autometically adjusts to the one of load
Na, of Soil Lauck	\$
FABRIC CARE FEATURES	
Narbet-Wastr*	•
Steam	•
Aberglene <sup>ta</sup> Cycle	•
ck5Wteit**	•
Shinglen <sup>to</sup>	
ionesClean <sup>es</sup> System	
CONVENIENCE FEATURES	
t Tray Dispenser	Process, Main Wash (with Light depropert cup), Blanch, Fabric Enfoncer
FrueBalance <sup>na</sup> Anto-Vibration System	•
NFC Tag On	•
imarsDingroots <sup>ree</sup>	•
sad Sance	•
Pratus Ind-Euror(a)	•
ind of Cycle Signal	
hàd Lack	¢
tulo šuds Removal	
erced Drain System	
Clarrod Whiter Heater	•
busy Looding Tellubia	
mesting Legs	A Adjustable Logs
oDschaf* Guar Oparation	<b>b</b>
HOTOR AND AGITATOR	
Aster Type / Meter Speed / Axis	Direct Onve / Variable / Homeuntal
MATERIALS AND FINISHES	
ioneffication Securitary Statel Court Substate	•
General Penal	Planted Steel  Plastic
Top Place	Painted
MARPHIEN GILLS DOOL	Parusq
aor Rim	
	Large Chrome Ornand Start Door with Dark Blue Tinted Cover
weishie Colours	Graphics Street (V)
OWER SOURCE	
Jaines / Etecunical Reculrements / Jone	LE Listed / 3209/ 10 Amos / Sharmer
PTIONS	an commer races, countries research
edestal	10 Production
edesad (Wahlad)	WDP-IV 27'x 13 3/5" + 28 2/5"
tarking (it	
	KSTK1
MENSIONS	
hodus (WAHAD)	27° A 38 11/16" x 29 3/4"
Careton (WAS-6-D)	
	29 1/2" x 42 5/16" x 31 5/16"
Yeight (Product/Curson)	2026 he/218 3 %
IBC CONES	
NASS FORMA	777454 063251
niejs johna Ucpan	772454 052866
nass/ohva Urfor Isti	
nass/ohva Urfor Isti	772454 053966 //2454 058896
NR35/OHVA VCPOV 5/1:1	772454 05896 //2454 05896
JPC CODES RASS JOHNA KTPGY SUTT NARRANTY	772454 053966 //2454 058896

Design, Features and specifications are unique to change without notice. Next-reports preighes and measurements are approximate. NN-ST765S Countertop - Panasonic Canada




1.6 cu. ft. Oven capacity

1200 Watt Cooking power

304 x 555 x 493 mm Exterior dimensions (H x W x D)

SEAR PECS





NN-TK7225 27" Trim ldt for NN-877689



NN-TK7325 30" Trim No. for NN-617658

Opereit at

lestarcs

Spm.


Accessories


Support

•



- 3-3. Cabinet Diagram and Dimensions (For TK732S)
- 3-3. Schéma de l'armoire et dimensions (Pour TK732S)
- 3-3. Dimensiones y diagrama del gabinete (Para TK732S)





**(**