CONVENIENCE

Turntable Type

Round, Non-recessed

Turntable Diameter

14.2"

Clock / Timer

Yes

Completion Beeper

Yes

SAFETY

Child Lock

Yes

LOT 22 @ VICTORIA VILLAGE

DIMENSIONS AND WEIGHT

Product (WxHxD)

21 7/8" x 12 19/32" x 17 7/32"

Weight (lbs)

34.9 lbs.


WARRANTY

Warranty

1 Year Parts and Labour, 5 Years Part on Magnetron

30" & 36" DUAL FUEL RANGE INSTALLATION INSTRUCTIONS

(Model with Electric Oven and Gas Cooktop)



NOTE: 28° (71.1 cm) minimum clearance between the cooktop and the bottom of the cabinet when the botton of wood or metal cabinet is protected by not less than 1/4" (0.64 cm) flame retardant millboard covered with not less than No. 28 MSG sheet metal, 0.015" (0.4 mm) stainless steel, 0.024 ° (0.6 mm) aluminum, or 0.020 ° (0.5 mm) copper.

34" (86.4 cm) minimum clearance when the cabinet is unprotected.

Do not pinch the power supply cord between the range and the wall.

Do not seal the range to the side cabinets.

6

7

Figure 2 - 36" Range (30" Range, see page 1)

A LEIGHT TO ME WICH	Constant of the Constant of th	DHEIGHAD COOKIGE	E GEPJHWITH	F ARIGHT OF COUNTERTOP:	G MINIMUM
41 5/8" (105.7 cm) Min. 35 7/8"	T	35 3/4" (90.8 cm) Min.	47 3/8"	36" (91.4 cm) Standard	36 1/16"
42 5/8" (108.3 cm) Max (91.1 cm)		36 3/4" (93.3 cm) Max.	(120.3 cm)	35 3/4" (90.8 cm) Min.	(91.6 cm)

Important Notes to the Installer

- 1. Read all instructions contained in these installation instructions before installing range.
- 2. Remove all packing material from the oven compartments before connecting the electrical supply to the range.
- 3. Observe all governing codes and ordinances.
- 4. Be sure to leave these instructions with the consumer.
- Note: For operation at 2000 ft. elevations above see level, appliance rating shall be reduced by 4 percent for each additional 1000 ft.

Important Note to the Consumer

Keep these instructions with your owner's guide for future reference.

Optional Items Available:

- A Cooktop Trim, if you want to remove the actual 6" Stainless Steel Backsplash.
- A 9" (22.9 cm) Stainless Steel Backsplash
- A 12" (30.5 cm) Stainless Steel Backsplash

Those kits can be ordered for purchase through an Electrolux Service Center at 1-877-4ELECTROLUX (1-877-435-3287).

IMPORTANT SAFETY INSTRUCTIONS

Installation of this range must conform with local code or, in the absence of local codes, with the National Fur Gas Code ANSI Z223.1—latest edition.

When installing in a manufactured (mobile) home, installation must conform with Manufactured Home Construction and Safety Standard, title 24CFR, part 3280 [Formerly the Federal Standard for Mobile Home Construction and Safety, title 24, HUD (part 280)] or, when such standard is not applicable, the Standard fo Manufactured Home Installation, ANSI Z225.1/NFPA 501A-latest edition, or with CAN/CSA-Z240 MH, or w local codes.

This range has been design certified by CSA international. As with any appliance using gas and generating heat, there are certain safety precautions y should follow. You will find them in the Use and Care Guide, read it carefully.

LOT 22@ VICTORIA VILLAGE

Door Style

Contour

Hidden Hinges

Yes

Case Back Plate

Flush & Metal cover over mechanical parts

Available Colours

Stainless Steel

Handles

Matching Commercial Handle

DIMENSIONS/ CLEARANCES/ WEIGHT

Depth w/ Handles

36 1/4"

Depth w/o Handles _.

33 3/4"

Depth w/o Door

29 1/2"

Depth (Total with Door Open)

48 1/8"

Height to Top of Case

68 3/8"

Height to Top of Door Hinge

70 1/4"

Width

35 3/4"

Width (door open 90 deg. with handle) 44 1/4"

JJ J/4

Width (door open 90 deg. without

40"

handle)

Door Edge Clearance with Handle

Door Edge Clearance without Handle

4 1/4" 2 1/8"

Installation Clearance

Sides 1/8" x Top 1" x Back 1"

Carton Dimensions (WxHxD)

38" x 73" x 39"

Weight (lbs)

353 lbs / 386 lbs

WARRANTY

Warranty

1 Year Parts and Labour, 7 Years Parts on the Sealed System, 10 Years Parts on Linear Compressor