## RF23J9011SR

23 cu. ft. Counter Depth 4-Door Refrigerator with Cool Select Plus

#### **Features**

- 4-Door Counter-Depth Design
- Large Capacity 23 cu. ft.
- Cool Select Plus
- Triple Cooling System
- \* Ice Master Ice Maker in the Refrigerator
- \* ENERGY STAR® Compliant
- \* High-Efficiency LED Lighting
- Stainless-Look Display
- Stainless Steel Accents on Interior Shelving and Door Bins
- \* Fingerprint Resistant Coating
- Tempered Glass Spill-Proof Shelves
- Flip-Up Shelf
- Gallon Door Bins
- \* Two Clear Crispers

#### Convenience


- Door Alarm
- \* Water Filter Indicator




ENERGY STAR\* rated: 679 kWh/yr




Ranked "Highest in customer satisfaction with French Door refrigerators, in a tie." \* -/.D. Power





Clean, Modern Design



Triple Cooling System

#### Available Color



Stainless Steel

## Signature Features

#### CLEAN, MODERN DESIGN

- Arthrisma symmetric design expresses industrially.
- Beautifully approinted stainless speel body and interior trees.

#### COUNTER DEPTH

- More capacity, smaller door space.
- Our 23 but full capacity French Goor has enough mom to fit up to 23 bags of grocenes?
- Styrish counter-depth design allows for more workable space in the kitchen.

Perturb filter in 1920 was fil Mandeny commension was taken fan o win to an 100 to 60 desta oand was pan yn hin gescorbeg.

#### COOL SELECT PLUS

- Versable, bottom-right door can be a bidge or freezer, maximizing flash food storage space.
- The most fresh foed storage evallable in its class at 18,05 ou.ft., when the Cool Select Plus is used as a refrigerator.)
- Four distormizance temperature settings: Freezer at -9°F = 1°F, Soft Freeze at 20°F, Chill at 30°F and Cool at 41°F.

क्षिणकार १८०४ सम्बद्धाः स्थापन् । स्थापन् । स्थापन् । स्थापन

SAMSUNG


## **30" Speed Combination Oven**



800 Series - Stainless Steel HBL8751UC



#### Installation Details



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


## RF23J9011SR

23 cu. ft. Counter Depth 4-Door Refrigerator with Cool Select Plus


### Installing Your Refrigerator

- Measure the height, width and depth of the opening, making size to include baseboards, modeling tile, countertop overhang, etc. Check to be sure there is enough from to open the door (consider walls, islands or other obstacles when measuring),
- 2. Refer to Mustration below to determine cimensions,
- 3. Allow 2° of clearance on hinge side of refrigerator when installing next to a well where issistic may make contact.
- 4. Allow 1" refirmum clearance at rear for proper air cliculation and water/electrical ecopections. Allow a 3/8" minimum clearance at sides and top for ease of installation,
- 5. Equipe each door and entry way in the home is wide unough for the refrigerator to be cooved through easily.

Proceed note: The following dimension and custout information is for planning purposes only. For complete installation details consult manual packed with product, or download manual police at sams angueon,



#### **Dimensions**



### Total Capacity: 22.5 cu. ft.

#### Refrigerator: 13.6 cu. ft.

- Premium External Filtered Water and Ice Dispenser (Crushed or Cubod ice)
- Ice Master Ice Maker
- High-Efficiency LED Lighting
- 2 Clear Crispers
- 5 Tempered Glass Spill-Proof Shelves
  - -1 Slide-in & fold-up
  - -1 Flip-Up
  - -3 Flxed

#### Cool Select Plus: 4.45 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Drawers
- 4 Temperature Zones:
- -41°F
- -30°F
- -23°F
- --9°F-1°F
- \* High-Efficiency LED Lighting

#### Freezer: 4.45 cu. ft.

- 1 EZ Slide-Out Shelf
- 2 Freezer Drawers
- High-Efficiency LED Lighting

#### Accessories

Water Filter: HAF-CIN

#### Warranty

One (1) Year Parts and Labor on Refrigerator Five (5) Years Parts and Labor on Sealed Refrigeration System Only\* Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor

\*Compresses, avaparator, condenser, deer, connecting tubing

### Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors): 353/4" x 717/8" x 287/8"

Dimensions (WxHxD without hinges and door): 35<sup>3</sup>/<sub>4</sub>" x 70<sup>3</sup>/<sub>4</sub>" x 24<sup>1</sup>/<sub>16</sub>"

Dimensions (WxHxD with hinge and door, no handle): 353/4" x 717/8" x 287/8"

Weight: 352.7 lbs.

### Shipping Dimensions & Weight (WxHxD)

Dimensions: 385/16" x 78" x 315/16"

Weight: 385.8 lbs.

Color

Model#

**UPC** Code

Stainless Steel RF23J9011SR

887276088969

SAMSUNG


Actual coor may sury Dengy, specifications, and cobressarabony or explicit in change withich liquide ten-metals, verights and messurements eig approduistic C 2015, Saintung Bectrofier, Americal Inc. 8 Strokengor Road, Régalicia Part, Fr 0736-9-16-800/SANSUNG, Ampling Con-Saintung I salenghaled tradepointed Sansung (Bectronics Co. 114)


## 30" Speed Combination Oven

800 Series - Stainless Steel HBL8751UC



#### Installation Details





For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the linish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


## 24" Pocket Handle Dishwasher


800 Plus Series - Stainless Steel SHP7PT55UC





### Installation Details











For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranty can be round in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, toiled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days differences or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

## DV42H5600EP

Samsung Front-Load Electric Dryer

# LOWES Let's Build Something Together


## 7.5 cu. ft. Capacity DOE

#### **Features**

- Steam Drying Technology:
  - Steam Refresh
  - Steam Wrinkle Away
- Smart Care
- Stainless Steel Drum
- 13 Preset Drying Cycles
- 11 Options
- 5 Temperature Settings
- \* 4-Way Venting
- Sensor Dry Detects Moisture and Adjusts Drying Time
- Drying Rack
- Dryer Drum Light
- Reversible See-Through Door

#### Convenience

- Child Lock
- My Cycle Option
- Lint Filter Indicator





Steam Dry



Smart Care

#### Available Colors:



Platinum



## Signature Features

#### STEAM DRY

- Steam away wrinkles,
- \* Helps remove oxions and freshen cistines.
- \* Spendiess time frening.
- \* Fewer trips to the dry cleaner.

#### **SMART CARE**

- Troubleshoot with your smartphone.
- Perform a quick diagnosis of your waster and dryer right from your smartphone.\*

The ending the office with the following specifically decreases the rest.

#### SENSOR DRY

 Automatically adjusts drying time by sensing moisture so your clothes con't over or under dry.




304


## 24" Pocket Handle Dishwasher

800 Plus Series - Stainless Steel SHP7PT55UC



#### Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79 (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 20" (50 cm) and max. 43" (110 cm) above the cabinet floor.

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, toiled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

## WF42H5600AP

Samsung Front-Load Washer

## 4.2 cu. ft. Capacity DOE

#### **Features**

- Steam Washing
- SuperSpeed
- \* Smart Care
- Self Clean+
- \* VRT®
- Diamond Drum Design
- \* Direct Drive Motor
- 1200 rpm Maximum Spin Speed
- \* Internal Water Heater
- \* 13 Preset Wash Cycles
- 12 Options
- Garment+

### Convenience

- \* Child Lock
- \* Door Lock
- Dispenser Trays: Prewash, Main Wash, Softener, Bleach



ENERGY STAR\* rated: CEE Tier 3 MEF=3.20 WCF=2.90 93 kWh/yr



Ranked "Highest in Customer Satisfaction with Clothes Washers" by J.D. Power and Associates,




Achieved the U.S. Environmental Protection Agency's 2014 ENERGY STAR<sup>®</sup> "Most Efficient" designation.









SuperSpeed



Smart Care

#### Available Colors:



Platinum



### Signature Features

#### STEAM WASHING

- \* Powerful steam reviewes stains,
- No pre-treatment needed.

#### **SUPERSPEED**

- 40% faster wash cycle.
- Wash a full load in only 36 minutes.\*
- Size over 3 hours of foundry time every week.\*\*
- Laundry gets done quicker without to is of performance.
- Proceedings and comment of the opening of contractive of the articles on the contraction of the opening of the TETA contraction of the opening of the TETA contraction of the Contraction of the opening of the opening
- শ্বীরের এতায়ারের প্রত্যাসকর এই করি প্রত্যা ক্রিকে বিরুদ্ধের করেন করি এবং করেনের স্থানিক করেনের স্থানিক করি ব শ্বীরের এতায়ারের প্রত্যাসকর এই করি প্রত্যাসকর করিব করেনের সামি এবং করিব শ্বীর স্থানিক করেনের সামি করিব প্রত্যাস শ্বীকরি প্রত্যাসকর প্রত্যাসকর এই করিব শ্বীকর স্থানিক

#### **SMART CARE**

- Troubleshoot with your smartphone.
- Perform a quick diagnosis of your washer and dryer right from your smartphone.
- for commence of the commence o


SAMSUNG

## 36" Electric Cooktop

Benchmark\*\* Series - Black with Stainless Steel Frame NETP666SUC



#### Installation Details



For help and assistance with Bosch accessories please call 1-800-944-2904 Mon-Fri 8am to 6pm EST

Notes: All height, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product) for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight colour variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.ca or call 1-800-944-2904


© 2014 BSH Home Appliances Canada. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

## WF42H5600AP


Samsung Front-Load Washer


## dot 304

### **Installing Options**










### Installing Your Washer


1. Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:

Sides - 1" Rear - 5<sup>7</sup>/<sub>4</sub>" Top - 17" Closet Front - 2"


If the washer and dryer are installed together, the closet front must have at least a 72" unobstructed air opening. Your washer alone does not require a specific air opening.





#### **Dimensions**

2. With optional pedestal base or stacking kit Required Dimensions for Installation with Pedestal



### 4.2 cu. ft. Capacity DOE

#### 13 Preset Wash Cycles:

Normal, Heavy Duty, Permanent Press, Sanitize, Allergen. Towels, Bedding, Deep Steam. Active Wear, Delicates, Wool. Quick Wash. Kinse and Spin

#### 12 Options:

SuperSpeed, Steam, Self Clean+, Delay End, My Cycle, Prewash, Extra Rinse, Extra Spin, Spin Only, Sound, Child Lock, Smart Care

#### 5 Temperature Settings:

Extra Hot. Hot, Warm, Eco Warm, Cold

### 5 Spin Settings:

Extra High, High, Medium, Low, No Spin

#### 5 Soil Settings:

Heavy, Heavy Medium, Normal, Low Medium, Light

#### Dispenser Travs:

Prewash, Main Wash, Softener, Bleach

#### Warranty

One (1) Year Parts and Labor Two (2) Years Control Board Three (3) Years Stainless Steel Drum Ten (10) Years Direct Drive Motor

## Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 11/16" x 33 3/8"

Weight: 194 lbs

## Shipping Dimensions & Weight (WxHxD)

Dimensions: 291/4" x 41 11/16" x 345/8"

Weight: 203 lbs

 Color
 Model #
 UPC Code

 Platinum
 WF42H5600AP
 887276558744

 White
 WF42H5600AW
 887276963075

#### Matching Dryer (Electric/Gas)

Platinum	DV42H5600EP	887276566153
White	DV42H5600EW	887276963334
Platinum	DV42H5600GP	887276566160
White	DV42H5600GW	887276963365

Samsung

Actual color may say, Design specifications, and chies availability are subject to change 40 rous notice. Noting 60 to see the association of the

Simular present the highest reported some for other exchanging to promise (107-7) is Launity Appliance Sinders 34 2013 shadd and 25 20 high reports of the past 24 minutes of the past


The ENERGY STAC Morn Efficient 2014 (Asignation recognises the most efficient products annount had that quality for the ENERGY STAR original. These exceptional chites washen a depicted for the leading edge for energy efficient products.

#2014-Sambung Electronics Amedica. Inc. 815 Challenger Road: Ridgelle id Park NIG7886-Tel: BIOS SANCLES Cambring of the Sanbung is a repliced trademark of Sanbung Electronics Country


## DV42H5600EP


Samsung Front-Load Electric Dryer

### **Installing Options**










### Installing Your Dryer


1. Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:

Rear - 57/6 Ton - 174 Closet Front - 2°

If the washer and dryer are installed together, the closet front must have at least a 72" unobstructed air opening. Your washer alone does not require a specific air opening.





#### Dimensions

2. With optional pedestal base or stacking kit

Required Dimensions for Installation with Pedestal Required Dimensions for Installation with Stacking Kit 53" to clear open door 531// 321/4 771/0  $\cap$ \*Required spacing. \*\*External exhaust elbow requires additional space.

### 7.5 cu. ft. Capacity DOE

4-Way Venting

#### 13 Preset Dry Cycles:

Steam Refresh, Steam Wrinkle Away, Eco Normal, Normal, Heavy Duty, Permanent Press, Bedding. Delicates, Wool, Sanitize. Time Dry, Air Fluff, Quick Dry

#### 11 Options:

Mixed Load Bell, Wrinkle Prevent, Anti Static, Small Load Care, My Cycle, Rack Dry, Adjust Time. Sound, Child Lock, Smart Care, Drum Light

#### 5 Temperature Settings:

High, Medium, Medium Low, Low, Extra Low

#### 5 Dry Levels:

Very Dry, More Dry, Normal Dry, Less Dry, Damp Dry

### 2 Signal Level Settings:

On/Off

#### Warranty

One (1) Year Parts and Labor Two (2) Years Control Board Three (3) Years Stainless Steel Drum Ten (10) Years Direct Drive Motor

### Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 3811/16" x 323/8"

Weight: 126 lbs

### Shipping Dimensions & Weight (WxHxD)

Dimensions: 291/4" x 421/4" x 331/2"

Weight: 134 lbs

Electric Model# **UPC** Code Platinum DV42H5600EP 887276566153 White DV42H5600EW 887276963334 Gas Model# **UPC** Code Platinum DV42H5600GP 887276566160

#### Matching Washer

White

Platinum WF42H5600AP 887276568744 White WF42H5600AW 887276963075

DV42H5600GW 887276963365

SAMSUNG

Actuals dus thay ware, Designatures Bearlons, and colors vallability are applicated during and colors with the property and applications of the colors of th

amoung received the highest numerical score for Lither wishers (2009-2012) and divers 2008-2012) in the proprietary (III. Toxes and Associated Laudory Appliance).
Soldies SM 2012 Study based on 0.339 Amaries context reasoning 12 brands, and measures opinions of consumers about their wanter and a pre-blood based rewriting from
Almosth's Proposaly study results and based on expediences and perceptions of consumers surveyed Printing Visions (2012-1) are expediences and perceptions of consumers surveyed Printing Visions (2012-1) are expediences and perceptions of consumers surveyed Printing Visions (2012-1) are expediences and perceptions of consumers surveyed Printing Visions (2012-1) and perceptions (2012-1) and © 2014 Sarraung Electronics America Inc. 85 Challenge: Road, Pagazield Park, NI 07660, Tel 300 SAMSUNG, Parraung and Sarraung is a englistred trademats of Spinourg Electronics Co. Liu.

## 24" Pocket Handle Dishwasher

304

800 Plus Series - Stainless Steel SHP7PT55UC





SHP7PT55UC Stainless Steel

Expandable wings on our flexible 3rd rack provide extra height to fit ramekins, measuring cups and extra-large utensils.

	 •		efits
 	 <i>a.</i> .	con.	

42 dBA: Quietest dishwasher brand.

A flexible 3rd rack with folding tines adds 30% more loading capacity.

TimeLight™ beams the remaining cycle time on the floor.

Water softener ensures optimally spot-free and shiny dishes.


RackMatic<sup>e</sup> offers 3 height levels, for 9 possible rack positions.

General Properties	
Number of wash cycles	6
Number of options	5
dBA	42
Third rack	Flexible
Rack adjustability	RackMatic®
Tub material	Stainless steel
Control type	Touch Control
Concealed heating element	Yes
Leak protection system	24/7 AquaStop®
Water softener	Yes
Five-level wash	Yes
ChildLock	No
Special features	TimeLight <sup>®</sup> , Duo-Flex Silverware Basket, SpeedPerfect <sup>™</sup>
Efficiency	

Efficiency	
Water usage per cycle	2.9
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	259
Total annual water consumption (g)	624
Capacity	

Number of place settings 16





	The state of the s
Technical Details	
Watts (W)	1300 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord length	56 5/16"
Minimum water pressure (lb/sin)	14
Length inlet hose (in)	60"
Length outlet hose (in)	79"
Dimensions & Weight	
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"
Adjustable feet	Yes
Net weight (lbs)	95 lbs
Accessories-Optional	
Dishwasher Softener Salt (4.4 lbs)	SGZ9091UC
Dishwasher Supply and Drainage Hose Extension 76 3/4"	SGZ1010UC
Dishwasher 3-Prong Power Cord 66 7/8"	SMZPC002UC
Dishwasher Accessory Kit	SMZ5000



For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST Notes: All helght, width and depth dimensions are shown in inches. Please refer to installation instructions prior to making cutout. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details. Applicable product manager for further details.

warranty can be round in accompanying product interactive or you may contact your account manager for runner details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage to the finish of the Product, for a period of thirty (30) days date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.