GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993

WWW.GOEMANS.COM

Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00015274 Salesperson: JASON NG Purchase Date: 2/18/17

Invoice Finished Date:

Delivery/Pickup Date: Jun 09, 2017 Invoice Type: **VBL**

Date Printed: Feb 18, 2017 Page:

ONLINE BANKING ACCOUNT

BILL TO: 4166271849

OLANREWAJU, TEMI & PETER

109 GIBSON CIRCLE BRADFORD, ON TBA **SHIP TO:** 4166271849

ØLANRÈWAJU, TEMI & PETER

109 GIBSON CIRCLE BRADFORD, ON TBA

TEL#

(416) 627-1849

BUS# (647) 448-3354 TEL#

(416) 627-1849

BUS#

(647) 448-3354

Directions: 6TH LINE & SIMCOE ROAD

QTY	LOC	MODEL#	SERIAL#	COLOUR	BRAND - DESCRIPTION		
1		HDDW36FS		STAINLES	THE, HOWC: HOOD, WALL MOUNT 36W,CHIMNEY,WALL,600 CFM,SLIDE-OUT,MESH FILTERS		
		This special order product requires a 50% deposit & is considered FINAL SALE. x					
		PLEASE ALLOW UP TO 4-12 WEEKS FOR DELIVERY OF THIS PIECE.					
1		VHOOD2CHMY	UNASSIGNE	D	Chimney style hood install up to 36" model		
			INSTALLER				
		length. No hole cutting.					
-1		C-VAUGHAN SALES ALLO	DWANCE				
1		P-DELIVERY \$2,500-4,999					
		Payment			MASTER CARD		

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.


HDDW36FS

36-INCH CHIMNEY WALL DRAWER HOOD

MASTERPIECE® SERIES









FEATURES & BENEFITS

- ★ Unique sliding stainless canopy can be pushed back against the wall for increased head room
- 🛊 45% increase in capture area when hood is extended
 - 600 CFM Integrated Blower included
 - Three fan speeds plus 10 minute high-power operation mode
 - Built-in 'Clean Filter' reminder light illuminates after 40 hours of operation
 - Dimmer lighting-for those hours after a late meal
 - Built-in 'Clean Filter' reminder light illuminates after 40 hours of operation
 - Dishwasher-safe stainless-frame mesh filters

ACCESSORIES (OPTIONAL)

Stainless Steel Chimney Hood Extension - CHIMXHDD

For up to 11-foot ceiling applications. Extension replaces upper section of standard chimney extension. May require fabrication to reduce height.

GENERAL PROPERTIES	
Operating Mode	Ducted
Maximum CFM	600 CFM
Sones	N/A
Number of Speed Settings	3-Stage
Motor Location	Integrated Motor In
Wotor Location	Hood Body
Number of Lights	4
Bulb Type	Halogen
Total Power of the Lamps (W)	20 W
Damper Included	Yes
Grease Filter Material	Washable Synthetic
Grease Filter Type	Multilayer Cassette
TECHNICAL DETAILS	
Watts (W)	610 W
Current (A)	15 A
Volts (V)	120 V
Frequency (Hz)	60 Hz
Plug Type	120V-3 Prong
Conduit Length	51"
DIMENSIONS & WEIGHT	
Overall Appliance Dimensions (Width of Canopy Included) (HxWxD) (in)	26 ³ / ₄ " - 42 ¹ / ₂ " x 35 ¹ / ₂ " x 17"
Height of The Chimney (in)	23 7/8" - 39 5/8"
Accommodates Ceiling Heights	7 ft. 9 in 9 ft. 6 in.
Required Distance Above Cooktop / Range Cooking Surface	30" / 30"
Diameter of Air Duct (in) Top	6"
Net Weight (lbs)	64 lbs
BLOWER OPTIONS	
Remote Blower (Mounted to Roof or External Wall)	N/A
(Mounted to kool of External Mail)	N/A
	N/A
Inline Blower	N/A
(Mounted Between Kitchen and External Wall)	N/A
Integrated Blower (Mounted in Hood)	N/A
WARRANTY	
Limited Warranty Parts and Labor	2 Year

Page 1 of 2 09 / 16

HDDW36FS


36-INCH CHIMNEY WALL DRAWER HOOD

MASTERPIECE® SERIES



182

HOOD DIMENSIONS



measurements in inches and mm


NOTE: Accommodates ceiling height of 7-ft. 9-in. to 9 ft. 6-in. An optional Chimney Extension kit is available for ceilings up to 11-ft.

Installation Note: This product ships with two transport brackets to hold the movable canopy in place during shipping and installation. After installation, be sure to remove the brackets to operate the sliding drawer canopy.

OPTIONAL ACCESSORIES

CHIMNEY EXTENSION CHIMXHDD

Stainless steel chimney hood extension for up to 11-foot ceiling applications. Extension replaces upper section of standard chimney extension. May require fabrication to reduce height.



measurements in inches and mm

These warranties give you specific legal rights and you may have other rights that vary from state to state. Full warranty and limited warranty from date of installation. For complete warranty details, refer to your Use & Care manual, or ask your dealer.

Specifications are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation engineer for your specific ventilation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 800 735 4328 | USA THERMADOR.COM | CANADA THERMADOR.CA | ©2016 BSH HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.