hot 210

NX58H9500WS

5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

Features


- * Slide-in Design
- * 5 Gas Burners
 - Right Front: Dual 18K BTU
 - Left Front: 15K STU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: 9.5K BTU (Oval)
- * Large Oven Capacity 5.8 cu. ft.
- Guiding Light Controls
- Cast Iron 3 Piece Grates
- * Reversible Cast Iron Griddle
- * True Convection Oven
- * Temperature Probe
- Warming Drawer (3 Levels)
- * Healthy Cook Options


Convenience

- Auto Oven Light
- Sabbath Mode
- Delay Start
- * Auto Shut-Off Option
- * Child Safety Lock
- * Self Clean
- * 3 Favourite Cook Presets
- * 4 Healthy Cook Presets
- * 3 Chrome Oven Racks, including 1 Split Rack



Ranked "Highest in Customer Satisfaction with Ranges, Cooktops and Ovens."* - J.D. Power





Power/Flexible Cooktop



Guiding Light Controls



Cast Iron Reversible Griddle

Available Colour:



Stainless Steel

Signature Features

POWERFUL/FLEXIBLE COOKTOP

True dual-power burner allows for even heat distribution and reduced cooking time, plus the convenience of a large oval burner.

GUIDING-LIGHT CONTROLS

- * Intuitive controls offer simple, step-by-step instructions for choosing cooking options.
- Only illuminates cooking options that are able to be selected and goes from left to right eliminating back and forth.
- * Control temperature and time settings, select cooking functions and program your favourite recipes.

TRUE CONVECTION

* Heated fan system is great for baking and broiling because temperature is distributed thoroughly and food cooks evenly.

REVERSIBLE CAST IRON GRIDDLE

 $^\circ$ Reversible griddle provides the flexibility of cooking on flat or griffed surface, while the Cast Iron provides even cooking.

SAMSUNG


NX58H9500WS

5.8 cu. ft. Slide-in Gas Range with Intuitive Controls

Installing Your Range


30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper,


** 18" minimum between the countertop and the adjacent cabinet bottom.



IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

Dimensions





Total Power (BTU) 57,000 BTU

Power Source 120 V/60 Hz

Black Enamel 5 Burner Cooktop

- * Right Front: 18000 BTU Dual
- Left Front: 15000 BTU
- * Right Rear: 5000 BTU
- * Left Rear: 9500 BTU
- * Centre Rear: 9500 BTU Oval

- * Bake: 175°F 550°F (79°C 288°C)
- Convection Bake: 150°F 550°F (66°C 288°C)
- * Bake Burner: 18000 BTU
- * Broil Burner: 16500 BTU
- * Variable Broil: Low/High: 446°F 587°F (230°C - 308°C)
- Convection Roast: 175°F 550°F (79°C 288°C)
- * Sabbath Mode

Warming Drawer

- * Capacity: 0.7 cu ft.
- * Heating Performance: 600 W
- * Temperature Settings: 3 Level

Warranty

One (1) Year All Parts and Labour Five (5) Years Gas Cooktop

Product Dimensions & Weight (WxHxD) Actual Oven Dimensions: 25" x 211/8" x 19"

Outside Dimensions:

 $29^{15}/_{16}$ " x $36^{3}/_{16}$ – $37^{3}/_{16}$ " (Adjustable) x $26^{3}/_{8}$ "

Weight: 202 lbs.

Shipping Dimensions & Weight (WxHxD) Dimensions:

33¹/₁₆" x 41³/₄" x 30⁵/₁₆"

Weight: 225 lbs.

Colour Model# Stainless Steel

NX58H9500WS

UPC Code 887276032054

SAMSUNG

Sanitaing received the highlish musterical some for ranges, cooktops and overse in the p 17 ranges, cooktops and over brands and messures opinions of consumers about their perceptions of consumers surveyed in January-March 2014. Your experiences may very

Actual colour may vary. Design specifications and colour availability are subject to change without notice. Norwir recommended minimum only. Shock the regulations and codes in your area for any additional requirements.

© 2015 Samsung Electronics Canada Inc. At north sescribed Samsung is a register of trademark of Samsung Electronics Co., Ltd.: reserving

Lot 210

RF28HFEDBSR

28 cu. ft. French Door Refrigerator with CoolSelect Pantry

Features

- * Large Capacity 28 cu. ft.
- Twin Cooling Plus® System
- ice Master ice Maker in the Refrigerator
- * ENERGY STAR® Compliant
- CoolSelect Pantry[®] with Temperature Control
- Premium External Filtered Water and Ice Dispenser
- * High-Efficiency LED Lighting
- * EZ-Open Handle on Freezer Door
- * Adjustable Shelf for Tall, Oversized items
- * Two Humidity-Controlled Crispers
- Tempered Glass Spill-Proof Shelves
- * Auto Pull-Out Upper Freezer Drawer
- * £asy-to-Access Water Filter


Convenience


- * Door Alarm
- Water Filter Indicator
- * Child Lock






Ranked "Highest in Customer Satisfaction with French door Refrigerators" in 2014 by J.D. Power and Associates.





Ice Maste



CoolSelect Pantry with Temperature Control

Available Colour:



Stainless Steel

Signature Features

TWIN COOLING PLUS

- * Refrigerator is kept at higher humidity levels to keep perishable fruits and vegetables fresher longer.*
- * Freezer air is kept drier for less freezer burn and better tasting frozen foods.
- Fruits and veggies are no longer limited to the crispers. Produce can be placed anywhere in the fresh food compartment and retain ultimate freshness.

"When compared to Barmoung fridge models that do not have triple cooling.

ICE MASTER

- Produces up to 10 lbs. of ice per day and stores up to 4.2 lbs.
- * Space-saving design leaves more room in the refrigerator.

COOLSELECT PANTRY

* Provides additional temperature control for your food storage needs with Deli, Fresh and Chilled options.

SAMSUNG


RF28HFEDBSR

28 cu. ft. French Door Refrigerator with CoolSelect Pantry


Installing Your Refrigerator

- 1. Measure the height, width and depth of the opening, making sure to include baseboards, moulding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider wails, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- 3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- 5. Ensure each door and entry way in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and cut-out information is for planning purposes only. For complete installation details consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 28.07 cu. ft.

Refrigerator: 19.14 cu. ft.

- Premium External Filtered Water and Ice Dispenser
- Ice Master Ice Maker
- CoolSelect Pantry with Temperature Control -Deli (41°C), Fresh (38°F) and Chilled (32°F) options
- 2 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves
- Adjustable Shelf for Tall, Oversized Items
- 6 Door Bins
 - Right Door: 3 Gallon Bins
- -Left Door: 3 Regular Bins
- * High-Efficiency LED Lighting

Freezer: 8.93 cu, ft.

- * EZ-Open Handle
- 1 Drawer Divider
- High-Efficiency LED Lighting

Accessories

Water Filter: HAF-CIN

Warranty

One (1) Year Parts and Labour on Refrigerator

Five (5) Years Parts and Labour on Sealed Refrigeration System Only*

Ten (10) Years Parts and Five (5) Years

Labour on Digital Inverter Compressor

*Compressor, evaporator, condenser, drier, connecting tubing

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors): 353/4" x 70" x 36"

Dimensions (WxHxD without hinges and door): 35³/₄" x 68⁷/₈" x 29"

Dimensions (WxHxD with hinge and door, no handle): 353/4" x 70" x 331/2"

Weight: 326 lbs

Shipping Dimensions & Weight (WxHxD) Dimensions: $38^{5}/_{8}$ " x $76^{5}/_{8}$ " x $36^{1}/_{8}$ "

Weight: 352 lbs.

Model#

UPC Code

Stainless Steel RF28HFEDBSR 887276966083

SAMSUNG

Actual robust may york Design Specifications, and colour assessibly are subject to change without violice.

Actual robust may york Design Specifications, and colour assessibly are subject to change without violice.

Actual robust may york Design Specifications, and colour assessibly are subject to change without violice.

Actual robust may york Design Specifications, and colour assessibly are subject to change without violice.

Actual robust may york Design Specifications, and colour assessibly are subject to change without violice.

Actual robust may york Design Specifications, and colour assessibly are subject to change without violice.

Actual robust may york Design Specifications, and colour assessibly are subject to change without violice.








FREE LOCAL DELIVERY ON ALL ORDERS OVER \$498:



APPLIANCES / KITCHEN / DISHWASHERS

Samsung Stainless Steel 24" Dishwasher - DW80K5050US/AC

(1 Review) Read 1 Review Write a Review



SKU: 77050514

Q Hover/Touch to Zoom

Product Information

This Samsung dishwasher makes a sleek addition to any modern kitchen with its smooth stainless steel finish. It features a quiet operation element so you can clean your dishes at any time, day or night. The StormWash system ensures even the toughest cooked-on foods are removed from your pots and pans with its heavy-duty, rotating spray jets that make pre-washing a thing of the past. For faster cycle times, the AutoRelease door automatically opens after each cycle to remove excess moisture and to ensure your dishes dry quicker.

Product Dimensions: Width: 24" Height: 34" Depth: 25"

Finish:

Stainless Steel

Unique Features:

The StormWash™ heavy-duty wash system provides powerful rotating spray jets positioned at every angle to get the messiest pots and pans thoroughly clean, eliminating the need for pre-washing. The AutoRelease™ Door automatically pops open at the end of a cycle to dry dishes faster. The Light Indicator displays whether it's running and can be seen from across the room.

Care Instructions:

Refer to manufacturer's use and care guide.

Product Information:

Convenience Features

- Number of Place Settings: 15
- AutoRelease™ Door
- Control Lock
- FlexLoad™ Racking System
- 6 Sensors: Digital Water Leakage, Overflow, Sanitize, Turbidity, Water Fill, Rinse Refill
- · Light Indicator
- Touch Control
- Self-Cleaning Filtration System
- · Hidden Heating Element
- 3 Spray Wash Arms: Upper, Middle, Lower
- Hard Food Disposer Cleaning System
- · Cycle Progess Indicator
- One-Touch Adjustable Racking System
- · Quiet Operation: 48 dBA
- · Full Stainless Steel Interior
- Energy Star® Qualified

Cycle and Options

6 Wash Cycles

- Auto
- Heavy
- Normal
- Express 60
- Delicate

· Rinse Only

6 Options


- StormWash™ Heavy Duty Wash
- · Lower Rack Wash
- Sanitize (Anti-Bacterial-NSF)
- · Hi-Temp Wash
- · Delay Start
- · Control Lock

Racks and Baskets

- Number of Racks 2
- Upper Rack: 2 Cup Shelves, Adjustable Tines
- · Lower Rack: Removable Tines
- Silverware Baskets: 2
- Nylon Racking

Warranty:

One-year warranty on parts and labour. Customer Support: 1-800-SAMSUNG.



More flexibility, more dishes



SPECIFICATIONS

Install Type	Size	Control Type	Color/Material
Built under	24"T	Hidden tou ch	Stainless St eel

Design

Install Type

Size

Control Type

Built under

24"T

Hidden touch

Color/Material

Display Light Color

Washing Type

Stainless Steel

Ice blue

Rotary

Performance

Capacity (Place Setti Energy Star

Energy Annual consu

ng)

Yes

mption

15 P/S

265 kWh/year

Dry System

Water Consumption

Noise level (dBA)

Auto Door Open Dry

Per Cycle (gallons)

48

3.5

Cycle time (min)

170 - 103

SHOW MORE SPECS +

REVIEW SNAPSHOT® by PowerReviews

1.0 (based on 1 review)

Write a Review

Reviewed by 1 customer

Displaying review 1 Back to top