

240.

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM

Find us on Facebook at www.facebook.com/GoemansAppliances

PACKING SLIP

HB00014201

Salesperson: JEFFREY WRICE
Purchase Date: 10/29/16
Invoice Finished Date:
Delivery/Pickup Date: Apr 12, 2017
Invoice Type: VBL
Date Printed: Oct 31, 2016
Page: 1

ONLINE BANKING ACCOUNT

BILL TO: 6472901492

LIORTI, LORNA
56 LEWIS AVENUE
BRADFORD, ON L3Z 0X2

SHIP TO: 6472901492

LIORTI, LORNA
56 LEWIS AVENUE
BRADFORD, ON L3Z 0X2

TEL# (647) 290-1492 BUS# 4162714239(MIKE)

TEL# (647) 290-1492 BUS# 4162714239(MIKE)

Directions: SIXTH LINE AND SIMCOE ROAD

| QTY | LOC | MODEL # | SERIAL # | COLOUR | BRAND - DESCRIPTION |
|-----|-----|------------------------------------|----------|----------|--|
| 1 | | RF22KREDBSG/AA | | BLACK ST | SAM, REBF4: REFRIGERATOR, FRENCH 4-DOOR, F 36 WIDE, 22 CU.FT, COUNTER DEPTH FOOD SHOWCASE W |
| -1 | | P-GPS1016-SAMTAX | | | |
| 1 | | NX58K9500WG/AC | | BLACK ST | SAM, RAGS: RANGE, GAS, SLIDE-IN 5.8 CU.FT. GAS SLIDE-IN RANGE, 18K DUAL FLAME BURN |
| -1 | | P-GPS1016-SAMTAX | | | |
| 1 | | DW80J7550UG/AC | | BLACK ST | SAM, DIS: DISHWASHER 24W,44DBA,SS INT,5CYC,1 TCH ADJ UPR RCK,DISPLAY |
| 1 | | P-GPS1016-SAMDISH | | | |
| 1 | | WF45K6500AV/A2 | | BLACK CA | SAM, WAFL: WASHER, FRONT LOAD, LARGE CAPA 5.2 CU.FT, VRT@PLUS, SUPER SPEED, STEAM, HEATER, D |
| | | MUST PURCHASE OPTIONAL HOSES | | | |
| -1 | | P-GPS1016-SAMTAX | | | |
| 1 | | DV45K6500EV/AC | | BLACK CA | SAM, DREFL: DRYER, ELECTRIC - TO MATCH LAR MATCHING ELECTRIC DRYER FOR WF45K6500AV/A2, 7.5 CU |
| | | STANDARD HOSES SHIP WITH THIS UNIT | | | |
| -1 | | P-GPS1016-SAMTAX | | | |
| 1 | | P-GPS1016-SAM200 | | | |
| 3 | | HOSE LNDRY 6FT 48 | | | REL, AWA: ACCESSORY WASHER 1X 6 FT WASH HOSE, 3/4,STAINLESS STEEL BRAID |
| 1 | | P-DELIVERY \$5,000-9,999 | | | |
| 1 | | KCSS10LS | | STAINLES | KITC, COUN: COUNTER-TOP APPLIANCES 10 PIECE SET (8,10,1.5,3.0, 3.5, 8.0) |

- All products remain the property of Goemans until paid in full.
- Removal of old appliances at owner's risk and must be disconnected.
- Please refer to delivery/installation brochures for important details.
- All authorized returned products will be subject to a restocking charge.
- Interest of 18% per annum will be charged on overdue accounts.
- Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY

RF22KREDBSR

22 cu. ft. Counter-Depth, 4-Door French Door Refrigerator

Features


- 4-Door, Counter-Depth Design
- Food ShowCase Door
- Metal Cooling FlexZone™ Drawer with 4 Temperature Control Settings and Smart Divider
- Twin Cooling Plus®
- High-Efficiency LED Lighting
- Ice Master Ice Maker in the Refrigerator
- Fingerprint-Proof Coating
- ENERGY STAR®-Compliant
- External Filtered Water and Ice Dispenser
- Stainless Steel Accents on Interior Shelving and Door Bins
- EZ-Open Handle™ on Freezer Door and FlexZone™ Drawer
- Two Humidity-Controlled Crispers
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins

Convenience


- Door Alarm
- Water Filter Indicator



ENERGY STAR®-rated:
663 kWh/yr



Food ShowCase Door with Metal Cooling



FlexZone™ Drawer with Metal Cooling

Available Colors



Stainless Steel
(shown)



Black Stainless Steel

Signature Features

COUNTER DEPTH

- More capacity, smaller floor space.
- Our 22 cu. ft. capacity 4-Door Flex™ has enough room to fit up to 22 bags of groceries.¹
- Stylish counter-depth design allows for more workable space in the kitchen.

¹Grocery comparisons based on each cubic foot of usable space holding one paper bag.

FOOD SHOWCASE WITH METAL COOLING

- Innovative door-in-door design gives easy access to on-the-go items such as drinks and condiments.
- Stainless steel paneling locks in cold and seals in freshness while maintaining consistent temperature throughout the refrigerator.

FLEXZONE™ DRAWER WITH METAL COOLING

- Counter-height drawer is optimized for family organization with easy access for kids.
- Adjustable Smart Divider and four customizable temperature control settings from Chill to Soft Freeze.

SAMSUNG


RF22KREDBSR

22 cu. ft. Counter-Depth, 4-Door French Door Refrigerator


Installing Your Refrigerator

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding, tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
2. Refer to illustration below to determine dimensions.
3. Allow 2" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.4 cu. ft.

Refrigerator: 12.8 cu. ft.

- Premium External Filtered Water and Ice Dispenser (Crushed or Cubed Ice)
- Ice Master Ice Maker
- 2 Humidity-Controlled Crispers
- 6 Door Bins, 3 Gallon, 3 Regular
- 5 Tempered Glass Spill-Proof Shelves
 - 1 Slide-In
 - 1 Foldable Half
 - 3 Fixed
- High-Efficiency LED Lighting

FlexZone™ Drawer: 3.1 cu. ft.

- EZ-Open Handle™
- 4 Temperature Zones with Smart Divider:
 - Meat/Fish (29°F)
 - Cold Drinks (33°F)
 - Deli/Snacks (37°F)
 - Wine/Party Dishes (42°F)
- High-Efficiency LED Lighting

Freezer: 6.5 cu. ft.

- EZ-Open Handle™
- 1 Drawer Divider
- 1 Freezer Bin
- High-Efficiency LED Lighting

Accessories

Water Filter: HAF-CIN/EXP

Warranty

One (1) Year Parts and Labor on Refrigerator

Five (5) Year Parts and Labor on Inverter Compressor

Sealed Refrigerant System 10 Year* Limited Warranty

Ten (10) Years Parts and Labor on Inverter Compressor

*Compressor, evaporator, condenser, drier, connecting tubing.

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors): 35 3/4" x 70" x 31"

Dimensions (WxHxD without hinges and door): 35 3/4" x 68 7/8" x 24"

Dimensions (WxHxD with hinge and door, no handle): 35 3/4" x 70" x 28 5/8"

Weight: 357.1 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: 38 1/4" x 75 1/2" x 30 5/8"

Weight: 381.3 lbs.

| Color | Model # | UPC Code |
|-----------------------|-------------|--------------|
| Stainless Steel | RF22KREDBSR | 887276146652 |
| Black Stainless Steel | RF22KREDBSG | 887276146546 |

SAMSUNG

Actual color may vary. Design specifications and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2016 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

NX58H9500WS

5.8 cu. ft. Slide-in Gas Range



same Dimensions

Features


- Slide-in Design
- 5 Gas Burners
 - Right Front: Dual 18K BTU
 - Left Front: 15K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center: 9.5K BTU (Oval)
- Large Oven Capacity – 5.8 cu. ft.
- Guiding Light Controls
- Cast Iron 3 Piece Grates
- Reversible Cast Iron Griddle
- Wok Grate
- True Convection Oven (3-Fan)
- Temperature Probe
- Warming Drawer (3 Levels)
- Grate Indicator Marks
- Healthy Cook Options

Convenience

- Auto Oven Light
- Sabbath Mode
- Delay Start
- Auto Shut-Off Option
- Child Safety Lock
- Self Clean
- 3 Favorite Cook Presets
- 6 Healthy Cook Options
- 3 Chrome Oven Racks, including 1 Split Rack



Power/Flexible Cooktop



Guiding Light Controls



Large Capacity

Available Colors



Stainless Steel (shown)



Black Stainless

Signature Features

POWERFUL/FLEXIBLE COOKTOP

- True dual-power burner allows for even heat distribution and reduced cooking time, plus the convenience of a large oval burner.

GUIDING-LIGHT CONTROLS

- Intuitive controls offer simple, step-by-step instructions for choosing cooking options.
- Only illuminates cooking options that are able to be selected and goes from left to right eliminating back and forth.
- Control temperature and time settings, select cooking functions and program your favorite recipes.

TRUE CONVECTION

- Heated fan system is great for baking and broiling because temperature is distributed thoroughly and food cooks evenly.

REVERSIBLE CAST IRON GRIDDLE

- Reversible griddle provides the flexibility of cooking on flat or grilled surface, while the Cast Iron provides even cooking.

GRATE INDICATOR MARKS

- Indicator marks located on the grates allow cookware to be ideally placed for precise cooking.

SAMSUNG


NX58H9500WS

5.8 cu. ft. Slide-in Gas Range

INSTALLING YOUR RANGE



30" minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or 24" minimum when the bottom of the wood or metal cabinet is protected by not less than 1/4" flame retardant millboard covered with not less than no.28 MSG sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

** 18" minimum between the countertop and the adjacent cabinet bottom.




IMPORTANT: To eliminate the risk of burns or fire caused by reaching over heated surface units, cabinet storage space located above the surface units should be avoided. If cabinet storage is to be provided, the risk can be reduced by installing a range hood that projects horizontally a minimum of 5" beyond the bottom of the cabinets.

Dimensions



Glass cooktop overlaps and sits on top of your kitchen countertop to give a built-in look. Cut out space for the range is 29 13/16".



Total Power (BTU)
57,000 BTU

Power Source
120 V/60 Hz

Black Enamel 5 Burner Cooktop

- Right Front: 18000 BTU – Dual
- Left Front: 15000 BTU
- Right Rear: 5000 BTU
- Left Rear: 9500 BTU
- Center Rear: 9500 BTU – Oval

Oven

- Bake: 150°F - 550°F
- Convection Bake: 150°F - 550°F
- Bake Burner: 18000 BTU
- Broil Burner: 16000 BTU
- Variable Broil: Low/Hi (375°F - 480°F)
- Convection Roast: 150°F - 550°F
- Sabbath Mode

Warming Drawer

- Capacity: 0.7 cu. ft.
- Heating Performance: 600 W
- Temperature Settings: 3 Level

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Actual Oven Dimensions:

25" x 21 1/8" x 19"

Outside Dimensions:

29 13/16" x 36 3/16-37 3/16" (Adjustable) x 26 3/4"

Weight: 202 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:

33 1/16" x 41 3/4" x 30 5/16"

Weight: 225 lbs.

Color

Stainless Steel

Black Stainless Steel

Model

NX58H9500WS

NX58K9500WG

UPC Code

887276032047

887276142890

SAMSUNG

Actual color may vary. Design specifications and color availability are subject to change without notice.
Non-metric weights and measurements are approximate.
©2016 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG samsung.com
Samsung is a registered trademark of Samsung Electronics Co., Ltd.

DW80J7550US



Samsung Dishwasher

Features


- WaterWall™ System
- Zone Booster
- Quiet Operation: 44dBA
- Express Cycle: 60 Minutes
- Half-Load Cycle: Lower Rack
- One-Touch Adjustable Racking System
- ENERGY STAR® rated: 258 kWh/Year
- Hidden Heating Element
- Triple Filtration System
- Electronic Touch Sensor
- 3 Spray Wash Arms (Upper, Middle, Lower)
- 5 Wash Cycles and 5 Wash Options
- Fan Condensing Drying System
- 2-Piece Silverware Basket
- Stainless Steel Interior

Convenience

- Child Lock
- Rinse Refill Indicator
- Last Cycle Memory
- Four Sensors (Digital Water Leakage, Water Fill, Overflow, Turbidity)



WaterWall™ System



Zone Booster

Available Colors



Stainless Steel



Black Stainless Steel



White

Signature Features

WATERWALL™ SYSTEM

- Powerful wall of water cleans hard-to-reach places.
- Ensures more even, thorough washing performance than conventional rotary-spraying systems.

ZONE BOOSTER

- Offers flexibility to wash all types of dishes in one load.
- Select to wash right or left zone on the bottom rack.
- Lower temperature and pressure for delicates.

EXPRESS 60

- Clean dishes with greater speed and efficiency with a 60 minute cycle.
- Ideal for lighter loads of cups, cutlery, bowls and plates.

QUIET SOUND

- Quietest in its class.*
- Removable, flexible tray for easy loading and unloading.


* See table B339P.

SAMSUNG


DW80J7550US

Samsung Dishwasher

Installing Your Dishwasher



Dimensions



Performance

- 5 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60
- 5 Options: Half-Load Wash, Targeted Wash, Sanitize (Anti-Bacterial-NSF), Dry+, Delay Start
- 4 Control Buttons: Sound off, Child Lock, Start & Pause, Cancel and Drain
- 3 Filter System
- Hidden Heat Element
- Stainless Steel Interior Tub

Convenience Features

- Child Lock
- Digital Water Leakage Sensor
- One-Touch Adjustable Racking System
- Nylon Racking
- 2 Piece Silverware Basket
- Upper Rack: 2 Cup Shelves, 3 Adjustable Tines
- Lower Rack: 6 Fold Down Tine

Warranty

Five (5) Years Limited on Linear Motion Parts, Printed Circuit Board and Interior Nylon Racks. Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage.

Product Dimensions & Weight (WxHxD)

Dimensions:
24" x 33 7/8" x 24 2/3" (27" with handle)

Weight: 101 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions:
26 1/16" x 34 27/32" x 29 1/8"

Weight: 108 lbs.

| Color | Model # | UPC Code |
|-----------------------|-------------|--------------|
| Stainless Steel | DW80J7550US | 887276090092 |
| Black Stainless Steel | DW80J7550UG | 887276117775 |
| White | DW80J7550UW | 887276096391 |

SAMSUNG

Actual color may vary. Design, specifications, and color availability are subject to change without notice.
Non-friable weights and measurements are approximate.
©2015 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com
Samsung is a registered trademark of Samsung Electronics Co., Ltd.

WF45K6500AV

Samsung Front-Load Washer


4.5 cu. ft. Capacity

Features


- AddWash™
- Super Speed
- Steam Wash
- VRT Plus™
- Self Clean+
- Smart Home Ready
- Diamond Drum Design
- Direct Drive Motor
- 1300 RPM Maximum Spin Speed
- 14 Preset Wash Cycles
- 12 Options

Convenience


- Child Lock
- Door Lock
- Dispenser Trays: Prewash, Main Wash, Softener, Bleach



ENERGY STAR[®]-rated:
CEE Tier 2
IMEF=2.8
IWF=3.0
100 kWh/yr



AddWash™



Super Speed

Available Colors:



Black Stainless Steel



White

Signature Features

AddWash™

- Conveniently add in forgotten laundry after the cycle has begun with the AddWash™ door.
- Save time and energy by not doing an additional load of laundry.

SUPER SPEED

- Breakthrough technology provides a 40% faster and thorough wash cycle.
- Wash a full load in only 36 minutes.¹

¹Normal 3 cycle wash can be completed in as little as 36 minutes when compared to 50-55 minutes without Super Speed. Based on DFE's average of 72% load per cycle.

4.5 CU. FT. CAPACITY

- Large capacity 27" washer lets you wash up to 3 laundry baskets in a single load.²
- Fit more laundry – so you can do fewer loads.

²Based on 20-25 lbs. of laundry.


SAMSUNG

WF45K6500AV

Samsung Front-Load Washer

Dimensions

REQUIRED DIMENSIONS FOR INSTALLATION WITH PEDESTAL:





Installation Specifications

If the washer and dryer are installed together or the dryer alone, the closet front must have two unobstructed air openings for a combined minimum total area of 72 in.² (see stacked build below). Your washer alone does not require a specific air opening.


1. Alcove or closet installation

MINIMUM CLEARANCES FOR CLOSET AND ALCOVE INSTALLATIONS:



When installing with matching dryer, if the exhaust duct is installed at the rear of the dryer, the rear must have at least 5 7/8 inch clearance.

2. With stacked washer and dryer



4.5 cu. ft. Capacity

14 Preset Wash Cycles:

Normal, Heavy Duty, Permanent Press, Sanitize, Allergen, Towels, Bedding, Deep Steam, Whites, Active Wear, Delicates, Wool, Quick Wash, Rinse and Spin

12 Options:

Super Speed, Steam, Self Clean+, Delay End, My Cycle, Prewash, Extra Rinse, Extra Spin, Spin Only, Sound, Child Lock, Smart Care

5 Temperature Settings:

Extra Hot, Hot, Warm, Eco Warm, Cold

5 Spin Settings:

Extra High, High, Medium, Low, No Spin

5 Soil Settings:

Heavy, Heavy Medium, Normal, Low Medium, Light

Dispenser Trays:

Prewash, Main Wash, Softener, Bleach

Warranty

One (1) Year Parts and Labor

One (1) Year Control Board

Three (3) Years Stainless Steel Drum

Ten (10) Years Direct Drive Motor

Product Dimensions & Weight (WxHxD)

Dimensions: 27" x 38 3/4" x 34"

Weight: 227 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: 29 3/8" x 41 3/4" x 35 1/4"

Weight: 233 lbs

Color

Black Stainless Steel WF45K6500AV 887276138121

White WF45K6500AW 887276138138

Matching Dryer (Electric/Gas)

Black Stainless Steel DV45K6500EV 887276138381

White DV45K6500EW 887276138404

Black Stainless Steel DV45K6500GV 887276138411

White DV45K6500GW 887276138428

Optional Stacking Kit

Sold separately SKK-7A 887276146423

SAMSUNG

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
©2016 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.