

Lot 206

GOEMANS APPLIANCES

1-877-463-6267

HST # 105167993 WWW.GOEMANS.COM
Find us on Facebook at: www.facebook.com/GoemansAppliances

PACKING SLIP

V000008210

Salesperson: LISA AFSHAR
Purchase Date: 2/23/17
Invoice Finished Date:
Delivery/Pickup Date: Jun 30, 2017
Invoice Type: VAP
Date Printed: Feb 23, 2017
Page: 1

ONLINE BANKING ACCOUNT

BILL TO: 6476484311

PHOU, SEAK
183 WILLIM BOWES BLVD
MAPLE, ON L6A 4B2

SHIP TO: 6476484311

PHOU, SEAK
183 WILLIM BOWES BLVD
MAPLE, ON L6A 4B2

TEL# (647) 648-4311

FUIS#

TEL# (647) 648-4311

BUS#

Directions: X

QTY	LOC	MODEL #	SERIAL #	COLOUR	BRAND - DESCRIPTION
1		JCT5000SFSS		STAINLES	GER. OVS: OVEN, SINGLE
1		PP9030DIBB		Black	30.5" C/F ELEC S/C CONV 3 S/C RKS, 10-PASS HDN BAKE
1		PNE25ISKSS		Stainless	GEF. CTEP: COOKTOP, ELECTRIC, PROFESSIONA
1		DW80K504018/AC		STAINLES	30 SMOOTH, FRAMELESS, 5 ELMNTS, LOCK, TOUCH CNTRL
1		WF45K6200AZ/A2		BLUE SAP	GEF. REBF3: REFRIGERATOR, FRENCH 3-DOOR, F
1		DV45K6200EZ/AC		BLUE SAP	31 FRENCH DOOR, INTERNAL WATER, ICE
1					SAM. DIS: DISHWASHER
1					24W, 48DBA, SS INT, 4 CYC
1					SAM. WAF: WASHER, FRONT LOAD, LARGE CAPA
1					5.2 CU.FT, VRT@PLUS, DIRECT DRIVE MOTOR, SELF CLEA
1					SAM. DREFL: DRYER, ELECTRIC - TO MATCH LAR
1					MATCHING ELECTRIC DRYER FOR WF45K6200AZ/A2, 7.5 CU
1					STANDARD HOSES SHIP WITH THIS UNIT
1					P DELIVERY \$5,000-9,999
1					SALES DELIVERY ALLOWANCE
1					Payment VISA

- * All products remain the property of Goemans until paid in full.
- * Removal of old appliances at owner's risk and must be disconnected.
- * Please refer to delivery/installation brochures for important details.
- * All authorized returned products will be subject to a restocking charge.
- * Interest of 18% per annum will be charged on overdue accounts.
- * Upon delivery customer agrees to accept service in accordance with manufacturer's warranty.
- * This sales invoice is based on delivery within 12 months from date of purchase. After 12 months (or if market conditions adversely change) Goemans reserves the right to review pricing/delivery on this order and offer our customers options to accommodate these changes. Any & all date sensitive supplier promotions are exempt from the 12 month price guarantee and must be taken by the promotional delivery deadline.

WHITE CUSTOMER COPY

PINK GOEMANS COPY

PP9030DJ

GE Profile™ Series 30" Built-In Touch Control Electric Cooktop

FEATURES AND BENEFITS

Five radiant cooking elements - Cook foods quickly and evenly on this sleek, glass surface

Glide touch controls - Precisely control heat instantly and easily with one swipe

6 5/8" Power Boil element - Use different pan sizes on this single, 3,000-watt flexible element that produces rapid powerful heat

5 7/8" dual element - Use different pan sizes on this single, 2,200-watt flexible element

SynchBurners - Control two 7" elements simultaneously to evenly heat large cookware or griddles*

Multi-element timer - Manage up to five pans at once with individual timers for each element


Control lock capability - Protects against unintended activation

Custom Settings - Personalize your cooktop settings to fit your cooking style

Red LED display with beveled black glass surface - Achieve a premium look that complements the entire kitchen

Hot surface indicator lights - Know when elements are too hot to touch with a quick glance

Model PP9030DJBB - Black on Black



*OPTIONAL STAINLESS STEEL CLAD ALUMINUM GRIDDLE

Achieve even results with this lightweight griddle, tailored to fit GE SynchBurners. Order part number JXGRIDDLE from your GE Dealer.



GE APPLIANCES


GE Profile™ Series 30" Built-In Touch Control Electric Cooktop

APPROXIMATE COOKING DIMENSIONS


NOTE: 30" Ribben cooktops are approved for use over select GE 27" and GE 30" Single Wall Ovens and Warming Drawers. Refer to cooktop and wall oven/warming drawer installation instructions packed with product for current dimensional data. If installed with a GE Telescopic Dowlndraft System, consult both the cooktop and downdraft installation instructions packed with product before installing. Cooktop gas/electric supply may need to be re-routed to install downdraft. The countertop cutout requires 23 1/2" minimum flat countertop surface and 23" minimum total countertop depth. In addition, other clearances to front edge of the countertop must be considered. Before installing, consult installation instructions packed with product for current dimensional data.



For answers to your Monogram, GE Profile™ or GE® appliance questions, visit our website at geappliances.com or call GE Answer Center*, service, 800.528.2980.



NOTE: Check local codes for required breaker size.




Supercritical Fluid Chromatography

JT5000SF

GE® 30" Built-In Single Convection Wall Oven

Features and Benefits

- True European Convection - Achieve delicious results from a third heating element and fan combination
- Self-Clean with Steam Clean Option - Clean your oven the way you want
- Self-Clean Heavy-Duty Oven Racks - Conveniently clean your oven and racks together
- Glass Touch Controls - Set temperatures quickly and clean with little effort
- Halogen Interior Oven Lighting - Easily see how your food is baking
- Ten-Pass Bake Element - Even baking is assured with heat that covers more surface area
- Eight-Pass Broil Element - Get full broil coverage and even browning from edge to edge
- 5.0 cu. ft. Oven Capacity - Cook more dishes at once
- Black Gloss Oven Interior - Enjoy a clean and sleek appearance
- Hidden Bake - Make cleanup easy by eliminating hard-to-reach areas
- Model JT5000SFSS - Stainless steel



Imagination at work

JT5000SF

GE® 30" Built-In Single Convection Wall Oven

Dimensions and Installation Information (in inches)

Most 30" Wall Cabinets can be used with this unit.

Note: These ovens are not approved for stackable installations. Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.



Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.


Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.

Side-by-side installations require at least 2" between cutouts.

KW Rating	
240V	4.2
208V	3.2
Breaker Size	
240V	20 Amps
208V	20 Amps



JT5000	
Cabinet	30"
A - Overlap of oven at top of cutout	1"
B - Overlap of oven over side of edges of cutout	3/4"
C - Overlap of oven at bottom of cutout	1-1/4"
Oven	
D - Overall depth with handle	27-3/16"
Overall depth without handle	23-1/2"
E - Overall height with trim	28-3/8"
F - Overall width	29-3/4"



imagination at work

For answers to your Monogram® or GE appliance questions, visit our website at geappliances.com or call GE Answer Center® service, 800.626.2000.



Specification Revised 3/14 320235

JT5000SF

GE® 30" Built-In Single Convection Wall Oven

Optional Undercounter Dimensions and Installation Information

Note: 36" ribbon cooktop are approved for use over GE 30" single wall ovens and warming drawers. 30" ribbon cooktops are approved for use over 30" and GE 27" single wall ovens and warming drawers. Refer to cooktop and wall oven installation information packed with products for current dimensional data.


Note: Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Installation Information: Before installing, consult installation instructions packed with products for current dimensional data and for alternate installation options.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.

Dimension and installation information are shown in inches.

Gas or electric cooktops may be installed over this oven. See cooktop installation instructions for cutout size. See label on top of oven for approved cooktop models.



imagination at work

For answers to your Monogram® or GE appliance questions, visit our website at geappliances.com or call GE Answer Center® service, 800.626.2000.



Listed by
Underwriters
Laboratories




Specification Revised 3/14 320236

French 3-Door Refrigerators

GE Profile Series
Model: PNE25JSS5 / SKU #: PNE25JSS5



PROFILE™



Description & Features

Description

GE 24.8 cu.ft. French Door Bottom-Mount refrigerator with a factory installed icemaker and ClimateKeeper™ Temperature Management System that combines an air tower, electronic sensors and electronic touch controls to keep temperatures consistent and help preserve refrigerator contents. Featuring FrostGuard™, Ramp Up LED Lighting and TurboCool™ Setting.

7

- Dispenser Features

 - Internal water dispenser
 - Ice bucket
 - APF Filter
- Warranty

1 year(s)
- Additional Warranty Information

 - 1-Year warranty on parts and labor on entire appliance, in-home
 - 5-Year warranty on sealed system

Dimensions

- Dimensions

Width Class

31" - 34"
- Width

32.75 inches / 83.30 cm
- Height (With hinge)

69.87 inches / 177.45 cm
- Depth (Without Handles)

34.34 inches / 87.22 cm
- Additional Dimensions



 - Top (in.): 1"
 - Back (in.): 3/4"
 - Case Depth Without Door (in.): 30"
 - Depth With Door Open 90 Degrees (in.): 50-2/7"
 - Depth Without Door Handle (in.): 34-1/3"
 - Each Side (in.): 1/8"
 - Height to Top of Case (in.): 68-5/8"
 - Overall Depth (in.): 37-1/4"

*While we place great care into preparing product descriptions and prices, sometimes technical and typographical errors or omissions may occur. Geemans Appliances cannot be held responsible for such errors and we apologize for any inconvenience this may cause.


DW80K5050US

Samsung Dishwasher

Stainless Steel
(Shown)



Smart Care



Sensor Dry

Features

- StormWash™ Heavy Duty Wash System
- Autorelease™ Door
- Light Indicator
- Digital Leakage Sensor
- Four-Layer, Insulated Door
- FleetLoad™ Racking System
- Touch Control
- Half-Load Cycle
- One-Touch Adjustable Racking System
- Quiet Operation - 48 dBA
- Full Stainless Steel Interior
- Hidden Heating Element
- 15 Place Settings
- Hard Food Disposer Cleaning System
- 3 Spray Wash Arms - Upper, Middle, Lower
- 6 Wash Cycles and 6 Wash Options
- 2 Silverware Baskets

Convenience

- Control Lock
- Rinse Refill Indicator
- Cycle Progress Indicator
- Last Cycle Memory
- Self-Cleaning Filtration System
- Six Sensors - Digital Water Leakage, Overflow, Sanitize, Turbidity, Water Fill, Rinse Refill

Signature Features

StormWash™

- Heavy-duty wash system makes pre-rinsing unnecessary.
- Powerful rotating spray jets positioned to clean dishes at every angle.
- Simply place hard-to-clean items above the StormWash™ wheel on the bottom rack and it scrubs them for you.

Autorelease™ Door

- Door opens automatically to dry dishes faster.*

*Improves overall drying performance of the dishwasher.

Light Indicator

- Indicates whether it's running and can be seen from across the room.



ENERGY STAR-rated,
265 kWh/yr




SAMSUNG

DW80K5050US


Samsung Dishwasher

Installing Your Dishwasher




Dimensions

Side View



Rear View



The water supply line, power cord, and drain hose should go through this space behind the dishwasher. Then, the power cable will be connected under the dishwasher to connections in the front.

Features

- 6 Wash Cycles: Auto, Heavy, Normal, Express 60, Delicate, Rinse Only.
- 4 Options: StormWash, 1st Lower Rack Wash, Sanitize (Anti-Bacterial NSF), Hi-Temp Wash, Delay Start, Control Lock
- 2-Stage Filtration
- Hidden Heat Element
- Stainless Steel Interior Tub

Convenience

- Control Lock
- Digital Water Leakage Sensor: Detects Water Leaks Before They Happen and Shuts Off the Dishwasher to Prevent Water Damage
- Nylon Racking
- Upper Rack: 2 Cup Shelves, Adjustable Tines
- Lower Rack: Removable Tines
- 2 Silverware Baskets

Warranty

One (1) Year All Parts and Labour
Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks
Lifetime Limited Warranty on Stainless Steel Door Liner and Tub for Leakage

NET DIMENSIONS (W x H x D)		WEIGHT	
Imperial (Inches)	Metric (mm)	(lbs)	(kg)
23.8" x 33.8" x 24.8"	604.52" x 858.52" x 629.92"	95	43
SHIPPING DIMENSIONS (W x H x D)		WEIGHT	
Imperial (Inches)	Metric (mm)	(lbs)	(kg)
26" x 35" x 29.5"	660.4" x 889" x 749.3"	106	48

PRODUCT	COLOR	MODEL #	UPC CODE
Dishwasher	Stainless Steel	DW80K5050US	887276166407
Dishwasher	White	DW80K5050UW	887276166421
Dishwasher	Black	DW80K5050UB	887276166438

PLEASE VISIT SAMSUNG.COM FOR OUR LATEST UPDATES

Always consult the user's manual for safety instructions and always read the manual before using the product. Samsung is a registered trademark of Samsung Electronics Co., Ltd. used under license.

SAMSUNG

10

REVIEWS

NEWS VIDEO HOW TO SMART HOME CARS DEALS DOWNLOAD



\$2199⁹⁹

GE 17" 24.8 Cu. Ft. French Door Refrigerator with LED Lighting (PNR26J5KSS) - Stainless Steel

[Shop Now >](#)



LOWEST PRICE GUARANTEE



CNET > Appliances > Washing Machines > Samsung WF45K6200AZ Washing Machine (Blue Azure) > Specs

Samsung WF45K6200AZ Washing Machine

OVERVIEW USER REVIEWS SPECIFICATIONS PRICES



Samsung WF45K6200AZ Washing Machine (Blue Azure)
Part Number: WF45K6200AZ/A2

\$849⁹⁹

Samsung 24" 44 dB Tall Tub Built-in Dishwasher w/ Stainless Steel Tub (EW60JT200S) - Stainless Steel

[Shop Now >](#)



LOWEST PRICE GUARANTEE

MEMBER ONLY

GENERAL /

Energy Consumption per Year	95
Compliant Standards	CEE Tier 3
Spin Speed	Variable - 1300 rpm (max)
Color	blue azure
Washer Capacity	4.5
Drum Material	stainless steel
Drum Features	Diamond drum
Programs Qty	12
Water Consumption per Year	3850.5 gal
Manufacturer	Samsung

Where to Buy

Samsung WF45K6200AZ Washing Machine
Part Number: WF45K6200AZ/A2

Lowes.com

\$2199⁹⁹

GE 17" 24.8 Cu. Ft. French Door Refrigerator with LED Lighting (PNR26J5KSS) - Stainless Steel

[Shop Now >](#)



LOWEST PRICE GUARANTEE

MEMBER ONLY

DIMENSIONS & WEIGHT /

Width	27 in
Depth	34 in
Height	38.7 in
Weight	224.87 lbs

SETTINGS, CONTROLS & INDICATORS /

Type	LED display
Timer Settings Features	24 hours auto shut-off delay, SmartControl, color display, signal on/off

DIMENSIONS & WEIGHT (SHIPPING) /

Width (Shipping)	29.4 in
Depth (Shipping)	35.2 in
Height (Shipping)	41.7 in

23/02/2017

Samsung WF45K6200AZ Washing Machine Specs - CNET



Weight (Shipping) 231.5 lbs

WASHING MACHINE /

Special Programs & Options ActiveWear, Eco Cold wash, extra spin, heavy duty, heavy soil, hot, light soil, normal, perm press, pre-wash, quick wash, rinse + spin, Eco Warm, self clean, spin only, towels, warm whites, wool, My cycle, Smart Care option, Stain Away, bedding, cold wash, delicate, extra rinse

Spin Speed variable

Maximum Spin Speed 1300 rpm

DRYER /

Stackable Yes

Pedestal Available Yes

Pedestal Model Compatibility WE357A0Z

ENVIRONMENTAL STANDARDS /

ENERGY STAR Qualified Yes

HEADER /

Brand Samsung

Product Line Samsung

Model WF45K6200AZ

WASHERS & DRYERS /

Product Type washing machine

Form Factor freestanding

Loading Type front loading

Washer Capacity 4.5




Drum Material stainless steel

Drum Features Diamond drum

Programs Qty 12

GENERAL /

Manufacturer Samsung

 CA\$1,799.00 Top Choice Electronics	 CA\$1,893.88 Canadian Appliance Source	 CA\$946.94 Canadian Appliance Source
---	---	--

 \$849.00 Shop Now >	 LOWEST PRICE GUARANTEE BEST BUY
---	--


Home / Laundry / Dryers

Electric Dryers

Samsung
Model DV45K6200EZ / SKU #: DV45K6200EZ/AC



SAMSUNG



12


Description & Features

Description

Samsung 7.5 cu. ft. capacity electric steam dryer. This dryer features MultiSteam™ technology, vent sensor and Smart Care. Uses the power of steam to keep clothes looking and smelling great. The MultiSteam™ function freshens and sanitizes garments, reduces odors and static, and relaxes wrinkles in clothes, so they need less ironing.

Features

SMART CONTROL - TAKE CONTROL ANYTIME, ANYWHERE



Doing laundry is now much easier! Smart ControlSM lets you remotely control^{***} and monitor your washing using a smartphone App^{***}. You can instantly start or pause it and monitor washing progress wherever you are. * Smart Home Adapter required. Sold separately in Samsung website.

- * **For Gas dryer models(DV**K**00G*/A3), only monitoring functions are available.
- * ***Wireless network required. Available for iPhones and Android devices.

IMPORTANT: Images may not reflect actual product.

Specifications

General

Type	Vented
Power Source	Electric
Manufacturers Color	Blue
Color	Blue
Basic Color	Blue
Drum Capacity	
Capacity	7.5 cu. ft.
Certifications and Approvals	
Energy Star Certified	Yes
Electrical Specifications	
Voltage	240

13

Dimensions

Dimensions

Width

27 inches / 68.58 cm

Width Class

26" - 27"

Height

33.74 inches / 98.4 cm

Depth

32.6 inches / 82.8 cm

Additional Dimensions

- Shipping Dimensions (WxDxH): 29 3/8" x 42 3/8" x 33 1/2"
- For more information please refer to dimension guide

*While we place great care into preparing product descriptions and prices, sometimes technical and typographical errors or omissions may occur. Goemans Appliances cannot be held responsible for such errors and we apologize for any inconvenience this may cause.

© Goemans Appliances LLC / All rights reserved.

