

# GOEMANS APPLIANCES

1-7975 Heritage Rd. Brampton ON L6Y 5X5  
Phone: 289-748-0333 Fax: 289-236-3958

<b>INVOICE #</b>	<b>HB00016429</b>
Delivery Date:	Jun 05, 2018
Terms:	NET 30
PO #:	LIST
Print Date:	6-Apr-18 12:24 pm
Salesperson:	KELLY SPINELLI
	<a href="mailto:kelly.spinelli@goemans.com">kelly.spinelli@goemans.com</a>

**Bill To:** 9056694133

BRADFORD CAPITAL HOLDINGS INC.,  
111 CREDITSTONE RD  
CONCORD, ON L4K 1N3

TEL# (905) 669-4133 BUS#

[billing@arggroup.com](mailto:billing@arggroup.com)

Directions: 6TH LINE AND SIMCOE ROAD - ANDY MINATEL AT 416-697-1593 OR TRAILER AT 905-551-1181

**Ship To:** 9056694133

GAO/JIANG, \*\* PHASE 4C  
256 INVERNESS WAY  
LOT 124  
BRADFORD, ON L3Z 0W6

TEL# (647) 403-0835 BUS#


[avillegas@arggroup.com](mailto:avillegas@arggroup.com)

QTY	MODEL #	DESCRIPTION	PRICE	TOTAL
1		P-FRIDGE -BUILDER INCLUSION	6,950.00	<b>6,950.00</b>
1		P-RANGE -BUILDER INCLUSION	3,895.00	<b>3,895.00</b>
1		P-DISHWASHER -BUILDER INCLUS	1,049.00	<b>1,049.00</b>
1	JMDFS24GS	24 WIDE, 1.2 CU.FT, 1000 WATTS, 11 POWER LEVELS, JENN-AIR, MICROWAVE, DRAWER STAINLESS STEEL BC2017-JUL-09-0370	1,265.00	<b>1,265.00</b>
1		P- HOOD	1,665.00	<b>1,665.00</b>
1		BUILDER DELIVERY PER SUITE	-	-
<ul style="list-style-type: none"> <li>• All products remain the property of GOEMANS until paid in full</li> <li>• All authorized returned products will be subject to a restocking charge</li> <li>• Upon delivery customer agrees to accept service in accordance with manufacturer's warranty</li> </ul>			<b>SUB TOTAL</b>	14,824.00
			<b>HST</b>	1,927.12
			<b>TOTAL</b>	16,751.12
			<b>DEPOSIT</b>	0.00
			<b>BALANCE</b>	16,751.12


## UNDER COUNTER MICROWAVE OVEN WITH DRAWER DESIGN

**JMD2124W** – 23¾" x 15⅜" x 24½"


## PRODUCT DIMENSIONS



FRONT VIEW



TOP VIEW




SIDE VIEW

MODEL #		JMD2124W	
		in	cm
<b>A</b>	Overall width	23¾	60.4
<b>B</b>	Height of control panel	2½	6.2
<b>C</b>	Height of drawer	10½	26.6
<b>D</b>	Height of trim	2	5.1
<b>E</b>	Space between control panel and drawer	⅛	0.4
<b>F</b>	Space between drawer and trim	¼	0.5
<b>G</b>	Overall height	15⅜	39.1
<b>H</b>	Recessed width	21⅝	54.9
<b>I</b>	Width of conduit channel	4⅝	11.9
<b>J</b>	Depth without drawer	23½	59.7
<b>K</b>	Depth with drawer	24½	62.4
<b>L</b>	Depth with drawer fully open	39½	100.5
<b>M</b>	Recessed height	14⅝	37.1
<b>N</b>	Depth with drawer fully open Flush receptacle	39½	100.5
	Non-flush receptacle	44	111.9
<b>O</b>	Depth with drawer Flush receptacle	24½	62.4
	Non-flush receptacle	29	73.8
<b>P</b>	Depth without drawer Flush receptacle	23½	59.7
	Non-flush receptacle	28	71.1

## UNDER COUNTER MICROWAVE OVEN WITH DRAWER DESIGN

JMD2124W – 23¾" x 15⅜" x 24½"

## OPENING/CLEARANCE DIMENSIONS



FRONT VIEW – INSTALLATION UNDER SINGLE OVEN

SIDE VIEW


MODEL #		JMD2124W	
		in	cm
<b>A</b>	Width of cutout	22⅛	56.2
<b>B</b>	Height of cutout	14⅞	37.6
<b>C</b>	Top of cutout to bottom of oven (min.)	2	5.1
	Top of cutout to bottom of countertop (min.)	2	5.1
<b>D</b>	Bottom of cutout to top of cabinet door (min.)	2	5.1
<b>E</b>	Depth of cutout (min.) with flush receptacle	23½	59.7
	with non-flush receptacle	28	71.1
<b>e</b>	Recommended electrical connection location		

**ELECTRICAL REQUIREMENTS**


120 volt, 60 Hz, AC only, 15- or 20-amp fused, grounded circuit is required. A time-delay fuse or dedicated circuit is recommended. Do not use an extension cord.

**LOCATION REQUIREMENTS**

Support structure must be able to support 100 lb (45.4 kg) including microwave oven and contents.



FRONT VIEW – INSTALLATION UNDER COUNTERTOP



BACK VIEW