

GOEMANS APPLIANCES

Expect More. Get More.

APPLIANCE SPECIFICATIONS



PROJECT PARTNER:
Bill To: 6472984991

SHIP TO:
Ship To: 6472984991

HAFFENDEN, PAUL
8 WESTLAKE CRESCENT LOT 161
BRADFORD, ON

REMINDER:

To ensure a smooth project it is the responsibility of the homeowner / purchaser of appliances to share all the attached specifications with their cabinet provider, contractor, or any other tradesperson so they have the information required to complete their work accurately. Product specifications are for planning purposes only and are subject to change without notice. Refer to installation instructions shipped with the product before cutting cabinets, counters, panels, etc.

Goemans Appliances assumes no liability for product specifications.

Ship To: 6472984991

Bill To: 6472984991

HAFFENDEN, PAUL
8 WESTLAKE CRESCENT LOT 161
BRADFORD, ON

<i>Models</i>	<i>Pages</i>
SHEM3AY55N Bosch Dishwasher	3-5
WT7300CW LG Washer	6
DLE7100W LG Dryer	7

**Goemans Appliances**

goemans.com

JUDITH ORETA

9052641771

Document **HB00023342**

Version 1.1

Fri, Mar 12, 2021

10:56 AM EST

enterprise.steelcod.com/sp/goem/DOB2LFAP**Note about page numbers:**

Because the original manufacturer's documents are not altered in any way, the page numbers displayed on the page may not correspond to the page number within this package.

All specifications are intended for initial planning purposes only.

Manufacturers reserve the right to change specifications at any time without notice. Always consult the installation instructions found on the manufacturer's website or included with the appliances before installation.

24" Recessed Handle Dishwasher

100 Series – Stainless Steel SHEM3AY55N



BOSCH
Invented for life



SHEM3AY55N
Stainless Steel

Also available in:

White SHEM3AY52N
Black SHEM3AY56N

Bosch Dishwashers are engineered to the highest standards, passing 485 stringent quality checks resulting in exceptional workmanship and reliable performance.

Features & Benefits

50 dBA: Quietest dishwasher brand in North America.¹

Utility Rack – A place for those "hard to place" items while providing safe and effective cleaning.

Stainless steel tall tub with polypropylene bottom delivers durability.

24/7 Overflow Protection System® helps prevent water leaks, even when your dishwasher is off.

General Properties

Number of wash cycles	6
Number of options	2
dBA	50
Drying system	PureDry®
Third rack	No
Rack adjustability	Manual
Tub material	Stainless steel/polypropylene
Control type	Buttons
Concealed water heating element	Yes
Leak protection system	24/7 Overflow Protection
NSF®-certified ² sanitize option	Yes
Water softener	No
Five-level wash	Yes
ChildLock	Yes
Special features	Anti-fingerprint, Utility rack

Efficiency

Water usage per cycle	3.2
Energy efficiency class	Tier 1
ENERGY STAR® qualified	Yes
Total annual energy consumption (kWh)	269
Total annual water consumption (g)	688

Capacity

Number of place settings	14
--------------------------	----



Technical Details

Watts (W)	1440 W
Current (A)	12 Amps
Volts (V)	120 V
Frequency (Hz)	60 Hz
Power cord full length	67"
Power cord install length from edge of unit when facing the door (in) ³	Left – 45" Right – 50"
Minimum water pressure (lb/sin)	15
Length outlet hose (in)	90 1/2"

Dimensions & Weight

Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 22 9/16"
Required cutout size (HxWxD) (in)	33 7/8" x 24" x 24"
Adjustable feet	Yes
Net weight (lbs)	76 lbs

Accessories—Optional

Junction Box	SMZPCJB1UC
Dishwasher Drain Hose Extension 76 3/4"	SGZ1010UC
Dishwasher Accessory Kit	SMZ5000
DoubleFlex Silverware Basket	SMZ4000UC
Edge Protector + Power Cord Clip Install Kit	SMZEPCC1UC



¹Based on an average of sound ratings of 24" Full Size Stainless Steel Tub dishwashers contained in major brands US & Canadian websites. Major brands defined as TraQline Top 5 Market Share (US & Canada) December 2017.

²Certification to NSF/ANSI Standard 184 for residential dishwashers.

³September 2020 running production change to remove adhesive routing clips for power cord. These clips and the edge protector are now included in the dishwasher accessory kit # SMZEPCC1UC.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.






24" Recessed Handle Dishwasher

100 Series – Stainless Steel SHEMA3AY55N



BOSCH
Invented for life

Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

24" Recessed Handle Dishwasher



100 Series – Stainless Steel SHEM3AY55N



BOSCH

Invented for life

Installation Details



Note: Plumbing installations will vary - refer to local codes. Drain hose included is 90 1/2" (230 cm) and can be extended to a maximum of 168 1/2" (428 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

LG LAUNDRY

WT7300C_

5.0 cu.ft. Top Load Washer with TurboWash3D™

5.0 cu.ft. MEGA Capacity
 TurboWash3D™ Technology
 ColdWash™ Option
 SmartThinQ® Technology
 8 Wash Programs
 ENERGY STAR® Qualified

AVAILABLE COLORS



SmartThinQ®

Enjoy new ways to control your home with LG smart appliances

- Start the laundry while you're out shopping
- Get alerts when the cycle is finished
- Works with the LG SmartThinQ® app

works with the
Google AssistantWORKS WITH
alexa

SUMMARY		WASH DETAILS		MOTOR	
Type	Top Load Washer	No. of Wash/Rinse Temps	5	Motor Type	HEDD
Energy Star Qualified	Yes	Wash/Rinse Temps	Hot, Warm, Semi Warm, Cold, Tap Cold	Max RPM	950
Capacity (cu.ft.)	5.0 cu. ft.	No. of Spin Speeds	5	Axis	Vertical
Matching Electric Dryer	DLE7300WE / DLE7300VE	Spin Speeds	Extra High, High, Medium, Low, No Spin	MATERIALS AND FINISHES	
Matching Gas Dryer	DLG7301WE / DLG7301VE	No. of Water Levels	Automatically adjusts to the size of load	NeveRust™ Stainless Steel Drum	Yes
Color	White (W) / Graphite Steel (V)	No. of Soil Levels	3	NeveRust™ Stainless Steel Washplate	Yes
CAPACITY		FABRIC CARE FEATURES		Cabinet	Painted Steel
Capacity	5.0 cu. ft.	TurboWash™ Technology	TurboWash3D™	Lid	Transparent Glass
APPEARANCE		SmartRinse™ Jet Spray System	Yes	POWER SOURCE	
Intelligent Electronic Controls with Dual LED Display	Yes	ColdWash™ Option	Yes	Ratings	CSA Listed
Touch Buttons	Yes	SenseClean™ System	Yes	Electrical Requirements	120V @ 60Hz.
Electronic Control Panel with LED Display	Yes	CONVENIENCE FEATURES		DIMENSIONS	
Dial-A-Cycle™	Yes	SlamProof™ Lid	Yes	Product (WxHxD)	27" x 44 1/2" x 28 3/8" (57 1/4" H with lid open)
ENERGY		TrueBalance™	Yes	Carton (WxHxD)	29 19/32" x 46 3/8" x 31 3/8"
ENERGY STAR® Qualified	Yes	Anti-Vibration System	Yes	Weight (Product)	146.9lbs.
CEE Tier	1	SmartDiagnosis™	Yes	Weight (Carton)	162.3lbs.
IMEF	2.76	3-Tray Dispenser	Yes	LIMITED WARRANTY	
IWF	3.2	LoadSense	Yes	Parts and Labor	1 Year
WASH PROGRAMS		Status Indicator(s)	Yes	Direct Drive Motor	10 Years
No. of Programs	8	End of Cycle Signal	Yes	Drum	Limited Lifetime
	Normal, Heavy Duty, Bedding, Deep Wash, Pre Wash+ Normal, Delicates, Waterproof, Downloaded	Child Lock	Yes	UPC CODES	
WASH OPTIONS		Auto Suds Removal	Yes	WT7300CW (White)	048231026000
No. of Options	14	Forced Drain System	Yes	WT7300CV (Graphite Steel)	048231026017
	Soak, Extra Rinse, Add Garments, Delay Wash, Control Lock, Water Plus, ColdWash™, Rinse+Spin, Spin Only, StainCare, Tub Clean, Signal, Remote Start, Wi-Fi	Add Garment Indicator	Yes	SmartThinQ® SMART FEATURES	
		LoDecibel™ Quiet Operation	Yes	SmartDiagnosis™	Yes
		Leveling Legs	Yes	WiFi Connectivity	Yes
		WiFi Connectivity	Yes	Remote start and cycle monitor	Yes
		SmartThinQ® SMART FEATURES		Energy Monitoring	Yes
		SmartDiagnosis™	Yes		
		WiFi Connectivity	Yes		
		Remote start and cycle monitor	Yes		
		Energy Monitoring	Yes		

LG LAUNDRY

DLE7100W / DLG7101W

7.3 cu.ft. Rear Control Top Load Dryer



Ultra Large 7.3 cu. ft. Capacity

Sensor Dry System

Electronic Control Panel with Dual LED Display

Wrinkle Care Option

SmartDiagnosis™

3-Minute Smart Installation Check

FlowSense™ Duct Clogging Indicator

LoDecibel™ Quiet Operation

SUMMARY

Capacity	7.3 cu ft
Matching Washer	WT7100CW
Sensor Dry	Yes
Color	White (W)

APPEARANCE

Intelligent Electronic Controls with LED Display	Yes
Dial-A-Cycle™	Yes

DRYER PROGRAMS

No. of Programs	8
Programs (Sensor Dry)	Cotton/Normal, Perm Press/Casual, Heavy Duty, Bulky/Bedding, Delicates, Speed Dry (Manual Dry), Air Dry (Manual Dry), Freshen Up (Manual Dry)

DRYER OPTIONS

No. of Options	7
Options	Soak, Extra Rinse, Add GarWrinkle Care, Control Lock, More Time, Less Time, Damp Dry Signal, Energy Saver, Default On/Off

DRYER DETAILS

Temperature Settings	3
Drying Levels	3
Manual Dry Times	60, 40, 20 min, More-Less

FABRIC CARE FEATURES

Sensor Dry	Yes
Precise Temperature Control with Variable Heater	Yes

CONVENIENCE FEATURES

SmartDiagnosis™	Yes
3 Minute Installation Check	Yes
LoDecibel™ Quiet Operation	Yes
End of Cycle Signal	Yes
Reversible Door	Yes
FlowSense™ Duct Clogging Indicator	Yes
Wrinkle Care Option	Yes
Child Lock	Yes
Venting Option	4 Way Venting (Electric) 3 Way Venting (Gas)

4 Adjustable Legs	Yes
Remaining Time Display/Status Indicator(s)	Yes

ENERGY

ENERGY STAR® Qualified	Yes
------------------------	-----

MATERIALS AND FINISHES

Aluminized Alloy Steel Drum	Yes
Tub Rear	Painted
Cabinet	Painted Steel
Door / Trim	Solid / White
All Available Colors	White (W)

POWER SOURCE

Ratings	CSA Listed
Electrical Requirements / Type	Electric: 240V 30 Amps Gas: 120V, 15 Amps
BTU	10,000 Feet

OPTIONS

LP Conversion Kit	383EEL3002D
Side Venting Kit	383EEL9001B

DIMENSIONS

Product (WxHxD)	27" x 44 1/4" x 28 15/16" (50 1/4" D with door open)
Carton (WxHxD)	29 1/2" x 48" x 31 1/4"
Weight (Product/Carton) Electric	129.8 / 149.6 lbs.
Weight (Product)	127.7 lbs. (Electric) 131.2 lbs. (Gas)
Weight (Carton)	140 lbs. (Electric) 143.5 lbs. (Gas)

WARRANTY

Parts & Labor	1 Year
---------------	--------

UPC CODES

WT7100CW	048231023986
DLE7100W	048231023993
DLG7101W	048231024006