It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot. URBAN ECOSYSTEMS LTD. HAS REVIEWED THE Town of Innisfil PROPOSED GRADES AS SHOWN ON THIS PLAN Lot Grading & Zoning Approval AND HAS FOUND THEM TO BE IN GENERAL CONFORMANCE WITH THE APPROVED PLANS kbayley 10t33 Aug 04, 2021 nnisfil 💝 DATE July 16, 2021 This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the Town of INNISFIL. R. SACCO JOHN G. WILLIAMS LTD., ARCHITECT ARCHITECTURAL CONTROL REVIEW AND APPROVAL APPROVED BY: JUL 19, 2021 40295305 is stamp certifies compliance with the applicable Design Guidelines only and bears no further professional responsibility. CE OF OM THE 9 1/2" ENG. JOIST 272.34 272.04 TFW 270.59 272.19 270.88 267.55 271 269.77 270.78 0 UF 269.54 32 270. 5.0% 7.09 0 16.28 2.0% 0 61 2.00 1R 9 SUNKEN 80 - FOYER 8 32-3-10 PH 39.15 27D. ELEV. A REV 9 1/2" ENG FF 27 3.5% FF 271.81 TFW 271.51 13.83 270.09 BF EXPOSED ELEVATION(S) 270.23 270.38 269.27 200 UF 269.04 270.28 9.43 267 33 2.1% 5.0% 270.60 4.8% 80 2.00 10 270.58 42 32-4-12 3R 3 66.075 × 39.88 1Pl \$ 3.5% 2.0% ELEV. A REV 270.69 HP 14 270.75 % 1/R 9 1/2" ENG. JOIST 271.29 SUNKEN MUD (-JR) TFW 270.99 14.57 269.58 16.31 BF 269.88 268.75 MAS UF 268.52 269.76 34 2.0% ALL DIMENSIONS ARE IN METRIC UNLESS OTHERWISE NOTED COVERAGE BLD. HEIGHT 9.0M (MAX) MIN LANDSCAPE (30%) LOT AREA S.M. LOT NO. MODEL UNIT COVERAGE S.M. (MAX. 45%) AVG. GRADE AROUND EXT WALL DRIVEWAY LANDSCAPE 33.80 % (271.27+271.36+271.31+270.72+270 33 32-3-10 'A 398,593 S.M. 134.71 S.M. 28.50 38+270.75+270.93)/7= 270.96 235.38 59.05 orading Notes:

It shall be the responsibility of the builder to have all grades and services verified and checked before construction by an approved grading engineer. These grades and the placement of storm and sanitary services off the street are to meet the requirements of the municipality having jurisdiction. VA3 Design Inc. is to be notified promptly of any discrepancies at least 1 (one) week prior to excavation commences in order that the building can be re-sited. Failure to observe these conditions may require expensive remedial action that will not be the responsibility of or cost to VA3 Design Inc. Foundation wall shall be poured to a minimum of 6" above approved grades. Finished grade lines as indicated on the house prototype are for reference only and do not necessorily depict finish grading conditions of any particular lat. 1 ISSUED FOR CLIENT REVIEW JUN 04-21 RC 2 REVISED AS PER ENGS COMMENTS No. OF RISERS PROVIDE 3/4" DIA. CLEAR STONE IN THIS AREA LIGHT POLE H . HYDRANT MAIL BOX FINISHED FLOOR ELEVATION
FINISHED MAIN LEVEL ELEVATION WATER SERVICE TRANSFORMER RETAINING WALL
CHAIN LINK FENCE (SEE LANDSCAPE PLAN)
ACOUSTICAL FENCE (SEE LANDSCAPE PLAN) OR THIS LOT CONTAINS ENGINEERED FILL UNDERSIDE FOOTING ELEVATION
FIN. BASEMENT FLOOR SLAB
TOP OF FOUNDATION WALL DOUBLE STM./SAN, CONNECTION AC AIR CONDITIONER REQUIRED SINGLE STM./SAN, CONNECTION OLE STM./ RAIN WATER DOWNSPOUT LOCATION (DISCHARGE ONTO SPLASHPAD) UFR UNDERSIDE FOOTING AT REAR WOOD SCREEN FENCE (SEE LANDSCAPE PLAN) UNDERSIDE FOOTING AT FRONT HYDRO SERVICE LATERA O SIDE WINDOW LOCATION

OPT. DOOR LOCATION ⇒ H G UFS UNDERSIDE FOOTING AT SIDE CABLE TELEVISION PEDESTAL WALK OUT DECK GAS METER → SWALE DIRECTION W.O.B. A EXTERIOR DOOR LOCATION ПППП REV REVERSE PLAN EMBANKMENT
(3:1 SLOPE unless otherwise noted) 図算が見り回り REDUCE SIDE YARD 33 BAYVIEW WELLINGTON

RC

1:250

INNISFIL

13049

1

SITE PLAN

13049-SP-TAB-PH3

ALCONA SHORES

SEP 2017

Vellington Jno-Baptiste

BCIN

255 Consumers Rd Suite 120 Toronto ON M2J 1R4 t 416.630.2255 f 416.630.4782