

36" Counter-Depth 3-Door Refrigerator

500 Series – Stainless Steel B36CD50SNS



BOSCH
Invented for life



B36CD50SNS
Stainless Steel

Also available in:

Black Stainless Steel
B36CD50SNB

**Introducing the
QuickIcePro System™, industry's fastest refrigerator ice maker.¹
Enjoy freshly filtered ice that's replenished fast.**

Features & Benefits

The Bosch QuickIcePro System offers rapid ice replenishment, producing up to 12 lbs of ice per day,² ensuring ample ice availability

UltraClarityPro™ water filter reduces >99.9% of sediment that may be found in your water and ice, including harsh elements like chlorine and chloramine.

With Home Connect™, remotely control and monitor your appliance to efficiently manage your day.

Lot 9

General Properties	
Full 69" height and true counter depth for built-in appearance	Yes
Easy Clean Stainless Steel	Yes
Lighting	Recessed LED light bars
Number of evaporators	2
Defrost process refrigerator section	Frost-free
Number of shelves – refrigerator	5
Adjustable shelves – refrigerator	4 half-width
Shelf material – refrigerator	Tempered glass
Type of shelves – refrigerator	Frameless split shelves with metal trim
Ice maker	Yes
Water filter	UltraClarityPro™
External water and ice dispenser	Yes
Gallon storage bins	3
Humidity control compartments	2
Full width drawer	1
Touch control panel	Yes
AirFresh® filter	Yes
Ethylene filter	Yes
MultiAirFlow™	Yes
Stainless steel back wall	Yes
Defrost process freezer section	Automatic
Number of drawers – freezer	2
Wi-Fi enabled	Yes, Home Connect™ app

Capacity	
Total capacity (cu. ft.)	20.8
Refrigerator capacity (cu. ft.)	14.8
Freezer capacity (cu. ft.)	6
Technical Details	
Current (A)	15 A
Volts (V)	115 V
Frequency (Hz)	60 Hz
Power cord length (in.)	91
Plug type	120V-3 prong
Dimensions & Weight	
Appliance dimensions with hinges, handles and doors (HxWxD) (in.)	70 ^{**} x 35 5/8" x 31 1/8"
Appliance dimensions without hinges and doors (HxWxD) (in.)	69 1/2" x 35 5/8" x 24 ^{***}
Appliance dimensions with hinges and doors, no handles (HxWxD)(in.)	70 ^{**} x 35 5/8" x 28 3/4"
Required cutout size (HxWxD) (in.)	70" x 36" x 25"
Net weight (lbs)	350 lbs
Efficiency	
Energy consumption (kWh/yr)	570
ENERGY STAR® qualified	Yes – Tier 1



Home Connect

¹Based on single ice maker production rates during a 24-hour period, measured per IEC standard and manufacturer user's manuals, for brands identified in US and Canada TraQline as freestanding French door bottom mount refrigerators. Results may vary depending on operating conditions.

²Based on filling 8 oz glasses.

^{**}When leveling legs are fully extended, add 5/8" to overall height, total: 70 5/8".

^{***}The cutout depth of 25" includes the required 1" airflow. The electrical covers on the back of unit do not require additional depth.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



BOSCH
Invented for life


800 Series – Stainless Steel B36CD50SNS

Installation Details




A: Add $\frac{5}{8}$ " (17) with front leveling feet fully extended
B: Add 1" (25) for fixed spacers on back



B: Add 1" (25) for fixed spacers on back



A: Add $\frac{5}{8}$ " (17) with front leveling feet fully extended



Drawers can be pulled out with door open to 90°. Drawers can be taken out with door completely opened.



Leave ½" (12.7) gap at the top and 1" (25.4) behind the refrigerator for proper ventilation.
It is recommended that you do not install the refrigerator near a heat source such as an oven or a range.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-344-2304.
© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

30" Gas Cooktop

800 Series – Stainless Steel NGM8057UC

Lot 9



NGM8057UC
Stainless Steel

The stainless steel gas cooktop with FlameSelect® – achieve consistent cooking results thanks to nine precisely defined power levels.

Features & Benefits

FlameSelect® – allows for a precise adjustment of the flame size with nine defined power levels

Dual flame power burner with two heat options, quickly boil water or maintain a precise simmer

Heavy-duty grates can be easily and quickly cleaned in the dishwasher

OptiSim® burner – simmer delicate sauces and melt chocolate without scorching

Low profile stainless steel cooking surface is easily accessible and quick to clean



FlameSelect

General Properties	
No. of burners	5
Knob color	Stainless steel appearance
Control location	Front-center
Sealed burners	Yes
Gas valves	Five 9-level step valves
Ignition system	Electric; thermocouple safety control
Cooktop surface material	Stainless steel
Grate material	Cast iron
Grate features	Continuous grates; dishwasher safe
Element Performance	
Total BTU load (NG / LP)	
41,400 / 40,100	
Power of front left burner (NG / LP)	3,400 / 3,400 BTU
OptiSim®	
Power of back left burner (NG / LP)	6,000 / 6,000 BTU
Power of center burner (NG / LP) Dual-flame	17,000 / 15,700 BTU
Power of back right burner (NG / LP)	9,000 / 9,000 BTU
Power of front right burner (NG / LP)	6,000 / 6,000 BTU

Technical Details	
Circuit breaker	15 A
Volts	120 V
Frequency	60 Hz
Plug type	3-prong
Power cord length	40"
Fuel type	Natural Gas (factory set)
Convertible to LP (kit required)	Yes
Dimensions & Weight	
Overall appliance dimensions (HxWxD)	2 23/64" x 29 1/2" x 20 1/2"
Required cutout size (HxWxD)	1 1/4" x 28 15/16" x 19 1/8"
Minimum distance from counter front	1 7/8"
Minimum distance from rear wall	3"
Net weight	38 lbs
Accessories – Included	
Included	LP conversion kit, OptiSim® cap
Accessories – Optional	



HEZ298107
Wok ring

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


30" Gas Cooktop

800 Series – Stainless Steel NGM8057UC



BOSCH
Invented for life

Installation Details




- A: Dimension from countertop to top of grates in front of 2 23/64" (60)
- B: When installed in combination with a hood, refer to hood manufacturer's requirements for installation
- C: For installation in a kitchen island

Installation above Wall Ovens

measurements in inches (mm)


Built-in oven - under gas cooktop



Dimensions based on standard countertop height (36" with 4 3/4" toe kick including base plate).

A: Cooktop

B: Built-in oven



- A: Rough-in Cooktop Box
- B: Arrow on the back of the Pressure Regulator shows the direction of gas flow
- C: Pressure Regulator
- D: 1/2" Female Pipe Threads
- E: Flexible Gas Line
- F: Power Cord (40 inches / 1,016 mm)
- G: 120 Volt Receptacle
- H: Gas Cut-off Valve
- J: Gas Supply Line Stub-out
- K: Floor

measurements in inches (mm)

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


30" Gas Cooktop

800 Series – Stainless Steel NGM8057UC



BOSCH
Invented for life

Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).
Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.
Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.
For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

06/19

Lot 9



Microwaves

HMB50152UC
Built-In Microwave Oven
500 Series - Stainless Steel



Built-In Microwave Design Matched for Use
in Combination with Bosch Wall Oven

- Built For Speed and Convenience With 950 Watts of Microwave Cooking Power
- Built For Speed and Convenience With 950 Watts of Microwave Cooking Power
- Convenient Automatic Sensor Programs Simplify Cooking for Great Results Every Time
- White Colored LCD Matches Bosch Wall Ovens

Technical Data

Max. Microwave power (W) :	950
Number of Power Levels :	10
Turntable :	Yes
Turntable diameter (in) :	14 1/8"
Turntable diameter (mm) :	360
Heating type :	Microwave
Cavity material :	Stainless steel
Door opening :	Handle
Clock / Timer :	Yes
Included accessories :	1 x grid high, 1 x grid flat
UPC code :	825225924180
Product color :	Stainless steel
Watts (W) :	1750
Current (A) :	15
Volts (V) :	120
Frequency (Hz) :	60
Approval certificates :	CUL, UL
Power cord length (in) :	43"
Power cord length (cm) :	109
Plug type :	Nema5-15P
Required cutout size (HxWxD) (in) :	19 1/4" x 28 1/2" x 19 1/4"
Required cutout size (HxWxD) (mm) :	488 x 724 x 488
Overall appliance dimensions (HxWxD) (in) :	19 5/8" x 29 3/4" x 19 5/8"
Overall appliance dimensions (HxWxD) (mm) :	498 x 755 x 498
Product packaging dimensions (HxWxD) (in) :	23.62 x 26.29 x 33.85
Net weight (lbs) :	78
Net weight (kg) :	35.0
Gross weight (lbs) :	87
Gross weight (kg) :	39.0

Included accessories

- 1 x grid high
- 1 x grid flat



BOSCH

Microwaves

HMB50152UC

Built-In Microwave Oven 500 Series - Stainless Steel

Built-In Microwave Design Matched for Use in Combination with Bosch Wall Oven

Design

- Built-In Microwave For Use With Bosch Wall Ovens
- Recessed Glass Turntable

Performance

- 950 Watt Microwave Power
- 10 Microwave Power Levels

Efficiency

- Large Cooking Interior Gives You Flexibility to Cook Various Dishes
- More Even Cooking From Center to Crust

Convenience

- Keep Warm Program
- Automatic Sensor Programs Simplify Cooking for Great Results
- Popcorn Program - Get Fully "Popped" Popcorn Simply by Entering the Bag Size
- Timer with Cook Time and Delay Start Function

Microwaves


HMB50152UC
Built-In Microwave Oven
500 Series - Stainless Steel



measurements in inches (mm)



measurements in inches (mm)




measurements in inches (mm)



Microwaves

HMB50152UC
Built-In Microwave Oven
500 Series - Stainless Steel

Standard Installation
30" Speed Oven or Microwave over Single Oven***



measurements in inches (mm)


Lot 9



BOSCH

Ovens

30" Single Wall Oven
500 Series - Stainless Steel
HBL5451UC



Introducing a Newly Designed and
Engineered Bosch Wall Oven Featuring
European Convection and Heavy-duty Metal
Knobs

- Genuine European Convection for Even Baking Results on Multiple Levels.
- Heavy-duty Metal Knobs for a Premium Look and Feel.
- Wall Ovens are Compatible with Most Competitors' Cut-Outs.
- The Wall Oven is Designed to be Installed Flush with your Cabinetry.

Technical Data

Cooking mode : 3rd element convection, Convection Bake, Convection Broil, Convection Roast, Conventional heat, Dough proving setting, Half width variable grill, Pizza setting, Top heating, 1/3 bottom heat., warming Integrated Cleaning system : Self Clean
Interior Lights - cavity 1 : 1
Timer settings : Alarm, Off, On, timer
Included accessories : 2 x oven racks /upper
Bake Element Wattages cavity 1 (W) : 2400
Broil Element Wattages cavity 1 (W) : 3800
Convection Element Wattages cavity 1 (W) : 2000
UPC code : 825225906476
Product color : Stainless steel
Energy source : Electric
Watts (W) : 5000
Current (A) : 30
Volts (V) : 240/208
Frequency (Hz) : 60
Approval certificates : CSA
Power cord length (in) : 50"
Power cord length (cm) : 127
Plug type : fixed connection, no plug
Required cutout size (HxWxD) (in) :
27" - 28 5/8" x 28 1/2" x 23 1/2"
Required cutout size (HxWxD) (mm) : 686 x 724 x 597
Overall appliance dimensions (HxWxD) (mm) : 737 x 755 x 622
Product packaging dimensions (HxWxD) (in) :
31 1/4" x 34" x 31 1/2"
Net weight (lbs) : 160
Net weight (kg) : 72.0
Gross weight (lbs) : 177
Gross weight (kg) : 80.0

Included accessories

2 x oven racks /upper

Optional accessories

HEZTR301 : Telescopic Oven Rack 30"



BOSCH

Ovens

**30" Single Wall Oven
500 Series - Stainless Steel
HBL5451UC**

**Introducing a Newly Designed and
Engineered Bosch Wall Oven Featuring
European Convection and Heavy-duty Metal
Knobs**

Design

- Heavy-duty Metal Knobs

Performance

- 10 Specialized Cooking Modes - Gourmet Cooking Made Easy
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking

Efficiency

- EcoClean™ 2-Hour Self-Clean Cycle

Convenience

- One Oven Light to Better Monitor Cooking Progress
- Kitchen Timer
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K certified. 100°-450° F

Capacity


- Large Capacity at 4.6 Cu Ft.
- Recessed 8 Pass Broil Element for Increased Capacity and Safety




BOSCH

Ovens


30" Single Wall Oven
500 Series - Stainless Steel
HBL5451UC




measurements in inches (mm)



measurements in inches (mm)



measurements in inches (mm)





measurements in inches (mm)



Lot 9



30" Wall mount hood - Professional design - **MSRP: \$969.00**




Selected Model	AVN-308CS
Model number	AVN-308CS
Dimensions	29 1/2" (W) x 19 3/4" (D) x 7 1/3" (H)
Dimensions	29 1/2" (W) x 19 3/4" (D) x 7 1/3" (H)
Exterior Appearance	201
Stainless steel grade	201
Features	Soft touch with LED display 2 bulbs, 3W LED (bulbs included) 860 CFM, 6-Speed Speed 1, 0.7 sones Speed 6, 6.5 sones 2 Stainless steel baffle filters (included) 6" Round (Top) Ducted
Control	
Lighting	
Blower type	
Blower performance	
Filter type	
Duct transition	
Ducting	
Electrical Requirements	120V / 60Hz / 2.7 Amps
Electrical requirements	
Accessories (optional)	AD-884S (884mm, AVN-AVH compatible)
Optional duct covers	
Warranty	Parts and labour, in-home service
1-year Warranty	

The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete or may change without notice

Dimensions



Installation



A	Floor to ceiling height	variable
B	Floor to counter top height (standard)	36"
C	Recommended height between cooking surface and bottom of the hood	28" to 30"
D	Hood height	7 1/3"
E	Chimney height	19" to 41.99"

Duct transition

Top 6" round



The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete and/or may change without notice.