

Camerist

Traditional | Transitional | Modern

Single Handle Kitchen Faucet*

Model 7825†
(Use model number only for
Chrome finish)

Chrome:	\$ 250.73
Other:	\$ 372.13

Single Handle Kitchen Faucet with Side Spray in Deck Plate

Model 7835†
(Use model number only for
Chrome finish)
• Not available in ORB finish

Chrome:	\$ 290.69
Other:	\$ 414.20

Single Handle Kitchen Faucet with Side Spray (Two or Four Hole Installation)

Model 7840†
(Use model number only for
Chrome finish)

Chrome:	\$ 290.69
Other:	\$ 414.20

Single Handle Pullout Kitchen Faucet*

Model 7545†

Chrome:	\$ 472.78
Other:	\$ 597.35
White:	\$ 529.72

Single Handle Bar/Prep Faucet

Model 4905†
(Use model number only for Chrome finish)

Chrome:	\$ 264.36
Other:	\$ 367.25

† To order, combine the model number with one of these finish letters:



C



SRS



ORB



W

* Single or Three Hole Installation
± Single Hole Installation Only

(W finish only available
in SKU 7545)



MOEN
Buy it for looks. Buy it for life.®

FEB 0 5 2016

Lot 85 Ph2
Bowmanville

100






STEEL QUEEN FABRICATED SINKS • DUAL MOUNT



QDLF2031/8 cUPC®

20 gauge, 16-8 stainless steel
Topmount or undermount model
Outside sink dimensions
20 9/16" FB x 31 1/4" LR
Equal size bowl dimensions
16" FB x 14" LR x 8" DP
33" cabinet - recommended minimum
for Kindred topmount method
36" cabinet - recommended minimum
for Kindred undermount method
33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)

OPTIONAL ACCESSORIES

- 
BGZ14S
- 
BGZ14S
- 
MBZ16
- 
DBR10S
- 
C10S

Lot 85 Ph 2
Bowmanville



contrac

21½" RECTANGULAR UNDERMOUNT SINK

COLLETTE

□ 4220CIY Undermount Sink

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):


(OD): 545mm(21½") x 355mm(14") x 190mm(7½")
(ID): 485mm(19") x 295mm(11½") x 140mm(5½")

Compliance Certifications:

- Meets or exceeds the following:
- IAPMO cUPC
 - ASME A112.19.2 / CSA B45.1-2008

Shipping:

Cube 1.64
GW 25 lbs




Colours To Be Specified:

Colour: ☐ Soft White




Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Detail of Mounting Clip




Note:
▲ Dimensions shown for location of supplies and "P" trap are suggested.




EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES



Kitchen
Master Ensuite

UPGRADED EDGE PROFILES



FEB 05 2016

Lot #85 Ph2
Bowmanville