

Camerist


Traditional | Transitional | Modern



Single Handle Kitchen Faucet*

Model 7825+
(Use model number only for
Chrome finish)


Chrome:	\$ 250.73
Other:	\$ 372.13



**Single Handle Kitchen Faucet
with Side Spray in Deck Plate**

Model 7835+
(Use model number only for
Chrome finish)
• Not available in ORB finish

Chrome:	\$ 290.69
Other:	\$ 414.20



**Single Handle Kitchen Faucet
with Side Spray (Two or Four
Hole Installation)**

Model 7840+
(Use model number only for
Chrome finish)


Chrome:	\$ 290.69
Other:	\$ 414.20



**Single Handle Pullout Kitchen
Faucet***

Model 7545+

Chrome:	\$ 472.78
Other:	\$ 597.35
White:	\$ 529.72



Single Handle Bar/Prep Faucet

Model 4905+
(Use model number only for Chrome finish)

Chrome:	\$ 264.36
Other:	\$ 367.25

† To order, combine the model number with one of these finish letters:



C



SRS



ORB



W

(W finish only available
in SKU 7545)

* Single or Three Hole Installation
± Single Hole Installation Only



MOEN

Buy it for looks. Buy it for life.®



DEC 22, 2015

Lot 163-1 PH2

Bowmanville



STEEL QUEEN FABRICATED SINKS • DUAL MOUNT



QDLF2233/8

UPC®

20 gauge, 18-8 stainless steel
Topmount or undermount model



Outside sink dimensions
22" FB x 33 1/4" LR

Equal size bowl dimensions
17" FB x 15" LR x 8" DP

36" cabinet - recommended minimum
for Kindred topmount method

39" cabinet - recommended minimum
for Kindred undermount method

33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)



QDLF2031/8

UPC®

20 gauge, 18-8 stainless steel
Topmount or undermount model



Outside sink dimensions
20 9/16" FB x 31 1/4" LR

Equal size bowl dimensions
16" FB x 14" LR x 8" DP

33" cabinet - recommended minimum
for Kindred topmount method

36" cabinet - recommended minimum
for Kindred undermount method

33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)



QCLF2031R/8

UPC®

20 gauge, 18-8 stainless steel
Topmount or undermount model

Outside sink dimensions
20 9/16" FB x 31 1/4" LR



Large bowl dimensions
16" FB x 18" LR x 8" DP

Small bowl dimensions
16" FB x 10" LR x 8" DP

33" cabinet - recommended minimum
for Kindred topmount method

36" cabinet - recommended minimum
for Kindred undermount method

33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)



QCLF2027R/8

UPC®

20 gauge, 18-8 stainless steel
Topmount or undermount model

Outside sink dimensions
20 9/16" FB x 27 1/4" LR



Large bowl dimensions
16" FB x 14" LR x 8" DP

Small bowl dimensions
16" FB x 10" LR x 8" DP

30" cabinet - recommended minimum
for Kindred topmount method

33" cabinet - recommended minimum
for Kindred undermount method

27" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)



QCLF2039DBR/8

UPC®

20 gauge, 18-8 stainless steel
Topmount or undermount model

Outside sink dimensions
20 9/16" FB x 39 3/8" LR

Large bowl dimensions
16" FB x 14" LR x 8" DP

Small bowl dimensions
16" FB x 10" LR x 8" DP


30" cabinet - recommended minimum
for Kindred topmount method

45" cabinet - recommended minimum
for Kindred undermount method


27" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)

EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES



UPGRADED EDGE PROFILES



DEC 22 2015

Lot #103-1PH2
Bowmanville

Kiraly

