



Kitchen Faucet - OPTION 3



BORA Single Hole Dual Spray Pull-Out Faucet

BO201C \$499.00

BO201SS \$680.00

Riobel Inc. - 11 Cidermill Ave. Unit # 5 - Concord, Ontario - L4K 4B6 - PH:905-760-9009



FEB 22 2016

Lot 33 Ph2



Bowmanville

HO1



STEEL QUEEN FABRICATED SINKS - DUAL MOUNT





QDLF2233/8 UPC®
20 gauge, 18-8 stainless steel
Topmount or undermount model
Outside sink dimensions
22" FB x 33 1/4" LR
Equal size bowl dimensions
17" FB x 15" LR x 8" DP
36" cabinet - recommended minimum
for Kindred topmount method
39" cabinet - recommended minimum
for Kindred undermount method
33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)





QDLF2031/8 UPC®
20 gauge, 18-8 stainless steel
Topmount or undermount model
Outside sink dimensions
20 9/16" FB x 31 1/4" LR
Equal size bowl dimensions
16" FB x 14" LR x 8" DP
33" cabinet - recommended minimum
for Kindred topmount method
36" cabinet - recommended minimum
for Kindred undermount method
33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)



QCLF2031R/8 UPC®
20 gauge, 18-8 stainless steel
Topmount or undermount model
Outside sink dimensions
20 9/16" FB x 31 1/4" LR
Large bowl dimensions
16" FB x 18" LR x 8" DP
Small bowl dimensions
16" FB x 10" LR x 8" DP
33" cabinet - recommended minimum
for Kindred topmount method
36" cabinet - recommended minimum
for Kindred undermount method
33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)



QCLF2027R/8 UPC®
20 gauge, 18-8 stainless steel
Topmount or undermount model
Outside sink dimensions
20 9/16" FB x 27 1/4" LR
Large bowl dimensions
16" FB x 14" LR x 8" DP
Small bowl dimensions
16" FB x 10" LR x 8" DP
30" cabinet - recommended minimum
for Kindred topmount method
33" cabinet - recommended minimum
for Kindred undermount method
27" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)



QCLF2039DBR/8 UPC®
20 gauge, 18-8 stainless steel
Topmount or undermount model
Outside sink dimensions
20 9/16" FB x 39 3/8" LR
Large bowl dimensions
16" FB x 14" LR x 8" DP
Small bowl dimensions
16" FB x 10" LR x 8" DP
30" cabinet - recommended minimum
for Kindred topmount method
45" cabinet - recommended minimum
for Kindred undermount method
27" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)

Lot 33 (P2)

EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES

2 cm

STRAIGHT POLISH

UPGRADED EDGE PROFILES

4 cm

~~1/2" BEVEL~~

~~HALF BULLNOSE~~

~~FULL BULLNOSE~~

~~OGEE~~

~~DOUBLE OGEE~~

FEB 22 2016

Lot # 33 Ph2
Bowmanville

107