

Camerist

Traditional | Transitional | Modern



Single Handle Kitchen Faucet*

Model 7825†
(Use model number only for Chrome finish)

Chrome:	\$ 250.73
Other:	\$ 372.13



Single Handle Kitchen Faucet with Side Spray in Deck Plate

Model 7835†
(Use model number only for Chrome finish)
• Not available in ORB finish


Chrome:	\$ 290.69
Other:	\$ 414.20



Single Handle Kitchen Faucet with Side Spray (Two or Four Hole Installation)

Model 7840†
(Use model number only for Chrome finish)

Chrome:	\$ 290.69
Other:	\$ 414.20



Single Handle Pullout Kitchen Faucet*

Model 7545†

Chrome:	\$ 472.78
Other:	\$ 597.35
White:	\$ 529.72



Single Handle Bar/Prep Faucet

Model 4905†
(Use model number only for Chrome finish)

Chrome:	\$ 264.36
Other:	\$ 367.25

† To order, combine the model number with one of these finish letters:



C



SRS



ORB



W

* Single or Three Hole Installation
± Single Hole Installation Only



(W finish only available in SKU 7545)

MOEN
Buy it for looks. Buy it for life.®



MAR 09 2016

lot 83 Ph 2
Bowmanville









QDLF2233/8 UPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mod
 Outside sink dimensions
 22" FB x 33 1/4" LR
 Equal size bowl dimensions
 17" FB x 15" LR x 8" DP
 36" cabinet - recommended minimum
 for Kindred topmount method
 39" cabinet - recommended minimum
 for Kindred undermount method
 33" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)





QDLF2031/8 UPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mod
 Outside sink dimensions
 20 9/16" FB x 31 1/4" LR
 Equal size bowl dimensions
 16" FB x 14" LR x 8" DP
 33" cabinet - recommended minimum
 for Kindred topmount method
 36" cabinet - recommended minimum
 for Kindred undermount method
 33" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)



QCLF203TR/8 UPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mode
 Outside sink dimensions
 20 9/16" FB x 31 1/4" LR
 Large bowl dimensions
 16" FB x 18" LR x 8" DP
 Small bowl dimensions
 16" FB x 10" LR x 8" DP
 33" cabinet - recommended minimum
 for Kindred topmount method
 36" cabinet - recommended minimum
 for Kindred undermount method
 33" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)



QCLF2027R/8 UPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mode
 Outside sink dimensions
 20 9/16" FB x 27 1/4" LR
 Large bowl dimensions
 16" FB x 14" LR x 8" DP
 Small bowl dimensions
 16" FB x 10" LR x 8" DP
 30" cabinet - recommended minimum
 for Kindred topmount method
 33" cabinet - recommended minimum
 for Kindred undermount method
 27" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)



QCLF2039DBR/8 UPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount model
 Outside sink dimensions
 20 9/16" FB x 39 3/8" LR
 Large bowl dimensions
 16" FB x 14" LR x 8" DP
 Small bowl dimensions
 16" FB x 10" LR x 8" DP
 30" cabinet - recommended minimum
 for Kindred topmount method
 45" cabinet - recommended minimum
 for Kindred undermount method
 27" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)

Lot
83 (P2)
Bourmanville

EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES

2 cm

STRAIGHT POLISH

UPGRADED EDGE PROFILES

4 cm

$\frac{1}{2}$ " BEVEL

HALF BULLNOSE

FULL BULLNOSE

OGEE

DOUBLE OGEE

MAR 09 2016

Lot # 83 Ph 2
Bowmanville

mw

~~SL~~