






QDLF2233/8 cUPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mod
 Outside sink dimensions
 22" FB x 33 1/4" LR
 Equal size bowl dimensions
 17" FB x 15" LR x 8" DP
 36" cabinet - recommended minimum
 for Kindred topmount method
 39" cabinet - recommended minimum
 for Kindred undermount method
 33" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)





QDLF2031/8 cUPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mod
 Outside sink dimensions
 20 9/16" FB x 31 1/4" LR
 Equal size bowl dimensions
 16" FB x 14" LR x 8" DP
 33" cabinet - recommended minimum
 for Kindred topmount method
 36" cabinet - recommended minimum
 for Kindred undermount method
 33" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)



Q4
 Bk 157-6
 (12)



QCLF2031R/8 cUPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mode
 Outside sink dimensions
 20 9/16" FB x 31 1/4" LR
 Large bowl dimensions
 16" FB x 18" LR x 8" DP
 Small bowl dimensions
 16" FB x 10" LR x 8" DP
 33" cabinet - recommended minimum
 for Kindred topmount method
 36" cabinet - recommended minimum
 for Kindred undermount method
 33" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)






QCLF2027R/8 cUPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount mode
 Outside sink dimensions
 20 9/16" FB x 27 1/4" LR
 Large bowl dimensions
 16" FB x 14" LR x 8" DP
 Small bowl dimensions
 16" FB x 10" LR x 8" DP
 30" cabinet - recommended minimum
 for Kindred topmount method
 33" cabinet - recommended minimum
 for Kindred undermount method
 27" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)



QCLF2039DBR/8 cUPC®
 20 gauge, 18-8 stainless steel
 Topmount or undermount model
 Outside sink dimensions
 20 9/16" FB x 39 3/8" LR
 Large bowl dimensions
 16" FB x 14" LR x 8" DP
 Small bowl dimensions
 16" FB x 10" LR x 8" DP
 30" cabinet - recommended minimum
 for Kindred topmount method
 45" cabinet - recommended minimum
 for Kindred undermount method
 27" cabinet - minimum to accept sink bowls
 (refer to Table of Contents page)

OV-66



Grace, full Classic Oval Design bath tub with ample deck space for any type of faucet installation.

- Made from highest grade acrylic
- available as Bath only
- C.S.A approved

TUBCO

2715-14th Avenue, Markham, ON L3R 0H9
Phone: 905-470-9066 Fax: 905-470-9663
1-800-561-0187 www.tubco.com

Lot 157-6 Ph 2
Bowmanville

[Signature]

[Signature]

EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES

2 cm

STRAIGHT POLISH

UPGRADED EDGE PROFILES

4 cm

1/2" BEVEL

HALF BULLNOSE

FULL BULLNOSE

OGEE

DOUBLE OGEE

Lot # 157-6
Bowmanville