


# Camerist


Traditional | Transitional | Modern



**Single Handle Kitchen Faucet\***

Model 7825†  
(Use model number only for  
Chrome finish)


Chrome: \$ 250.73  
Other: \$ 372.13



**Single Handle Kitchen Faucet  
with Side Spray in Deck Plate**

Model 7835†  
(Use model number only for  
Chrome finish)  
• Not available in ORB finish


Chrome: \$ 290.69  
Other: \$ 414.20



**Single Handle Kitchen Faucet  
with Side Spray (Two or Four  
Hole Installation)**

Model 7840†  
(Use model number only for  
Chrome finish)


Chrome: \$ 290.69  
Other: \$ 414.20



**Single Handle Pullout Kitchen  
Faucet\***

Model 7545†

Chrome: \$ 472.78  
Other: \$ 597.35  
White: \$ 529.72



**Single Handle Bar/Prep Faucet**


Model 4905†  
(Use model number only for Chrome finish)

Chrome: \$ 264.36  
Other: \$ 367.25

† To order, combine the model number with one of these finish letters:



C



SRS



ORB



W



\* Single or Three Hole Installation  
± Single Hole Installation Only

(W finish only available  
in SKU 7545)



**MOEN**  
Buy it for looks. Buy it for life.®

MAR 17 2016



Lot 57  
Bowmanville





**QDLF2233/8** UPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mod  
 Outside sink dimensions  
 22" FB x 33 1/4" LR  
 Equal size bowl dimensions  
 17" FB x 15" LR x 8" DP  
 36" cabinet - recommended minimum  
 for Kindred topmount method  
 39" cabinet - recommended minimum  
 for Kindred undermount method  
 33" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)





**QDLF2031/8** UPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mod  
 Outside sink dimensions  
 20 9/16" FB x 31 1/4" LR  
 Equal size bowl dimensions  
 16" FB x 14" LR x 8" DP  
 33" cabinet - recommended minimum  
 for Kindred topmount method  
 36" cabinet - recommended minimum  
 for Kindred undermount method  
 33" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)



**QCLF2031R/8** UPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mode  
 Outside sink dimensions  
 20 9/16" FB x 31 1/4" LR  
 Large bowl dimensions  
 16" FB x 18" LR x 8" DP  
 Small bowl dimensions  
 16" FB x 10" LR x 8" DP  
 33" cabinet - recommended minimum  
 for Kindred topmount method  
 36" cabinet - recommended minimum  
 for Kindred undermount method  
 33" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)



**QCLF2027R/8** UPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount mode  
 Outside sink dimensions  
 20 9/16" FB x 27 1/4" LR  
 Large bowl dimensions  
 16" FB x 14" LR x 8" DP  
 Small bowl dimensions  
 16" FB x 10" LR x 8" DP  
 30" cabinet - recommended minimum  
 for Kindred topmount method  
 33" cabinet - recommended minimum  
 for Kindred undermount method  
 27" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)



**QCLF2039DBR/8** UPC®  
 20 gauge, 18-8 stainless steel  
 Topmount or undermount model  
 Outside sink dimensions  
 20 9/16" FB x 39 3/8" LR  
 Large bowl dimensions  
 16" FB x 14" LR x 8" DP  
 Small bowl dimensions  
 16" FB x 10" LR x 8" DP  
 30" cabinet - recommended minimum  
 for Kindred topmount method  
 45" cabinet - recommended minimum  
 for Kindred undermount method  
 27" cabinet - minimum to accept sink bowls  
 (refer to Table of Contents page)

Lot 57(12)



contrac

# 21½" RECTANGULAR UNDERMOUNT SINK

COLLETTE

Lot 57 (P2) Browneville

## □ 4220CIY Undermount Sink

### Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

### Overall Dimensions (W x D x H):


(OD): 545mm(21½") x 355mm(14") x 190mm(7½")  
(ID): 485mm(19") x 295mm(11½") x 140mm(5½")

### Compliance Certifications:

- Meets or exceeds the following:
- IAPMO cUPC
  - ASME A112.19.2 / CSA B45.1-2008

### Shipping:

Cube 1.64  
GW 25 lbs




#### Colours To Be Specified:

Colour: ☐ Soft White




#### Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.


#### Detail of Mounting Clip



**Note:**  
▲ Dimensions shown for location of supplies and "P" trap are suggested.




EDGE PROFILE VERIFICATION FORM



Kitchen  
Master Ensuite  
Main Bathroom

UPGRADED EDGE PROFILES



Lot #57Ph2  
Bowmanville

