




Kitchen Faucet - OPTION 1



PRONTO Single Hole Dual Spray Pull-Out Faucet
P0101C

Riobel Inc. - 11 Cidermill Ave. Unit # 5 - Concord, Ontario - L4K 4B6 - PH:905-760-9009

APR 10 2015



Lot 37A-2

Sutton

Bagshaw




STEEL QUEEN FABRICATED SINKS • DUAL MOUNT



QDLF2031/8 cUPC®

20 gauge, 16-8 stainless steel
Topmount or undermount model
Outside sink dimensions
20 9/16" FB x 31 1/4" LR
Equal size bowl dimensions
16" FB x 14" LR x 8" DP
33" cabinet - recommended minimum
for Kindred topmount method
36" cabinet - recommended minimum
for Kindred undermount method
33" cabinet - minimum to accept sink bowls
(refer to Table of Contents page)

OPTIONAL ACCESSORIES



Lot 37A-2
Sutton

EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES

2 cm

STRAIGHT POLISH

UPGRADED EDGE PROFILES

4 cm

$\frac{1}{2}$ " BEVEL

HALF BULLNOSE

FULL BULLNOSE

OGEE

DOUBLE OGEE

SINK EDGE



Undermount



Straight Polish Edge

BACK & SIDE SPLASH TOP EDGE PROFILE



Straight

Page 4 of 13

APR 10 2015

Lot 37A-2

Sutton

Bagshaw

MB