


https://www.coastappliances.com/product/laundry/samsung-5-2-cu-ft-front-load-washer-plat

Search...

Samsung Front Load Wash...

File Edit View Favorites Tools Help




Samsung 5.2 cu. ft.
Front-Load Washer
Platinum

Model # WF45M5500AP / Finish:
Platinum

\$999.00

~~\$1,299.00~~

Sale ends May 17, 2018

PRICE MATCH GUARANTEE
Shop with confidence.

Request a Quote

*Product may not be available in all locations.


DescriptionFeaturesSize & MeasurementsDownloads

Dimensions

Width: 27 inches

Height: 38.75 inches

Depth: 33.8 inches





Samsung 7.5 cu. ft. Front-Load Electric Dryer Platinum

Model # DVE45M5500P / Finish: Platinum


\$899.00 ~~\$1,299.00~~


Sale ends May 17, 2018


 **PRICE MATCH GUARANTEE**
Shop with confidence.


[Request a Quote](#) 

*Product may not be available in all locations.









[Description](#)

[Features](#)

[Size & Measurements](#)


[Downloads](#)

Dimensions

Width: 27 inches

38.75 inches H x 32 inches Depth

WRF540CWH
FRENCH DOOR REFRIGERATOR




FINGERPRINT RESISTANT



Hide fingerprints and smudges with steel that easily wipes clean. Available in Black Stainless and Stainless Steel colors.

FULL-WIDTH, TEMPERATURE-CONTROLLED DRAWER



Store wide items like party platters and sheet cakes or preserve large amounts of meat and cheese at just the right temperature.

FRAMELESS GLASS SHELVES




Store more items on each shelf with wall-to-wall frameless glass shelves, which offer greater storage flexibility.

OTHER FEATURES


- Gallon door bins
- Counter Depth Design
- Humidity Controlled Crispers
- Accu-Chill™ temperature management system
- Adaptive defrost
- Interior water dispenser with EveryDrop™ water filtration
- FreshFlow™ produce preserver
- LED interior lighting



Black
(B)



White
(W)



Fingerprint Resistant
Stainless Steel (Z)



Fingerprint Resistant Black
Stainless Steel (V)

MODEL	WRF540CWHB	WRF540CWHW	WRF540CWHZ	WRF540CWHV
Max height (in)	70-1/8"	70-1/8"	70-1/8"	70-1/8"
Width (in)	35-5/8"	35-5/8"	35-5/8"	35-5/8"
Depth (in)	29-3/8"	29-3/8"	29-3/8"	29-3/8"



Whirlpool®

Whirlpool®

Bottom Mount Refrigerator

PRODUCT MODEL NUMBERS

WRF532SMH WRF535SMH
WRF540CWH

Electrical: A 115-volt, 60-Hz, AC-only, 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.


NOTE: Before performing any type of installation, cleaning, or removing a light bulb, turn the control (Thermostat, Refrigerator or Freezer Control depending on the model) to OFF and then disconnect the refrigerator from the electrical source. When you are finished, reconnect the refrigerator to the electrical source and reset the control (Thermostat, Refrigerator or Freezer Control depending on the model) to the desired setting. See "Using the Controls."

Water: A cold water supply with water pressure between 35 and 120 psi (241 and 827 kPa) is required to operate ice maker and water dispenser. If you have questions about your water pressure, call a licensed, qualified plumber.


IMPORTANT: The pressure of the water coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 and 120 psi (241 and 827 kPa).

Reverse Osmosis Water Supply: If a reverse osmosis water filtration system is connected to your cold water supply, the water pressure to the reverse osmosis system needs to be a minimum of 40 to 60 psi (276 to 414 kPa).

PRODUCT DIMENSIONS



LOCATION REQUIREMENTS



IMPORTANT: This refrigerator is designed for indoor, household use only.

To ensure proper ventilation for your refrigerator, allow for 1/2" (1.25 cm) of space on each side and at the top. Allow for 1" (2.54 cm) of space behind the refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave 2½" (6.3 cm) minimum on the hinge side (some models require more) to allow for the door to swing open.


NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.



Microwave Ovens Countertop

Countertop NN-SD765S

MODEL & SIZE	Model Number	NN-SD765S
	Type	Family-size
	Installation	Countertop or built-in
	Oven Capacity	1.6 cu. ft.
	Cooking Power	1200W
	Turntable Diameter	380mm
PANASONIC TECHNOLOGY	Panasonic Inverter	Cyclonic Inverter
	Genius Sensor	Genius®
DESIGN	Color	Stainless Steel
	Control Panel	Solid Dial + Button
	Display Panel	New 6 Digit LCD / Green
STYLE	Door Window	Smoked Glass
	Door Release	Push Open
	Oven Interior	Paint White
PERFORMANCE	Multi-stage Cooking	3 stage
PROGRAMMABLE FEATURES	Sensor Cook	Yes
	Sensor Reheat	Yes
	Auto Cook/Reheat	Yes
	More / Less Control	Yes
	Inverter Turbo Defrost	Yes
	Keep Warm Button	Yes



Installation Instructions
Notice d'installation
Instrucciones para la instalación

Cabinet Armoire Gabinete	Trim kit Nécessaire d'encastrement Juego de acabados
24 " (596 mm) 24 po (596 mm)	NN-TK714S


Read carefully and keep these installation instructions.
Lisez attentivement et conservez cette notice d'installation.
Lea cuidadosamente y guarde este instructivo de
instalación para su referencia.

© Panasonic Appliances Microwave Oven (Shanghai) Co., Ltd. 2014

2. Installation Diagram

2. Schéma d'installation

2. Diagrama de instalación



Trim Kit Dimensions	
Width	596 mm (23½")
Height	410 mm (16 ⅞")
Depth (Thickness)	20 mm (¾")


Dimensions du nécessaire d'encastrement	
Largeur	596 mm (23½ po)
Hauteur	410 mm (16 ⅞ po)
Profondeur (épaisseur)	20 mm (¾ po)


Dimensiones del juego de acabados	
Ancho	23½" (596 mm)
Altura	16 ⅞" (410 mm)
Profundidad (grosor)	¾" (20 mm)

3. Cabinet Diagram and Dimensions

3. Schéma de l'armoire et dimensions

3. Dimensiones y diagrama del gabinete






6.4 Cu. Ft. Front Control Electric Range with True Convection

★★★★★ 4.4 (308)

Write a review
Model: #: YWEE745H0FS



MSRP
\$1,899.99

- Frozen Bake™ Technology ⓘ
- True Convection Cooking ⓘ
- FlexHeat™ Triple Radiant Element ⓘ

Specifications

Dimensions

Capacity	181.12 l, 6.40 cu. ft.
Depth Closed Including Handles	73.34 cm, 28-7/8 in
Height	91.44 cm, 36.0 in
Width	75.88 cm, 29-7/8 in

Configuration and Overview


Fuel Type	Electric
Range Type	Slide-in
Size	76.20 cm, 30 in

Appearance

Door Type	Metal & Glass
Handle Material	Metal
Handle Type	Towel Bar
Oven Window Size	Extra Large

Oven Details

Automatic Convection Conversion Temperature Adjust	Yes
Automatic Shut-Off	No
Bake Element Power	3600W
Broiler Location	Top of Oven
Convection Element Type	Single-Fan



Stainless Steel
Tub Pocket
Handle
Dishwasher with
TotalCoverage
Spray Arm

Stainless Steel Tub Pocket Handle Dishwasher with TotalCoverage Spray Arm is rated 4.6 out of 5 by 133.
Model: #: WDTA50SAHZ



MSRP

~~\$999.99~~

-Sensor

Cycle ⓘ

-TotalCoverage Spray Arm ⓘ

-1-Hour Wash Cycle ⓘ

Specifications

Dimensions

Depth	62.23 cm, 24-1/2 in
Depth Closed Excluding Handles	62.23 cm, 24-1/2 in
Depth Closed Including Handles	62.23 cm, 24-1/2 in
Depth With Door Open 90 Degree	125.73 cm, 49-1/2 in
Height	87.63 cm, 34-1/2 in
Maximum Height	87.63 cm, 34-1/2 in
Minimum Height	85.09 cm, 33-1/2 in
Number of Place Settings	15
Width	60.64 cm, 23-7/8 in

Configuration and Overview

Decibel Level dBA	47
Dishwasher Type	Built-In
Energy Star® Qualified	ENERGY STAR® Qualified
Sound Package	Yes

Controls

Automatic Temperature Controls	Yes
Control Location	Top, Hidden
Control Type	Electronic Touch
Last Cycle Recall	Yes
Sensor	Yes

Appearance

Door Style	Flat
Handle Material	Plastic
Handle Type	Pocket Handle
Window	No

Details

Built-In Water Softener	No
Dispenser	Detergent and Rinse Aid
Interior Light	No
Motor Horsepower	1/8 HP