




North York Tile Contractors Ltd.

Floors, Walls and Mosaic

Note: All layouts are approximate measurements, as tile cuts will be determined on site.




Master Ensuite Shower tile Layout



North York Tile Contractors Ltd.

Floors, Walls and Mosaic

Note: All layouts are approximate measurements,
as tile cuts will be determined on site.




Master Ensuite bath tile Layout



North York Tile Contractors Ltd.

Floors, Walls and Mosaic

Note: All layouts are approximate measurements,
as tile cuts will be determined on site.



Main Bath tile Layout

Do not carry
in Design Studio.
Are under
for detail

Schluter - Design Line - AMGB

Jolly
AMGB

← side Schluter
Jolly AMGB

Plug Wall


TV/
ART
⊕ 56" Floor


12x24 Tile
stacked
vertically

← Tile on each
side

1'8"

FIREPLACE Sketch





2.2 Schluter®-DESIGNLINE

		Item No.					
H =	mm - in.	Stainless steel 304 (1.4301 = V2A)	Brushed stainless steel 304 (1.4301 = V2A)	Stainless steel 304 (1.4301 = V2A) square check	Stainless steel 304 (1.4301 = V2A) leather texture	Chrome-plated solid brass (MC)	Satin anodized aluminum
		(E)	(EB)	(ES1)	(ES2)		(AE)
6	- 1/4	DL 625 E	DL 625 EB	DL 625 ES1	DL 625 ES2	DL 625 MC	DL 625 AE
		Item No.					
H =	mm - in.	Polished chrome anodized aluminum (ACG)	Brushed chrome anodized aluminum (ACGB)	Satin nickel anodized aluminum (AT)	Polished nickel anodized aluminum (ATG)	Brushed nickel anodized aluminum (ATGB)	Satin copper anodized aluminum (AK)
6	- 1/4	DL 625 ACG	DL 625 ACGB	DL 625 AT	DL 625 ATG	DL 625 ATGB	DL 625 AK
		Item No.					
H =	mm - in.	Polished copper anodized aluminum (AKG)	Brushed copper anodized aluminum (AKGB)	Satin brass anodized aluminum (AM)	Polished brass anodized aluminum (AMG)	Brushed brass anodized aluminum (AMGB)	
6	- 1/4	DL 625 AKG	DL 625 AKGB	DL 625 AM	DL 625 AMG	DL 625 AMGB	

Length supplied: 8' 2-1/2" = 2.5 m

Note: All corresponding item numbers of the RONDEC finishes match DESIGNLINE.

Product Item Numbers**2.3 Schluter®-JOLLY**

		Item No.					
H =	mm - in.	Chrome-plated solid brass (MC)	Polished chrome anodized aluminum (ACG)	Brushed chrome anodized aluminum (ACGB)	Satin nickel anodized aluminum (AT)	Polished nickel anodized aluminum (ATG)	Brushed nickel anodized aluminum (ATGB)
6	- 1/4	MC 60	A 60 ACG	A 60 ACGB	A 60 AT	A 60 ATG	A 60 ATGB
8	- 5/16	MC 80	A 80 ACG	A 80 ACGB	A 80 AT	A 80 ATG	A 80 ATGB
10	- 3/8	MC 100	A 100 ACG	A 100 ACGB	A 100 AT	A 100 ATG	A 100 ATGB
12.5	- 1/2	MC 125	A 125 ACG	A 125 ACGB	A 125 AT	A 125 ATG	A 125 ATGB
		Item No.					
H =	mm - in.	Satin copper anodized aluminum (AK)	Polished copper anodized aluminum (AKG)	Brushed copper anodized aluminum (AKGB)	Brushed antique bronze anodized aluminum (ABGB)	Satin brass anodized aluminum (AM)	Polished brass anodized aluminum (AMG)
6	- 1/4	A 60 AK	A 60 AKG	A 60 AKGB	A 60 ABGB	A 60 AM	A 60 AMG
8	- 5/16	A 80 AK	A 80 AKG	A 80 AKGB	A 80 ABGB	A 80 AM	A 80 AMG
10	- 3/8	A 100 AK	A 100 AKG	A 100 AKGB	A 100 ABGB	A 100 AM	A 100 AMG
12.5	- 1/2	A 125 AK	A 125 AKG	A 125 AKGB	A 125 ABGB	A 125 AM	A 125 AMG
		Item No.					
H =	mm - in.	Brushed brass anodized aluminum (AMGB)	Bright black anodized aluminum (AGSG)	Brushed graphite anodized aluminum (AGRB)			
4.5	- 3/16	-	A 45 AGSG	-			
6	- 1/4	A 60 AMGB	A 60 AGSG	A 60 AGRB			
8	- 5/16	A 80 AMGB	A 80 AGSG	A 80 AGRB			
10	- 3/8	A 100 AMGB	A 100 AGSG	A 100 AGRB			
12.5	- 1/2	A 125 AMGB	A 125 AGSG	A 125 AGRB			

Note: Additional finishes are available for this product. The design configuration of JOLLY is identical to that of SCHIENE (see Floor Profiles). However, their materials and finishes do vary. SCHIENE, in all materials and finishes, is suitable for floor applications, as well as wall and countertop applications. JOLLY is suited primarily for walls and countertops. However, JOLLY in AM, AMGB, AK, AKGB, AT, ATGB, ABGB and ACGB is also suitable for floors and may be used in such applications to increase design options.