

EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES

2cm

STRAIGHT POLISH

UPGRADED EDGE PROFILES

4cm

~~1/2" BEVEL~~

~~HALF BULLNOSE~~

~~FULL BULLNOSE~~

~~OGEE~~

~~DOUBLE OGEE~~

~~Straight~~

JUN 08 2021

Millwood  
Lot 2 SPH1

BY HW

# BLANCO

## Sink Specifications

Colour	SKU
White	401894
Anthracite	401888
Café	401890
Cinder	401891
Metallic Gray	401892
Truffle	401893
Concrete Gray	402310

## Design and planning tips


- Min cabinet size: 30 in ( 760 mm )
- Bowl Depth: 8  $\frac{5}{8}$  in ( 220.0 mm )

### Specifications:

Mounting clips, Sink template, Installation instructions,  
3 $\frac{1}{2}$ " (90 mm) stainless steel strainer(s), Limited Lifetime  
Warranty

Depending on cabinet construction, a different cabinet  
size may be required. Consult the cabinet manufacturer.

## PRECIS U SINGLE 27 SILGRANIT




Millwood  
Lot 25

NEW!

# Doux™

Traditional | Transitional | Modern


*"Soft" in French. Beautiful in any language*



## Eco-Performance Posi-Temp® Tub/ Shower Faucet

Model TS2203EP / 62320

Chrome - \$1,251.77  
Other - \$1,534.95




## Eco-Performance Posi-Temp® Shower Only

Model TS2202EP / 62320

Chrome - \$572.28  
Other - \$850.55



### FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):  
LifeShine® Brushed Nickel (BN) Matte Black (BL).


To order Chrome (C) model, use model number only.

\* Please see vertical spa guide for installation #700106

Millwood  
Lot 25


# Annex™ Shower Rail

Traditional | Transitional | Modern




**90 Degree™ Annex™ Shower Rail**  
*Available in BN*  
Model TS3661NH / S6340 / 176257 /  
TS2712 / 62320

- Chrome - \$1,141.10
- Brushed Nickel - \$1,689.65



**Align™ Annex™ Shower Rail**  
*Available in BN & BL*  
Model TS3661NH / S176 / 155891 /  
T2191 / 62320


- Chrome - \$1,042.65
- Matte Black - \$1,560.80
- Brushed Nickel - \$1,562.00



**Eva™ Annex™ Shower Rail**  
*Available in BN & ORB*  
Model TS3661NH / S6310 / 164929 /  
T2131 / 62320

- Chrome - \$1,027.45
- Brushed Nickel - \$1,523.80
- Oil Rubbed Bronze - \$1,523.80

**FINISH OPTIONS:**




To order Chrome (C) model, use model number only.

Millwood  
Lot 25

# Rizon™


Traditional | Transitional | Modern

Polished smooth with clean, horizontal lines, the Rizon collection features a modern style with simple edges and soft curves.




**Single Handle Vessel Lav Faucet with Push-Button Drain without Overflow ±**  
Not available in BL  
Model 6911 / 140780

Chrome - \$629.96  
Other - \$888.29




**Single Handle Lav Faucet with Lift Rod Drain -**  
Available in BL\*  
Model 6900

Chrome - \$373.68  
Other - \$524.18




**Two Handle Adjustable Widespread (8" - 16") Lav Faucet with Lift Rod Drain**  
Available in BL\*  
Model T6920 / 69000

Chrome - \$522.98  
Other - \$715.73




**Two Handle Roman Tub Faucet**  
Available in BL\*  
Model T935 / 4796

Chrome - \$654.81  
Other - \$924.37



**Two Handle Roman Tub Faucet with Hand Shower**  
Not available in BL  
Model T936 / 9796

Chrome - \$1,163.83  
Other - \$1,499.31



**One Handle Roman Tub Faucet with Hand Shower**  
Not available in BL  
Model T937 / 4791


Chrome - \$932.48



Tub Drain Half Kits Available\*\*

Chrome - \$72.69  
Other - \$181.92

## FINISH OPTIONS:



To order, combine the model number with one of these finish letter(s):  
LifeShine® Brushed Nickel (BN) & Matte Black (BL)

To order Chrome (C) model, use model number only.


~ Deckplate sold separately - 165006 series ± Single hole installation only

\*\* T90331 / 140680

\* BL Finish Ships Q2

Millwood  
Lot 25





contrac

# COLLETTE 21½" RECTANGULAR UNDERMOUNT SINK

✓ 4220CIY

Undermount Sink

## Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

## Overall Dimensions (W x D x H):

(OD): 545mm(21½") x 355mm(14") x 190mm(7½")  
(ID): 485mm(19") x 295mm(11½") x 140mm(5½")


## Compliance Certifications:

Meets or exceeds the following:

- IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2008

## Shipping:

Cube 1.64  
GW 25 lbs




Colours To Be Specified:

Colour: ☐ Soft White

## Notes:



Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

LOT# 25  
Millwood



## Note:

▲ Dimensions shown for location of supplies and "P" trap are suggested.





contrac

# CALVIN 19<sup>1</sup>/<sub>4</sub>" OVAL UNDERMOUNT SINK

✓ 4220CFY

Undermount Sink

## Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

## Overall Dimensions (W x D x H):

(OD): 490mm(19<sup>1</sup>/<sub>4</sub>" x 410mm(16<sup>1</sup>/<sub>8</sub>" x 195mm(7<sup>5</sup>/<sub>8</sub>"


(ID): 430mm(17" x 350mm(13<sup>3</sup>/<sub>4</sub>" x 145mm(5<sup>3</sup>/<sub>4</sub>"

## Compliance Certifications:

- Meets or exceeds the following:
- IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2008

## Shipping:

Cube 1.53  
GW 19 lbs




Colours To Be Specified:

Colour: ☐ Soft White




## Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

LOT #25  
Millwood



Note:  
▲ Dimensions shown for location of supplies and "P" trap are suggested





# MOEN®

Lot#25 Millwood

## DESCRIPTION

- Reflex™ pulldown system offers smoother operation, easy movement and secure docking
- PowerBoost™ Spray Technology
- Duralock™ quick connect installation
- Metal construction with various finishes identified by suffix
- Pulldown spray with 68" braided hose
- High arc spout provides height and reach to fill or clean large pots while pullout wand provides the maneuverability for cleaning or rinsing
- 360° rotating spout
- Flexible supply lines with 3/8" compression fittings

## OPERATION

- Lever style handle
- Operates with less than 5 lbs. of force
- Operates in stream or spray mode in the pulldown or retracted position
- Temperature controlled by 100° arc of handle travel

## FLOW

- Flow is limited to 1.5 gpm (5.7 L/min) at 60 psi

## CARTRIDGE

- 1255™ Duralast™ cartridge for Single-Handle Faucets
- Engineered polymers, non-ferrous and stainless steel materials

## STANDARDS

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B-125.1 and all applicable requirements referenced therein including NSF 61/9 & 372
- Meets CalGreen and Georgia SB370 requirements
- Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- ADA ♿ for lever handle
- The backflow protection system in this device consists of two independently operating check valves, a primary and a secondary which prevent backflow

## WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
  - 10 year limited warranty when used in a multifamily installation
  - 5 year limited warranty when used in a commercial installation
- Visit [www.moen.com/support](http://www.moen.com/support) for complete details and limitations



## Specifications



**Sleek™**  
**Single-Handle High Arc**  
**Pulldown Kitchen Faucet**

**Models:** 7864 series

**NOTE:** THIS FAUCET IS DESIGNED TO BE INSTALLED THROUGH 1 OR 3 HOLES, 1-1/2" (38mm) MIN. DIA.



## CRITICAL DIMENSIONS

(DO NOT SCALE)





Modern Soap Dispenser Matte  
black

*Model: S8947BL*

★★

LOT#25  
Millwood.