# EDGE PROFILE VERIFICATION FORIM

STÂNDARD EDGE PROFILES -

STRAIGHT POLISH

UPGRADED EDGE PROFILES

HAIFBUILNOSE

- ECHT BOILNOZE.

DOUBLE OGGE

Straight

. - MAY 1 9 2021

Willwood Lot 57 Phil Parvis

# ANGO

## Sink Specifications

#### Colour

SKU

refined brushed finish

401234

#### Design and planning tips

- Min cabinet size: 8 in (840 mm)
- Bowl Depth: 8 in (205.0 mm)

#### Specifications:

Sink template, Installation instructions and clips, 3 1/2" (90 mm) stainless steel strainer, Limited Lifetime Warranty

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

#### Optional Accessories


GRID HORIZON 2.0/U2

CapFlow

406406

517666

### HORIZON U 2



#### Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

#### Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos: https://www.blanco.com/fr-canada/service/how-to-videos/



BLANCO Canada Inc 100 Corporation Drive Brampton ON L6S 6B5 Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided

Willwood Lot 57 Phi



211/2" RECTANGULAR UNDERMOUNT SIN

4220CIY

**Undermount Sink** 

#### Product Specs:

- · Vitreous china
- · Front overflow hole
- · Template and mounting hardware supplied

#### Overall Dimensions (W x D x H):

(OD); 545mm(211/2") x 355mm(14") x 190mm(71/2")

(ID): 485mm(19") x 295mm(11%") x 140mm(51/2")

#### Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2008

### Shipping:


Cube

1.64


GW


25 lbs






Dimensions shown for location of supplies and "P" trap are suggested.





Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.





contrac

# **2** 4220CFY

Undermount Sink

#### Product Specs:

- Vitreous china
- Front overflow hole
- · Template and mounting hardware supplied

## Overall Dimensions (W x D x H):

(OD): 490mm(19¼") x 410mm(16½") x 195mm(7½")

(ID): 430mm(17") x 350mm(133/4") x 145mm(53/4")

## Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2008

#### Shipping:


Cube

1.53

GW

19 lbs

# Ensuite 4. Maske Ensuite Main Bathroom



#### Notes

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSi standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

