EDGE PROFILE VERIFICATION FORIN

STANDARD EDGE PROFILES -

STRAIGHTPOLISH

Kitchen and all Bathrooms

UPGRADED EDGE PROFILES

75 BEAET

HAIFBULLIVOSE

- EGIT BUTINOZE

OGE

DOUBLE OFFE

Straight

APR 1 4 2022

CedarRidge
Lot 29 B



Sink Specifications

Colour	SKU
Anthracite	400583
Café	400585
Truffle	401142
Cinder	401396
Metallic Gray	401682
White	401706
Concrete Gray	402263

Design and planning tips

Min cabinet size: 915 mm

Bowl Depth: 9 1/2 in (240.0 mm)

Specifications:

Mounting clips, Sink template, Installation instructions, $3\frac{1}{2}$ " (90 mm) stainless steel strainer(s), Limited Lifetime Warranty


Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Optional Accessories

Sink Grid .	406482
BLANCOCLEAN	406200
Mechanical Pop-up Str	rainer 406244
CapFlow	517666
Floating Grid	406536
Sink Grid	406483

PRECIS U 1 3/4

SILGRANIT



Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos: https://www.blanco.com/ca-en/support/how-to-videos/



BLANCO Canada Inc 100 Corporation Drive Brampton ON L6S 6B5

Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.



21½" RECTANGULAR UNDERMOUNT SINK

contraç

☐ 4220CIY

Undermount Sink

Product Specs:

- · Vitreous china
- · Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 545mm(21½") x 355mm(14") x 190mm(7½") (ID): 485mm(19") x 295mm(11½") x 140mm(5½")

Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- · ASME A112.19.2 / CSA B45.1-2008


Shipping:

Cube

1.64

GW

25 lbs




Materia

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

Master Ensute Mainbathroom

Powder Room



Note:

▲ Dimensions shown for location of supplies and "P" trap are suggested.

