# EDGE PROFILE VERIFICATION FORIM

STANDARD EDGE PROFILES

JAM

STRAIGHT POLISH

STRAIGHT POLISH

WE REVEL

HALF BULLNOSE

DOUBLE OGEE

DOUBLE OGEE

Straight

Undermount

Straight Polish Edge

BACK & SIDE SPLASH TOP EDGE PROFILE

Straight

AUG 14 2022

Sutton 2D

ØŨ

JC



# 211/2" RECTANGULAR UNDERMOUNT SINK

contrac

☐ 4220CIY

**Undermount Sink** 

# **Product Specs:**

- · Vitreous china
- · Front overflow hole
- · Template and mounting hardware supplied

# Overall Dimensions (W x D x H):

(OD): 545mm(211/2") x 355mm(14") x 190mm(71/2") (ID): 485mm(19") x 295mm(11%") x 140mm(51/2")

# Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2008

## Shipping:

Cube


1.64

GW

355mm


(14")


25 lbs



Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages








location of supplies and "P" trap are

suggested.



355mm(14")


# Double Bowl LOTH 2D Undermount Kitchen Sink

**Product Specifications** 



# PRODUCT FEATURES

- Includes 2 X ML114R Strainers
- 18 Gauge
- Type 304 Stainless Steel
- Undermount
- Includes Mounting Clips
- · Fully Undercoated
- Sound Absorption Pads
- · Brushed Satin Finish



MLUD775R

Overall Size: 32 3/8" x 18 1/8"

Bowl Depth: 8"

Minimum Cabinet Size: 36"

Drain Opening: 3 1/2"

Use Sink Top Packing as Cut Out Template

# **Optional Accessories**

Bottom Basin Rack: MLUD775BGR (2-Pack)

Basket Strainer: MLL7, ML18

Soap Dispenser: CSD, LCSD, LGLSD

# 370 [14 5/8"] 370 [14 5/8"] 821 [32 3/8"]




# MLUD775R

32" X 18" Undermount Stainless Steel Kitchen Sink Double Bowl - 9" Deep





Made in Malaysia



For cutout measurement: See cutout template in sink box.

All dimensions listed are nominal. MAINLINE® reserves the right to make product and material changes at any time without notice.

