EDGE PROFILE VERIFICATION FORM

STANDARD EDGE PROFILES

2==

STRAIGHT POLISH

WE BEVEL

HALF BUILINOSE

FUIT BUILINOSE

OGBE

Undermount

Straight Polish Edge


BACK & SIDE SPLASH TOP EDGE PROFILE


Straight

Posts of an

AUG 24 2022 Cedar Riche Lot SD


Sleek™





Chrome \$ Other \$ \$ Black Stainless

Deckplate included




Single Handle Pulldown Bar/Prep Faucet

7664

Chrome Other **Black Stainless** \$

Deckplate sold separately - 141002 series




Single Handle Pulldown Pre-Rinse Kitchen Faucet

5925

Chrome Other

Not available in BG Deckplate included

Black Stainless \$



MotionSense Wave™ Hands-Free Single Handle Pulldown Kitchen Faucet

\$

7864EW

Chrome Other

Black Stainless \$

Not available in ORB Deckplate included



Single Handle Pulldown Kitchen Faucet with Handle In Deck

7871

Chrome

\$1 \$?

Other

Single hole installation only Not available in BG, ORB, & BLS

FINISH OPTIONS













Chrome (C) Matte Black (BL), pot Resist^e Steinless (SRS), Brushed Outd (SO), Cil Rubbed Bronze (ORB), Black Steinless (BLS)

To order, combine the model number with one of those finish latter(s): Matte Black (BL), Spor Resist* Staintess (SRS), Brushed Sold (BG), Oll Rubbed Bronze (ORB) & Black Staintess (BLS). To order Chrome (C) models, use model number only. For Chrome MotionSanse Wave, order 7846EVIC

MOEN ORDERING GUIDE KITCHEN AND BAR | 29

Cedar Ridge Lot 8D



Sink Specifications

-
0583
0585
1142
1396
1682
1706
2263

Design and planning tips

- Min cabinet size: 915 mm
- Bowl Depth: 9 1/2 in (240.0 mm)

Specifications:

Mounting clips, Sink template, Installation instructions, 31/2" (90 mm) stainless steel strainer(s), Limited Lifetime


Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer.

Optional Accessories

Sink Grid	*	406482	
BLANCOCLEAN		406200	
Mechanical Pop-up	Strainer	406244	
CapFlow		517666	
Floating Grid		406536	
Sink Grid		406483	

PRECIS U 1 3/4

SILGRANIT



Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



Need support? Learn more by watching our sink & faucet How-to videos: https://www.blanco.com/ca-en/support/how-to-videos/



BLANCO Canada Inc 100 Corporation Drive Brampton ON L6S 6B5 Tel & Fax

Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.





211/2" RECTANGULAR UNDERMOUNT SINK

contrac

☐ 4220CIY

Undermount Sink

Product Specs:

- · Vitreous china
- · Front overflow hole
- · Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 545mm(211/2") x 355mm(14") x 190mm(71/2")

(ID): 485mm(19") x 295mm(11%") x 140mm(51/2")

Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- · ASME A112.19.2 / CSA B45.1-2008

Shipping:

Cube

1.64


GW


25 lbs






Dimensions shown for location of supplies and "P" trap are suggested.





Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.



Revised: March 2013