


2ND FLOOR	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"	MAIN FLOOR	JOIST: 9 1/2"	HEIGHT:	RUN: 8 1/4"	RISE:
-----------	---------------	---------------	-------------	---------------	------------	---------------	---------	-------------	-------

NOTE:

AS PER BLUE PRINT WALL BESIDE STAIR IS TO BE FLUSH WITH BASEMENT STRAPPING UP TO 2ND FLOOR


R.S.O TO FURRED OUT WALL



NOTE:


AS PER BLUE PRINT WALL BESIDE STAIR IS TO BE FLUSH WITH BASEMENT STRAPPING UP TO 2ND FLOOR

R.S.O TO CONCRETE



NOTE:

EXTERIOR WALL SECTION AT BASEMENT FLUSH UP TO 2ND FLOOR



ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE
 ANY STRAPPINGS ALLOWANCES TO BE COMPENSATED BY CARPENTERS
 ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS. ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.



Quality Step Up

ALPA STAIRS AND RAILINGS INC.
 3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
 TEL. (905) 694-9556 WWW.APLASTAIRS.COM


SITE:	GAR	BY	DATE:
KINGS	R	V.R	
LANDING			
MODEL:	CLIENT:		
3701	ESQUIRE HOMES		
	AJAX		

2ND FLOOR	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"	MAIN FLOOR	JOIST: 9 1/2"	HEIGHT:	RUN: 8 1/4"	RISE:
-----------	---------------	---------------	-------------	---------------	------------	---------------	---------	-------------	-------

NOTE:


AS PER BLUE PRINT WALL BESIDE STAIR IS TO BE FURRED 1" 3" BASEMENT LEDGE

R.S.O TO FURRED OUT WALL




NOTE:

EXTERIOR WALL SECTION 1" UP TO 2ND FLOOR 3" LEDGE IN BASEMENT



R.S.O TO CONCRETE



ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS

ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL. BLUE PRINTS OR SPECS AS SUPPLIED TO ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL. OUR STAIRS, ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.



Quality Step Up

ALPA STAIRS AND RAILINGS INC.

3770 NASHUA DR, UNIT #3 MISSISSAUGA, ONTARIO L4V 1M6
TEL: (905) 694-9556 WWW.APLASTAIRS.COM

SITE: KINGS LANDING

MODEL: 3702

CLIENT: ESQUIRE HOMES

GAZ BY DATE: R V.R

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE
ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO
ALPHA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS,
AND PROMISING WITH HEADINGS OR STAIRWAYS. ALPHA STAIRS AND RAILINGS INC. WILL
NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE
SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.


ALPHA STAIRS AND RAILINGS INC.
3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4Y 1M6
TEL: (905) 694 - 9556 WWW.ALPHASTAIRS.COM

ESQUIRE HOMES AJAX

ALTA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS, AND ANY MODIFICATIONS TO LAYOUTS MUST BE MADE FROM ORIGINAL LAYOUTS OR AS SPECIFIED TO TVT STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL LAYOUTS OR AS SPECIFIED TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION. NOT BE RESPONSIBLE. STAIR/LAYOUTS SHOULD BE CHECKED BY MEASUREMENTS ON SITE SUPPLIES TO MAKE

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

NOTE LANDINGS ARE BASED ON 101" BASEMENT HIGHT IF SHOULD POUR
DEEPER LANDING TO CONCRETE HEIGHT WILL CHANGE



R.S.O TO CONCRETE


MAIN FLOOR

JOIST: 9 1/2"

HEIGHT:

RUN: 8 1/4"

RISE:



2ND FLOOR AREA

DOUBLE WALL
BELOW

6 RS DN

STAIR
42

WIDTH	
-------	--

10 RS DN

R.S.O. 42

R.S.O

TO EXTERIOR STUD WALL

2nd floor

JOIST: 9 1/2"

HEIGHT: 119 " 611

8 1/4"

RISE:


77/91




ALPHA STAIRS AND RAILINGS INC.
3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
TEL: (905) 694-9556 WWW.ALPHASTAIRS.COM

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE
ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS
ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO
ALPHA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS.
NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERVISORS TO MAKE
SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.

CLIENT: ESQUIRE HOMES AJAX	
BY: V.R.	MODEL: 3703
DATE:	KINGS LANDING



MAIN FLOOR	JOIST: 9 1/2"	HEIGHT: 8 1/4"	RUN: 8 1/4"	RISE:
------------	---------------	----------------	-------------	-------



2nd floor	JOIST: 9 1/2"	HEIGHT: 119"	RUN: 8 1/4"	RISE: 7 7/16"
-----------	---------------	--------------	-------------	---------------



Quality Go Step Up Go

ALPA STAIRS AND RAILINGS INC.
3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
TEL: (905) 694-9556 WWW.ALPASTAIRS.COM

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE
ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS
ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO
ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS.
NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE
SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.



BY: V.R.
MODEL: 3704
CLINT: ESQUIRE HOMES AJAX

SITE: KINGS
LANDING

DATE:

GAR: R

NOTE:
GARAGE WALL SECTION
AT BASEMENT LEDGE
BESIDE STAIR




Main Floor

JOIST: 9 1/2"

HEIGHT: 8 1/4"

RUN: 8 1/4"

RISE: 8 1/4"



2nd floor

JOIST: 9 1/2"

HEIGHT: 8 1/4"

RUN: 8 1/4"

RISE: 8 1/4"


7 7/16"

2ND FLOOR	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"
MAIN FLOOR	JOIST: 9 1/2"	HEIGHT:	RUN: 8 1/4"	RISE:

NOTE:

AS PER BLUE PRINT WALL BESIDE STAIR IS TO BE FURRED OUT 1" @2ND FLOOR 3" BASEMENT LEDGE


R.S.O TO FURRED OUT WALL



NOTE:


AS PER BLUE PRINT WALL BESIDE STAIR IS TO BE FURRED OUT 1" @2ND FLOOR 3" BASEMENT LEDGE

R.S.O TO CONCRETE



NOTE:

EXTERIOR WALL SECTION FURRED OUT 1" UP TO 2ND FLOOR 3" LEDGE LEDGE TO BASEMENT



ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE
 ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS
 ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS. ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.



Quality Step Up

ALPA STAIRS AND RAILINGS INC.
 3770 NASHUA DR, UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
 TEL: (905) 694-9556 WWW.APLASTAIRS.COM



SITE: KINGS LANDING

GAR	BY	DATE:
R	V.R	



MODEL: 3701

CLIENT: ESQUIRE HOMES AJAX

2ND FLOOR	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"	MAIN FLOOR	JOIST: 9 1/2"	HEIGHT:	RUN: 8 1/4"	RISE:
-----------	---------------	---------------	-------------	---------------	------------	---------------	---------	-------------	-------



LANDING IS TO BE BUILT AS SHOWN



ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS

ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS. ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.



ALPA STAIRS AND RAILINGS INC.

3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6

TEL: (905) 694 - 9556 WWW.APLASTAIRS.COM


SITE:	KINGS	GAR	BY	DATE:
MODEL:	LANDING	R	V.R	
	4001	CLIENT :	ESQUIRE HOMES	
			AJAX	

2ND FLOOR	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"	MAIN FLOOR	JOIST: 9 1/2"	HEIGHT:	RUN: 8 1/4"	RISE:
-----------	---------------	---------------	-------------	---------------	------------	---------------	---------	-------------	-------


NOTE:

AS PER BLUE PRINT WALL BESIDE STAIR IS TO BE FLUSH WITH BASEMENT STRAPPING UP TO 2ND FLOOR

R.S.O TO FURRED OUT WALL




R.S.O TO CONCRETE



NOTE:

EXTERIOR WALL SECTION AT BASEMENT FLUSH UP TO 2ND FLOOR



Quality Step Up

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE
 ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS
 ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL. BLUE PRINTS OR SPECS AS SUPPLIED TO ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS. ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.



ALPA STAIRS AND RAILINGS INC.
 3770 NASHUA DR, UNIT #3 MISSISSAUGA, ONTARIO L4V 1M6
 TEL: (905) 694-9556 WWW.APLASTAIRS.COM

SITE: KINGS LANDING

MODEL: CHARLES

4002

GAR BY DATE:
 R V.R
 CLIENT: ESQUIRE HOMES
 AJAX



ALPA STAIRS AND RAILINGS INC. Quality To Step Up To	ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS. ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.	SITE: KINGS LANDING	DATE:
	BY: V.R	MODEL: 4003	GAR: R
	CLIENT: ESQUIRE HOMES AJAX		
	ALPA STAIRS AND RAILINGS INC. 3770 NASHUA DR, UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6 TEL: (905) 694-9556 WWW.APLASTAIRS.COM		

