

2ND FLOOR

JOIST: 9 1/2"


HEIGHT: 119 "

RUN: 8 1/4"

RISE: 7 7/16"

NOTE:

AS PER BLUE PRINT WALL BESIDE
STAIR IS TO BE FLUSH WITH
BASEMENT STRAPPING UP TO
2ND FLOOR



MAIN FLOOR

JOIST: 9 1/2"

HEIGHT:


RUN: 8 1/4"

RISE:

NOTE:

AS PER BLUE PRINT WALL BESIDE
STAIR IS TO BE FLUSH WITH
BASEMENT STRAPPING UP TO
2ND FLOOR

R.S.O TO CONCRETE

**NOTE:**

EXTERIOR WALL SECTION
AT BASEMENT FLUSH UP TO
2ND FLOOR



Quality To Step Up To

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS
ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO
ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS.
ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL
NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE
SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.

ALPA STAIRS AND RAILINGS INC.

3770 NASHUA DR, UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6

TEL: (905) 694 - 9556 WWW.APLASTAIRS.COM

SITE:

KINGS
LANDING

MODEL:

3701

GAR

BY

DATE:

R

V.R

CLIENT :

ESQUIRE HOMES
AJAX

2nd floor

JOIST: 9 1/2"

HEIGHT: 119 "

8 1/4"

RISE:

7 7/16"

R.S.O

TO EXTERIOR STUD WALL

DOUBLE WALL
BELOW

96

86

R.S.O

42

STAIR 42

WIDTH

6 RS DN

42

STAIR 42

WIDTH

10 RS DN

MEDIA ROOM DN 44 5/8"
FROM 2ND FLOOR

2ND FLOOR AREA

MAIN FLOOR

JOIST: 9 1/2"

HEIGHT:

RUN: 8 1/4"

RISE:

R.S.O TO CONCRETE

NOTE:

GARAGE WALL SECTION
2X6 WALL UP TO BOTTOM
OF STAIR ABOVE

HEADER TO LANDING

56 1/4"

LANDING 56

LANDING TO LANDING

24 1/4"

LANDING TO CONCRETE

47 1/2"

2X6 WALL
ABOVELANDING DN 62"
FROM MAIN FLOOR

STAIR 404

STAIR 404

LANDING DN 93 "
FROM MAIN FLOOR

STAIR 404

3

WIDTH

2X6 WALL UP TO BOTTOM OF STAIR ABOVE

R.S.O TO 2X6

LEDE IN GARAGE 2"

FOUNDATION

2X6 WALL

2X6 WALL STRAPPING

INTERIOR

NOTE LANDINGS ARE BASED ON 101" BASEMENT HIGHT IF SHOULD POUR
DEEPER LANDING TO CONCRETE HEIGHT WILL CHANGE

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE CORRELATED BY CLIENT/ENGINEER

ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL, IN ALL PLANTS OR BEING AS SUPPLIED TO

ALPA STAIRS AND RAILINGS INC. AGENTS/ENGINEERS ON LAYOUTS ARE REQUIRED TO INSTALL, CORRECT, AND

ANY PROBLEMS WITH INSTALLATION OR STRAPPING ALLOWANCES, ANY DIMENSIONS OR STAIRS TO MAKE

NOT BE RESPONSIBLE FOR ANY CHANGES OR DIMENSIONS OF STAIRS TO MAKE

BOTH THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.



Creating 5c Step Up 5c

ALPA STAIRS AND RAILINGS INC.

3770 NASHUA DR, UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
TEL: (905) 694-9556 WWW.APLASTAIRS.COM

SITE

KINGS

LANDING

DATE

BY:

V.R

MODEL:

3703

DATE:

CLIENT:

ESQUIRE HOMES AJAX

2nd floor

JOIST: 9 1/2"

HEIGHT: 119 "

8 1/4"

RISE:

7 7/16"

R.S.O

TO EXTERIOR STUD WALL

DOUBLE WALL
BELOW

96

86

R.S.O
42

R.S.O
1

844

6 RS DN

10 RS DN

LANDING DN 44 5/8"
FROM 2ND FLOOR

STAIR 42
WIDTH

42

2ND FLOOR AREA

OPT 5TH

BEDROOM R.S.O

BEDROOM DN 44 5/8"
FROM 2ND FLOOR

MAIN FLOOR

JOIST: 9 1/2"

HEIGHT:

RUN: 8 1/4"

RISE:

R.S.O TO CONCRETE

NOTE:

GARAGE WALL SECTION
2X6 WALL UP TO BOTTOM
OF STAIR ABOVE

HEADER TO LANDING

184

56 1/4"

LANDING
56

LANDING TO LANDING

24 1/4"

LANDING TO CONCRETE

47 1/2"

2X6 WALL
ABOVE

LANDING DN 62"
FROM MAIN FLOOR

STAIR 404
WIDTH

404

LANDING DN 93 "
FROM MAIN FLOOR

STAIR 404
WIDTH

404

2X6 WALL UP TO BOTTOM OF STAIR ABOVE

R.S.O TO 2X6

LEDGE IN GARAGE 2"

2X6 WALL

2X6 WALL STRAPPING

INTERIOR

FOUNDATION

100

NOTE LANDINGS ARE BASED ON 101" BASEMENT HIGHT IF SHOULD POUR
DEEPER LANDING TO CONCRETE HEIGHT WILL CHANGE

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE COMPERKATED BY CRAWPSTEER
ALFA STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL, BUT INCREMENT OR DECREASE AS SUPPLIED IN
ALFA STAIRS AND RAILINGS INC. ANY DIMENSIONS ON LANDINGS ARE REQUIRED TO INSTALL OUR STAIRS
ANY PROBLEMS WITH THE STAIRS OR STAIRING ALLOWANCES, ALFA STAIRS AND RAILINGS INC.
NOT BE RESPONSIBLE. STAIR ANY STAIRS SHOULD BE SUPPLIED TO MAKE
STAIRS FIT AND NO DIMENSIONS SHOULD BE CHANGED WITH CONSTRUCTION.



Quality, So Step Up So

ALFA STAIRS AND RAILINGS INC.

3770 NASHUA DR, UNIT #3 MISSISSAUGA, ONTARIO L4V 1M6
TEL: (905) 694-9536 WWW.ALFASTAIRS.COM

SITE: KINGS
LANDING

DATE:

BY: V.R. MODEL: 3703


DATE:

CLIENT: ESQUIRE HOMES AJAX

2nd floor	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"
-----------	---------------	---------------	-------------	---------------



Main Floor	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"
------------	---------------	---------------	-------------	---------------



ALPA STAIRS AND RAILINGS INC.

Quantity 5a Step Up 5a

3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6

TEL: (905) 694-9556 WWW.APLASTAIRS.COM

ALPA STAIRS AND RAILINGS INC.

3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6

TEL: (905) 694-9556 WWW.APLASTAIRS.COM

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS

ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO

ALPA STAIRS AND RAILINGS INC. HAS AGREED TO INSTALL OUR STAIRS, ANY MODIFICATIONS TO THE ORIGINAL OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERVISOR TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.

BY: V.R.

DATE: 3704

MODEL: 3704

DATE: R

CLIENT: ESQUIRE HOMES AJAX

2ND FLOOR

JOIST: 9 1/2"

HEIGHT: 119 "


RUN: 8 1/4"

RISE: 7 7/16"

NOTE:

AS PER BLUE PRINT WALL BESIDE
STAIR IS TO BE FURRED OUT 1"
@2ND FLOOR 3" BASEMENT LEDGE

R.S.O TO FURRED OUT WALL



MAIN FLOOR

JOIST: 9 1/2"

HEIGHT:


RUN: 8 1/4"

RISE:


NOTE:

AS PER BLUE PRINT WALL BESIDE
STAIR IS TO BE FURRED OUT 1"
@2ND FLOOR 3" BASEMENT LEDGE

R.S.O TO CONCRETE

**NOTE:**

EXTERIOR WALL SECTION
FURRED OUT 1" UP TO 2ND FLOOR
3" LEDGE LEDGE TO BASEMENT



Quality To Step Up To

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS
ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO
ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS.
ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL
NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE
SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.

ALPA STAIRS AND RAILINGS INC.

3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6

TEL: (905) 694-9556 WWW.APLASTAIRS.COM

SITE:

KINGS
LANDING

MODEL:

3705

GAR

R


BY

V.R

DATE:

CLIENT:

ESQUIRE HOMES
AJAX



Quality To Step Up To

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE

ANY STRAPPING ALLOWANCES TO BE COMPENSATED BY CARPENTERS
 ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO
 ALPHA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS.
 ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPHA STAIRS AND RAILINGS INC. WILL
 NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE
 SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.

ALPHA STAIRS AND RAILINGS INC.
 3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
 TEL: (905) 694-9556 WWW.APLASTAIRS.COM


SITE:
**KINGS
 LANDING**

MODEL:
4001

GAR	BY	DATE:
R	V.R	

CLIENT :
**ESQUIRE HOMES
 AJAX**


2nd Floor	JOIST: 9 1/2"	HEIGHT: 119 "	RUN: 8 1/4"	RISE: 7 7/16"
-----------	---------------	---------------	-------------	---------------




Main Floor	JOIST: 9 1/2"	HEIGHT:	RUN: 8 1/4"	RISE:
------------	---------------	---------	-------------	-------

NOTE:

EXTERIOR WALL SECTION
AT BASEMENT FURR UP TO
LANDING ABOVE



R.S.O TO CONCRETE 112



R.S.O TO CONCRETE



Quality To Step Up To

ALL LANDINGS ARE TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE
ANY STRAPPING ALLOWANCES TO BE COMPINATUED BY CARPENTERS
ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO
ALPHA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS.
ANY PROBLEMS WITH HANDROOM OR STRAPPING ALLOWANCES, ALPHA STAIRS AND RAILINGS INC. WILL
NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERS TO MAKE
SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.

ALPHA STAIRS AND RAILINGS INC.
3770 NASHUA DR., UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
TEL: (905) 694 - 9556 WWW.APLASTAIRS.COM

SITE: KINGS LANDING		DATE:
BY: V.R.	MODEL: 4003	DATE:
CLIENT: ESQUIRE HOMES AJAX		R




ALPA STAIRS AND RAILINGS INC.
3770 NASHUA DR, UNIT # 3 MISSISSAUGA, ONTARIO L4V 1M6
TEL: (905) 694-9556 WWW.APLASTAIRS.COM

ANY STRAPPING ALLOWANCES TO BE SUPPLIED AND SUPPORTED BY OTHERS UNLESS SPECIFIED ABOVE



ALL STAIR DIMENSIONS MAY BE MODIFIED FROM ORIGINAL BLUE PRINTS OR SPECS AS SUPPLIED TO ALPA STAIRS AND RAILINGS INC. MEASUREMENTS ON LAYOUTS ARE REQUIRED TO INSTALL OUR STAIRS. ANY PROBLEMS WITH HEADROOM OR STRAPPING ALLOWANCES, ALPA STAIRS AND RAILINGS INC. WILL NOT BE RESPONSIBLE. STAIR LAYOUTS SHOULD BE CHECKED BY CARPENTERS OR SITE SUPERVISORS TO MAKE SURE THERE ARE NO DISCREPANCIES BEFORE PROCEEDING WITH CONSTRUCTION.

SITE:		KINGS		MODEL:		4004	
GAR		R		CLIENT:		ESQUIRE HOMES	
BY		V.R		AJAX			
DATE:							

NOTE:
AS PER BLUE PRINT WALL BESIDE STAIR IS TO BE FLUSH WITH BASEMENT STRAPPING UP TO 2ND FLOOR 3" FURR OUT



NOTE:
EXTERIOR WALL SECTION AT BASEMENT FLUSH UP TO 2ND FLOOR



2ND FLOOR	JOIST: 9 1/2"	HEIGHT: 119"	RUN: 8 1/4"	RISE: 7 7/16"	MAIN FLOOR	JOIST: 9 1/2"	HEIGHT: 119"	RUN: 8 1/4"	RISE: 7 7/16"
-----------	---------------	--------------	-------------	---------------	------------	---------------	--------------	-------------	---------------