

CONSTRUCTION SUMMARY

Kings Landing - Kings Crescent Developments Inc.

STAGE 2

TEL:

PURCHASER: SANDY NICHOLAS

HOUSE TYPE

The Alfred Elev B

REG. PLAN #

Draft Stage-File No. S

CLOSING DATE

26-Feb-19

LOT NUMBER

18

PHASE

1

INV#

QTY

EXTRA / CHANGE

CERAMIC WALL TILES

1,798

21Jan20

1 - SUPPLY AND INSTALL CERAMIC BACKSPLASH IN KITCHEN AS PER COLOUR CHART IN BRICK PATTERN

Note:

25450 8222

COUNTERTOPS

1,798

21Jan20

1 - SUPPLY AND INSTALL UPGRADE COUNTER TOP IN KITCHEN AS PER COLOUR CHART

Note:

10' SLAB REQUIRED FOR ISLAND 8223

HARDWOOD FLOORING

1,798

21Jan20

1 - SUPPLY AND INSTALL UPGRADE HARDWOOD ON MAIN LEVEL EXCEPT WHERE TILE IS LAID (INCLUDING DEN) AND LANDINGS AS PER COLOUR CHART

Note:

18224

MISCELLANEOUS

1,798

21Jan20

1 -

Note:

PAINTING / STAINING

1,798

21Jan20

1 - STAIN STAIRCASE, RAILING ETC TO MATCH HARDWOOD FLOORING AS CLOSE AS POSSIBLE. CANNOT BE IDENTICAL AS TWO DIFFERENT WOODS ARE BEING USED

Note:

8225

PLUMBING

1,798

21Jan20

1 - SUPPLY AND INSTALL UNDERMOUNT SINK IN KITCHEN AS PER COLOUR CHART

Note:

8223

This Document is Extremely Time Sensitive - Printed 21 Jan 20 at 12:21

APPLIANCE SPECS ATT'D 8226



COLOUR SELECTION SCHEDULE

Community	Phase:	Lot Number	Model / Elevation:	
Kings Landing	1	18	The Alfred Elev B	
Purchaser:		Res. Phone	Work Phone:	Decor Consultant:
SANDY NICHOLAS		- -		Carmela Quercia

CABINETRY

KITCHEN:	MASTER ENSUITE:			
Door	VARESE PVC	Door	VARESE OAK	
Colour	SILVER	Colour	GREYSTONE	
Hardware	CS1-24	Hardware	CS1-6	
Counter	9141 ICE SNOW CAESARSTONE	Counter	PORTICO MARBLE 7735-56	
Edge	2CM SQUARE	Edge	LAMINATE COUNTER	

MAIN BATHROOM

Door	N/A	Door	N/A
Colour		Colour	
Hardware		Hardware	
Counter		Counter	
Edge		Edge	

POWDER ROOM

PEDESTAL SINK		SHARED BATHROOM	
Door		Door	M600 MELAMINE
Colour		Colour	MYSTIC
Hardware		Hardware	CS1-23
Counter		Counter	6696-46 CARRARA BIANCO
Edge		Edge	LAMINATE COUNTER

LAUNDRY:

Door	STANDARD IN BASEMENT
Colour	
Hardware	
Counter	
Edge	

PLUMBING FIXTURES

KITCHEN:

SINK:	ND1831UA/9 STAINLESS STEEL UNDERMOUNT	MASTER ENSUITE:	
FAUCET:	STANDARD RIOBEL	BASIN:	STANDARD
POWDER ROOM:		FAUCET:	STANDARD RIOBEL
SINK:	STANDARD RIOBEL	SHOWER:	STANDARD RIOBEL
FAUCET:	STANDARD RIOBEL	TUB:	STANDARD RIOBEL

LAUNDRY ROOM:

SINK:	STANDARD	TOILET:	STANDARD
FAUCET:	STANDARD		

MAIN BATHROOM

BASIN:	N/A	BEDROOM 2 ENSUITE	
FAUCET:		BASIN:	N/A
TUB/SHOWER:		FAUCET:	
TOILET:		TUB/SHOWER:	
		TOILET:	

**POWDER ROOM TOILET

BASIN:		SHARED BATHROOM	
FAUCET:		BASIN:	STANDARD
TUB/SHOWER:		FAUCET:	STANDARD RIOBEL
TOILET:	CONTRAC CALI	TUB/SHOWER	STANDARD RIOBEL
		TOILET:	STANDARD

Initial: SN



COLOUR SELECTION SCHEDULE

Community	Phase:	Lot Number	Model / Elevation:	
Kings Landing	1	18	The Alfred Elev B	
Purchaser:	Res. Phone		Work Phone:	Decor Consultant:
SANDY NICHOLAS	-		-	Carmela Quercia

WALL TILE	
KITCHEN: BACKSPLASH CHESSE 3X6 ARTIC WHITE BEVELLED INSTALLED IN BRICK PATTERN	MASTER ENSUITE: TUB DECK FACE & SURROUND STAND ALONE TUB, NO TILES SURROUND
SHOWER: LA RISERVA GREY WITH VENETIAN GREY INSERTS	
SHOWER JAMB: STANDARD WHITE	
MAIN BATHROOM	
N/A	BEDROOM 2 ENSUITE
	N/A
TUB CEILING:	TUB CEILING:
SHARED BATHROOM	
	SPLENDOUR DARK GREY 8X10 WITH INSERTS
	TUB CEILING: N/A

FLOOR TILE	
KITCHEN: NEW REEDS SILVER 13X13	MASTER ENSUITE: LA RISERVA GREY 13X13
MAIN BATHROOM: N/A	BEDROOM 2 ENSUITE N/A
POWDER ROOM: GENESIS SERIES WHITE MATTE 13X13	SHARED BATHROOM: NEW ALBION GREY 13X13
LAUNDRY: NEW ALBION GREY 13X13	
FOYER: GENESIS SERIES WHITE MATTE 13X13	LANDING TO BASEMENT: SAME AS MAIN FLOOR HARDWOOD

HARDWOOD / CARPET	
KITCHEN: CERAMIC AS ABOVE	GREAT ROOM ELEMENTS OAK WOLFHOUD 3 1/2 X 3/4
LIVING/DINING ROOM: N/A	DEN ELEMENTS OAK WOLFHOUD 3 1/2 X 3/4
MASTER BEDROOM: 40 OZ. T-15	UPPER HALLWAY: ELEMENTS OAK WOLFHOUD 3 1/2 X 3/4 3 1/2 x 3/4
BEDROOM 2: 40 OZ. T-15	BEDROOM 3: 40 OZ. T-15
BEDROOM 4: 40 OZ. T-15	MAIN HALL: ELEMENTS OAK WOLFHOUD 3 1/2 X 3/4
UNDERPAD: STANDARD	



COLOUR SELECTION SCHEDULE

Community Kings Landing	Phase: 1	Lot Number 18	Model / Elevation: The Alfred Elev B	
Purchaser: SANDY NICHOLAS		Res. Phone -	Work Phone: -	Decor Consultant: Carmela Quercia

INTERIOR PAINT	
WALLS	TRIM
BIRCH WHITE	BIRCH WHITE
INTERIOR DOORS	
INTERIOR	EXTERIOR
STANDARD	STANDARD
DOOR HARDWARE	
INTERIOR	EXTERIOR
STANDARD	STANDARD
STAIRCASE / RAILING	
MAIN TO UPPER LEVEL	
TYPE:	OAK
COLOUR:	STAIN TO MATCH HARDWOOD FLOORING
PICKETS:	BLACK METAL PLAIN COLLAR
HANDRAIL:	STANDARD OAK STAINED
STAIRS MAIN FLOOR TO POWDER ROOM	
TYPE:	SAME AS MAIN STAIRCASE
COLOUR:	
PICKETS:	
HANDRAIL:	

STAIRCASE LANDINGS	
SAME AS MAIN FLOOR HARDWOOD	
TRIM	
BASEBOARDS:	STANDARD
CASINGS:	STANDARD
CROWN MOULDING:	NONE
FIREPLACE	
GREAT ROOM	
TYPE:	GAS
MANTLE:	STANDARD
SURROUND:	NONE
GENERAL COMMENTS	

Note: The Purchaser(s) agree(s) that:


- Where omissions occur on the original colour selection sheet, purchaser(s) acknowledge that builder selection is final.
- Upgrades listed on this schedule will not be deemed to be part of the Agreement of Purchase and Sale.
- Colours of all materials are as close as possible to builder's selection but not necessarily identical due to variance in manufacturing.
- The purchaser(s) acknowledge that after Colour Selection Schedule is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Should a change to this colour Selection Schedule be approved by the Builder, an administrative fee of \$650 plus HST is applicable.
- The purchaser further agrees that in the event that the Vendor has preselected colours prior to the purchase of the house, the prescribed colours are final not withstanding that the purchaser may have completed a colour selection schedule.
- Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- In the event the Purchaser(s)' original selection is not available, the Purchaser(s) must re-select from the Builder's available finishes.

SW


I/We hereby initial to acknowledge above

This Colour Selection Schedule is Final and Approved By:		Processed by:	
<i>S. Nicholas</i>	<i>April 10/19</i>	<i>[Signature]</i>	<i>July 10/19</i>
Purchaser	Date	Kings Crescent Developments Inc.	Date


*SEE REVISED KITCHEN L/OUT



Elevation B
Ground Floor



Elevation B
Second Floor



Rendering and floor plans are artist's concept only. Room sizes and square footage shown are approximate and subject to change without notice. Plan not to scale. Illustration may show optional features which may not be included in the base price. Furnace, hot water tank and utility door may be relocated without notice. E. & O. E.

Stage X(2) Lot 18
Purchaser NICHOLAS
Date JAN. 21/20 ~~APRIL 11, 2019~~

Trade Name: ESQUIRE HOMES

Site location: AJAX


Model: LOT 18

Address:

Project: king lending

Phase:

This layout has been explained to the purchaser by Cortina Kitchens Inc. and is understood by the purchaser.



- SOFT CLOSING DRAWERS/DOORS
- PURCHASER TO PROVIDE APPLIANCE SPECS

All prices subject to confirmation from head office.
This quotation is subject to the terms & conditions set out
in Cortina's Agreement of Purchase and Sale.

ACCEPTED DATE: 03/04/19

Customer Signature

Customer Signature

Salesperson Signature

Cortina Head Office Approval

Item A. Wood grain and colour are characteristics of the product. We cannot guarantee that such grain and colour will always match.
Item B. Cortina Kitchens Inc. reserves the right to alter dimensions and make technical changes without notice.



SKETCH C2 - BRICK PATTERN

SITE: KINGS LANDING LOT / UNIT #: 18
CLIENT(S): NICHOLAS

50 / 50 BRICK PATTERN ***FOR SQUARE OR KITCHEN BACKSPLASH TILES ONLY***											
ROOM(S): SEE SKETCH FOR TILE DIRECTION						CERAMIC BKSP KITCHEN SEE COLOUR CHART					

1 / 3 BRICK PATTERN											
ROOM(S): SEE SKETCH FOR TILE DIRECTION											

☐ INITIAL

For Client(s) who have selected rectangular shaped tiles, I/We understand the possible curved and uneven nature of such tiles. I/We fully understand that by selecting these tiles I/We understand and accept that while still within Taron acceptable tolerances, there may be a raised edge between rows of tiles upon installation. Furthermore, I/We release Esquire Homes and its affiliates from any liability pertaining to this concern.

Client _____ Date _____
Client _____ Date _____



Work Order

To: TRUST FLOORING

Work Order #: 8222
Date Printed: 21-Jan-20

Lot: 18 - Kings Landing - 1 -The Alfred Elev B

Item	Description	Qty.
1 - S047)	SUPPLY AND INSTALL CERAMIC BACKSLASH IN KITCHEN AS PER COLOUR CHART IN BRICK PATTERN (50/50 BRICK PATTERN)	1

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: Site Date

Work Order #: 8223
Date Printed: 21-Jan-20

Lot: 18 - Kings Landing - 1 -The Alfred Elev B

\$0.00


The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: _____

Site	Date
------	------

Work Order



To: MULTIPLE TRADES

Work Order #: 8224

Date Printed: 21-Jan-20

QUALITY
TRUST
BREMARDI

Lot: 18 - Kings Landing - 1 -The Alfred Elev B

Item	Description	Qty.
1 - S0501T	SUPPLY AND INSTALL HARDWOOD FLOORING FOR UPPER HALLWAY AS PER COLOUR CHART	1
2 - S0612	SUPPLY AND INSTALL UPGRADE HARDWOOD ON MAIN LEVEL EXCEPT WHERE TILE IS LAID (INCLUDING DEN) AND LANDINGS AS PER COLOUR CHART	1

\$0.00


The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: Site Date



Work Order

To: MIRANDA PAINTING INC.

Work Order #: 8225
Date Printed: 21-Jan-20

Lot: 18 - Kings Landing - 1 -The Alfred Elev B

Item	Description	Qty.
1 - S0581 D	STAIN STAIRCASE, RAILING ETC TO MATCH HARDWOOD FLOORING AS CLOSE AS POSSIBLE. CANNOT BE IDENTICAL AS TWO DIFFERENT WOODS ARE BEING USED	1

\$0.00


The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: Site Date



To: MULTIPLE TRADES

CORTINA
TAM
PRIMA AIR
CC. RIVA

Work Order #: 8226
Date Printed: 21-Jan-20

Lot: 18 - Kings Landing - 1 -The Alfred Elev B

Item	Description	Qty.
1 - A5241- D	APPLIANCE SPECS NOW AVAILABLE, COPY ATTACHED	1

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.


No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: Site Date

dacor

36-INCH GAS COOKTOP

APPLIANCE DIMENSIONS




APPLIANCE DIMENSIONS

A (WIDTH)	36" (914.4MM)
B (CHASSIS WIDTH)	34 1/2" (875.4MM)
C (DEPTH)	21" (533MM)
D (CHASSIS DEPTH)	19 1/2" (495MM)

D. Nicholas
October 2, 2019


INSTALLATION CUTOUT DIMENSIONS

E (MIN)	2 7/8" (7.2CM)
F (MIN)	19 3/4" (50.1CM)
G (MIN)	34 11/16" (879CM)
H (MIN)	12" (30.4CM)



MINIMUM DISTANCE TO
COMBUSTIBLE SIDE WALL ABOVE
COUNTERTOP (BOTH SIDES)

INSTALLATION CUTOUT DIMENSIONS




D. Nicholas
October 2, 2019

INSTALLATION CUTOUT DIMENSIONS

E (MIN)	3/8" (0.9CM)
F (MIN)	22 1/2" (57.1CM)
G (MIN)	34 11/16" (879CM)
H (MIN)	7 1/2" (19.0CM)

LOT 18
KING'S LANDING
P.1/7

INSTALLATION CUTOUT DIMENSIONS



NOTE: All horizontal clearances must be maintained for a minimum of 18" (457mm) above the cooking surface


Cooktop with Downdraft: MRV Series

DTG36M93SF 36-INCH GAS COOKTOP

dacor


30-INCH COMBI WALL OVEN

APPLIANCE DIMENSIONS



A	OVERALL HEIGHT	43 3/8" (110.2CM)
B	RECESSED WIDTH	28 1/2" (72.4CM)
C	RECESSED HEIGHT	42" (106.7CM)
D	RECESSED DEPTH	23 1/8" (58.7CM)
E	DOOR WIDTH	29 3/4" (75.6CM)
F	CONDUIT LENGTH	67" (170CM)
G	OVERALL WIDTH (HANDLE WIDTH)	30" (76.2CM)
H	HANDLE DEPTH	2 1/4" (5.6CM)

INSTALLATION CUTOUT DIMENSIONS




STANDARD CABINET DIMENSIONS

A	30" (76.2CM)
B	MIN. 13 1/16" (3.0CM)
C	12" (30.5CM)
D	MIN. 28 5/8" / MAX. 28 3/4" (MIN. 72.7CM / MAX. 73.0CM)
E	MIN. 1" / MAX. 11 1/4" (MIN. 2.5CM / MAX. 3.2CM)
F	42 1/4" (107.3CM)
G	MIN. 23 1/2" (MIN. 59.7CM)
H	MIN. 30 1/2" (MIN. 77.5CM)
I	MAX. 9 1/2" (MAX. 24.1CM) JUNCTION BOX
J	MIN. 11/16" (1.75CM) - WOODEN CABINET THICKNESS

Allow a minimum of 22" for clearance to adjacent corners, drawers, wells, etc. when door is open.

INSTALLATION CUTOUT DIMENSIONS



FLUSH CABINET DIMENSIONS


A	MIN. 30 3/16" / MAX. 30 5/16" (MIN. 76.7CM / MAX. 77.0CM)
B	MIN. 13 1/16" (3.0CM)
C	12" (30.5CM)
D	MIN. 1" / MAX. 1 1/4" (MIN. 2.5CM / MAX. 3.2CM)
E	43 11/16" (110.9CM)
F	MIN. 24 13/16" (MIN. 63.0CM)
G	MIN. 30 1/2" (MIN. 77.5CM)
H	MAX. 9 1/2" (MAX. 24.1CM) JUNCTION BOX
I	MIN. 11/16" (1.75CM) - WOODEN CABINET THICKNESS

NK36K7000WS/A2

36" Range Hood

SAMSUNG

Venting Methods



A. Roof cap
B. 6" (15.2 cm) round vent

A. Wall cap
B. 6" (15.2 cm) round vent

A. Deflector
B. 6" (15.2 cm) round vent

Total Power
220W

Power Source
120V / 60 Hz / 15A

Range Hood

- 36" Stainless Steel Chimney Hood
- Vent Fan: 390 CFM (600 CFM Optional)
- Front-Centered, Touch Control
- 4 Fan Speeds: 3 Step, 1 Booster
- 74 dBA (10.8 sonnes) Noise Level
- Hood Connectivity Control
- Bluetooth® On/Off Control
- Mobile Monitoring: Fan Speed, Lighting On/Off, Power Control
- Removable Baffle Filter
- LED Lighting

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)

Outside (Max) Hood Dimensions:

36" x 25⁷/₁₆" x 19¹¹/₁₆"

Weight: 48.5 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions:

40³/₁₆" x 26¹/₂" x 18¹/₁₆"

Weight: 60.4 lbs

Color

Stainless Steel

Black Stainless Steel

Model #

NK36K7000WS/A2

NK36K7000WG/A2

UPC Code

887276245287

887276245270

Hood Extension Kit (Optional)

NK-AE705PWS

NK-AE705PWG

Recirculation Kit (Optional)

NK-AF030FNB


Charcoal Filter

NK-AR050FNB

Dimensions and Clearance

* For Vented Installation

** For Non-Vented/Recirculating Installation



J. Nicholas

October 2, 2019

P. 3/7

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.


©2018 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co. Ltd.

dacor

DDW24T99 | HERITAGE COLLECTION

24-INCH DISHWASHER


DIMENSIONS



Front view

Side view

CUTOUT DIMENSIONS



D. Nicholas
October 2, 2019

P-417


DDW24T99001 | 24-INCH DISHWASHER

dacor

36-INCH FRENCH DOOR BOTTOM FREEZER PANEL-READY


APPLIANCE DIMENSIONS

A (WIDTH)	33 5/8" (908MM)
B (DEPTH)	25" (635MM)
C (HEIGHT) - FRONT	82 3/8" (2118MM)
D	35 5/8" (905MM)
E	44 7/8" (1140MM)
F	20 9/16" (529MM)
G	44" (1118MM)



INSTALLATION CUTOUT DIMENSIONS

(WIDTH)	36" (914MM)
B (DEPTH)	25" (635MM)
C (HEIGHT)	84" (2134MM)
D	76" (660MM)
E	80" (2032MM)



T. Nichols
October 2, 2019

ACCESSORIES

- SILVER STAINLESS STEEL - 36" FDR UPPER PANEL - LEFT
- SILVER STAINLESS STEEL - 36" FDR UPPER PANEL - RIGHT
- SILVER STAINLESS STEEL - 36" FDR BOTTOM PANEL
- SILVER STAINLESS STEEL - 36" KICK PLATE
- SILVER STAINLESS STEEL - MODERNIST HANDLE
- SILVER STAINLESS STEEL - DACOR PRO HANDLE
- WATER FILTER
- DEODORIZING FILTER

- RAF36DPULSR
- RAF36DPURSR
- RAF36DPBDSR
- RAC36TKBBSR
- RAC00MHAASR
- RAC00PHAASR
- RAC00WFAAAA
- RAC00DFAAAA

P-5/7

WARRANTY

- LIMITED, ENTIRE APPLIANCE, PARTS AND LABOR ON ANY PART OF THE REFRIGERATOR
- LIMITED WARRANTY FOR SEALED REFRIGERATION SYSTEM; PARTS AND LABOR
- LIMITED WARRANTY FOR SEALED REFRIGERATION SYSTEM; PARTS ONLY
- LIMITED WARRANTY FOR COMPRESSOR, PARTS ONLY


- 2 YEAR
- 3RD TO 6TH YEAR
- 7TH TO 12TH YEAR
- 13TH TO 15TH YEAR

PRODUCT SPECIFICATIONS

White	W4114CW
Titanium	W4114CT
Dimensions	23 1/2"W x 33 1/2"H x 27"D
Door Clearance	16"
Door Swing	Left-Hinge
Weight	200 lb
Drum Capacity	2.8 cu ft
Max Load Capacity	24.3 lb
Max Spin Speed	1400 rpm
Plumbing Supply	1/2" ID min (cold only)
Pressure	15-146 psi
Power Cord	6'


A separate electrical service is not required. A receptacle for the washer is located on the back of the dryer.

DIMENSIONS



J. Nicholas
October 21 2019

INSTALLATION




SIDE VIEW

FRONT VIEW

NOTE: Dimensions provide minimum reveals.

INSTALLATION WITH DRYER




FRONT VIEW

P. 6/7

PRODUCT SPECIFICATIONS

White	T411VDW
Titanium	T411VDT
Dimensions	23 1/2"W x 33 1/2"H x 28 1/8"D
Door Clearance	19"
Door Swing	Right-Hinge
Weight	105 lb
Drum Capacity	5.1 cu ft
Max Load Capacity	24.3 lb
Electrical Supply	240/208 VAC, 60 Hz
Electrical Service	30 amp circuit
Receptacle	NEMA 14-30R grounding-type
Power Cord	4'


DIMENSIONS



D. Nicholas
October 2, 2019

INSTALLATION

INSTALLATION WITH WASHER



NOTE: Dimensions provide minimum reveals.

P. 7/7