

CONSTRUCTION SUMMARY

Kings Landing - Kings Crescent Developments Inc.

STAGE 2

PURCHASERS: MARIA ANGELI ORENA and HERMOGENES JR. ORENA

TEL: RES.: 416-903-3276

LOT NUMBER	PHASE	HOUSE TYPE	REG. PLAN #	CLOSING DATE
10	1	The William Elev A Optional 5 Bedroom	Draft Stage-File No. S	06-Aug-19
INV#	QTY	EXTRA / CHANGE		

CERAMIC FLOOR TILES

1,790	✓	1 - SUPPLY AND INSTALL 12X24 TILE IN FOYER LAID IN BRICK PATTERN AS PER COLOUR CHART TILE UPGRADE BRICK PATTERN Note:	8195
13Jan20			

COUNTERTOPS

1,790	✓	1 - SUPPLY AND INSTALL UPGRADE COUNTER TOP IN KITCHEN IN LIEU OF STANDARD GRANITE Note:	8196
13Jan20			

HARDWOOD FLOORING

1,790	✓	1 - SUPPLY AND INSTALL UPGRADE HARDWOOD FLOORING FOR DINING ROOM, GREAT ROOM, LANDINGS AND HALLWAY IN FRONT OF POWDER ROOM Note:	8197
13Jan20			
1,790	✓	1 - SUPPLY AND INSTALL HARDWOOD FLOORING IN KITCHEN/BREAKFAST AREA IN LIEU OF STANDARD CERAMIC TILES Note:	
13Jan20			

INTERIOR TRIM

1,790	✓	1 - SUPPLY AND INSTALL CROWN MOULDING FOR GREAT ROOM ONLY 5982-9 Note:	8198
13Jan20			

KITCHEN & BATHS

1,790	1		
13Jan20		Note:	
1,790	✓	1 - SUPPLY AND INSTALL GOTHIC GLASS DOORS FOR CABINETS ON EACH SIDE OF STOVE MATCHING INTERIOR NOT REQUIRED AS DOOR COLOUR IS WHITE Note:	
13Jan20			
1,790	✓	1 - SUPPLY AND INSTALL TWO TONE KITCHEN CABINETRY AS FOLLOWS: ISLAND ONLY TO BE TOSCANA PVC SILVER - REMAINING CABINETRY TO BE TOSCANA PVC WHITE CRYSTAL Note:	8199
13Jan20			
1,790	✓	1 - SUPPLY AND INSTALL UPGRADE CABINETRY HARDWARE IN KITCHEN AS PER COLOUR CHART Note:	
13Jan20			

PAINTING / STAINING

1,790	✓	1 - STAIN ALL STAIRS, RAILING, POSTS ETC. THROUGHOUT TO MATCH HARDWOOD AS CLOSE AS POSSIBLE - WILL NOT BE IDENTICAL AS TWO DIFFERENT WOODS ARE BEING USED Note:	8200
13Jan20			

PLUMBING

1,790	✓	1 - SUPPLY AND INSTALL SINGLE UNDERMOUNT STAINLESS STEEL SINK IN KITCHEN AS PER COLOUR CHART Note:	8196
13Jan20			
1,790	✓	1 - SUPPLY AND INSTALL RIOBEL SOAP DISPENSER IN KITCHEN FROM BUILDER'S STANDARD Note:	
13Jan20			

* MAR 24/20 - COOKTOP IS 36" NOT 30"
Note 8196



COLOUR SELECTION SCHEDULE

Community	Phase:	Lot Number	Model / Elevation:	
Kings Landing	1	10	The William Elev A Optional 5 Bedroom	
Purchaser:	MARIA ANGELI ORENA & HERMOGENES JR. ORENA		Res. Phone	Decor Consultant:
			416-903-3276	Carmela Quercia

CABINETRY

KITCHEN:	MASTER ENSUITE:		
Door	PVC TOSCANA	Door	TOSCANA PVC
Colour	TWO TONE SEE BELOW	Colour	WHITE CRYSTAL
Hardware	CH-47	Hardware	CS1-19
Counter	QS7012 EVALINA	Counter	6696-46 CARRARA BIANCO LAMINATE
Edge	2CM SQUARE	Edge	LAMINATE COUNTER

ISLAND: TOSCANA PVC SILVER
ALL OTHER CABINETRY TOSCANA PVC WHITE CRYSTAL

MAIN BATHROOM

Door	VARESE OAK	Door	N/A
Colour	GREYSTONE	Colour	
Hardware	CS1-19	Hardware	
Counter	4925K-07 CALCUTTA MARBLE LAMINATE	Counter	
Edge	STANDARD	Edge	

POWDER ROOM

Door	PEDESTAL SINK	Door	M600 MELAMINE
Colour		Colour	MYSTIC
Hardware		Hardware	CS1-24
Counter		Counter	4925K-07 CALCUTTA MARBLE LAMINATE
Edge		Edge	N/A

LAUNDRY:

Door	STANDARD
Colour	
Hardware	
Counter	
Edge	

PLUMBING FIXTURES

KITCHEN:	MASTER ENSUITE:		
SINK:	BLANCO QUATRUS U 1 401248	BASIN:	STANDARD X 2
FAUCET:	RIOBEL SINGLE HOLE STANDARD	FAUCET:	RIOBEL STANDARD X 2
POWDER ROOM:		SHOWER:	RIOBEL STANDARD
SINK:	PEDESTAL SINK	TUB:	STANDARD
FAUCET:	RIOBEL STANDARD	TOILET:	STANDARD
LAUNDRY ROOM:			
SINK:	STANDARD		
FAUCET:	RIOBEL STANDARD		

MAIN BATHROOM

BASIN:	STANDARD	BEDROOM 2 ENSUITE	
FAUCET:	RIOBEL STANDARD	BASIN:	N/A
TUB/SHOWER:	RIOBEL STANDARD	FAUCET:	
TOILET:	STANDARD	TUB/SHOWER:	
		TOILET:	

SHARED BATHROOM

BASIN:		BASIN:	STANDARD
FAUCET:		FAUCET:	RIOBEL STANDARD
TUB/SHOWER:		TUB/SHOWER:	RIOBEL STANDARD
TOILET:		TOILET:	STANDARD

Initials: HO nm



COLOUR SELECTION SCHEDULE

Community Kings Landing	Phase: 1	Lot Number 10	Model / Elevation: The William Elev A Optional 5 Bedroom	
Purchaser: MARIA ANGELI ORENA & HERMOGENES JR. ORENA		Res. Phone 416-903-3276	Work Phone:	Decor Consultant: Carmela Quercia

WALL TILE

KITCHEN BACKSPLASH NONE	MASTER ENSUITE: TUB DECK FACE & SURROUND STAND ALONE TUB - NO TILE SURROUND
	SHOWER: NEW L'IMOGES WHITE GLOSS 6X8
	SHOWER JAMB: STANDARD WHITE
MAIN BATHROOM NEW REEDS SILVER 8X10 NO INSERTS	
BEDROOM 2 ENSUITE: N/A	
TUB CEILING: SHOWER JAMB: STANDARD WHITE	
TUB CEILING:	
SHARED BATHROOM	
SPLENDOR DARK GREY 8X10 WITH INSERTS	
TUB CEILING: N/A	

FLOOR TILE

KITCHEN: FBA HARDWOOD	MASTER ENSUITE: NEW ALBION GREY 13X13
MAIN BATHROOM: NEW REEDS SILVER 13X13	BEDROOM 2 ENSUITE: N/A
POWDER ROOM: NEW REEDS SILVER 13X13	SHARED BATHROOM: NEW ALBION GREY 13X13
LAUNDRY: NEW REEDS GREY 13X13	MUD ROOM: NEW REEDS SILVER 13X13
FOYER: CARRARA X SERIES WHITE POLISHED 12X24 BRICK PATTERN	LANDING TO BASEMENT: HARDWOOD SAME AS MAIN FLOOR

HARDWOOD / CARPET

KITCHEN: ELEMENTS BRUSHED OAK STONECROP 5" X 3/4	GREAT ROOM ELEMENTS BRUSHED OAK STONECROP 5" X 3/4
LIVING/DINING ROOM: ELEMENTS BRUSHED OAK STONECROP 5" X 3/4	BEDROOM 5 TXP T-15
MASTER BEDROOM: TXP T-15	UPPER HALLWAY: TXP T-15
BEDROOM 2: TXP T-15	BEDROOM 3: TXP T-15
BEDROOM 4: TXP T-15	MAIN HALL: ELEMENTS BRUSHED OAK STONECROP 5" X 3/4
UNDERPAD: STANDARD	

Initials: H.O. gms



COLOUR SELECTION SCHEDULE

Community	Phase:	Lot Number	Model / Elevation:	
Kings Landing	1	10	The William Elev A Optional 5 Bedroom	
Purchaser:			Res. Phone	Decor Consultant:
MARIA ANGELI ORENA & HERMOGENES JR. ORENA			416-903-3276	Carmela Quercia

INTERIOR PAINT

WALLS

BIRCH WHITE	TRIM
	BIRCH WHITE

INTERIOR DOORS

INTERIOR

STANDARD	EXTERIOR
	STANDARD

DOOR HARDWARE

INTERIOR

STANDARD	EXTERIOR
	STANDARD

STAIRCASE / RAILING

MAIN TO UPPER LEVEL

TYPE:	MAIN FLOOR LEADING TO LANDING
OAK	TYPE:
STAIN TO MATCH HARDWOOD	SAME AS MAIN STAIRCASE
COLOUR:	
PICKETS:	COLOUR:
BLACK METAL STANDARD PLAIN COLLAR	PICKETS:
HANDRAIL:	HANDRAIL:
STANDARD	
STANDARD CLASSIC	

STAIRCASE LANDINGS

SAME AS MAIN FLOOR

TRIM

BASEBOARDS:

STANDARD

CASINGS:

STANDARD

CROWN MOULDING:

GREAT ROOM ONLY 5982-9

FIREPLACE

GREAT ROOM

TYPE:	STANDARD GAS
	TYPE:
MANTLE:	STANDARD
	MANTLE:
SURROUND:	NONE
	SURROUND:

GENERAL COMMENTS

--

Note: The Purchaser(s) agree(s) that:


- 1) Where omissions occur on the original colour selection sheet, purchaser(s) acknowledge that builder selection is final.
- 2) Upgrades listed on this schedule will not be deemed to be part of the Agreement of Purchase and Sale.
- 3) Colours of all materials are as close as possible to builder's selection but not necessarily identical due to variance in manufacturing.
- 4) The purchaser(s) acknowledge that after Colour Selection Schedule is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Should a change to this colour Selection Schedule be approved by the Builder, an administrative fee of \$650 plus HST is applicable.
- 5) The purchaser further agrees that in the event that the Vendor has preselected colours prior to the purchase of the house, the prescribed colours are final not withstanding that the purchaser may have completed a colour selection schedule.
- 6) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- 7) In the event the Purchaser(s)' original selection is not available, the Purchaser(s) must re-select from the Builder's available finishes.

H-O gms
I/We hereby initial to acknowledge above


This Colour Selection Schedule is Final and Approved By:

Purchaser	Date	Purchaser	Date
Carmela	July-04-19	Maria Angeli Orena	July 4/19


Processed by: Date: July 4/19
Kings Crescent Developments Inc.




Elevation A
Ground Floor



Elevation A
Second Floor



Opt. Elevation A
Second Floor
with 5 Bedroom



Basement
Elevation A



Rendering and floor plans are artist's concept only. Room sizes and square footage shown are approximate and subject to change without notice. Plan not to scale. Illustration may show optional features which may not be included in the base price. Furnace, hot water tank and utility door may be relocated without notice. E. & O. E.

Stage \$2 Lot 10
Purchaser ORENA

JAN.15/2020 Date MARCH 11, 2019

CORTINA
KITCHENS INC.
70 Rockledge Road, Merrickville, Ontario L4R 3R2

Tel: 905-264-6464 Fax: 905-264-0664
www.CornwallKitchens.ca

QUOTATION

Date: 16/10/18

平

Trade Name: ESQUIRE HOMES

Site location: ALAX

Site location: AJAX
Project: KING LANDING

Model: 3705 WILLIAM

Address:

Phase:

This layout has been explained to the purchaser by Corina Kitchens Inc. and is understood by the purchaser.

KITCHEN u/g:

JAN. 15 / 2020


- TWO TONE
- SEE COLOR CHART
- U/LG HARDWARE

NY

* ulm sink
SOAP
DISPENSER

u/a JOP

CC CORTINA
DNA
Rockford



* Purchaser
has
charged
to a
36"
cooktop
-Specs
add
Mar. 4/20

MAN

MAN

SH. BATH 2/3

1830

30

565A

LAUNDRY

1830

1830—

SH. BATH 2/3 OPT. 2 SINKS

DOUBLE VANITY

24

14

All prices subject to confirmation from head office.

This quotation is subject to the terms & conditions set out in Cordina's Agreement of Purchase and Sale.
All prices subject to confirmation from head office.

ACCEPTED DATE: July 4/19

modi
Barah

Customer Signature _____

Item A. Wood grain and colour are characteristics of this product. We cannot guarantee that each grain and colour will always match.
Item B. Cordina Kitchens Inc. reserves the right to alter dimensions and make technical changes without notice.

Salesperson Signature _____

Cortina Head Office Approval

☒ All agreements are contingent upon strikes, accidents, and delays beyond our control. Please provide our installer with template for sinkholes or \$150.00 will be charged for callback.


LOT 10
KINGS
FRIGIDAIRE
GALLERY. P.113

Built-In Cooktops

FGGC3645Q S/W/B

36" Gas

H.D. M07 Feb 26/2020



Product Dimensions

Width	36"
Depth	21 3/4"
Height	4 1/4"

More Easy-To-Use Features

Electronic Pilotless Ignition

LP Gas Conversion Option

A.D.A. Compliant

When properly installed, this model is A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.




Available in:

Stainless (S)	White (W)	Black (B)
---------------	-----------	-----------

Burners

Right Front	5,000
Right Rear	5,000
Left Front	9,500
Left Rear	9,500
Control	750 - 18,000

Signature Features




Express-Select® Controls

Easily go from warm to boil.




Continuous Corner-To-Corner Grates

Continuous grates make it easy to move heavy pots and pans between burners without lifting.



Approved Over Frigidaire® Electric Wall Ovens

Cooktops are approved for installation above any of our Single Electric Wall Ovens.



Low Simmer Burner


Perfect for delicate foods and sauces.

frigidaire.com

Features	
Controls	Express-Select®
Surface Type	Stainless Steel Recessed (S), Color-Coordinated Recessed (W/B)
Sealed Gas Burners	Yes
Grates	Continuous Corner-To-Corner Cast Iron w/Black Matte Finish
Right Front Burner (BTU)	12,000
Right Rear Burner (BTU)	8,000
Left Front Burner (BTU)	9,500
Left Rear Burner (BTU)	9,500
Center Burner (BTU)	750 - 18,000
Control Location	Front
Knob Color	Stainless (S)
Knob Type	Color-Coordinated (W/B)
Certifications	
A.D.A. Compliant	Yes
Specifications	
Power Supply Connection Location	Right Rear
Gas Supply Connection Location	Right Rear
LP Gas Conversion Kit	Included
Voltage Rating	120V/60 Hz/15A
Amps @ 120 Volts	1.0
Minimum Circuit Required (Amps)	15
Approved for Electric Single Wall Oven Combination Installation?	Yes
Shipping Weight (Approx.)	60 Lbs.

When properly installed, this model is A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.

**Cooktops are approved for installation above any of our Electric Single Wall Ovens.*



NOTE: For planning purposes only. Always consult local and national electric and gas codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.

Product Dimensions		Cutout Dimensions	
A - Width	36"	Width (Min.) / (Max.)	35-7/8" / 36-1/4"
B - Depth	21-3/4"	Depth (Min.) / (Max.)	19-3/4" / 19-3/4"
C - Height	4-1/4"	Height	8"

Griddle Countertop Installation Kit available.

FRIGIDAIRE


USA • 10000 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-6352 • frigidaire.ca

FGC3645Q 08/15

© 2015 Electrolux Home Products, Inc.

Accessories information available on the web at frigidaire.com

Specifications subject to change.



Product Dimensions				Required Clearances			
A - Width	B - Depth	C - Height		G (min.)	H (min.)	I (min.)	J (min.)
36"	21-3/4"	3-1/4"		2"	12"	12"	2-1/4"
Product Cutout Dimensions				Utility Connection Locations			
D - Width (min. - max.)	E - Depth (min. - max.)	F - Height (min.)		L - For Unprotected Cabinet (min.)	Power Supply	Gas Supply	Right Rear
33-7/8" - 34-1/4"	19-3/8" - 19-3/4"	5"		K - Cabinet Opening Width (min.)	Right Rear	Right Rear	Right Rear

Built-In Cooktop Specifications

- Product shipping Weight (approx.) - 60 Lbs
- Voltage Rating - 120V/50 Hz/15 Amps
- For use on adequately wired 1/0V drop cable circuit having 2-wire for gas operation.
- Amps @ 120 Volts = 1.0 Amps
- Always consult local and national electric and gas codes
- Clearances: Total height includes clearance needed beneath cooktop to allow for gas supply connection. Recommended location for gas outlet 120" outlet is on rear wall in an 8" wide by 10" high area, not closer than above floor surface and 4" from right side of cooktop. Clearances: Access to underside of cooktop and function box must be provided for inspection and service
- Control slides with 3/4" factory regulator
- LP Gas convert on kit supplied
- Overhead cabinetry should not exceed a 13" maximum depth
- Clearances: minimum horizontal distance between overhead cabinets and rear side of appliance must be no less than 36"
- Allow 3/4" minimum clearance between top of cooktop platform and bottom of unprotected wood or metal overhead cabinet
- Allow 2" minimum distance between rear edge of cutout and adjacent combustible surface (for backsplash)

- Allow 12" minimum required clearance from left edge of cooktop to adjacent combustible surface and 12" minimum from right edge of cooktop to adjacent combustible surface
- Installation of drawer beneath cooktop requires 6-1/2" minimum clearance beneath countertop surface and assured clearance for gas and electrical connections
- To reduce risk of fire when using overhead cabinetry, install a hood that protects horizontally a recommended minimum of 5" beyond bottom of cabinets
- Gas Built-In Cooktop model FGGC3645Q is approved to be used over any Frigidaire® Electric Single Wall Oven. Refer to Gas Cooktop Installation Over 30"/77" Electric Single Wall Oven Specifications page on web.)

Note: For planning purposes only. Refer to Product Installation Guide on the web at frigidaire.com for detailed instructions.

Optional Accessories

- Gas to Countertop Installation Kit - (PN # 903103-0000)

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8357 • frigidaire.ca

F36C3645Q 06/15

© 2015 Electrolux Home Products, Inc.




Specifications
subject to change

LOT 10
KING'S LANDING
P.1/2

Product Dimensions

27" (68.6 cm) and 30" (76.2 cm) Ovens



27" (68.6 cm) models


- A. 42 $\frac{3}{8}$ " (108.0 cm) overall height
- B. 25 $\frac{3}{8}$ " (64.6 cm) recessed width
- C. 41" (104.1 cm) recessed height
- D. 23 $\frac{1}{4}$ " (59.1 cm) max. recessed depth
- E. 27" (68.6 cm) overall width
- F. 48" (121.9 cm) Flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.

30" (76.2 cm) models

- A. 42 $\frac{3}{8}$ " (108.0 cm) overall height
- B. 28 $\frac{1}{8}$ " (72.3 cm) recessed width
- C. 41" (104.1 cm) recessed height
- D. 23 $\frac{1}{4}$ " (59.1 cm) max. recessed depth
- E. 30" (76.2 cm) overall width
- F. 48" (121.9 cm) Flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.

Cabinet Dimensions

27" (68.6 cm) and 30" (76.2 cm) Ovens



27" (68.6 cm) models

- A. 27" (68.6 cm) min. cabinet width
- B. 1" (2.5 cm) top of cabinet door to bottom of upper cabinet door
- C. 19 $\frac{1}{2}$ " (48.9 cm) bottom of cutout to floor is recommended.
- D. 25 $\frac{1}{2}$ " (64.8 cm) cutout width
- E. 1 $\frac{1}{2}$ " (3.8 cm) min. bottom of cutout to top of cabinet door
- F. 41 $\frac{3}{8}$ " (105 cm)* recommended cutout height
- G. 24" (60.7 cm) cutout depth

30" (76.2 cm) models

- A. 30" (76.2 cm) min. cabinet width
- B. 1" (2.5 cm) top of cabinet door to bottom of upper cabinet door
- C. 19 $\frac{1}{2}$ " (48.9 cm) bottom of cutout to floor is recommended.
- D. 28 $\frac{1}{2}$ " (72.4 cm) cutout width
- E. 1 $\frac{1}{2}$ " (3.8 cm) min. bottom of cutout to top of cabinet door
- F. 41 $\frac{3}{8}$ " (105 cm)* recommended cutout height
- G. 24" (60.7 cm) cutout depth

*NOTE: The cutout height can be between 41" (104.1 cm) and 41 $\frac{1}{2}$ " (105.6 cm) for microwave/oven combination.

Signed copy on file
Mar. 3/20
(celm)

Electrical Requirements

If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path and wire gauge are in accordance with local codes.

Check with a qualified electrical installer if you are not sure the oven is properly grounded.

This oven must be connected to a grounded metal, permanent wiring system.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. 0-M91-latest edition, and all local codes and ordinances.


A copy of the above code standards can be obtained from:

- National Fire Protection Association
1 Batterymarch Park
Quincy, MA 02169-7471
- CSA International
8501 East Pleasant Valley Road
Cleveland, OH 44131-5575

Electrical Connection

To properly install your oven, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

- Oven must be connected to the proper electrical voltage, amperage, and frequency as specified on the model/serial number rating plate. See the following illustration.



A. Model/serial number plate

- Models rated from 7.3 to 9.6 kW at 240 volts (5.5 to 7.2 kW at 208 volts) require a separate 40-amp circuit. Models rated at 7.2 kW and below at 240 volts (5.4 kW and below at 208 volts) require a separate 30-amp circuit.

- A circuit breaker is recommended.
- Connect directly to the fused disconnect (or circuit breaker box) through flexible, armored or nonmetallic sheathed, copper cable (with grounding wire). See "Make Electrical Connection" section.
- Flexible conduit from the oven should be connected directly to the junction box.
- Do not cut the conduit. The length of conduit provided is for serviceability of the oven.
- A UL listed or CSA approved conduit connector must be provided.
- If the house has aluminum wiring, follow the procedure below:


- Connect a section of solid copper wire to the ends of the flexible conduit leads.
- Connect the aluminum wiring to the added section of copper wire using special connectors and/or tools designed and UL listed for joining copper to aluminum.

Follow the electrical connector manufacturer's recommended procedure. Aluminum/copper connection must conform with local codes and industry accepted wiring practices.

For power requirements, refer to the following table.

Model	Voltage	Amperage (L1)*	Amperage (L2)*	Rating (kW)
MMW9730	120/240	30	15	7.2
	129/208	28	15	5.9
WOC54EC0	120/240	30	15	7.2
WOC95EC0	120/208	28	15	5.9
WOC54EC7	120/240	30	15	7.2
	120/208	28	15	5.9
KEMS309	120/240	33	15	8.0
	120/208	31	15	6.6

*L1 includes both the microwave and the oven, and L2 includes only the oven. Amperage values noted above are for information purposes only. The units are rated in watts.



To: TRUST FLOORING

Work Order #: 8195
Date Printed: 15-Jan-20

Lot: 10 - Kings Landing - 1 -The William Elev A Optional 5 Bedroom

Item	Description	Qty.
1 - S0822	SUPPLY AND INSTALL 12X24 TILE IN FOYER LAID IN BRICK PATTERN AS PER COLOUR CHART - SEE DRAWING	1

\$0.00


The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: _____
Site Date



To: MULTIPLE TRADES

CORTINA
RIVA
ROCKFORD GRANITE

Lot: 10 - Kings Landing - 1 -The William Elev A Optional 5 Bedroom

Work Order #: 8196

Date Printed: 15-Jan-20

Item	Description	Qty.
1 - S5281T	SUPPLY AND INSTALL UPGRADE COUNTER TOP IN KITCHEN IN LIEU OF STANDARD GRANITE AS PER COLOUR CHART	1
2 - S587T	SUPPLY AND INSTALL SINGLE UNDERMOUNT STAINLESS STEEL SINK IN KITCHEN AS PER COLOUR CHART	1
3 - S022D	SUPPLY AND INSTALL RIOBEL SOAP DISPENSER IN KITCHEN FROM BUILDER'S STANDARD	1

* COOKTOP TO BE 36" NOT 30"
(APPLIANCE SPECS ATT'D)

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: Site Date



Work Order

MULTIPLE TRADES

Date Printed: 15-Jan-20

Lot: 10 - Kings Landing - 1 -The William Elev A Optional 5 Bedroom

\$0.00

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Site	Date
------	------



Work Order

MULTIPLE TRADES

**BREMARDI
MIRANDA**

Lot: 10 - Kings Landing - 1 -The William Elev A Optional 5 Bedroom

Item	Description	Qty.
1 -	SUPPLY AND INSTALL CROWN MOULDING FOR GREAT ROOM ONLY 5982-9	1
S5599		

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.


The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed:

Site	Date
------	------



To: **CORTINA KITCHENS**

Work Order #: 8199

Date Printed: 15-Jan-20

Lot: 10 - Kings Landing - 1 -The William Elev A Optional 5 Bedroom

Item	Description	Qty.
1 - S065E	SUPPLY AND INSTALL GOTHIC GLASS DOORS FOR CABINETS ON EACH SIDE OF STOVE MATCHING INTERIOR NOT REQUIRED AS DOOR COLOUR IS WHITE	1
2 - S005L	SUPPLY AND INSTALL TWO TONE KITCHEN CABINETRY AS FOLLOWS: ISLAND ONLY TO BE TOSCANA PVC SILVER - REMAINING CABINETRY TO BE TOSCANA PVC WHITE CRYSTAL	1
3 - S555T	SUPPLY AND INSTALL UPGRADE CABINETRY HARDWARE IN KITCHEN AS PER COLOUR CHART	1

\$0.00


The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: _____
Site _____ Date _____



To: **MIRANDA PAINTING INC.**

Work Order #: 8200
Date Printed: 15-Jan-20

Lot: 10 - Kings Landing - 1 -The William Elev A Optional 5 Bedroom

Item	Description	Qty.
1 - S0581 D	STAIN ALL STAIRS, RAILING, POSTS ETC. THROUGHOUT TO MATCH HARDWOOD AS CLOSE AS POSSIBLE - WILL NOT BE IDENTICAL AS TWO DIFFERENT WOODS ARE BEING USED	1

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: _____ Site _____ Date _____