

LOT NUMBER	PHASE	HOUSE TYPE	REG. PLAN #	CLOSING DATE
9	Development	Newton Elev B	40M-2612	13-May-21
INV#	QTY	EXTRA / CHANGE		

CERAMIC FLOOR TILES

1,997	✓ 1 - UPGRADE TILE FOR MASTER ENSUITE SHOWER STALL FLOOR AS PER COLOUR CHART
17Dec20	Note:

CERAMIC TILES

1,997	✓ 1 - INSTALL GLASS BACKSLASH IN KITCHEN INCLUDING BEHIND FUTURE HOOD VENT AS PER COLOUR CHART
17Dec20	Note: 9130

CERAMIC WALL TILES

1,997	✓ 1 - INSTALL STANDARD CEILING TILE IN MAIN BATHROOM TUB ENCLOSURE AS PER COLOUR CHART
17Dec20	Note:

COUNTERTOPS

1,997	1 - INSTALL GRANITE COUNTER TOP IN KITCHEN AS PER COLOUR CHART
17Dec20	Note: STD NO W/O

HARDWOOD FLOORING

1,997	✓ 1 - INSTALL UPGRADE HARDWOOD FLOORING ON MAIN LEVEL EXCEPT WHERE TILE IS LAID AS PER COLOUR CHART
17Dec20	Note: 9131
1,997	✓ 1 - INSTALL UPGRADE HARDWOOD FLOORING IN KITCHEN IN LIEU OF STANDARD TILE AS PER COLOUR CHART
17Dec20	Note:

INTERIOR TRIM

1,997	1 - INSTALL 1ST UPGRADE COLONIAL TRIM THROUGHOUT AS PER BUILDER'S STANDARD
17Dec20	Note: STD NO W/O

KITCHEN & BATHS

1,997	1 - INSTALL GROUP 3 KITCHEN CABINETRY AS PER COLOUR CHART
17Dec20	Note: STD NO W/O
1,997	✓ 1 - INSTALL UPGRADE HARDWARE FOR ALL KITCHEN CABINETRY AS PER COLOUR CHART
17Dec20	Note:
1,997	✓ 1 - INSTALL GOTHIC GLASS FOR CORNER ANGLED UPPER WITH MATCHING INTERIOR
17Dec20	Note: 9132
1,997	✓ 1 - INSTALL SOFT CLOSING DRAWERS/DOORS IN KITCHEN
17Dec20	Note:

PAINTING / STAINING

1,997	✓ 1 - STAIN RAILING PICKETS POSTS ETC. TO MATCH HARDWOOD FLOORING AS CLOSE AS POSSIBLE
17Dec20	Note: 9133

PLUMBING

LOT NUMBER	PHASE	HOUSE TYPE	REG. PLAN #	CLOSING DATE
9	ppleviev	Newton Elev B	40M-2612	13-May-21

INV# QTY

EXTRA / CHANGE

PLUMBING

1,997	✓ 1 - INSTALL UNDERMOUNT STAINLESS STEEL SINK IN KITCHEN AS PER COLOUR CHART	9134
17Dec20	Note:	

STAIR / RAILING

1,997	1 - INSTALL 1ST UPGRADE OAK PICKETS AND RAILING ETC. AS PER BUILDER'S STANDARD	STD No w/o
17Dec20	Note:	

This Document is Extremely Time Sensitive - Printed 17 Dec 20 at 9:32

APPLIANCE SPECS INCLUDED



COLOUR SELECTION SCHEDULE

Community	Phase:	Lot Number	Model / Elevation:	
Northglen (E)	Appreview	9	Newton Elev B	
Purchaser:		Res. Phone	Work Phone:	Decor Consultant:
DELANO TYRONE DAVIS		- -		Carmela Quercia

CABINETRY

KITCHEN:	MASTER ENSUITE:			
Door	M5 UNIBOARD MEL	Door	CARRARA PVC	
Colour	K64 OMBRE WG	Colour	WHITE CRYSTAL	
Hardware	CH-47	Hardware	CS1-10	
Counter	GRIGIO SARDO GRANITE	Counter	DUSK CASCADE 5004-38 LAMINATE	
Edge	2CM SQUARE	Edge	N/A	

MAIN BATHROOM

BEDROOM 2 ENSUITE

Door	CARRARA PVC	Door	N/A
Colour	WHITE CRYSTAL	Colour	
Hardware	CS1-10	Hardware	
Counter	SOMBRA 5028K-07 LAMINATE	Counter	
Edge	N/A	Edge	

POWDER ROOM

SHARED BATHROOM

Door	PEDESTAL SINK, NO CABINETRY	Door	N/A
Colour		Colour	
Hardware		Hardware	
Counter		Counter	
Edge		Edge	

LAUNDRY:

Door	STANDARD
Colour	
Hardware	
Counter	
Edge	

PLUMBING FIXTURES

KITCHEN:	MASTER ENSUITE:			
SINK:	ND1831UA/9 DOUBLE UNDERMOUNT SS	BASIN:	STANDARD	
FAUCET:	STANDARD	FAUCET:	STANDARD	
POWDER ROOM:		SHOWER:	STANDARD	
SINK:	STANDARD	TUB:	STANDARD	
FAUCET:	STANDARD	TOILET:	STANDARD	
LAUNDRY ROOM:				
SINK:	STANDARD			
FAUCET:	STANDARD			

MAIN BATHROOM

BEDROOM 2 ENSUITE

BASIN:	STANDARD	BASIN:	N/A
FAUCET:	STANDARD	FAUCET:	
TUB/SHOWER:	STANDARD	TUB/SHOWER:	
TOILET:	STANDARD	TOILET:	

BASIN:

SHARED BATHROOM

FAUCET:		FAUCET:	N/A
TUB/SHOWER:		TUB/SHOWER:	
TOILET:		TOILET:	



COLOUR SELECTION SCHEDULE

Community	Phase:	Lot Number	Model / Elevation:	
Northglen (E)	Applevue	9	Newton Elev B	
Purchaser:			Res. Phone	Work Phone:
DELANO TYRONE DAVIS				
			Decor Consultant:	
			Carmela Quercia	

WALL TILE

KITCHEN	MASTER ENSUITE:
BACKSPLASH	TUB DECK FACE & SURROUND
CRISTALLO GLASS MOSAIC INTERLOCK BRICK DESIGN	STAND ALONE TUB, NO TILES SURROUND
CHARCOAL GREY 0.6 X 1.9 BLEND SILVER GREY GROUT	
SHOWER STALL FLOOR: QUEBEC UNGLAZED ANTHRACITE	SHOWER:
FLECK FS WITH SILVER GREY GROUT	SPLENDOUR DARK GREY 8X10 WITH INSERTS
	SHOWER JAMB:
	STANDARD WHITE
MAIN BATHROOM	BEDROOM 2 ENSUITE
BANFF BLACK 6X8 WITH MEDALLION INSERTS	N/A
SILVER GREY GROUT	
TUB CEILING: TILE SAME AS WALLS	TUB CEILING:
	SHARED BATHROOM
	N/A
	TUB CEILING:

FLOOR TILE

KITCHEN:	HARDWOOD SEE BELOW	MASTER ENSUITE:	ALPES GREY 13X13 SILVER GREY GROUT
MAIN BATHROOM:	BANFF BLACK 12X12	BEDROOM 2 ENSUITE	N/A
POWDER ROOM:	ALPES GREY 13X13 SILVER GREY GROUT	SHARED BATHROOM:	N/A
LAUNDRY:	ALPES CREAM 13X13 BEACH BUFF GROUT	MUDROOM	NEW ALBION GREY 13X13 BONE GROUT
FOYER:	ALPES GREY 13X13 SILVER GREY GROUT	LANDING TO BASEMENT:	N/A

HARDWOOD / CARPET

KITCHEN:	ELEMENTS BRUSHED OAK WOLVERINE	
	5" X 3/4"	
LIVING/DINING ROOM:	ELEMENTS BRUSHED OAK WOLVERINE	
	5" X 3/4"	
MASTER BEDROOM:	TXP 135 T-15	UPPER HALLWAY:
		TXP 135 T-15
BEDROOM 2:	TXP 135 T-15	BEDROOM 3:
		TXP 135 T-15
BEDROOM 4:	TXP 135 T-15	MAIN HALL:
		ELEMENTS BRUSHED OAK WOLVERINE 5" X 3/4"
UNDERPAD:	STANDARD	



COLOUR SELECTION SCHEDULE

Community	Phase:	Lot Number	Model / Elevation:	
Northglen (E)	Appreview	9	Newton Elev B	
Purchaser:			Res. Phone	Decor Consultant:
DELANO TYRONE DAVIS			- -	Carmela Quercia

INTERIOR PAINT	
WALLS	
BIRCH WHITE	TRIM
BIRCH WHITE	BIRCH WHITE
INTERIOR DOORS	
INTERIOR	EXTERIOR
STANDARD	STANDARD
DOOR HARDWARE	
INTERIOR	EXTERIOR
STANDARD	STANDARD
STAIRCASE / RAILING	
MAIN TO UPPER LEVEL	
TYPE:	CARPET GRADE STAIRCASE
COLOUR:	TXP 135 T-15
PICKETS:	1ST UPGRADE OAK STAINED TO MATCH FLOOR
HANDRAIL:	1ST UPGRADE OAK STAINED TO MATCH FLOOR

STAIRCASE LANDINGS

CARPET

TRIM	
BASEBOARDS:	1ST UPGRADE COLONIAL
CASINGS:	1ST UPGRADE COLONIAL
CROWN MOULDING:	N/A

FIREPLACE	
LIVING/DINING ROOM	
TYPE:	GAS
MANTLE:	STANDARD
SURROUND:	

GENERAL COMMENTS	

Note: The Purchaser(s) agree(s) that:

- Where omissions occur on the original colour selection sheet, purchaser(s) acknowledge that builder selection is final.
- Upgrades listed on this schedule will not be deemed to be part of the Agreement of Purchase and Sale.
- Colours of all materials are as close as possible to builder's selection but not necessarily identical due to variance in manufacturing.
- The purchaser(s) acknowledge that after Colour Selection Schedule is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Should a change to this colour Selection Schedule be approved by the Builder, an administrative fee of \$650 plus HST is applicable.
- The purchaser further agrees that in the event that the Vendor has preselected colours prior to the purchase of the house, the prescribed colours are final not withstanding that the purchaser may have completed a colour selection schedule.
- Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
- In the event the Purchaser(s)' original selection is not available, the Purchaser(s) must re-select from the Builder's available finishes.



DD



I/We hereby initial to acknowledge above

This Colour Selection Schedule is Final and Approved By:	
D Davis Purchaser	29/10/2020 Date
Processed by: DD Bowmanville Estates Inc. 04/20/20 Date	

NEWTON

Stage 12 Lot 9
Purchaser DAVIS
Date 08.19/20 07 28/20
P.1/2





FRIGIDAIRE
GALLERY

FGIC3666TB

DocuSigned by:

R Davis

58223DC6B0E34C7...

December 2, 2020

lot 9
APPLEVIEW
p.1/4

BUILT-IN COOKTOP
36" INDUCTION



AVAILABLE COLORS

B

SIGNATURE FEATURES



Amazingly Fast

Get amazingly fast heat with induction that boils water 50% faster than an electric cooktop.*



Even Heat

Whip up delicious meals with induction that delivers incredibly even heat across the surface of the pan so you get golden results every time.



Easy To Clean

Don't stress over spills with induction's easy-to-clean surface that generates heat only to your pan, not your cooktop, meaning spills can't burn onto the surface.



Auto Sizing™ Pan Detection

Make fluffy pancakes with ease using Auto Sizing™ Pan Detection that automatically senses the size of your pan to only send heat to whatever small, medium, or large pan you are using.

PRODUCT DIMENSIONS

Width	36-3/4"
Depth	21-1/2"
Height	4-3/8"

MORE EASY-TO-USE FEATURES

True Temperature Melt & Hold

Get perfectly melted goodness with True Temperature Melt & Hold that delivers low, precise heat for melting delicate ingredients or sauces without scorching or burning for up to one hour.

Temperature Precision

Sear steaks, crisp sandwiches, melt chocolate, or simmer sauces with the precise temperature control of induction.

Safe Surface

The Safe Surface — Induction only heats pans and the food in them: the area around the pans stays cool to the touch.

Energy Efficiency

Since induction only heats your cookware and not your kitchen, less energy is lost throughout the cooking process.

Cooktop Timer

Use the built-in timer function to set a specified amount of time you want items to cook.

Cookware Compatibility

Most stainless steel and cast iron cookware is compatible with induction elements. An easy rule of thumb: if a magnet sticks to the bottom of the cookware, it's induction-friendly.

CERTIFICATIONS

A.D.A.- Compliant

When properly installed, this model is A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.



*10" induction center element, 6 qt./10" diameter All-Clad® pot / qt. based water compared to Frigidaire's 9" (2000W) electric right front element

ELEMENTS	SIZE	WATTS
Right Front	Induction 8"	2300/3200
Right Rear	Induction 7"	1800/2500
Center	Induction 10"	2500/3800
Left Front	Induction 8"	2300/3200
Left Rear	Induction 7"	1800/2500

p 2/4

FEATURES

Controls	Glass-Touch
Surface Type	Black Ceramic Glass
Right Front Element (Watts)	8" - 2,300/3,200
Right Rear Element (Watts)	7" - 1,800/2,600
Center Element (Watts)	10" - 2,500/3,800
Left Front Element (Watts)	8" - 2,300/3,200
Left Rear Element (Watts)	7" - 1,800/2,600
Hot Surface Indicators	Yes
Control Location	Center Front
Knob Color	
Knob Type	

CERTIFICATIONS

A.D.A. Compliant	Yes
------------------	-----

SPECIFICATIONS

Power Supply	Connection	Location
Voltage Rating	Right Rear	240V/208V/60Hz
Connected Load (kW Rating) @ 240/208 Volts*		9.6/8.3
Amps @ 240/208 Volts		45.0/45.2
Minimum Circuit Required (Amps)		40
Approved for Electric Single Wall Oven Combination Installation†		Yes
Shipping Weight (Approx.)		54 Lbs.

*When properly installed, this model is A.D.A. qualified based on the United States Access Board's A.D.A./ABA Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.

†Single phase 3- or 4-wire cable, 120/240 or 120/208 volt, 60 Hertz AC only, electrical supply with ground required on separate circuit fused on both sides of line.


‡Cooktops are approved for installation above any of our Electric Single Wall Ovens.

PRODUCT DIMENSIONS

A - Width	36-3/4"
B - Depth	21-1/2"
C - Height	4-3/8"

CUTOUT DIMENSIONS

Width (Min. - Max.)	33-7/8" - 36-1/8"
Depth (Min. - Max.)	19-1/8" - 20-1/2"
Height	4-1/2"



DocuSigned by:

D. Davis

58223DC680E34C7...

December 2, 2020

FRIGIDAIRE

USA · 10200 David Taylor Drive · Charlotte, NC 28262 · 1-800-FRIGIDAIRE · frigidaire.com
CANADA · 5855 Terry Fox Way · Mississauga, ON L5V 3E4 · 1-800-265-8352 · frigidaire.ca




Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com / frigidaire.ca](http://frigidaire.com/frigidaire.ca). Specifications subject to change. Accessories information available on the web at frigidaire.com / frigidaire.ca.

F-GIC3666T 02/18
© 2017 Electrolux Home Products, Inc.

P 314

PRODUCT DIMENSIONS	
A - Width	36-3/4"
B - Depth	21-1/2"
C - Height	4-3/8"
CUTOUT DIMENSIONS	
D - Width (Min.) (Max.)	33-7/8" 36-1/8"
E - Depth (Min.) (Max.)	19-1/8" 20-1/2"
F - Height (Min.)*	4-1/2"
REQUIRED CLEARANCES	
G - (Min.)	1-1/2"
H - (Min.)	2"
I - (Min.)	2"
J - (Min.)	2-1/2"
K - Cabinet Opening Width (Min.)	36"
UTILITY CONNECTION LOCATIONS	
Power Supply	Right
	Rear



DocuSigned by:

R. Davis

58223DC6B0E34C7...

December 2, 2020

INSTALLATION SPECIFICATIONS

- Product Shipping Weight (approx.) - 54 Lbs.
- Single phase 3- or 4-wire cable, 120/240 or 120/208 Volt, 60 Hertz AC only electrical supply with ground required on separate circuit fused on both sides of line.
- Connected Load (kW Rating) @ 240/208 Volts = 9.6/8.3 kW
- Amps @ 240/208 Volts = 45.0/45.2 Amps
- Recommended Circuit Breaker - 40 Amps
- Always consult local and national electric codes.
- Cooktop cutout height includes clearance needed beneath cooktop to allow for armored cable and installation of junction box or back wall. Position center of junction box 10" inward from right side of cooktop cutout, and 12" down from underside of countertop.
- Overhead cabinetry should not exceed a 13" maximum depth.
- Absolute minimum horizontal distance between overhead cabinets installed to either side of appliance must be no less than 36".
- Allow 30" minimum clearance between top of cooktop platform and bottom of unprotected wood or metal overhead cabinet; or 24" minimum clearance when bottom of wood or metal overhead cabinet is protected by not less than 1/8" flame-retardant millboard covered with not less than No. 28 MGS sheet steel, 0.015" stainless steel, 0.024" aluminum or 0.020" copper.

- Allow 2" minimum clearance between rear edge of cutout and nearest combustible surface (or backsplash) above countertop.
- Allow 2" minimum required clearance from left edge of cooktop to nearest combustible wall and 2" minimum from right edge of cooktop to nearest combustible wall.
- Installation of drawer not recommended beneath cooktop.
- To reduce risk of fire when using overhead cabinetry, install range hood that projects horizontally a recommended minimum of 5" beyond bottom of cabinets.
- Electric Built-In Cooktop model FGIC3666T is approved to be used over any Frigidaire® Electric Single Wall Oven. (Refer to Electric Cooktop Installation Over 30"/27" Electric Single Wall Oven Specifications page on web.)

OPTIONAL ACCESSORIES

- Granite Countertop Installation Kit - (PN # 903061-9010).



FRIGIDAIRE

USA 10200 David Taylor Drive Charlotte, NC 28262 1-800-FRIGIDAIRE • frigidaire.com
CANADA 5855 Terry Fox Way Mississauga, ON L5V 3E4 1-800-265-8352 • frigidaire.ca

Note: For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com / frigidaire.ca](http://frigidaire.com/frigidaire.ca). Specifications subject to change. Accessories information available on the web at [frigidaire.com / frigidaire.ca](http://frigidaire.com/frigidaire.ca)

©2017 Electrolux Home Products, Inc. FGIC3666T 02/18

KitchenAid®

27" (68.6 cm) and 30" (76.2 cm) Electric Built-In Microwave/Oven Combination

PRODUCT MODEL NUMBERS

KEMS309E KOCE500E KOCE507E

ELECTRICAL CONNECTION

If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path and the wire gauge are in accordance with local codes. Check with a qualified electrical installer if you are not sure the oven is properly grounded.

This oven must be connected to a grounded metal, permanent wiring system.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. 0-M91-latest edition, and all local codes and ordinances.

To properly install your oven, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

- Oven must be connected to the proper electrical voltage and frequency as specified on the model/serial/rating plate. See the following illustration.
- A circuit breaker is recommended.
- Connect directly to the fused disconnect (or circuit breaker box) through flexible, armored or nonmetallic sheathed, copper cable (with grounding wire). See "Make Electrical Connection" section.
- Flexible conduit from the oven should be connected directly to the junction box.
- Do not cut the conduit. The length of conduit provided is for serviceability of the oven.
- A UL listed or CSA approved conduit connector must be provided.
- If the house has aluminum wiring, follow the procedure below:
 1. Connect a section of solid copper wire to the pigtail leads.
 2. Connect the aluminum wiring to the added section of copper wire using special connectors and/or tools designed and UL listed for joining copper to aluminum.

Follow the electrical connector manufacturer's recommended procedure. Aluminum/copper connection must conform with local codes and industry accepted wiring practices.

For power requirements, refer to the following table.

Model	Voltage	Amperage (L-1)*	Amperage (L-2)*	Rating (W)
KOCE507E/KOCE500E	120/240	32	30	8000
KOCE507E/KOCE500E	120/208	30	28	6600

*Amperage values noted above are for information purposes only: the units are rated in watts.

Because Whirlpool Corporation includes a continues commitment to improve our products, we reserve the right to change materials and specifications without notice.

Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

Ref. W10725683B
2/10/15

KitchenAid®

27" (68.6 cm) and 30" (76.2 cm) Electric Built-In Microwave/Oven Combination

PRODUCT DIMENSIONS

P. 4/4

27" (68.6 cm) models

A. 42³/₁₆" (108.0 cm) overall height
B. 25⁷/₁₆" (64.6 cm) recessed width
C. 41" (104.1 cm) recessed height
D. 23¹/₄" (59.1 cm) max. recessed depth
E. 27" (68.6 cm) overall width
F. 48" (121.9 cm) flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.

Cabinet Dimensions

* NOTE: The cabinet height can be between 41" (104.1 cm) and 41¹/₂" (105.6 cm) for microwave/oven combination.

DocuSigned by:
20201122080347...
December 2, 2020

DS
00

ROCKFORD GRANITE AND TILE

Date Printed: 17-Dec-20

Item	Description	Qty.
1 - U052T	UPGRADE TILE FOR MASTER ENSUITE SHOWER STALL FLOOR AS PER COLOUR CHART	1
2 - I0052T	INSTALL GLASS BACKSPLASH IN KITCHEN INCLUDING BEHIND FUTURE HOOD VENT AS PER COLOUR CHART	1
3 - I591T	INSTALL STANDARD CEILING TILE IN MAIN BATHROOM TUB ENCLOSURE AS PER COLOUR CHART	1

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or hereinafter imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Site Super	Date
------------	------

**QUALITY
BREMARDI
ROCKFORD TILES**

Lot: 9 - APPLEVIEW - Newton Elev B

Item	Description	Qty.
1 - I5882T	INSTALL UPGRADE HARDWOOD FLOORING IN KITCHEN IN LIEU OF STANDARD TILE AS PER COLOUR CHART	1
2 - I0762T	INSTALL UPGRADE HARDWOOD FLOORING ON MAIN LEVEL EXCEPT WHERE TILE IS LAID AS PER COLOUR CHART	1

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.


The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed:	Site Super	Date
------------	------------	------

Work Order



To: CORTINA KITCHENS

Work Order #: 9132

Date Printed: 17-Dec-20

Lot: 9 - APPLEVIEW - Newton Elev B

Item	Description	Qty.
1 - I593R	INSTALL GOTHIC GLASS FOR CORNER ANGLED UPPER WITH MATCHING INTERIOR	1
2 - I569N	INSTALL SOFT CLOSING DRAWERS/DOORS IN KITCHEN	1
3 - I065T	INSTALL UPGRADE HARDWARE FOR ALL KITCHEN CABINETRY AS PER COLOUR CHART	1

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed:

Site Super

Date



Work Order

To: MIRANDA PAINTING INC.

Work Order #: 9133
Date Printed: 17-Dec-20

Lot: 9 - APPLEVIEW - Newton Elev B

Item	Description	Qty.
1 -	STAIN RAILING PICKETS POSTS ETC. TO MATCH HARDWOOD FLOORING AS	1
S059E	CLOSE AS POSSIBLE	

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: Site Super Date

Work Order



To: MULTIPLE TRADES

Work Order #: 9134

RIVA
ROCKFORD GRANITE

Date Printed: 17-Dec-20

Lot: 9 - APPLEVIEW - Newton Elev B

Item	Description	Qty.
1 - 1057T	INSTALL UNDERMOUNT STAINLESS STEEL SINK IN KITCHEN AS PER COLOUR CHART	1

\$0.00

The Subcontractor agrees to perform the Work and to supply the Extras as may be ordered by the Contractor within the one year period from the date hereof and the price of the Work per dwelling unit listed in pre-determined contract pricing, and the price of each Extra set forth in said contract pricing, which prices are firm and guaranteed from such one year period and are inclusive of all taxes now or herein after imposed whether federal, provincial or municipal, including without limitation all goods and services taxes.

The Subcontractor prior to commencement of the Work with respect to each dwelling unit shall visit the Site-Office and check the specifications, pertaining to each such dwelling unit to ascertain if there are any "changes" or "extras" with respect to such dwelling unit that will effect his Work. If he fails to do this, or if he overlooks any item on the specification that affects his Work it will be his responsibility to rectify his Work and to bear the cost of rectification resulting from his oversight.

For any work orders issued for which there is no contract price subcontractor is to obtain a purchase order from Head Office.

No Invoices will be paid unless the Completion Acknowledgement section below has been signed.

Completed: Site Super Date