






ROOF PLAN 'A'  
REAR UPGRADE



REAR UPGRADE  
ELEVATION 'A' LOT 131




ROOF PLAN 'A'  
REAR UPGRADE

NOTE: ALL CONVENTIONAL ROOF FRAMING TO CONFORM TO PART 9 OF THE OBC. ROOF RAFTERS THAT MEET OR CROSS OVER TRUSSES ARE TO BE 2"x4" SPF @ 24" O.C. WITH A 2"x4" SPF VERTICAL POST TO THE TRUSS UNDER, AT EACH CROSS POINT. POSTS LONGER THAN 6' TO BE Laterally Braced so that the distance between end points & between rows of bracing does not exceed 6'.

NOTE: REFER TO STREET-SCAPES FOR POSSIBLE MINOR CHANGES DUE TO GRADING CONDITIONS

NOTE: REFER TO TRUSS DRAWINGS FOR APPROVED TRUSS LAYOUT



WOD REAR UPGRADE  
ELEVATION 'A' LOT 126

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and any provisions including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or whether the proposed construction complies with building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.

| # | ISSUED FOR CLIENT REVIEW | revisions | date      | down | chk | # | revisions | date | down | chk |
|---|--------------------------|-----------|-----------|------|-----|---|-----------|------|------|-----|
| 1 |                          |           | 12 OCT 16 | AD   | JP  |   |           |      |      |     |

I, **DESIGNER**, DECLARE THAT I HAVE REVIEWED AND TAKEN DESIGN RESPONSIBILITY FOR THE DESIGN WORK ON BEHALF OF **RN DESIGN LTD** UNDER DIVISION C PART 3 SUBSECTION 3.2.4 OF THE BUILDING CODE. I AM QUALIFIED AND THE FIRM IS REGISTERED IN THE APPROPRIATE CLASSES / CATEGORIES.

QUALIFIED DESIGNER BCIN:  
FIRM BCIN:  
DATE:


model  
41-6

scale  
3/16" = 10"

project #  
13098

page






ROOF PLAN 'B'  
REAR UPGRADE

NOTE: ALL CONVENTIONAL ROOF FRAMING TO CONFORM TO PART 9 OF THE OBC. ROOF RAFTERS THAT MEET OR CROSS OVER TRUSSES ARE TO BE 2"x4" SPF @ 24" O.C. WITH A 2"x4" SPF VERTICAL POST TO THE TRUSS UNDER, AT EACH CROSS POINT. POSTS LONGER THAN 6' TO BE Laterally Braced so that the distance between end points & between rows of bracing does not exceed 6'.

NOTE: REFER TO STREET-SCAPES FOR POSSIBLE MINOR CHANGES DUE TO GRADING CONDITIONS

NOTE: REFER TO TRUSS DRAWINGS FOR APPROVED TRUSS LAYOUT



WOD REAR UPGRADE  
ELEVATION 'B' LOT 128

It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for examining or approving site (lotting) plans or engineering drawings, or for ensuring that any building code or permit matter or that any house can be properly built or located on its lot.


This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.



| client                  |                          | location       |              |
|-------------------------|--------------------------|----------------|--------------|
| Gold Park Homes         |                          | Brampton       |              |
| project                 |                          | marketing name |              |
| McLaughlin and Mayfield |                          | The Verdi      |              |
| #                       | ISSUED FOR CLIENT REVIEW | revisions      | date dwn chk |
| 1                       |                          |                |              |

I, **DECLARE THAT I HAVE REVIEWED AND TAKEN DESIGN RESPONSIBILITY FOR THE DESIGN WORK ON BEHALF OF RN DESIGN LTD UNDER DIVISION C PART 3 SUBSECTION 3.2.4 OF THE BUILDING CODE. I AM QUALIFIED AND THE FIRM IS REGISTERED IN THE APPROPRIATE CLASSES / CATEGORIES.**


QUALIFIED DESIGNER BCIN:  
FIRM BCIN:  
DATE:



NOTE: ALL CONVENTIONAL ROOF FRAMING TO CONFORM TO PART 9 OF THE OBC. ROOF RAFTERS THAT MEET OR CROSS OVER TRUSSES ARE TO BE 2"x4" SPF @ 24" O.C. WITH A 2"x4" SPF VERTICAL POST TO THE TRUSS UNDER, AT EACH CROSS POINT. POSTS LONGER THAN 6' TO BE Laterally Braced so that the distance between end points & between rows of bracing does not exceed 6'.

NOTE: REFER TO STREET-SCAPES FOR POSSIBLE MINOR CHANGES DUE TO GRADING CONDITIONS

NOTE: REFER TO TRUSS DRAWINGS FOR APPROVED TRUSS LAYOUT



It is the builder's complete responsibility to ensure that all plans submitted for approval fully comply with the Architectural Guidelines and all applicable regulations and requirements, including zoning provisions and any provisions in the subdivision agreement. The Control Architect is not responsible in any way for re-examining or approving site (lotting) plans or working drawings with respect to any zoning or building code or permit matter or that any house can be properly built or located on its lot.

This is to certify that these plans comply with the applicable Architectural Design Guidelines approved by the City of BRAMPTON.


| client                  |                          |           | location  |     |   |           |      |     |     |
|-------------------------|--------------------------|-----------|-----------|-----|---|-----------|------|-----|-----|
| Gold Park Homes         |                          |           | Brampton  |     |   |           |      |     |     |
| project                 |                          |           |           |     |   |           |      |     |     |
| McLaughlin and Mayfield |                          |           | The Verdi |     |   |           |      |     |     |
| #                       | revisions                | date      | dwn       | chk | # | revisions | date | dwn | chk |
| i                       | ISSUED FOR CLIENT REVIEW | 12/OCT/16 | AD        | JP  |   |           |      |     |     |
|                         |                          |           |           |     |   |           |      |     |     |
|                         |                          |           |           |     |   |           |      |     |     |

1. DECLARE THAT I HAVE REVIEWED AND TAKEN DESIGN RESPONSIBILITY FOR THE DESIGN WORK ON BEHALF OF **RN DESIGN LTD** UNDER DIVISION C:PART-3 SUBSECTION-3.2.4 OF THE BUILDING CODE. I AM QUALIFIED AND THE FIRM IS REGISTERED IN THE APPROPRIATE CLASSES / CATEGORIES.

QUALIFIED DESIGNER BCIN:  
FIRM BCIN:  
DATE:

NOTE: ELECTRICAL, GAS  
AND VENT LOCATIONS  
ARE SCHEMATIC ONLY.  
TO BE COORDINATED  
WITH ELECTRICAL AND  
MECHANICAL DRAWINGS  
BY THE CONTRACTOR.

ELEV. A & B REAR UPGRADE  
LOTS 131,126,122,128



FOR CONTINUATION REFER TO SECOND FLOOR PLAN ELEVATION 'A'

File:C:\\_RN\_Standards\Temp\AcPublish\_10936\13098 - 41-6-FINAL.dwg Plotted: Oct 12, 2016 By:JulioP

I, \_\_\_\_\_, DECLARE THAT I HAVE REVIEWED AND TAKEN  
DESIGN RESPONSIBILITY FOR THE DESIGN WORK ON BEHALF  
OF **RN DESIGN LTD** UNDER DIVISION C, PART-3 SUBSECTION-3.2.4  
OF THE BUILDING CODE. I AM QUALIFIED AND THE FIRM IS  
REGISTERED IN THE APPROPRIATE CLASSES / CATEGORIES.

QUALIFIED DESIGNER BCIN:  
FIRM BCIN:  
DATE:

SIGNATURE: \_\_\_\_\_

client

Gold Park Homes

project

Mclaughlin and Mayfield

location

Brampton

marketing name

The Verdi

| # | revisions                | date      | dwn | chk | # | revisions | date | dwn | chk |
|---|--------------------------|-----------|-----|-----|---|-----------|------|-----|-----|
| 1 | ISSUED FOR CLIENT REVIEW | 12-OCT-16 | AD  | JP  |   |           |      |     |     |
|   |                          |           |     |     |   |           |      |     |     |
|   |                          |           |     |     |   |           |      |     |     |
|   |                          |           |     |     |   |           |      |     |     |

**RN design**  
*Imagine • Inspire • Create*



model

41-6

scale

3/16" = 1'0"

project #

13098

page

A32