

CONSTRUCTION SUMMARY

Brampton Encore - BLK 149 - 1 - 38-8 Elev.A CORELLI **CERAMIC**

Inv. 1,284	1 - KITCHEN: INSTALL Floor Upgrade 2 Kitchen and Breakfast Floor with Servery
Line 20031	Note:
29Mar17 / 19Jun17	
Inv. 1,284	1 - FOYER: INSTALL Floor Upgrade 2 Foyer Vestibule Floor
Line 20032	Note:
29Mar17 / 19Jun17	
Inv. 1,284	1 - POWDER ROOM: INSTALL Floor Upgrade 2 Powder Room Floor
Line 20033	Note:
29Mar17 / 19Jun17	

ELECTRICAL	
Inv.1,284	1 - KITCHEN: DELETE CABINETS ABOVE STOVE. PURCHASER TO INSTALL FAN AFTER CLOSING
Line 2264 1	Note:
29Mar17 / 19Jun17	
Inv. 1,284	1 - TELEPHONE AND CABLE ROUGH-IN LOCATIONS
Line20023	Note:
29Mar17 / 19Jun17	
Inv.1,284	1 - FAMILY ROOM: INSTALL CONDUIT PIPE FOR TELEVISION- MUST SPECIFY LOCATION AND TERMINATION POINT, ABOVE FIREPLACE
Line 20025	Note:
29Mar17 / 19Jun17	
Inv.1,284	1 - KITCHEN: INSTALL A 110 V WALL RECEPTICAL ON DEDICATED CIRCUIT- IN SERVERY FOR FUTURE WINE FRIDGE
Line 20026	Note:
29Mar17 / 19Jun17	
Inv. 1,284	1 - FAMILY ROOM: INSTALL A 110 V WALL RECEPTICAL ON DEDICATED CIRCUIT- ABOVE FIREPLACE. SEE SKETCH
Line 20027	Note:
29Mar17 / 19Jun17	
Inv.1,284	1 - KITCHEN: INSTALL 220 V WALL RECEPTICAL ON DEDICATED CIRCUIT- FOR 4 WIRE BUILT-IN WALL OVEN- FOR MICROWAVE/WALL OVEN UNIT. PURCHASER IS AWARE THAT THEY NEED TO BUY THE APPROPRIATE CABINETRY.
Line 20028	Note:
29Mar17 / 19Jun17	
Inv.1,284	1 - ELECTRICAL FOR APPLIANCES: PLEASE NOTE THAT PRICE ABOVE MAY CHANGE. PURCHASERS TO PROVIDE PROPER SPECS TO PRICE APPLICABLE ELECTRICAL PROPERLY
Line 20029	Note:
29Mar17 / 19Jun17	· · · · · · · · · · · · · · · · · · ·

Exterior Colours

Inv. 1,284	1 - EXTERIOR COLOUR PACKAGE 9
Line 22 639	Note:
29Mar17 / 19Jun17	

FRAMING

nSummary.rpt 05jul16

Printed and Sent: 19-Jun-17



CONSTRUCTION SUMMARY

Brampton Encore - BLK 149 - 1 - 38-8 Elev.A CORELLI

Inv.1,284	1 - GARAGE: INSTALL MANDOOR- GARAGE TO HOUSE- AS PER PLAN AND GRADE PERMITTING. AS PER AGREEMENT OF PURCHASE AND SALE
Line 22640	Note:
29Mar17 / 19Jun17	

GRANITE MARBLE QUARTZ

lnv.1,284	1 - GRANITE: INSTALL 2 CM GRP 1 OPTIONAL FLUSH BREAKFAST BAR
Line20037	Note:
29Mar17/19Jun17	
Inv.1,284	1 - GRANITE- KITCHEN: INSTALL CONTINIOUS COUNTER TOP FOR 30" COOKTOP
Line20038	Note:
29Mar17/19Jun17	

HARDWOOD

Inv.1,284	1 - INSTALL HARDWOOD IN VINTAGE PEWTER ON LANDINGS TO MATCH STAIRCASE STAIN
Line 22638	Note:
29Mar17 / 19Jun17	
Inv.1,284	1 - MAIN FLOOR: SUPPLY 1ST UPGRADE HARDWOOD ON MAIN FLOOR AS PER AGREEMENT OF PURCHASE AND SALE
Line 20042	Note:
29Mar17 / 19Jun17	

KITCHEN AND BATH CABINETRY

Inv.1 ,28 4	1 - KITCHEN: INSTALL HANDLES IN KITCHEN
Line 20 034	Note:
29Mar17 / 19Jun17	
Inv.1 ,284	1 - KITCHEN: INSTALL Oak PVC 112 Built in wall oven and microwave and cooktop with countertop by others 242cm
Line20035	Note:
29Mar17 / 19Jun17	
Inv.1 ,284	1 - KITCHEN: TWO-TONE KITCHEN. CHANGE KITCHEN ISLAND TO DIFFERENT COLOUR, SAME STYLE DOOR. SEE COLOUR CHART
Line 20036	Note:
29Mar17 / 19Jun17	
lnv.1,284	1 - KITCHEN: DELETE CABINETS ABOVE STOVE. PURCHASER TO INSTALL FAN AFTER CLOSING
Line20039	Note:
29Mar17 / 19Jun17	

MISC.

Inv.1,284	1 - BONUS PACKAGE: \$10,000.00 (INCLUDING TAXES) WORTH OF UPGRADES FROM GOLD PARK HOMES DÉCOR CENTRE IS BEING APPLIED TOWARD THE STRUCTURAL AND COLOUR APPOINTMENT
Line 20 044	Note:
29Mar17 / 19Jun17	
Inv.1 ,284	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee of \$500. PLUS a 10% holdback fee
Line20045	Note:
29Mar17 / 19Jun17	



CONSTRUCTION SUMMARY

Brampton Encore - BLK 149 - 1 - 38-8 Elev.A CORELLI

Inv. 1,284	1 - Purchasers are aware & accepts that ANY changes made to upgrades after signing this Purchasers Extra Form are subject to a minimum administration fee of \$500. PLUS a 10% holdback fee
Line 20590	Note:
29Mar17 / 19Jun17	

PAINTING

Inv. 1,284	1 - STAIRCASE: STAIN STAIRCASE AS PER AGREEMENT OF PURCHASE AND SALE
Line20043	Note:
29Mar17 / 19Jun17	

PLUMBING

Inv. 1,284	1 - KITCHEN: INSTALL ROUGH-IN WATER LINE FOR FRIDGE
Line 20024	Note:
29Mar17 / 19Jun17	

STAIRS AND RAILINGS

Inv.1,284	1 - STAIRCASE: INSTALL EUROLINE 1 BLACK
Line20040	Note:
29Mar17 / 19Jun17	
Inv.1 ,284	1 - STAIRCASE: INSTALL V GROOVE HANDRAIL
Line 20041	Note:
29Mar17 / 19Jun17	

WINDOWS AND DOORS

Inv.1 ,284	1 - GARAGE: INSTALL MANDOOR- GARAGE TO HOUSE- AS PER PLAN AND GRADE
	PERMITTING. AS PER AGREEMENT OF PURCHASE AND SALE
Line20030	Note:
29Mar17 / 19Jun17	

Page 3 of 3

nSummary.rpt 05jul16

Printed and Sent: 19-Jun-17

INTERIOR COLOUR SCHEME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: October 20-17

Purchasers:

Master Ensuite Bathroom

Tub Deck Sementine Beyaz 8 x 10

Shower Stall Serpentine Beyaz 8 x 10

Rathram Welle Comentine Person 2 v 10

Marco Aguilera & Irene Aguilera

Property: BLK 149

Telephone Res. / Bus: (647) 537-2126

Transfer Duo.	(941) 001-Z 120	Project;	Brampton F	Ericore - Phase 2
Decor Advisor:	Terri Parisara			
	resti r et soal a	Model and Elevation:	38-8 Elev.A	CORELLI
	V. A. 33			

Layout Changes: Yes	No Sketch Attached:	Yes No Exterior Colou	r Scheme:
1. Cabinetry———	Style and Colour	Counter	
Kitchen / Breakfast	Venice(pvc)WhiteCrystal	Grigio Sardo Granite Edge	Hard are
Laundry Room	And the same of th	good of an are Lugar	FE 20 CHANGE T*CH-53
Powder Room			
TWIN BATH	Venice (pvc) Mystic /	8830-58 Elemental Concrete	Laminate cs1-24
Master Ensuite			The state of the s
Bathroom	Venice (pvc) Mystic /	7735-58 Portico Marble Lamir	nate cs1-24
Second Ensuite Bathroom (If Applicable)	Venice (pvc) Mystic V	8830-58 Elemental Concrete I	Laminate cs1-24
			1001-24
Comment			
NOTE: RITUGEN ISLAND TO	SE A DIFFERENT COLOUR FROM WA	LL CABINETS: VENICE (PVC) SILVER***	-
[
2. Floor Tile	Warded a flore a real and a second a second and a second		
Entrance Vestibule	Selection		
Main Hall	*Upg.2 Land Series Anthracit	e 12 x 24 /	
Kitchen / Breakfast	*I Ing ? I and Sation Anthonis	10.06	
Laundry Room	*Upg.2 Land Series Anthracit Serpentine Grey 13 x 13	e 12 x 24 /	
Powder Room	Upg.2 Land Series Anthracit	249 × 24	
TWIN BATH	Serpentine Grey 13 x 13	812.824 7	
Master Ensuite			
Bathroom	Serpentine Beyaz 13 x 13		
Second Ensuite	Serpentine Grey 13.x 13		
Bathroom (If Applicable)	Seibentine Grey (3.X 13		
Lower Landing (If Applicable)	-		
(II Applicable)			
Comment			
	100 to 10		
185-11 Wid-	A CONTRACTOR OF THE CONTRACTOR		
3. Wall Tile	Selection	Listello/Inserts Describe	9
TWIN BATH	Serpentine Grey 8 x 10	Yes No	

Yes No

Yes No

GOLDPARK

INTERIOR COLOUR SCHEME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: October-20-17

Purchasers:

Marco Aguilera & Irene Aguilera Property: BLK 149 Telephone Res. / Bus: (647) 537-2126 Project: Brampton Encore - Phase 2 Decor Advisor: Terri Parisani Model and Elevation: 38-8 Elev.A CORELLI Layout Changes: Pyes No Sketch Attached: Yes () No Exterior Colour Scheme: 1. Cabinetry Style and Colour Counter Hardware Kitchen / Breakfast *Venice(pvc)WhiteCrystal Grigio Sardo Granite Edge-FE 20 Laundry Room **Powder Room** TWIN BATH Venice (pvc) Mystic 🗸 8830-58 Elemental Concrete Laminate cs1-24 Master Ensuite Venice (pvc) Mystic Bathroom 7735-58 Portico Marble Laminate cs1-24 Second Ensuite Venice (pvc) Mystic ∨ 8830-58 Elemental Concrete Laminate Bathroom (If Applicable) cs1-24 Comment **NOTE: KITCHEN ISLAND TO BE A DIFFERENT COLOUR FROM WALL CABINETS: VENICE (PVC) SILVER** 2. Floor Tile Selection **Entrance Vestibule** *Upg.2 Land Series Anthracite 12 x 24 / Main Hall Kitchen / Breakfast *Upg.2 Land Series Anthracite 12 x 24 Laundry Room Serpentine Grey 13 x 13 Powder Room *Upg.2 Land Series Anthracite 12 x 24 TWIN BATH Serpentine Grey 13 x 13 Master Ensuite Serpentine Beyaz 13 x 13 Bathroom Second Ensuite Serpentine Grey 13 x 13 Bathroom (If Applicable) Lower Landing (If Applicable) Comment Wall Tile Listello/Inserts Selection Describe TWIN BATH Serpentine Grey 8 x 10 Yes 🐼 No Master Ensuite Bathroom Tub Deck Serpentine Beyaz 8 x 10 🔘 Yes 🚷 No Yes No Serpentine Beyaz 8 x 10 Shower Stall Serpentine Beyaz 8 x 10 **Bathroom Walls** O Yes 🐠 No Second Ensuite Serpentine Grey 8 x 10 Yes Mo Bathroom (If Applicable) Yes No Kitchen Backsplash Yes **N**o Backsplash Behind Fridge Comment

JAMA-

GOLDPARK INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: October-20-17 Purchasers: Marco Aguilera & Irene Aguilera Property: BLK 149 Telephone Res. / Bus: (647) 537-2126 Project: Brampton Encore - Phase 2 Decor Advisor: Model and Elevation: 38-8 Elev.A CORELLI Terri Parisani 4. Plumbing Fixtures Second Ensuite **Powder Room** Master Ensuite Bathroom Other Room - Specify Other Washroom Comment ALL PLUMBING FIXTURES TO BE STANDARD THROUGHOUT Hardwood Flooring Type and Stain Type and Stain Main Hall *Upg1, Preverco 4 1/4" Inox **Upper Landing** Kitchen / Breakfast Upper Hall Living Room *Upg1, Preverco 4 1/4" Inox Master Bedroom **Dining Room** *Upg1, Preverco 4 1/4" Inox v Bedroom #2 Family Room *Upg1, Preverco 4 1/4" Inox 🗸 Bedroom #3 Den/Library *Upg1, Preverce 4 1/4" Inox Bedroom #4 Entrance Vestibule Bedroom #5 Lower Landing Other Room - Specify (If Applicable) Comment 6. Carpeting Upgrade Description **Ground Floor** T-03 Second Floor T-03 T-03 Area Upgrade Underpad STANDARD Capped Runner - *Upgrade Carpet on Stairs N/A N/A Comment 7. Fireplace Living Room Family Room Other Room - Specify Purchased As Per Plan N/A Purchased As Per Plan NΑ Purchased As Per Plan N/Α 0 ()Fireplace Type NF-24 Mantle Type STANDARD Colour / Stain WHITE PAINT-GRADE Surround NERO MARQUINA Hearth NONE Comment

M.A.

GOLDPARK WORTH MORE

INTERIOR COLOUR SCHEME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: October-20-17

Purchasers:

Marco Aguilera & Irene Aguilera

Property: BLK 149

Telephone Res. / Bus: (647) 537-2126

Project: Brampton Encore - Phase 2

Decor Advisor:

Terri Parisani

Model and Elevation: 38-8 Elev.A CORELLI

Entrance Vestibule Main Hall Living Room Comment Railings and Spindles Calling Package Electure Pewter, Red Oak Stringer / Riser Wintage Pewter, Red Oak Comment Wall Paint / Ceilings Chroughout Finished Areas WARM GREY White White Who was a warm of the pewter of the	intorior Trino ICT		ss Inserts STANDARD	Door Handles STANDARD
Plaster Mouldings and Medallions Standard Throughout	himan,	ANDARD		
Standard Throughout Yes No N/A Entrance Vestibute	Comment			
Entrance Vestibule Main Hall Living Room Lower Landing Dinning Room Dinning Room Comment Comment Railings and Spindles Railing Package ELECALER I WITH V-GROOME HANDRAIL Railing Colour WINTAGE PEWTER, RED OAK Stringer / Riser WINTAGE PEWTER, RED OAK Treads MINTAGE PEWTER, RED OAK Stringer / Riser Comment Wall Paint / Ceilings Throughout Finished Areas WARM GREY Trim Paint White Smooth Cellings Ground Floor Second Floor Note				
Standard Throughout				
Entrance Vestibule				
Standard Throughout	Di w we we			
Entrance Vestibule Main Hall Living Room Dining Room Comment Other Room - Specify Pamily Room Other Room - Speci				
Main Hall Living Room Lower Landing Dining Room Other Room - Specify Family Room Comment Comment	Standard Through	out O Yes O No N/A		
Main Hail Living Room Lower Landing Dining Room Comment	Entrance Vestibule	4	Vitaban/Decelefont	
Living Room				
Dining Room Family Room Comment Other Room - Specify Family Room Comment Other Room - Specify Other Room - Specify Family Room Comment Other Room - Specify Other Room - Sp			= '	
Family Room Comment D. Railings and Spindles Railing Package Railing Package Railing Colour VINTAGE PEWTER, RED OAK Stringer / Riser VINTAGE PEWTER, RED OAK Comment STAIN LANDINGS TO MATCH STAIRCASE Dak Stairs WARM GREY Trim Paint White Smooth Cellings Ground Floor Second Floor Note	·			
D. Railings and Spindles Railing Package EUROLINE 1 WITH V-GROOVE HANDRAIL Railing Colour VINTAGE PEWTER, RED.OAK Spindle Colour BLACK Treads VINTAGE PEWTER, RED.OAK Comment Cak Stairs Yes No No NA STAIN LANDINGS TO MATCH STAIRCASE Trim Paint / Ceilings Trim Paint White Smooth Cellings Ground Floor Second Floor Note				
Railing Colour WINTAGE PEWTER, RED OAK Spindle Colour BLACK Stringer / Riser WINTAGE PEWTER, RED OAK Oak Stairs Yes No NA Comment Oak Stairs Yes No NA STAIN LANDINGS TO MATCH STAIRCASE I. Wall Paint / Ceilings Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor	Comment			
Railing Package EURCLINE 1 WITH V-GROOVE HANDRAIL Railing Colour VINTAGE PEWTER, RED OAK Spindle Colour BLACK				
Railing Package EURCLINE 1 WITH V-GROOVE HANDRAIL Railing Colour VINTAGE PEWTER, RED OAK Spindle Colour BLACK Stringer / Riser VINTAGE PEWTER, RED OAK Treads MINTAGE PEWTER, RED OAK Comment Oak Stairs Yes No N/A STAIN LANDINGS TO MATCH STAIRCASE	1			
Stringer / Riser VINTAGE PEWTER, RED OAK Comment Oak Stairs Yes No NA	Railing Package			
Comment Oak Stairs Yes No N/A STAIN LANDINGS TO MATCH STAIRCASE . Wall Paint / Ceilings Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note	· ·	VINTAGE PEWTER, RED OAK	Spindle Colour	BLACK
STAIN LANDINGS TO MATCH STAIRCASE . Wall Paint / Ceilings Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note	Stringer / Riser	/INTAGE PEWTER, RED OAK		VINTAGE PEWTER, RED OAK
. Wall Paint / Ceilings Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note			Oak Stairs	Yes No NA
Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note	STAIN LANDINGS TO M	ATCH STAIRCASE		
Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note	*			
Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note				
Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note				
Throughout Finished Areas WARM GREY Trim Paint White Smooth Ceilings Ground Floor Second Floor Note				
Smooth Ceilings Ground Floor Second Floor Note		eilings		
Smooth Ceilings Ground Floor Second Floor Note	. Wall Paint / C	-		
Smooth Ceilings Ground Floor Second Floor Note	. Wall Paint / C	-		
Ground Floor Second Floor Note	. Wall Paint / C	ed Areas WARM GREY		
Second Floor Note	. Wall Paint / C Throughout Finish Trim Paint	ed Areas WARM GREY		
Note	. Wall Paint / C Throughout Finish Trim Paint Smooth Ceilings	WARM GREY White		
	. Wall Paint / C Throughout Finish Trim Paint Smooth Ceilings Ground Flo	ed Areas WARM GREY White or		
Comment	. Wall Paint / C Throughout Finish Trim Paint Smooth Ceilings Ground Flo Second Flo	ed Areas WARM GREY White or		
	. Wall Paint / C Throughout Finish Trim Paint Smooth Ceilings Ground Flo Second Flo	ed Areas WARM GREY White or		
	. Wall Paint / C Throughout Finish Trim Paint Smooth Ceilings Ground Flo Second Flo Note	ed Areas WARM GREY White or		
	. Wall Paint / C Throughout Finish Trim Paint Smooth Ceilings Ground Flo Second Flo Note	ed Areas WARM GREY White or		

AM.A.

WORTH MORE		Scheduled Closing Date: October-20-1	7
rchasers: Marco	Aguilera & Irene Aguilera	_	,
ephone Res. / Bus: (647) (Project: Brampton En	core - Phase 2
cor Advisor: Тепі Р	arīsani	Model and Elevation: 38-8 Elev.A (CORELLI
2. Electrical			
Hood Fan White	Stainless (N/A	Above Kitchen Cal	ninet Light 🔘 Yes 🌑 N
		Below Kitchen Cab	inet Light 🔘 Yes 🌑 N
Standard Appliances			
Over The Range Microway	e 🗌		
Chimney Style Fan			
Comment			
		, , , , , , , , , , , , , , , , , , ,	STATE OF THE STATE
		·	
3. Heating and Air Cor	nditioning ———		
Air Conditioning		Gas Provisions Stove	
Gas Provisions Dryer		Gas Provisions Barbecue	YES, STANDARD
Comment			
l. Additional Commen	its		
. Additional Commen	its	·	
l. Additional Commen	its		
l. Additional Commen	its		
. Additional Commen	its	·	
I. Additional Commen	its		
l. Additional Commen	its		
l. Additional Commen	its		
l. Additional Commen	its		
l. Additional Commen	its-		
. Additional Commen	its		
I. Additional Commen	its.		
. Additional Commen	its		
. Additional Commen			
5. Disclaimers and No	tes		
5. Disclaimers and No 1) Colours of all materials are as cl	tes	ection, but not necessarily identical due to variances y a separate invoice/amendment. Said invoice must	

JAM.A.

Signature:

This Interior Colour Selection is final and approved by:


Date:



Teleplone - (T)
Cable - (C)
Electrical (E)



Elevation A • 3,878 sq.ft. | Elevation B • 3,878 sq.ft.




Prices, figures, elustrations, sizes, features and finishes are subject to change without notice, E.EO.E. Areas and dimensions an approximete and actual usable floor space may very from the stated area. Layout may be everase of the unit purchased, E.E.O.E. **GOLDARK**

Apr.6,17

Telephone - 1 cable — ©

38' SERIES

Elevation A • 3,878 sq.ft. | Elevation B • 3,878 sq.ft.










Elevation A • 3,878 sq.ft. | Elevation B • 3,878 sq.ft.



Lot 1.49 exps. 6, 17

Proces, figures, dissociones, scess, features and finishes are subject to change wemout notice. EACE Areas and dimensions a approximate and actual usable floor scases may tary from the staten area. Enyout they be reverse of the distributions of the distributions.


eorqbäükk





Elevation A • 3,878 sq.ft. | Elevation B • 3,878 sq.ft.

Lot 149





CORTINA QUOTATION Date: 06/23/16 Trade Name: Gold Park Homes Site location: Brampton Model: 38-8 Address Project Encore 85x,90 PAN IN LINE B100 25.00 10.00 PAID45 Delete ლელს გე., UARDEG B46R OFFE BREAKFAST BAR microwave 4 ADJ. SH. B100 US0 (00) wallow UASS6059 TU7024259 USCIOD Wine_ Fridge **C80100** Utstoo OPT, GROUND FLOOR GROUND FL BATH -2440 U9560 U9560 All prices subject to confirmation from head. This quotation is subject to the turms & cond in Corlina's Agreement of Purchase and Sale. All agraements are configuration on strikes, accidents, and ride our installer with template for saidholes or \$150.00 w ACCEPTED DATE: SALESPERSON SERNATION CURTINA HEAD OFFICE APPROVAL ITEM A. Wood grain and colour are characteristics of the product, we cannot guaruntee that such grain and col ITEM B. Cortina Kitchens reserves the right to other dimensions and make sechnical changes without notice.

Alec. 5, 16





70 Regina Road Woodbridge ON L4L 8L6 905-264-6464

INFORMATION - PVC DOORS

Builder Gold Lark Homes Project Incore Lot # 149
All cabinets with PVC (Thermofoil) Doors come with melamine gables, panels and kick. The doors, crown moulding and light valance are PVC wrapped. Open shelves incorporated in design will only be available with melamine interiors. There will be variations in colour shades between the PVC parts (doors, crown and Light valance) and the melamine parts (open shelves, Gables, Panels and Kick) due to the difference in material.
Furring Panel with crown moulding to the ceiling is not available on all PVC door styles due to subtle variations in colour shades between the PVC parts (moulding) and the melamine parts (furring panel) due to the difference in material. Grain directions in wood grain pattern melamine, vary between the furring panel, crown moulding (horizontal) and the PVC doors (vertical).
Thank you for your understanding.
am well informed of this information, and agree to the purchase of the above. Purchaser: Levis Agree Date: Mal 25/17



Granite, Marble, Engineered Surfaces

Cot 149 (pla) Spr. 6, 17

Standard 2CM & SCM
Upgrade 12CM & SCM
Upgrade 14CM
Upgrade 14CM

					_	
eV40		S FEGO	VBSO	OEH OEH	O Fran	O 120
WX40	6		PV30		ila	
FFZAO	OR40		OEXA.			H20 62
1240			FZ30			F20 1120
VB40		÷			· · ·	820
FZ40	6		•			Kitche
	MITER	*			. .	<u>}</u>

40 mm edges (by lamination process). at time ordered. Vendor reserves the right to use Note: All colours may not be available in 30mm

overall thickness of 2". All other Mitre edge options will be an Upgrade 2 Edge. *Mittre edge is available in Upgrade 1 for an

STANDARD HARDWARE



CSI-6



CSI-10




CSI-14




CSI-16



CSI-18



CSI-19



CSI-20




CSI- 21 .




CSI-22




CSI-23






CSI-25

- IMAGES ARE FOR QUICK REFERENCE PURPOSES ONLY - ACTUAL SIZES AND FINISHES AS PER HARDWARE
- SAMPLE BOARD PROVIDED TO DECOR CENTRE





26+149 etos. 6, 17 D. D.



70 Regina Road Woodbridge ON L4L 8L6 905-264-6464

INFORMATION - PVC DOORS

Builder Gold Park Homes Project Encore Lot # 149
All cabinets with PVC (Thermofoil) Doors come with melamine gables, panels and kick. The doors, crown moulding and light valance are PVC wrapped. Open shelves incorporated in design will only be available with melamine interiors. There will be variations in colour shades between the PVC parts (doors, crown and Light valance) and the melamine parts (open shelves, Gables, Panels and Kick) due to the difference in material.
Furring Panel with crown moulding to the ceiling is not available on all PVC door styles due to subtle variations in colour shades between the PVC parts (moulding) and the melamine parts (furring panel) due to the difference in material. Grain directions in wood tree pvC doors (vertical).
Thank you for your understanding.
I am well informed of this information, and agree to the purchase of the above.
Purchaser: \text{VENE flquitson} Date: \text{Date: \text{Aby 25/17}
Men V. Academ R.

KitchenAid 27" (68.6 cm) and 30" (76.2 cm) Electric Built-In Microwave/Oven Combination

PRODUCT MODEL NUMBERS

KEMS309E

KOCE500E

KOCE507E

ELECTRICAL CONNECTION

If codes permit and a separate ground wire is used, it is recommended that a qualified electrical installer determine that the ground path and the wire gauge are in accordance with local codes.


Check with a qualified electrical installer if you are not sure the oven is properly grounded.

This oven must be connected to a grounded metal, permanent wiring system.

Be sure that the electrical connection and wire size are adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or CSA Standards C22.1-94, Canadian Electrical Code, Part 1 and C22.2 No. O-M91-latest edition, and all local codes and ordinances.

To properly install your oven, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

 Oven must be connected to the proper electrical voltage and frequency as specified on the model/serial/rating plate. See the following illustration.



A. Model/serial/rating plate

- Models rated from 7.3 to 9.6 kW at 240 volts (5.4 to 7.4 kW at 208 volts) require a separate 40-amp circuit. Models rated at 4.8 kW and below at 240 volts (3.6 kW and below at 208 volts) require a separate 30-amp circuit.
- · A circuit breaker is recommended.
- · Connect directly to the fused disconnect (or circuit breaker box) through flexible, armored or nonmetallic sheathed, copper cable (with grounding wire). See "Make Electrical Connection" section.
- · Flexible conduit from the oven should be connected directly to the junction box.
- Do not cut the conduit. The length of conduit provided is for serviceability of the oven.
- A UL listed or CSA approved conduit connector must be provided.
- If the house has aluminum wiring, follow the procedure below:
 - 1. Connect a section of solid copper wire to the pigtail leads.
 - 2. Connect the aluminum wiring to the added section of copper wire using special connectors and/or tools designed and UL listed for joining copper to aluminum.


Follow the electrical connector manufacturer's recommended procedure. Aluminum/copper connection must conform with local codes and industry accepted wiring practices.

For power requirements, refer to the following table.

Model	Voltage	(L1)*	Amperage (L2)*	Rating (W)
KOCE507E/KOCE500E		32	30	8000
KOCE507E/KOCE500E		30	28	6600

*Amperage values noted above are for information purposes only: the units are rated in watts.

PRODUCT DIMENSIONS




27" (68.6 cm) models

- A. 421/16" (108.0 cm) overall height
- B. 257/16" (64.6 cm) recessed width
- C. 41* (104.1 cm) recessed height
- D. 231/4" (59.1 cm) max. recessed depth
- E. 27" (68.6 cm) overall width F. 48" (121.9 cm) flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.

30" (76.2 cm) models

- A. 421/16" (108.0 cm) overall height
- B. 287/16" (72.3 cm) recessed
- C. 41" (104.1 cm) recessed height
- D. 231/4" (59.1 cm) max. recessed depth
- E. 30" (76.2 cm) overall width
- F. 48" (121.9 cm) flexible conduit length measured from the conduit clamp located at the rear of the oven. Do not remove the conduit clamp.

Cabinet Dimensions



27" (68.6 cm) models

- A. 27" (68.6 cm) min. cabinet width
- B. 1" (2.5 cm) top of cutout to bottom of upper cabinet door
- C. 191/4" (48.9 cm) bottom of cutout to floor is recommended. 4"-191/4" (10.2-48.9 cm) bottom of cutout to floor is acceptable.
- D. 251/2" (64.8 cm) cutout width
- E. 11/2" (3.8 cm) min. bottom of cutout to top of cabinet door
- 415/16" (105 cm)* recommended cutout height
- G. 24" (60.7 cm) cutout depth 30" (76.2 cm) models
- A. 30" (76.2 cm) min. cabinet width B. 1" (2.5 cm) top of cutout to
- bottom C. 191/4" (48.9 cm) bottom of cutout to floor is recommended. 4"-191/4" (10.2-48.9 cm) bottom of cutout to floor is acceptable.
- D. 281/2" (72.4 cm) cutout width
- E. 11/2" (3.8 cm) min. bottom of cutout
- F. 415/16" (105 cm)* recommended cutout
- G. 24" (60.7 cm) cutout depth
- * NOTE: The cabinet height can be between 41" (104.1 cm) and 411/2" (105.6 cm) for microwave/oven combination.

KitchenAid®

30" (76.2 CM) ELECTRIC INDUCTION COOKTOP

PRODUCT MODEL NUMBERS

KICU500X


ELECTRICAL REQUIREMENTS:

To properly install your cooktop, you must determine the type of electrical connection you will be using and follow the instructions provided for it here.

- A 4-wire or 3-wire, single phase, 240 volt, 60 Hz., AC only electrical supply is required on a separate, 40-amp circuit (30" [76.2 cm] models), fused on both sides of the line.
- The cooktop should be connected directly to the junction box through flexible, armored or nonmetallic sheathed, copper cable. The flexible, armored cable extending from the fuse box or circuit breaker box should be connected directly to the junction box.
- Locate the junction box to allow as much slack as possible between the junction box and the cooktop so that the cooktop can be moved if servicing becomes necessary in the future.
- Do not cut the conduit. The length of conduit provided is for serviceability of the cooktop.
- A UL listed or CSA approved conduit connector must be provided at each end of the power supply cable (at the cooktop and at the junction box). A listed conduit connector is already provided at the cooktop.

PRODUCT DIMENSIONS

30" (76.2 cm) Cooktops




Model KICU500

A. 215/16" (54.1 cm) B. 3034" (78.2 cm)

C. 23/8" (6.0 cm)

CABINET DIMENSIONS

IMPORTANT: If installing a range hood or microwave hood combination above the range, follow the range hood or microwave hood combination installation instructions for dimensional clearances above the cooktop surface.



- A. 291/2" (75.0 cm) on 30" (76.2 cm) models
- B. Combustible area above countertop (shown by dashed box above)
- C. 30" (76.2 cm) minimum clearance between top of cooktop platform and bottom of uncovered wood or metal cabinet (24" [61 cm] minimum clearance if bottom of wood or metal cabinet is covered by not less than ¼" [0.6 cm] flame retardant millboard covered with not less than No. 28 MSG sheet steel, 0.015" [0.04 cm] stainless steel, or 0.024" [0.06 cm] aluminum or 0.020" [0.05 cm] copper)
- D. 13" (33.0 cm) recommended upper cabinet depth
- E. 2" (5.1 cm)
- F. 195/16" (49.0 cm)
- G. 18" (45.7 cm) minimum clearance from upper cabinet to countertop within minimum horizontal clearances to cooktop
- H. Junction box or outlet; 12" (30.5 cm) minimum from bottom of countertop
- Junction box or outlet; 10" (25.4 cm) from right-hand side of cabinet
- J. 291/2" (75.0 cm) on 30" (76.2 cm) models
- K. 1" (2.5 cm) minimum distance to nearest left and right side combustible surface above cooktop
- L. 1" (2.5 cm) minimum clearance between back wall and countertop

NOTES: After you make the countertop cutout, some installations may require notching down the base cabinet side walls to clear the cooktop base. To avoid this modification, use a base cabinet with sidewalls wider than the cutout.


If cabinet has a drawer, a 51/8" (13 cm) depth clearance from the countertop to the top of the drawer (or other obstruction) in base cabinet is required.

Electrolux

Model # El24WL10QS | Store SKU # 1000830617

Sold online & in-store through special order

Wine Cooler - Left-Hand Swing - El24WL10QS



\$2,298.00 Flack

* Delivery charges apply.

Need assistance purchasing an appliance? Call us at 1-888-493-3768

Price and availability may vary by store, and between online and in-store.

- Customers Also Viewed







Add To Cart

Add To Cart

Overview Model # El24WL10QS Store SKU # 1000830617

Electrolux El24WL10QS 24" Under counter Wine Cooler with 46-Bottle Capacity, 5 Storage Racks, 1 Specialty Display Bottom Rack, Integrated Digital Temperature Controls, and Under Counter Construction Capability

- Wine Cooler 46 bottles
- · Perfect Set® Temperature Control
- · Luxury-Glide® Shelves
- UV-Filtered Glass Door
- Luxury-Design® Lighting
- Integrated Controls

Read more about Delivery & Installation | Download the Appliance Delivery Checklist

Specifications

Dimensions

Assembled Depth (in inches)

26.38

Assembled Height (in inches)

33.75


1	
Assembled Weight (In LI	38)
125	
Assembled Width (in incl	es)
23.88	
Item Depth	
26.38	
Item Height	
33.75	
Item Weight	
125	
Item Width	
23.88	
Details	
Colour / Finish	
Stainless Steel	
Colour / Finish	
Stainless Steel	
ENERGY STAR Certified	
No	
ENERGY STAR Certified	
No	
UPC Code (no spaces or	dashes)
Affirmation of Property of Pro	
4883400651425	

Cyclone

Model # HC40130 | Store \$KU # 1000693901

Sold online only

30-inch, 550 CFM Wall-Mount Range Hood in Stainless Steel



\$549.00 / Each


Online Inventory: In Stock Estimated Ship Time: 5 - 9 Days

STOCKYARDS

Check Store inventory

Price and availability may vary by store, and between online and in-store.

Customers Also Purchased



Add To Cart

Add To Cart

Overview Model # HC40130 Store SKU # 1000693901

An attractive and extremely quiet kitchen exhaust fan, SC501 canopy range hood is the perfect balance of substance and style with a curve glass accent. Features dishwasher-friendly filters that never have to be replaced, a 3-speed push button control, timer-delayed off feature and a 560 CFM fan. The graceful contour of the arched glass canopy coupled with the brilliant shine of the stainless steel body give an impression that is simultaneously both modern and classic.

- · Wall-mounted canopy hood
- Push button three-speed settings
- Time delay automatic shut-off option
- Two bright LED lights
- Dishwasher-safe grease filters
- · Stainless steel finish with glass

Specifications

Dimensions

Assembled Depth (in inches)

20

Assembled Height (in inches)

44.75

Assembled Weight (in LE	35)
49.5	
Assembled Width (in incl	res)
30	
Item Depth	
16.5	
Item Height	
24.63	
Item Weight	
58.5	
Item Width	
32.5	
Maximum Vertical Exhau	st Capacity - Cubic Feet/Minute (CFM)
550	
The second secon	
Details	
Certifications and Listing	
Č\$ā	
Certified	
2	
Yes	
Yes Colour Family Stainless Steel	
Yes Colour Family	
Yes Colour Family Stainless Steel	

https://www.homedepot.ca/en/home/p.30-inch-550-cfm-wall-mount-range-hood-in-stainl... 06/12/2016

Cyclone 30-inch, 550 CFM Wall-Mount Range Hood in Stainless Steel | The Home Depo... Page 3 of 8

Cyclone 30-inch, 550 CFM Wall-Mount Range Hood in Stainless Steel | The Home Depo... Page 4 of 8 Range Hood Size 30 UPC Code (no spaces or dashes) 671519501083 Vent Style External Warranty / Certifications One year warranty from manufacturer defects, 10 years for the motor 1-888-293-5682 Manual **Customer Reviews** **** Be the first to review this product 11 questions and 1 answer for this product WRITE A REVIÉW **ASK A QUESTION REVIEWS** **** Be the first to review this product QUESTIONS ASK A QUESTION 1-10 of 11 Questions Sort + Anonymous | 5 years ago Seriously, how many CFM? How are we supposed to purchase an item if you leave out the critical information?!?!? answer