

Products				
PlotID	Length	Product	Plies	Net Qty
B6	17-00-00	VERSALAM-10 2.0E	3	3
B10	15-00-00	VERSALAM-10 2.0E	2	2
B5A	13-00-00	VERSALAM-10 2.0E	1	1
B2	11-00-00	VERSALAM-10 2.0E	1	1
B4	11-00-00	VERSALAM-10 2.0E	1	1
B8	9-00-00	VERSALAM-10 2.0E	1	1
B5	9-00-00	VERSALAM-10 2.0E	2	2
B7	7-00-00	VERSALAM-10 2.0E	2	2
B9	7-00-00	VERSALAM-10 2.0E	2	2
B3	6-00-00	VERSALAM-10 2.0E	1	1
B1	4-00-00	VERSALAM-10 2.0E	1	1

JOIST SCHEDULE

J1 - 9 1/2" NI-20 @ 12" O/C
 J2 - 9 1/2" NI-20 @ 16" O/C
 J5 - 9 1/2" NI-40X @ 12" O/C
 J6 - 9 1/2" NI-40X @ 16" O/C

BLK - WMID-SPAN BLOCKING

SUBFLOOR - 5/8" NAILED & GLUED

HANGER SCHEDULE

H1-----LT259 (TM)
 H2-----HUS1.81/10 (FM)
 H3-----HGUS410(FM)
 H4-----HGUS5.5/10(FM)


NOTE:
 TM -----TOP MOUNT HANGERS
 FM-----FACE MOUNT HANGERS

RIMBOARD

1- 1/8" X 9 1/2" O.S.B.

APP - AS PER PLAN
 BBO - BEAM BY OTHERS

Ceramic Tile



JOIST SPACING UNDER CERAMIC TILE IS 12" O.C.

Second Floor Framing

MODEL: 38 - 8 - ELEV.A + B

Do not scale - refer to architectural plans for dimensions

FIRM BCIN 28103
 DESIGNER BCIN 23991

94092/ Aug. 28, 2017
 82529
 JT: 39002/76066
 File: (244318)
 308603

Builder: Gold Park
 Project: Mclaughlin and Mayfield


Location: Brampton
 Date: August 4, 2014

Designer: NL
 Sheet: 1 of 5

Alpa Roof Trusses Inc.
 Maple, Ontario

Salesperson: Derek
 Home Lumber

S-119839 - S-119858



Products				
PlotID	Length	Product	Plies	Net Qty
B11	13-00-00	VERSALAM-10 2.0E	2	2
B17	11-00-00	VERSALAM-10 2.0E	1	1
B14	9-00-00	VERSALAM-10 2.0E	2	2
B12	8-00-00	VERSALAM-10 2.0E	1	1
B16	8-00-00	VERSALAM-10 2.0E	2	2
B13	4-00-00	VERSALAM-10 2.0E	1	1
B15	3-00-00	VERSALAM-10 2.0E	1	1

JOIST SCHEDULE

J1 - 9 1/2" NI-20 @ 12" O/C
 J2 - 9 1/2" NI-20 @ 16" O/C

BLK - WMID-SPAN BLOCKING

SUBFLOOR - 5/8" NAILED & GLUED

HANGER SCHEDULE

H1-----LT259 (TM)
 H2-----HUS1.81/10(FM)

NOTE:
 TM -----TOP MOUNT HANGERS
 FM-----FACE MOUNT HANGERS


RIMBOARD

1- 1/8" X 9 1/2" O.S.B.

APP - AS PER PLAN
 BBO - BEAM BY OTHERS

JOIST SPACING UNDER CERAMIC TILE IS 12" O.C.

1- 2X6 SPF#2 Squash Block req'd on one side of each joist under interior load bearing walls. Multiple Squash Blocks are req'd under concentrated loads.



Main Floor Framing

MODEL: 38 - 8 - ELEV.A +B

Do not scale - refer to architectural plans for dimensions

FIRM BCIN 28103
 DESIGNER BCIN 23991

940921
 82529
 JT: 39002/76066
 File:(244318)
 308603


Builder: Gold Park
 Project: Mclaughlin and Mayfield

Location: Brampton
 Date: August 5, 2014

Designer: NL
 Sheet: 2 of 5

Alpa Roof Trusses Inc.
 Maple, Ontario

Salesperson: Derek
 Home Lumber



Products				
PlotID	Length	Product	Plies	Net Qty
B19	13-00-00	VERSALAM-10 2.0E	2	2
B18	11-00-00	VERSALAM-10 2.0E	2	2
B13	4-00-00	VERSALAM-10 2.0E	1	1

JOIST SCHEDULE

J2 - 9 1/2" NI-20 @ 16" O/C

BLK - W/MID-SPAN BLOCKING

SUBFLOOR - 5/8" NAILED & GLUED

HANGER SCHEDULE

H1-----LT259 (TM)

NOTE:

TM -----TOP MOUNT HANGERS

FM-----FACE MOUNT HANGERS

RIMBOARD


1- 1/8" X 9 1/2" O.S.B.

APP - AS PER PLAN

BBO - BEAM BY OTHERS

JOIST SPACING UNDER CERAMIC TILE IS 12" O.C.

1- 2X6 SPF#2 Squash Block req'd on one side of each joist under interior load bearing walls. Multiple Squash Blocks are req'd under concentrated loads.



Ground Floor Framing

MODEL: 38 - 8 - ELEV.A + B

Do not scale - refer to architectural plans for dimensions

FIRM BCIN 28103
 DESIGNER BCIN 23991

94092/
 82529
 JT: 39002/76066
 File:(244318)
 708603


Builder: Gold Park
 Project: Mclaughlin and Mayfield

Location: Brampton
 Date: August 5, 2014

Designer: NL
 Sheet: 3 of 5

Alpa Roof Trusses Inc.
 Maple, Ontario

Salesperson: Derek
 Home Lumber



Products				
PlotID	Length	Product	Plies	Net Qty
B6	17-00-00	VERSALAM-10 2.0E	3	3
B10	15-00-00	VERSALAM-10 2.0E	2	2
B5A	13-00-00	VERSALAM-10 2.0E	1	1
B2	11-00-00	VERSALAM-10 2.0E	1	1
B4	11-00-00	VERSALAM-10 2.0E	1	1
B8	9-00-00	VERSALAM-10 2.0E	1	1
B5	9-00-00	VERSALAM-10 2.0E	2	2
B7	7-00-00	VERSALAM-10 2.0E	2	2
B9	7-00-00	VERSALAM-10 2.0E	2	2
B3	6-00-00	VERSALAM-10 2.0E	1	1
B1	4-00-00	VERSALAM-10 2.0E	1	1

JOIST SCHEDULE

J1 - 9 1/2" NI-20 @ 12" O/C
 J2 - 9 1/2" NI-20 @ 16" O/C
 J5 - 9 1/2" NI-40X @ 12" O/C
 J6 - 9 1/2" NI-40X @ 16" O/C

BLK- W/MID-SPAN BLOCKING

SUBFLOOR - 5/8" NAILED & GLUED

HANGER SCHEDULE

H1-----LT259 (TM)
 H2-----HUS1.81/10 (FM)
 H3-----HGUS410(FM)
 H4-----HGUS5.5/10(FM)


NOTE:
 TM -----TOP MOUNT HANGERS
 FM-----FACE MOUNT HANGERS

RIMBOARD

1- 1/8" X 9 1/2" O.S.B.

APP - AS PER PLAN
 BBO - BEAM BY OTHERS

Ceramic Tile



JOIST SPACING UNDER CERAMIC TILE IS 12" O.C.

**MODEL: 38 - 8 - ELEV.A + B
 W//OPT.**

Do not scale - refer to architectural plans for dimensions

FIRM BCIN 28103
 DESIGNER BCIN 23991

Second Floor Framing

940921
 82529
 JT: 39002/76066
 File:(244318)
 308603


Builder: Gold Park
 Project: Mclaughlin and Mayfield

Location: Brampton
 Date: August 5, 2014

Designer: NL
 Sheet: 4 of 5

Alpa Roof Trusses Inc.
 Maple, Ontario

Salesperson: Derek
 Home Lumber



PlotID	Length	Product	Plies	Net Qty
B19	13-00-00	VERSALAM-10 2.0E	2	2
B18	11-00-00	VERSALAM-10 2.0E	2	2
B13	4-00-00	VERSALAM-10 2.0E	1	1

JOIST SCHEDULE

J1 - 9 1/2" NI-20 @ 12" O/C
 J2 - 9 1/2" NI-20 @ 16" O/C

BLK - W/MID-SPAN BLOCKING

SUBFLOOR - 5/8" NAILED & GLUED

HANGER SCHEDULE

H1-----LT259 (TM)


NOTE:
 TM-----TOP MOUNT HANGERS
 FM-----FACE MOUNT HANGERS

RIMBOARD

1- 1/8" X 9 1/2" O.S.B.

APP - AS PER PLAN
 BBO - BEAM BY OTHERS

JOIST SPACING UNDER CERAMIC TILE IS 12" O.C.



1- 2X6 SPF#2 Squash Block req'd on one side of each joist under interior load bearing walls. Multiple Squash Blocks are req'd under concentrated loads.

Ground Floor Framing

MODEL: 38 - 8 - ELEV.A + B
 W/OPT. GROUND FLOOR

Do not scale - refer to architectural plans for dimensions

FIRM BCIN 28103
 DESIGNER BCIN 23991

940921
 82529
 JT: 39002/76066
 File: (244318)
 308603


Builder: Gold Park
 Project: Mclaughlin and Mayfield

Location: Brampton
 Date: August 5, 2014

Designer: NL
 Sheet: 5 of 5

Alpa Roof Trusses Inc.
 Maple, Ontario

Salesperson: Derek
 Home Lumber



Products				
PlotID	Length	Product	Plies	Net Qty
B19	13-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B25	8-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B24	6-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B13	4-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	2

JOIST SCHEDULE
 J2 - 9 1/2" NI-20 @ 16" O/C
 BLK - W/MID-SPAN BLOCKING
 SUBFLOOR - 5/8" NAILED & GLUED


HANGER SCHEDULE
 H1-----LT259 (TM)
 H2-----HUS1.81/10(FM)
 NOTE:
 TM -----TOP MOUNT HANGERS
 FM-----FACE MOUNT HANGERS

RIMBOARD
 1- 1/8" X 9 1/2" O.S.B.

APP - AS PER PLAN
 BBO - BEAM BY OTHERS

JOIST SPACING UNDER CERAMIC TILE IS 12" O.C.

1- 2X6 SPF#2 Squash Block req'd on one side of each joist under interior load bearing walls. Multiple Squash Blocks are req'd under concentrated loads.




**MODEL: 38 - 8 - ELEV.A + B
 W/SUNKEN CONDITION**

Ground Floor Framing

Do not scale - refer to architectural plans for dimensions

FIRM BCIN 28103
 DESIGNER BCIN 23991



Products				
PlotID	Length	Product	Plies	Net Qty
B19	13-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	2	2
B27	11-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B25	8-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B26	5-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1
B13	4-00-00	1-3/4" x 9-1/2" VERSA-LAM® 2.0 3100 SP	1	1

JOIST SCHEDULE

J1 - 9 1/2" NI-20 @ 16" O/C
 J2 - 9 1/2" NI-20 @ 16" O/C

BLK - W/MID-SPAN BLOCKING

SUBFLOOR - 5/8" NAILED & GLUED

HANGER SCHEDULE

H1-----LT259 (TM)
 H2-----HUS1.81/10(FM)

NOTE:
 TM -----TOP MOUNT HANGERS
 FM-----FACE MOUNT HANGERS

RIMBOARD

1- 1/8" X 9 1/2" O.S.B.

APP - AS PER PLAN
 BBO - BEAM BY OTHERS

Ceramic Tile

JOIST SPACING UNDER CERAMIC TILE IS 12" O.C.

1- 2X6 SPF#2 Squash Block req'd on one side of each joist under interior load bearing walls. Multiple Squash Blocks are req'd under concentrated loads.

MODEL: 38 - 8 - ELEV.A + B
W/OPT. GND FL. (SUNKEN)

Ground Floor Framing

Do not scale - refer to architectural plans for dimensions

FIRM BCIN 28103
 DESIGNER BCIN 23991