LG STUDIO

LSFXC2496

Counter Depth 3-Door French Door Refrigerator with InstaView™ Door-in-Door®

InstaView™ Door-In-Door®

Counter Depth


Available in Premium Black Stainless Steel and Stainless Steel Finishes


Fingerprint and Smudge Resistant Exterior (availble only on Black Stainless Steel model)

23.5 cu. ft. Large Capacity

6 Door Baskets

Studio Style Handles











| Door Type | Pull Drawer |
|---|---|
| Drawers | 3 |
| DuraBase™ Solid Drawer Base | • |
| Ice Bin | . . |
| Freezer Light | Premium LED |
| No. of Door Bins/Drawers/Construction | 3-Tier Organization |
| MATERIALS AND FINISHES | 3-Hei Organization |
| Contour Door | Flat |
| Hidden Hinges | · |
| Surface | Stainless Steel |
| Back | Flush & Metal Cover Over Mechanical Parts |
| Available Colors | Stainless Steel (S), Black Stainless Steel (D) |
| Fingerprint & Smudge Resistant Exterior | Yes (Black Stainless Steel Model Only) |
| Handles | Studio Style Handles |
| DIMENSIONS/CLEARANCES/WEIGHT | |
| Depth with Handles | 30 7/8" |
| Depth without Handles | 28 3/8" |
| Depth without Door | 24 1/8" |
| Depth (Total with Door Open) | 42 3/4" |
| Height to Top of Case | 68 3/8" |
| Height to Top of Door Hinge | 70 1/4" |
| Width | 35 3/4" |
| Width (Door Open 90° with Handle) | 44 1/4" |
| Width (Door Open 90° without Handle) | 40" |
| Door Edge Clearance with Handle | 4 1/4" |
| Door Edge Clearance without Handle | 2 1/8" |
| Installation Clearance | Sides 1/8", Top 1", Back 1" |
| Weight (Unit/Carton) | 330 lbs./370 lbs. |
| Carton Dimensions (WxHxD) | 38" x 73" x 33" |
| WARRANTY | |
| Limited Warranty | 2 Year Parts & Labor, 7 Years on the Sealed System 10 Years on Linear Compressor |
| UPC CODES | |
| LSFXC2496D (Black Stainless Steel) | 048231787949 |
| LSFXC2496S (Stainless Steel) | 048231794589 |

© 2017 LG Electronics USA, Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered trademarks of their respective owners. Design, features and specifications are subject to change without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are subject to change without notice. 5/24/17






800 Series Gas Cooktop

36" Black

NGM8646UC

INSTANT REBATES Stee Ottoched


BEQ-84L May 22, 2020, (cooktop.)













★★★★☆4.4

11 Reviews

\$1,679.00

\$1,479.00

Bosch Instant Rebates

Get up to \$2300*. All rebates end June 4, 2020.

Bosch gas cooktops are engineered to perform precisely, offering high heat and low simmer options for optimal cooking flexibility.

Continuous Grates Make Moving Heavy Pots Easier



Measurement in inches (mm)

800 Series - Black w/Black Stainless Knobs NGM8646UC




Measurements in inches (mm)



Installation Details

May 22, 2020.



Installation above Wall Ovens

30" Built-in oven - under gas cooktop

313/48" 7/8" (97) (22)

See notes (76)

61/18" (737)

245/8" (737)

245/8" (625)

Built-in Oven

Notes:

Dimensions based on standard countertop height (36" with 43/4" toe kick including base plate).

The built-in oven can be installed below the gas cooktop as long as there is no contact between the bottom of the cooktop and the top of the oven.

Side View Gas Cooktop Installation ³/8" NPT Rough-in Cooktop Box. 313/16" (97) gas regulator 33/8" (86) ¹/2" NPT power cord 60" (1.524) flexible gas line Arrow on the pressure regulator 120 V receptacle shows the direction of gas flow gas cut-off valve gas supply line stub-out Floor Measurements in inches (mm)

For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904


© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.




800 Series - Black w/Black Stainless Knobs NGM8646UC









For help and assistance with Bosch accessories please visit: www.bosch-eshop.com/eshop/bosch/us or call 1-800-944-2904 Mon-Fri 5am to 6pm PST Sat 6am to 3pm PST

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product literature or you may contact your account manager for further details.

Warranties: Bosch warrants that the Product is free from defects in materials and workmanship for a period of three hundred and sixty-five (365) days from the date of purchase. The foregoing timeline begins to run upon the date of purchase, and shall not be stalled, tolled, extended, or suspended, for any reason whatsoever. This Product is also warranted to be free from cosmetic defects in material and workmanship (such as scratches of stainless steel, paint/porcelain blemishes, chip, dents, or other damage) to the finish of the Product, for a period of thirty (30) days from the date of purchase or closing date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in painted and porcelain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.



800 Series Single Wall Oven

30''Black stainless steel

HBL8443UC

INSTANT REBATES BE2-84L May 22, 2020. (Wall Oven.)





8 Reviews

\$3,779.00 **\$3,679.00**

Bosch Instant Rebates Get up to \$2300*. All rebates end June 4, 2020.

Using Genuine European Convection Roast, you can create a juicy, tender roast up to 25% faster than non-convection modes


A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity.




Installation Details

800 Series - Black Stainless Steel HBL8443UC





50" --(1270) 283/8 (720) $(76)^{\frac{1}{1}}$ (674)* Includes 3/4" (19) base plate 26⁵/8 36' 28¹/₄' (718) (915)** For single ovens installed under a worktop, the junction box may be located to the left or right of the unit within reach of the power cable. ±*43/4" (622) T (121) measurements in inches (mm) 223/8 measurements in inches (mm) 27-28⁵/8" (686-727)min. 4³/₄"-max. 38" (121-964) * For single ovens installed in a wall cabinet, the junction box may be located above or beneath the unit within reach of the power cable. measurements in inches (mm)



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.




800 Series - Black Stainless Steel HBL8443UC





Installation Details



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.




800 Series Wall Hood

36" Stainless steel

HCP86641UC

INSTANT REBATES



公公公公公公0.0 0 Reviews

\$1,979.00

\$ 1,879.00

Bosch Instant Rebates

Get up to \$2300*. All rebates end June 4, 2020.

The 30" Bosch Black Stainless Steel Chimney Hood Helps Guard Against Scratches And Fingerprints

Quiet blower 4.6 Sones / 178 CFM Low to 9.9 Sones / 600 CFM High


36" Pyramid Canopy Chimney Hood


800 Series - Black Stainless Steel HCP86641UC







Hachled. BED-84L May 22,2020. (Hood Fan.)











Min. / Max. 24 9/16" (624 mm) / 38 7/8" (985 mm) Recirculation mode: Min. / Max. 28 1/4" (716 mm) / 42 9/16" (1081 mm) measurements in inches (mm)

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904 © BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

LG STUDIO

LSFXC2496_ Counter Depth 3-Door French Door Refrigerator with InstaView¹⁶¹ Door-in-Door

InstaView^{na} Door-In-Door®

Counter Depth

Available in Premium Black Stainless Steel and Stainless Steel Finishes

Fingerprint and Smudge Resistant Exterior (availble only on Black Stainless Steel model)

23.5 cu. ft. Large Capacity

6 Door Baskets

Studio Style Handles



BE 2 - 84L May 22, 2020 (Findge.)

| 7)= | Courter Depth 3-Door French Door |
|---------------------------|--|
| CIMOTA | THE REST STORY OF THE SAME OF THE PARTY OF T |
| Refrigurator | 15.60 cu/c |
| Francer | 7.90 cu.ft. |
| Total | 23.5 cu/c |
| PEATURES | |
| InctsView** Door-in-Door* | |
| Energy Passing | ENERGY STARP Quisified |
| Everyy Consumption | 716 kNN/Year |
| tos & Witter Dispursor | |
| Disponsor Type | External ice & Water Disperser |
| Secure Grid Ready | |
| itte System | Sim Specificia los System |
| Whiter Filtration System | UT1000P |
| Smart Cooling Plus System | |
| Temperature Sensors | 10 |
| Linear Compressor | |
| kcoPius** | |
| Cacting System | Multi-Air-Flow ^{as} Technology |
| CORREGUENCE | |
| Temperature Controls | SmoothTouch External (White LED) |
| Door Aturn | • |
| Cistel Linck | • |
| LeDecher Operation | • |
| SeartDagrass ^w | • |
| Auto Clasing Door Hings | |
| REFEIGERATOR | |
| No. of Sholves | 4 Spla |
| Palding Shulf | • |
| Continuored Shokes | |
| Shalf Construction | Spill Protector** Tempered Glass |
| Crisper Bird | 2-Humidity Crispers, 1 Condiment Box |
| Glids At Serve's Domer | (Digital Control) |
| Refrigorator Light | Promium LED |
| MINISTRATOR BOOM | BASE SALES OF STREET |
| has of Shehma/Bin | It : New (2 Holf, 1 Golfon, 1 Hids, 2 Small), L : 3on (Small) |
| Deter Birs Construction | II : 2 Proce (Clear-STS Bar), L : 3 Proce |







| Access | |
|---|--|
| FREEZER COUNTY CONTRACTOR OF THE PERSON | A STATE OF THE PARTY OF THE PAR |
| Door Type | Pull Deswor |
| Drawers | 3 |
| Durathese ⁱⁿ Solid Drawer Base | • |
| ice Bin | • |
| Freezer Light | Prevolun LED |
| No. of Dear Bins/Drawers/Construction | 3-Tier Organization |
| MATERIALS AND PINISHES | THE RESERVE OF THE PARTY OF THE |
| Contour Door | Flat |
| Hidden Hinges | · |
| Surface | Stainings Steel |
| Back | Flush & Mutal Cover Over Machanical Parts. |
| Available Colors | Scienteria Stand (S), Black Shairlans Stool (D) |
| Fingerprint & Smudge Rasistant Exterior | You (Black Stairless Steel Model Chry) |
| Handles | Studio Style Handles |
| DIMENSIONS/CLEARANCES/WEITHIT | THE RESERVE OF THE PARTY OF THE |
| Depth with Handles | 30 7/8" |
| Doprh without Handles | 36.3/0" |
| Depth without Door | 24 1/8" |
| Depth (Total with Door Open) | 42 W. |
| Hoight to Yop of Case | 60 3/6" |
| Haight to Top of Door Hinge | 70 1/4" |
| Width | 35 347 |
| Width (Door Open 90" with Handle) | 44 1/4" |
| Width (Door Open 90° without Handle) | 40" |
| Door Edge Clearance with Handle | 4 1/4" |
| Door Edge Clearance without Handle | 21/8 |
| Installation Clearance | Sides 1/8", Top 1", Back 1" |
| Whight (Unit/Carton) | 330 be/370 bs. |
| Carton Dimensions (WhotaD) | 38" e73" x 33" |
| WATGANTY | CONTRACTOR OF THE PARTY OF THE |
| Limited Werranty | 2 Year Parts & Labor, 7 Years on the Socied System 10 Years on Linear Compressor |
| LIPC CODES | |
| LSFXC2496D (Black Staintess Steel) | 048231787949 |
| LSF/IC24965 (Stainless Steel) | 048231794589 |





800 Series Gas Cooktop


36" Black NGM8646UC





KFW-541

May 22, 2020. (cooktop)













>

★★★☆4.4

11 Reviews

\$1,679.00 **\$1,479.00**

Bosch Instant Rebates

Get up to \$2300°. All rebates end June 4, 2020.


Bosch gas cooktops are engineered to perform precisely, offering high heat and low simmer options for optimal cooking flexibility.

■ Continuous Grates Make Moving Heavy Pots Easler




800 Series - Black w/Black Stainless Knobs NGM8646UC







Installation Details

May 12, 2020 (cooktop.)







For help and assistance with Bosch accessories please visit: www.besch-sobop.com/anhop/boseh/us or call 1-800-864-2904 Mon-Pri Sum to Spm PST Sat Sum to Spm PST
Notas: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, or any time, without solice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product werranty can be found in accompanying product installation instructions for final dimensional data and other details prior to making cutout. Applicable product werranty can be found in accompanying product.

warrantes: Bosch warrants that the Product is the from defects in materials and workmarship for a period of three hundred and skty-five (365) days from the date of purchase. The foregains the run upon the date of purchase, and shall not be stilled, tolled, extended, or asspended, for any reason whatsoever. This Product is also warranted to be free from excessed defects in material and workmanship (such as scratches of stainless steel, paint/porcelain billed, tolled, sentended, or any reason whatsoever. This Product is also warranted to be free from the date of purchase are closing date for new construction. This cosmetic warranty excludes such colors varieties and procedain parts, as well as differences caused by kitchen lighting, product location, or other similar factors. This cosmetic warranty specifically excludes any display, floor, "As Is", or "B" stock appliances.

For more information on our entire line of products, go to wave,basch-home.com/us or call 1-000-044-2504




800 Series - Black w/Black Stainless Knobs NGM8646UC



Installation Details

BE2-84L May 27, 2020. (cooktop.)



For help and assistance with Beach accessories please whilt serve/beach-ashop.pass/oshop/beach/us or cell 3-800-844-2804 Mon-Fri Sam to 6pm PST Set Sem to 8pm PST Notas: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout. Applicable product warranty can be found in accompanying product instruction or you may contact your account manager for further details.

rearrances, book warrants that the Yoduct is rise from detects in materials and workmentally for a period of three hundred and sixty five (385) days from the date of purchase, and shall not be stalled, folled, extended, or supresson whatsoever. This Product is also warranted to be free from coenselse defects in material and workmentally cloud, as scratches of stainless steel, paint/porcelain believes, the defendance of coloring date for new construction. This cosmetic warranty excludes slight color variations due to inherent differences in periods and porcelain parties, product (scratch, or other damants) and officerences caused by kitchen lightling, product location, or other similar factors. This cosmetic warranty specifically excludes any display, from, "As is", or "B" stock appliances. For more information one or entire line of products, por to warranty specifically excludes any display, from, "As is", or "B" stock appliances.


© BSH Home Appliances Corporation. All rights reserved. Basch is a registered trademark of Robert Bosch GmbH.



800 Series Single Wall Oven 30" Black stainless steel

INSTANT RÉBATES

May 22, 2020. (Wall Oven.)















>

含含含含含4.8

8 Reviews

\$3,779.00

\$3,679.00


Bosch Instant Rebates

Get up to \$2300°. All rebates end June 4, 2020.


Using Genuine European Convection Roast, you can create a juicy, tender roast up to 25% faster than non-convection modes


A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity.






Installation Details












Installation Details





800 Series Wall Hood
36" Stainless steel
HCP86641UC

NSTANT
REBATES

DE2 - 84L.
May 22,7020 (Had Fan.)

☆☆☆☆☆0.0 0 Reviews

\$ 1,979.00 **\$ 1,879.00**

Bosch Instant Rebates
Get up to \$2300°. All rebates end June 4, 2020.

The 30" Bosch Black Stainless Steel Chimney Hood Helps Guard Against Scratches And Fingerprints

m Quiet blower 4.6 Sones / 178 CFM Low to 9.9 Sones / 600 CFM High

36" Pyramid Canopy Chimney Hood


800 Series - Black Stainless Steel HCP86641UC





BE2-84L

Installation Details


May 22,2020. (Hood Fan.)







- Lower flue duct
- Upper flue duct



- Ducted operation:
 Min. / Max. 24 9/16" (624 mm) / 38 7/8" (985 mm)
 Recirculation mode:
 Min. / Max. 28 1/4" (716 mm) / 42 9/16" (1081 mm)

parchase Bosch accessories, cleaners à parte piesse vielt www.bosch-home.com/uu/store et cell 1-100-0
width and depth dimensione are shown in inches, ISBH reserves the absolute and uncestricted right in the product's installation instructions for final dimensional data and other datals prior to making cutout. He see Use & Care manual or Bosch website for statement of limited warranty.

Attack of the products, go to www.besch-home.com/us or call 1-800-944-2804
Misences Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.