

Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

APPLIANCES

Invoice	Qty.	Description
2386	1	APPLIANCE PACKAGE: FRIDGE/STOVE/DISHWASHER - STAINLESS STEEL + WASHER/DRYER - WHITE
15Sep20 NoCat		INCLUDED IN APS

CARPET

Invoice	Qty.	Description
2412		MASTER BEDROOM / BEDROOM 2 / BEDROOM 3 / BEDROOM 4 / BEDROOM 5 / REC ROOM: UPGRADE CARPET TO BERBER STYLE WITH STANDARD UNDERPAD
28Sep20 NoCat		

CENTRAL VAC AND WIRING

Invoice	Qty.	Description
2412 28,799 28Sep20	1	GREAT ROOM: CONDUIT PIPE- FOR TELEVISION- LOCATE ABOVE FIREPLACE, APPROX 66" A.F.F.TERMINATING AT CABLE LOCATION
2412 28,794 28Sep20	1	GREAT ROOM / REC ROOM / MASTER BEDROOM / BEDROOM 2 / BEDROOM 4: CAT 6 WIRING - UPGRADE AN OUTLET TO CAT 6- SEE PLAN FOR LOCATION PACKAGE PRICE
2412 28Sep20 NoCat	1	GARAGE: CENTRAL VAC ROUGH OUT TO BASEMENT
2412 28,792 28Sep20	1	KITCHEN: INSTALL VAC PAN UNDER KITCHEN SINK

CERAMIC

CENA	CENAMIC		
Invoice	Qty.	Description	
2412	_	FOYER / POWDER / KITCHEN / LAUNDRY: UPGRADE 2 TILE - 12X24" LAID IN STRAIGHT STACKED PATTERN, SEE PLAN FOR TILE DIRECTION	
28Sep20 NoCat			
2412	1	.TWIN BATH: UPGRADED SHOWER IN LIEU OF TUB - INCLUDES FRAMED GLASS SHOWER ENCLOSURE + POTLIGHT IN SHOWER	
28Sep20 NoCat			

CONCRETE AND DRAIN

Invoice	Qty.	Description
2386 28,894	1	ROUGH-IN - 3PC BASEMENT ROUGH-IN
15Sep20 **		INCLUDED IN APS
2412	1	BACK-FLOW PREVENTER VALVE
28Sep20 NoCat		

DisciplineMS.rpt 26jun20 Page 1 of 8

Printed and Sent: 13-Oct-20



Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

CROWN MOULDING

Invoice	Qty.	Description
2412	3	.MAIN FLOOR; EXTENDED HEIGHT ARCHWAY (PRICE PER DOORWAY) - 96"
28Sep20 NoCat		

DRVWALI

DRYW	DRYWALL		
Invoice	Qty.	Description	
2386	1	.MANDOOR - GARAGE TO HOUSE- AS PER PLAN AND GRADE PERMITING	
15Sep20 NoCat			
2386	1	.SIDE DOOR- HOME TO EXTERIOR- AS PER PLAN AND GRADE PERMITTING	
15Sep20 NoCat		INCLUDED IN APS	
2412	1	.TWIN BATH: UPGRADED SHOWER IN LIEU OF TUB - INCLUDES FRAMED GLASS SHOWER ENCLOSURE + POTLIGHT IN SHOWER	
28Sep20 NoCat			
2412	4	.MAIN FLOOR: STANDARD DOOR EXTENDED HEIGHT 96" (PRICE PER DOOR) MAIN FLOOR 3 STOREY MODELS	
28Sep20 NoCat			
2412	3	.MAIN FLOOR; EXTENDED HEIGHT ARCHWAY (PRICE PER DOORWAY) - 96"	
28Sep20 NoCat			

DisciplineMS.rpt 26jun20 Page 2 of 8

Printed and Sent: 13-Oct-20



Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

ELECTRICAL

Invoice	Qty.	Description
2412 28,804 28Sep20	1	GREAT ROOM: 110V WALL RECEPTACLE ON DEDICATED CIRCUIT- LOCATE ABOVE FIREPLACE, APPROX 66" A.F.F.
2412	3	KITCHEN: CAPPED CEILING ROUGH IN - 3 CENTERED ABOVE PENINSULA
28Sep20 NoCat		
2412	1	KITCHEN: SWITCH FOR PENDANTS
28Sep20 NoCat		
2412	2	LIVING ROOM: CAPPED CEILING ROUGH IN **CENTERED TO ROOM, NOT FRENCH DOORS**
28Sep20 NoCat		
2412	1	LIVING ROOM: SINGLE POLE SWITCH FOR CAPPED CEILING LIGHTS
28Sep20 NoCat		
2412	2	GREAT ROOM: CAPPED CEILING OUTLET
28Sep20 NoCat		USE SAME SWITCH AS STANDARD
2412 28,808 28Sep20	1	KITCHEN: 110V WALL RECEPTACLE ON DEDICATED CIRCUIT - GAS FIRED APPLIANCE - FOR AUX. EQUIPMENT - NOT A STOVE PLUG
2412 28,811 28Sep20	1	200 AMP ELECTRICAL SERVICE
2412	1	.TWIN BATH: UPGRADED SHOWER IN LIEU OF TUB - INCLUDES FRAMED GLASS SHOWER ENCLOSURE + POTLIGHT IN SHOWER
28Sep20 NoCat		

EXTERIOR COLOURS

	211212010010020010		
Invoice	Qty.	Description	
2412	1	EXTERIOR COLOUR PACKAGE # 6	
28Sep20 NoCat			

FIREPLACE

Invoice	Qty.	Description
2412	1	.GREAT ROOM: 110V WALL RECEPTACLE ON DEDICATED CIRCUIT- LOCATE ABOVE FIREPLACE, APPROX 66" A.F.F.
28Sep20 NoCat		

DisciplineMS.rpt 26jun20 Page 3 of 8



Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

FORMING

Invoice	Qty.	Description
2386 28,915	2	BASEMENT WINDOWS - UPGRADE EXISTING BASEMENT WINDOW TO 30 INCH X 16 INCH
15Sep20 **		INCLUDED IN APS
2386 28,842	1	MANDOOR - GARAGE TO HOUSE- AS PER PLAN AND GRADE PERMITING
15Sep20 **		INCLUDED IN APS
2386 28,841	1	SIDE DOOR- HOME TO EXTERIOR- AS PER PLAN AND GRADE PERMITTING
15Sep20		INCLUDED IN APS
2386	1	.MANDOOR - GARAGE TO HOUSE- AS PER PLAN AND GRADE PERMITING
15Sep20 NoCat		
2412 28,909	1	BASEMENT WINDOWS - EXTRA BASEMENT WINDOW 30 INCH X 16 INCH
28Sep20		
2412 28,919	1	BASEMENT WINDOWS - UPGRADE EXISTING BASEMENT WINDOW TO 53 INCH X 16 INCH - MAY REQUIRE INSTALLATION OF WINDOW WELL
28Sep20 **		
2412	4	.MAIN FLOOR: STANDARD DOOR EXTENDED HEIGHT 96" (PRICE PER DOOR) MAIN FLOOR 3 STOREY MODELS
28Sep20 NoCat		

FRAMING

FRAMING		
Invoice	Qty.	Description
2386 28,842	1	MANDOOR - GARAGE TO HOUSE- AS PER PLAN AND GRADE PERMITING
15Sep20		INCLUDED IN APS
2386	1	.SIDE DOOR- HOME TO EXTERIOR- AS PER PLAN AND GRADE PERMITTING
15Sep20 NoCat		INCLUDED IN APS
2412	1	.TWIN BATH: UPGRADED SHOWER IN LIEU OF TUB - INCLUDES FRAMED GLASS SHOWER ENCLOSURE + POTLIGHT IN SHOWER
28Sep20 NoCat		
2412	4	.MAIN FLOOR: STANDARD DOOR EXTENDED HEIGHT 96" (PRICE PER DOOR) MAIN FLOOR 3 STOREY MODELS
28Sep20 NoCat		
2412	3	.MAIN FLOOR; EXTENDED HEIGHT ARCHWAY (PRICE PER DOORWAY) - 96"
28Sep20 NoCat		

DisciplineMS.rpt 26jun20 Page 4 of 8

Printed and Sent: 13-Oct-20



Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

GLASS AND MIRROR

Invoice	Qty.	Description
2412	_	.TWIN BATH: UPGRADED SHOWER IN LIEU OF TUB - INCLUDES FRAMED GLASS SHOWER ENCLOSURE + POTLIGHT IN SHOWER
28Sep20 NoCat		

GRANITE MARBLE QUARTZ

Invoice	Qty.	Description
2412	1	KITCHEN: UPGRADE 1 QUARTZ COUNTER
28Sep20 NoCat		
2412	1	KITCHEN: FLUSH BREAKFAST BAR
28Sep20 NoCat		
2412	1	KITCHEN: SLIDE IN STOVE PREP FOR 30" RANGE
28Sep20 NoCat		

HARDWOOD

Invoice	Qty.	Description
2412	1	MAIN FLOOR: LIVING / DINING / GREAT ROOM / LANDINGS: UPGRADE 4 HARDWOOD - VINTAGE 3/4X5" WHITE OAK
28Sep20 NoCat		
2412	1	UPPER HALL: UPGRADE 4 HARDWOOD - VINTAGE 3/4X5" WHITE OAK
28Sep20 NoCat		

HVAC

Invoice	Qty.	Description
2386	1	A/C- 4.0 TON
15Sep20 NoCat		INCLUDED IN APS
2412 28,872 28Sep20	1	KITCHEN: GAS LINE ROUGH - 2ND FLOOR- (3-STOREY MODELS)

DisciplineMS.rpt 26jun20 Page 5 of 8 Printed and Sent: 13-Oct-20



Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

INTERIOR TRIM AND DOORS

Invoice	Qty.	Description
2386 28,841	1	SIDE DOOR- HOME TO EXTERIOR- AS PER PLAN AND GRADE PERMITTING
15Sep20 **		INCLUDED IN APS
2412 28,884 28Sep20	4	MAIN FLOOR: STANDARD DOOR EXTENDED HEIGHT 96" (PRICE PER DOOR) MAIN FLOOR 3 STOREY MODELS
2412 28,885 28Sep20	3	MAIN FLOOR; EXTENDED HEIGHT ARCHWAY (PRICE PER DOORWAY) - 96"

KITCH Invoice		AND BATH CABINETRY Description
2412	1	KITCHEN: UPGRADE 2 PROFILE - MAPLE
28Sep20 NoCat		
2412	1	KITCHEN: UPGRADE TO PREMIUM SPRAY STAIN
28Sep20 NoCat		
2412	1	LAUNDRY: ADD OPTIONAL UPPER CABINETS (STANDARD LEVEL)
28Sep20 NoCat		
2412	1	KITCHEN: PANTRY ROLL OUT DRAWER X1 (BOTTOM DRAWER)
28Sep20 NoCat		
2412	1	KITCHEN: SLIDE IN STOVE PREP FOR 30" RANGE
28Sep20 NoCat		
2412	1	KITCHEN: POTS AND PANS DRAWERS - 1 SHALLOW TOP DRAWER + 2 DEEP DRAWERS BELOW
28Sep20 NoCat		
2412	1	KITCHEN: FLUSH BREAKFAST BAR
28Sep20 NoCat		
2412	1	.KITCHEN: BLANCO QUATRUS R15 U SUPER SINGLE #401518
28Sep20 NoCat		
2412	1	.KITCHEN: INSTALL VAC PAN UNDER KITCHEN SINK
28Sep20 NoCat		

Printed and Sent: 13-Oct-20



Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

PAINT

Invoice	Qty.	Description		
2386 1 MANDOOR - GARAGE TO HOUSE- AS PER PLAN AND GRADE PERMITING 28,842				
15Sep20 **		INCLUDED IN APS		
2412	1	MAIN STAIRS: STAIN STAIRS TO MATCH HARDWOOD FLOORS, AS CLOSE AS POSSIBLE		
28Sep20 NoCat				
2412	4	.MAIN FLOOR: STANDARD DOOR EXTENDED HEIGHT 96" (PRICE PER DOOR) MAIN FLOOR 3 STOREY MODELS		
28Sep20 NoCat				

PLUMBING

	LOWER	
Invoice	Qty.	Description
2386 28,894	1	ROUGH-IN - 3PC BASEMENT ROUGH-IN
15Sep20		INCLUDED IN APS
2412 28,897 28Sep20	1	TWIN BATH: UPGRADED SHOWER IN LIEU OF TUB - INCLUDES FRAMED GLASS SHOWER ENCLOSURE + POTLIGHT IN SHOWER
2412 28,903 28Sep20	1	KITCHEN: ROUGH-IN - WATERLINE FOR FRIDGE
2412	1	KITCHEN: BLANCO QUATRUS R15 U SUPER SINGLE #401518
28Sep20		BOTTOM GRID NOT INCLUDED

STAIRS AND RAILINGS

Invoice	Qty.	Description
2412	1	MAIN STAIRS: EUROLINE 1 + V GROOVE
28Sep20 NoCat		

DisciplineMS.rpt 26jun20 Page 7 of 8

Printed and Sent: 13-Oct-20



Lot: 140

Model: 38-6 Elev.B SCARLATTI OPT- GFA1

Project/Phase: Brampton Encore / 2

WINDOWS - BASEMENT

Invoice	Qty.	Description			
2386 2 BASEMENT WINDOWS - UPGRADE EXISTING BASEMENT WINDOW TO 30 INCH X 16 INCH 28,915					
15Sep20		INCLUDED IN APS			
2412 28,909 28Sep20	1	BASEMENT WINDOWS - EXTRA BASEMENT WINDOW 30 INCH X 16 INCH			
2412 28,919 28Sep20	1	BASEMENT WINDOWS - UPGRADE EXISTING BASEMENT WINDOW TO 53 INCH X 16 INCH - MAY REQUIRE INSTALLATION OF WINDOW WELL			
2466 28,919	-1	**DELETE** from order pe.2412 - BASEMENT WINDOWS - UPGRADE EXISTING BASEMENT WINDOW TO 53 INCH X 16 INCH - MAY REQUIRE INSTALLATION OF WINDOW WELL			
13Oct20		NOT AVAILABLE INSTALL 16X30" INSTEAD			

WINDO	WINDOWS AND DOORS			
Invoice	Qty.	Description		
2386 28,842	1	MANDOOR - GARAGE TO HOUSE- AS PER PLAN AND GRADE PERMITING		
15Sep20 **		INCLUDED IN APS		
2386 28,841	1	SIDE DOOR- HOME TO EXTERIOR- AS PER PLAN AND GRADE PERMITTING		
15Sep20 **		INCLUDED IN APS		

INTERIOR COLOUR SCHEME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: Thursday, January 21, 2027

Purchasers:

Ajaykumar K. Thakar & Parth Thakar

Property: 140

ayout Changes: O Yes				T- GFA1	
	No Sketch Attached:	Yes O No Exterior	Colour Scheme:	77	
I. Cabinetry	Style and Colour	Counter			
Kitchen / Breakfast	*Florentine Maple *'Graphite'	*Quartz 'White Shadov		Hardware	
Laundry Room	*Varese pvc 'White Crystal'	n/a		cs1-24	
Powder Room	n/a	n/a			
Ground Floor Bath	Siena oak 'Greystone'	P-Lam #6697-46		n/a	
Master Ensuite		1 -Lam #0097-40		cs1-25	
Bathroom	Varese pvc 'White Crystal'	P-Lam #4926k-07	An	cs1-25	
Second Ensuite Bathroom (If Applicable)	Siena oak 'Greystone'	P-Lam #6697-46		cs1-25	
Twin Bath	Siena oak 'Greystone'	P-Lam #4925k-07		cs1-25	
Comment					
Main Hall Kitchen / Breakfast Laundry Room Powder Room Ground floor Bath Master Ensuite Bathroom Second Ensuite	*12x24" New Byzentine 'Azzuro' n/a *12x24" New Byzentine 'Azzuro' *12x24" New Byzentine 'Azzuro' *12x24" New Byzentine 'Azzuro' 13x13" Costa 'White' matte 13x13" Serpentine 'Grey'	o Blue' o Blue'			
Bathroom (If Applicable) Lower Landing (If Applicable)	13x13" Costa 'White' matte 13x13" Serpentine 'Grey'				
Twin Bath	40 4010				
I WIII Datii	13x13" Serpentine 'Grey'				
Comment Wall Tile					
M. Ens. tub skirt/splash	Selection 8x10" Weave 'White'		Pescribe		
Master Ensuite Bathroom	exto Magare Mille	\ \ \ Yes \ \ \ No			
	k 8x10" Weave 'White'	○ Yes ● No			
	III 8x10" Weave 'White'	Yes No			
Bathroom Wall		Yes No			
Second Ensuite Bathroom (If Applicable)	8x10" Weave 'White'	Yes No			
Twin Bath	8x10" Weave 'White'	◯ Yes ● No			
Kitchen Backsplash	○ Yes ● No	Backsplash B	ehind Fridge		
Comment			PF2-140		

GOLDPAR INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, January 21, 2027 Purchasers: Ajaykumar K. Thakar & Parth Thakar Property: 140 Telephone Res. / Bus: (416) 785-5566 Project: Brampton Encore - Phase 2 Decor Advisor: Yolande Somerville Model and Elevation: 38-6 Elev.B SCARLATTI OPT- GFA1 4. Plumbing Fixtures Second Ensuite **Powder Room** Master Ensuite Bathroom Other Room - Specify Other Washroom Comment Standard except kitchen sink 5. Hardwood Flooring Type and Stain Type and Stain Main Hall *3/4x5" white oak 'Apollo' **Upper Landing** *3/4x5" white oak 'Apollo' Kitchen / Breakfast n/a **Upper Hall** *3/4x5" white oak 'Apollo' Living Room *3/4x5" white oak 'Apollo' Master Bedroom n/a **Dining Room** *3/4x5" white oak 'Apollo' Bedroom #2 n/a **Family Room** *3/4x5" white oak 'Apollo' Bedroom #3 n/a Den/Library Bedroom #4 n/a Entrance Vestibule n/a Bedroom #5 n/a Lower Landing Other Room - Specify *3/4x5" white oak 'Apollo' (If Applicable) Comment 6. Carpeting Upgrade Description **Ground Floor** *Cityview 'Downtown' with std u/pad Second Floor *Cityview 'Downtown' with std u/pad Type Area **Upgrade Underpad** Capped Runner - *Upgrade **Carpet on Stairs** Comment

. Fireplace	Living Room			Family Room	Other Room	ı - Specify
	Purchased	As Per Plan	N/A	Purchased As Per Plan N/A	Purchase	d As Per Plan N/A
		\circ		\circ \bullet \circ		
Fireplace Type				Standard Gas		
Mantle Type				NF-20		
Colour / Stain				White		
Surround				Nero Marquina		
Hearth				none		
Comment					Be2-140	
						_ Sept- 4,2020
						(AT) (PT)

GOLDPAR INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, January 21, 2027 Purchasers: Ajaykumar K. Thakar & Parth Thakar Property: 140 Telephone Res. / Bus: (416) 785-5566 Project: Brampton Encore - Phase 2 Decor Advisor: Yolande Somerville Model and Elevation: 38-6 Elev.B SCARLATTI OPT- GFA1 8. Trim Carpentry Interior Doors *Standard Front Door Glass Inserts Standard **Door Handles** Standard **Interior Trim** Standard Comment 9. Plaster Mouldings and Medallions Standard Throughout O Yes No **Entrance Vestibule** Kitchen/Breakfast Main Hall Den/Library **Living Room Lower Landing Dining Room** Other Room - Specify **Family Room** Comment 10. Railings and Spindles Railing Package *Euroline 1 + V Groove Railing Colour *Graphite Spindle Colour *Black Stringer / Riser *Graphite Treads *Graphite Oak Stairs Yes O No Comment \bigcirc N/A

11. Wall Paint / Ceilings Throughout Finished Areas	
Trim Paint White	
Smooth Ceilings	
Ground Floor	
Second Floor	
Note	Standard on Main Floor
Comment	
	862-140
	Sept. 4,2020-


GOLDPAR INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, January 21, 2027 Purchasers: Ajaykumar K. Thakar & Parth Thakar Property: 140 Telephone Res. / Bus: (416) 785-5566 Project: Brampton Encore - Phase 2 Decor Advisor: Yolande Somerville Model and Elevation: 38-6 Elev.B SCARLATTI OPT- GFA1 12. Electrical Stainless () N/A Above Kitchen Cabinet Light O Yes No Below Kitchen Cabinet Light O Yes No Standard Appliances Over The Range Microwave Chimney Style Fan Comment 13. Heating and Air Conditioning Air Conditioning YES **Gas Provisions Stove** YES **Gas Provisions Dryer** no Gas Provisions Barbecue standard Comment 14. Additional Comments 15. Disclaimers and Notes 1) Colours of all materials are as close as possible to builder's selection, but not necessarily identical due to variances in manufacturing. 2) Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full. 3) The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other than re-selection due to unavailability. Purchaser's Initials 4) The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains

other miscellaneous disclaimers.

This Interior Colour Selection is final and approved by:

Signature:

Date: <u>Sept. 4</u> ,2020




Scarlatti

BEZ-140 AT PT Sept 4 2020 PT

Elevation A • 3,591 sq.ft. Elevation B • 3,578 sq.ft.

Priors, figures, Bustrations, sizes, features and finishes are subject to change without notice. EAO.E. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the understand the stated area.




Scarlatti

Elevation A • 3,591 sq.ft. Elevation B • 3,578 sq.ft.

BEZ- 140 Sept. 4 ZoZo AT

PT



Elevation A • 3,591 sq.ft. Elevation $B \cdot 3,578$ sq.ft.

s, illustrations, sizes, features and finish

BEZ-140 2020


BEZ-140 2020 AT Sept. 4

QUOTATION


Date: 06/23/16 Trade Name: Gold Park Homes Site location: Brampton Model: 38-6 Address: Project: Encore Phase: This layout has been explained to the purchaser by Cortina Kitchens Inc. and is understood by the purchaser. OPT. BREAKFAST BAR - Y IN LINE U40100R 305 x 90 PAN. EL.PL. 6x8.5 1200 8 B4D45 DW 61.5 U75100 POTS ? PANS UA8060 770 ST U75100 B110 1200 FR.G. 4 ADJ. SH. FR B40R B90 J40100L UA956059 TU7024259 U45100R U90100 Rollout ENS. 2 (B.R. 2) DEMUTER TWIN BATH (B.R. 3/4) - 1220 -- 2440 VS110 VS95 V3D45 VS95 SK SK DR SK **ENSUITE** - 1980 OPT. GROUND FLOOR VS75 V3D40 VS75 TUB SK DR SK GROUND FL. BATH 1070 LAUNDRY - OPT. UPPERS -- 2440 -VS100 SK U9560 U9560 U4560R All prices subject to confirmation from head office. All agreements are contigent upon strikes, accidents, and delay beyond our control. Please provide our installer with template for sinkholes or \$150.00 will be charged for callback. This quotation is subject to the terms & conditions set out in Cortina's Agreement of Purchase and Sale ACCEPTED DATE: CUSTOMER SIGNATURE SALESPERSON SIGNATURE CORTINA HEAD OFFICE APPROVAL

ITEM A. Wood grain and colour are characteristics of the product, we cannot guaruntee that such grian and colour will always match ITEM B. Cortina Kitchens reserves the right to alter dimensions and make technical changes without notice.

ومرطوهود



Granite, Markle, Engingered Surfaces



PT

*Mitre edge is available in Upgrade 1 for an overall thickness of 2". All other Mitre edge options will be an Upgrade 2 Edge.

Note: All colours may not be available in 30mm at time ordered. Vendor reserves the right to use

40 mm edges (by lamination process).

STANDARD HARDWARE BEZ-140

2020





















CSI- 20



CSI-22







CSI-23

*NOTES:

- IMAGES ARE FOR QUICK REFERENCE PURPOSES ONLY

- ACTUAL SIZES AND FINISHES AS PER HARDWARE SAMPLE BOARD PROVIDED TO DECOR CENTRE

FLOOL



BATHROOM ACCESSORIES

PROJECT: ENCORE 2	
LOT: 140	
	* Please select one of the follow
INSTALL STANDARD BATHROOM ACCESSORI THRU OUT (TOWEL BAR, SOAP DISH, TISSUE HOLDER) **location as per vendors discretion	ES
DO *NOT* INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT (TOWEL BAR, SOAF DISH, TISSUE HOLDER)	
SIGNATURE: AT	ind live
SIGNATURE: PT Parch	
DATE: Sept-4	2020

GOLDPARK

Gold Park Homes Décor Centre Disclaimers

Through years of doing business, we at Gold Park Homes have encountered issues beyond our control. The following disclaimers apply to all instances of Purchaser's Extras forms and all Interior Colour Scheme forms. FIREPLACES

Fireplace Marble: Due to the many variables that can affect the pattern and/or design, frequently the marble installed on the fireplace will not be identical to the samples. We will make every attempt to come as close to the samples as possible, but cannot be responsible for results which differ from the samples. CERAMIC FLOOR TILE

Many variables including variegation can affect tile colour, pattern and/or design which mean installed tiles may not be identical to the samples. We will make every attempt to come as close as possible, but cannot be responsible for HARDWOOD FLOORING

The purchaser is advised that cupping and shrinkage are characteristics of hardwood flooring normally appearing The purchaser is advised that cupping and shrinkage are characteristics of natuwood mooring normany appearing after installation, especially when humidity levels are not regulated, and no warranty is provided by the flooring supplier with respect to such cupping and shrinkage. Furthermore, hardwood floors may also heave and warp when located at or close to entrance points of the home, where rain could make its way to the flooring. The vendor agrees to install any hardwood flooring ordered by the purchaser in a good and workmanlike manner, but shall not be responsible for, and is hereby released by the purchaser from responsibility and liability for cupping, shrinkage, heaving and warping of hardwood flooring in the above mentioned circumstances.

STAIRCASE VS FLOORING WOOD SPECIES DIFFERENCE

The purchaser is aware and therefore accepts and acknowledges that the wood species of the staircase and flooring chosen do not match. This difference might result in an undesirable colour variance

The purchaser is aware and therefore accepts and acknowledges that though the flooring is of the same species as the staircase the difference in product finishing may result in a stain colour variance.

The purchaser agrees that the vendor is to be exempt from any and all claims by the purchaser regarding this colour RAILINGS

All railings, pickets, posts, nosing's and stairs come from solid wood and veneered wood materials sourced from multiple locations and sources. As such there will be variations in grains and shades between the various natural components beyond our control. Due to this variance in material, all components will stain with colour or natural

Iron pickets are wrought in nature and depending on the manufacturing process will have differences from picket to picket which is normal. Also the finish of the iron pickets is of a powder coated nature. This process can produce minor colour variations or tones. Furthermore, the assembly of the metal pickets can develop a natural rattle over time from vibration in the railing. Minor raitling is normal and is a part of the wrought iron picket assembly.

Variations in subcontractors across different sites and varying site conditions may result in house exteriors that differ from the artist renderings. We cannot be responsible for results which differ from the artists renderings of

PLASTER MOULDINGS AND MEDALLIONS

Plaster mouldings will not be installed in open to above areas or areas with 2 storey elements.

STAIN COLOURS

Due to the many variables that can affect the outcome of a stain colour on wood, staircases, railings, and fireplaces, the colour may not be identical to samples. Factors such as density, age, humidity, air temperature, and the uniqueness of each piece of wood can result in wide variations in darkness or lightness. We will make every attempt to come as close to the sample as possible, but cannot be responsible for results which differ from the samples.

Stain on pre-finished hardwood floors will not be an exact match to the stain colours available on stairs, pickets and rails. The purchaser is responsible for choosing the stain on these areas to their satisfaction,

IN-WALL CONDUIT FOR AUDIO/VIDEO CABLES

It is important to note that due to the variation in framing requirements in different parts of your home, conduit lengths and routing can vary. In virtually all instances of ground floor installation (I.e. above a fireplace), conduit will first travel down into the basement below the floor joists, over to the termination point and back up into the main floor. As a result, it is best to measure the length of the conduit after occupancy with a "pull wire" before





purchasing your cables. For above-fireplace installations, the conduit wall plate will be installed approximately 10" above the Fireplace Mantle, unless otherwise specified in the Construction Summary.

APPLIANCE SPECIFICATIONS

All appliance openings are set to builder's standard openings. Please advise Décor Centre at time of your structural appointment if custom sizing of cabinets is required for any built - in appliances. The purchaser is responsible for costs and fees associated with changes to pre-manufactured kitchens made subsequent to colour appointments.

Purchaser accepts & acknowledges that in order to accommodate upgraded appliances, all appliance specifications should be provided at the time of their structural appointment, should this not occur they must be provided to the Décor Center within one (1) week of completion of structural chart. Failure to do so may result in the need to revert to the standard appliance openings or in a delay in construction of your dwelling, as well as a cost of \$500 to re-open your structural file should changes be required. As a result we may be forced to extend the closing of your transaction. Due to failure to complete the above-mentioned selections and at no fault of our own, we reserve our right to hold you responsible for this delayed closing, including charging extra administration cost and interest on

Purchasers Accept Standard Appliance Openings (unless otherwise specified):

Fridge - 37-1/2"W x 73-1/2" High Approx. Range - 30-1/2"D x 31-1/2"W Approx.

Dishwasher - 24" W Approx.

DELETION OF HOODFAN & CABINETS ABOVE STOVE:

The purchasers are aware that in requesting NOT TO INSTALL builder's standard hood fan and standard cabinets above stove they will receive NO STANDARD HOOD FAN and NO CREDIT. Purchasers are installing their own hood fan after closing and accept that it may waive any warranty associated with such a change.

Purchasers accept and acknowledge that the exhaust fan duct hole may be off-centered with the stove in the kitchen due to purchasers installing their own hood fan after closing. The vendor is exempt from adjusting such openings

ELECTRICAL FOR APPLIANCES

Pricing is subject to change based on the appliance specifications provided. Purchasers should provide proper appliance specifications and cut-out sheets in order for Gold Park to price extras accordingly.

KITCHEN CABINETS

The kitchen you order/purchase will undoubtedly contain slight colour variations. The degree of these variations is virtually impossible to determine before the kitchen is installed in its intended location. The amount of and type of lighting will also affect various highlights in the finish. Note: No two pieces of wood are identical. Variations in colour tone and grain patterns make a perfect colour match virtually impossible. It is generally agreed that these

STAIN

Charcoal is a spray stain applied to Oak and Maple products with several characteristics that are important to be

1. Shadow lines may be visible at the interior profile edges of a door or drawer front. If movement occurs shadow lines may increase or decrease, depending on the style and/or size of a door or drawer front. Variation and unevenness may be visible in the finish.

3. Hairline cracks at the joints are created over time due to the nature of natural wood, caused by usage, humidity**, or dryness. They tend to be more visible to darker stains, than lighter wood stains.

** Relative humidity is recommended to be between 45% and 55%. Please refer to Cortina Kitchens "Cleaning. Care, Maintenance, & Warranty Information" guide.

Please be advised that Cortina Kitchens will not replace doors and/or parts that exhibit the above characteristics associated with this finish. These characteristics are not avoidable and are a result of the natural characteristics of wood and wood veneer, and the characteristics of darker stains on wood. The Charcoal stain is not available on

Cortina Kitchens offers a wide variety of finishes, applied to oak and maple products. The subject finishes include the spray stains Cocoa, Espresso, Graphite as well as wiping stain Ebony.

Due to the very dark stains applied on natural maple and oak doors and joints, several characteristics are important

1. Shadow lines may be visible at the interior profile edges of a door or drawer front. If movement occurs shadow lines may increase or decrease, depending on the style and/or size of a door or drawer front. Variation and unevenness may be visible in the finish.

3. Hairline cracks at the joints are created over time due to the nature of natural wood, caused by usage, humidity, or dryness. They tend to be more visible to darker stains, than lighter wood stains.

Please be advised that Cortina Kitchens will not replace doors nor parts that exhibit the above characteristics associated with this finish. These characteristics are not avoidable and are a result of the natural characteristics of wood and wood veneer, and the characteristics of darker stains on wood.







CABINETRY DOOR HARDWARE

Cortina Kitchens' cabinetry doors and drawer fronts will be drilled to accept a standard knob or handle selected from Cortina's hardware boards. This drilling comes standard with the order, and is done ONLY in our shop, not on

For those not wanting Cortina's hardware drilling, the following applies:

No holes to be drilled on the doors and drawer fronts should be specified in writing on the colour chart and the P.O. If while in production, Cortina Kitchens misses this request, Cortina Kitchens and the Builder will not be held responsible to replace any or all doors and drawer fronts affected, and the customer agrees to accept the product as is. No hardware will be supplied or credited by Cortina Kitchens with this request. No charge will apply for this

PVC DOORS

All cabinets with PVC (Thermofoil) Doors come with melamine gables, panels and kick.

The doors, crown moulding and light valance are PVC wrapped. Open shelves incorporated in design will only be available with melamine interiors. There will be variations in colour shades between the PVC parts (doors, crown and Light valance) and the melamine parts (open shelves, Gables, Panels and Kick) due to the difference in material.

Furring Panel with crown moulding to the ceiling is not available on all PVC door styles due to subtle variations in colour shades between the PVC parts (moulding) and the melamine parts (furing panel) due to the difference in material. Grain directions in wood grain pattern melamine, vary between the furring panel, crown moulding (horizontal) and the PVC doors (vertical).

GRANITE, MARBLE ENGINEERED SURFACES WAIVER

Granite and marble are naturally occurring products, and due to the many variables that can affect the pattern, colour and/or design and "pitting" of natural products slabs installed will not be identical to the samples displayed. We will make every attempt to come as close to the samples as possible, but cannot be responsible for results which differ from the samples. Every effort is made to provide granite counter tops as close as possible but the vendor is not responsible for results which differ from the sample displayed. All countertop surfaces may have seems & product

RESELECTIONS

It is not uncommon for flooring, such as tile, to become discontinued prior to its installation. Therefore it may be necessary to make a reselection of certain materials sometime during the build process. We cannot assure you that

PLANS

Plans are subject to change without notice. Actual usable floor space may vary from the stated floor area. Layout for kitchen, furnace, HWT and laundry tub may vary from plan. Vertical and horizontal bulkhead, which are not shown on plan, may be required for plumbing and heating runs. E.& O.E.

PLEASE NOTE:

In the event the work on the house has progressed beyond the point where the items covered by these invoices cannot be installed without entailing any unusual expense, then this order is to be cancelled and any deposit paid in

The vendor will undertake to incorporate the work covered by the sales extra in the construction of the house but will not be liable to the purchaser in any way, if for any reason the work covered by the extra is not carried out. In that event, any monies paid in connection with the same shall be returned to the purchaser.

It is understood and agreed that if for any reason whatsoever the transaction of Purchase and Sale is not completed, Extras or changes will not be processed unless signed by the Vendor.

These extras may not be amended without the written consent of Gold Park Homes.

The purchaser(s) and the builder acknowledge and agree that this "Purchaser's Extra" form shall not be deemed to be part of the agreement of purchase and sale entered into between them, nor an addendum thereto. No estimates or orders will be accepted once construction has commenced.

Should a refund be requested on any extras purchased, an 80% reimbursement of the purchase price will be given. (a

Estimates will only be considered when resubmitted on a signed Purchaser Extras form, accompanied by payment in

All prices are estimates only and may be subject to change. Should a change in price occur Gold Park Homes reserves the right to request from the purchaser an adjustment of the price or a refund limited to that item.

Purchasers are aware & accept that ANY changes made to upgrades after signing the Purchasers Extra Form are subject to a minimum administration fee of \$500. PLUS a 10% holdback fee.

Purchasers are aware that any request to add a percentage of upgrades from the purchaser's extras form will be processed only after the builder receives approval letter from the bank.







Please be advised that your failure to finalize your structural or colour selections may result in a delay in construction of your dwelling and we may have to extend closing of your transaction. Due to failure to complete the above-mentioned selections and at no fault of us, we reserve our right to hold you responsible for a delayed closing, including charging extra administration cost and interest on the balance due on closing.

Purchaser has attended a Colour appointment at the Decor Centre & has DECLINED any additional upgrades and acknowledges that there will be no further structural changes/additions/deletions to be made upon signing.


I hereby acknowledge reading and understanding the above copy and will not hold Gold Park Homes responsible for any issues in relation to above.


Purchasers Signatures

Date 1

BE2-140

Blanco Quatrus R15U Super Single kitchen sink #401518 (stainless)






LOT # 140		
ROOM: Kitchen	SIGNATURE: AT Handware	
DATE: Sept. 4 2020	SIGNATURE: PT Parth	

Gas Slide-in Range

Installation manual 1x606871155/AA

NX60*8****

Samsung lo. O cu. Ft. Mas Rango To 22k double burner ? air fry an stainles steel





Gas range components



Tools needed









Flat-blade screwdriver

Phillips screwdriver

Open-end or adjustable wrench

Pipe wrench (2)









1/4" Nut driver

Pencil and ruler



Utility knife







Soapy water

solution

Pliers





36¹/₄ in (921.2 mm) Min.

37 in (939.8mm) Max.



BE2-140 July 24, 2020

Location requirements


Clearances and dimensions


BEFORE YOU BEGIN to install this appliance, refer to the following information, dimensions, and clearances. Do not locate the range where it may be subject to strong drafts. Provide adequate clearances between the range and adjacent combustible surfaces. These dimensions must be met for safe use of the range. The location of the electrical outlet and gas piping may be adjusted to meet the following dimensions and clearances.

For installation in Canada, a free-standing range is not to be installed closer than 4.7 in (12 cm) from any adjacent surface.


⚠ CAUTION

This range has been designed to comply with the maximum allowable wood cabinet temperature of 194 °F (90 °C). Make sure the wall covering, countertops, and cabinets around the range can withstand the heat (up to 194 °F [90 °C]) generated by the range. If not, discoloration, delamination, or melting may occur.










↑ CAUTION

Do not grasp the knob, handle and push when you install.



⚠ CAUTION

DO NOT install the oven so that the door is flush with the cabinet. For OTR over Gas Stove, please follow local GAS CODE.



Installation requirements

Installation requirements

entrach. Be2-140 July 24, 2020.

Minimum dimensions

▲ WARNING

If overhead cabinets are provided, a range hood should also be provided that projects horizontally a minimum of 5 in (12.7 cm) beyond the front of the cabinets. This will dissipate any heat buildup in the overhead cabinets to prevent death, personal injury, and/or fire hazard. The ventilating hood must be constructed of sheet metal not less than 0.0122" thick. Install above the cooktop with a clearance of not less than 1/4" between the hood and the underside of the combustible material or metal cabinet. The hood must be at least as wide as the appliance and centered over the appliance. Clearance between the cooking surface and the ventilation hood surface must never be less than 24 inches.

Exception 1: Installation of a listed microwave oven or cooking appliance over the cooktop shall conform to the installations packed with that appliance.


- 30-in (76.2-cm) minimum clearance between the top of the cooking surface and the bottom of an unprotected wood or metal cabinet; or If no 30-in (76.2-cm) minimum clearance, 24-in (61-cm) minimum when the bottom of the wood or metal cabinet is protected by not less than 0.25-in (0.64-cm) flame-retardant millboard covered with not less than no. 28 MSG sheet steel, 0.015-in (0.038-cm) stainless steel, 0.024-in (0.061-cm) aluminum, or 0.020-in (0.051-cm) copper.
- 18-in (45.7-cm) minimum between the countertop and the adjacent cabinet bottom.

Exception 2: For island installation, maintain 2-1/2" minimum from cutout to back edge of countertop and 4" minimum from cutout to side edges of countertop.

IMPORTANT:

To eliminate the risk of burns or fire caused by reaching over heated surface units, avoid having cabinet storage space located above the surface units. If you have cabinet storage space over the heating elements, you can reduce the risk by installing a range hood that projects horizontally a minimum of 5 inches beyond the bottom of the cabinets.





A: Cabinet opening 30" (76.2)

IMPORTANT: If your cabinet have height over 37", this range cannot be installed without supporting unit like hard block.





Whirlpool® 20 cu. ft. French Door Refrigerator WRF550CDH





Fingerprint-Resistant Stainless WRF550CDHZ

Capacity	
Total Capacity	20 cu. ft.
Refrigerator Capacity	16 cu. ft.
Freezer Capacity	5 cu. ft.
General Features & Propert	ies
Humidity-Controlled Crispe	ers
Fingerprint Resistant	
Two-Tier Freezer Storage	
Spillproof Glass Shelves	
Factory-Installed Icemaker	
Exterior Ice and Water Disp EveryDrop® Filtration	enser with
LED Interior Lighting	
Fast Cool Option	
Adaptive Defrost	
Electrical Details	
Amps	20
Volts	115

Technical Details	
Refrigerator Type	French Door
Number of Doors	3
Number of Interior Refrigerator Shelves	5
Number of Refrigerator Door Bins	2 Adjustable, 4 Fixed
Number of Interior Freezer Shelves	3 Plastic
Lighting Type	LED
Ice Maker	Factory Installed
Ice Maker Location	Refrigerator
Dispenser Type	Exterior Ice and Water
Dimensions	
Product Dimensions (H x W x D)	70-1/8" x 35-7/8" x 30-3/4"
Depth with Door Open 90°	43"
Cutout Dimensions	Allow extra 1/2" on sides and top Allow extra 1" on rear

Reference Material

Dimension Guide

Use & Care Guide

Energy Guide

Warranty

Key Features & Benefits

Counter Depth Design


Add additional kitchen space with styling that fits virtually flush with the countertop.

Adjustable Gallon Door Bins

Move these adjustable bins anywhere in the door for increased loading flexibility.

Temperature-Controlled Full-Width Drawer

Store wide items like party platters and sheet cakes or preserve large amounts of meat and cheese at just the right temperature.



NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to

®/™ © 2020. All rights reserved. Printed in the U.S.A. D200052XXC. WRF550CDHSPECSHEETV01.

Gas Slide-in Range

1x60t871155/AA Installation manual

NX60*8****

Jamsung 6.0 m.ft. Mas Rango To 2ak double burner ? air fry in stainless steel





July 24, 2020




Gas range components






BE2-140 July 24,2020.

Tools needed



solution



A

Installation requirements





BE2-140 July 24,2020


Location requirements

Clearances and dimensions


BEFORE YOU BEGIN to install this appliance, refer to the following information, dimensions, and clearances. Do not locate the range where it may be subject to strong drafts. Provide adequate clearances between the range and adjacent combustible surfaces. These dimensions must be met for safe use of the range. The location of the electrical outlet and gas piping may be adjusted to meet the following dimensions and clearances.


For installation in Canada, a free-standing range is not to be installed closer than 4.7 in (12 cm) from any adjacent surface.

This range has been designed to comply with the maximum allowable wood cabinet temperature of 194 °F (90 °C). Make sure the wall covering, countertops, and cabinets around the range can withstand the heat (up to 194 °F [90 °C]) generated by the range. If not, discoloration, delamination, or melting may occur.










⚠ CAUTION

Do not grasp the knob, handle and push when you install.



⚠ CAUTION

DO NOT install the oven so that the door is flush with the cabinet. For OTR over Gas Stove, please follow local GAS CODE.



Installation requirements

Installation requirements

Minimum dimensions

WARNING

If overhead cabinets are provided, a range hood should also be provided that projects horizontally a minimum of 5 in (12.7 cm) beyond the front of the cabinets. This will dissipate any heat buildup in the overhead cabinets to prevent death, personal injury, and/or fire hazard. The ventilating hood must be constructed of sheet metal not less than 0.0122" thick. Install above the cooktop with a clearance of not less than 1/4" between the hood and the underside of the combustible material or metal cabinet. The hood must be at least as wide as the appliance and centered over the appliance. Clearance between the cooking surface and the ventilation hood surface must never be less than 24 inches.


Exception 1: Installation of a listed microwave oven or cooking appliance over the cooktop shall conform to the installations packed with that appliance.

- 30-in (76.2-cm) minimum clearance between the top of the cooking surface and
 the bottom of an unprotected wood or metal cabinet; or If no 30-in (76.2-cm)
 minimum clearance, 24-in (61-cm) minimum when the bottom of the wood or
 metal cabinet is protected by not less than 0.25-in (0.64-cm) flame-retardant
 millboard covered with not less than no. 28 MSG sheet steel, 0.015-in (0.038-cm)
 stainless steel, 0.024-in (0.061-cm) aluminum, or 0.020-in (0.051-cm) copper.
- 18-in (45.7-cm) minimum between the countertop and the adjacent cabinet bottom.


Exception 2: For island installation, maintain 2-1/2" minimum from cutout to back edge of countertop and 4" minimum from cutout to side edges of countertop.

IMPORTANT:

To eliminate the risk of burns or fire caused by reaching over heated surface units, avoid having cabinet storage space located above the surface units. If you have cabinet storage space over the heating elements, you can reduce the risk by installing a range hood that projects horizontally a minimum of 5 inches beyond the bottom of the cabinets.



Installation guide



A: Cabinet opening 30" (76.2)

IMPORTANT: If your cabinet have height over 37", this range cannot be installed without supporting unit like hard block.

14 English

Whirlpool 20 cu. ft. French Door Refrigerator WRF550CDH





Fingerprint-Resistant Stainless WRF550CDHZ

Constitu	
Capacity	
Total Capacity	20 cu. ft.
Refrigerator Capacity	16 cu. ft.
Freezer Capacity	5 cu, ft.
General Features & Prope	rties
Humidity-Controlled Cris	pers
Fingerprint Resistant	
Two-Tier Freezer Storage	
Spillproof Glass Shelves	
Factory-Installed Icemak	er
Exterior Ice and Water DI EveryDrop® Filtration	spenser with
LED Interior Lighting	
Fast Cool Option	
Adaptive Defrost	
Electrical Details	
Amps	20
Volts	115

- 1	
Technical Details	
Refrigerator Type	French Door
Number of Doors	3
Number of Interior Refrigerator Shelves	5
Number of Refrigerator Door Bins	2 Adjustable, 4 Fixed
Number of Interior Freezer Shelves	3 Plastic
Lighting Type	LED
Ice Maker	Factory Installed
Ice Maker Location	Refrigerator
Dispenser Type	Exterior Ice and Water
Dimensions	
Product Dimensions (H x W x D)	70-1/8" x 35-7/8" x 30-3/4"
Depth with Door Open 90°	43"
Cutout Dimensions	Allow extra 1/2" on sides and top Allow extra 1" on rear
Deferred Make 1	PROPERTY OF STREET

Key Features & Benefits


Counter Depth Design

Add additional kitchen space with styling that fits virtually flush with the countertop.

Adjustable Gallon Door Bins

Move these adjustable bins anywhere in the door for increased loading flexibility.

Temperature-Controlled Full-Width Drawer Store wide items like party platters and sheet cakes or preserve large amounts of meat and cheese at just the right temperature.



Reference Material

Dimension Guide

Use & Care Guide

Energy Guide

Warranty

NOTE: Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

®/™ © 2020. All rights reserved. Printed in the U.S.A. D200052XXC. WRF550CDHSPECSHEETV01.