

Lot: 147

Model: 40.02 A VALLEYVIEW

Project/Phase: Pine Valley Forevergreen / 1

CERAMIC

Invoice	Qty.	Description
2509 37 01Dec20	1	FOYER: TILE, FLOOR , LEVEL 5 - FRONT FOYER - 24X24" LAID IN STRAIGHT, STACKED PATTERN
2509 37 01Dec20	1	POWDER ROOM: TILE, FLOOR , LEVEL 5 - POWDER ROOM - 24X24" LAID IN STRAIGHT, STACKED PATTERN.
2509 37 01Dec20	1	KITCHEN: TILE, FLOOR , LEVEL 5 - KITCHEN - 24X24" LAID IN STRAIGHT, STACKED PATTERN.
2509 36 01Dec20	1	MASTER ENSUITE: TILE, FLOOR , LEVEL 4 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2509 49 01Dec20	1	MASTER ENSUITE: TILE, WALL, LEVEL 3 - 12X36" LAID IN HORIZONTAL, STACKED PATTERN.
2509 37 01Dec20	1	LAUNDRY: TILE, FLOOR , LEVEL 5 - 24X24" LAID IN STRAIGHT, STACKED PATTERN.

DRYWALL

Invoice	Qty.	Description
2294	1	.PINE VALLEY MODEL 40.02 VALLEYVIEW ELEV A - 9 FOOT BASEMENT CEILING HEIGHT IN LIEU OF STANDARD 8 FOOT CEILING.
24Jul20 NoCat		
2294	4	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME (QTY:4)
24Jul20 NoCat		

DisciplineMS.rpt 26jun20

Page 1 of 5



Lot: 147

Model: 40.02 A VALLEYVIEW Project/Phase: Pine Valley Forevergreen / 1

ELECTRICAL

Invoice	Qty.	Description
2324 72,281 24Jul20	1	.GREAT ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - LOCATE APPROX. 66" A.F.F. ABOVE FIREPLACE.
2324 72,273 24Jul20	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - GAS FIRED RANGE - FOR AUX. EQUIPMENT - NOT A STOVE PLUG
2324 72,294 24Jul20	1	.SIDE ELEVATION (GARAGE SIDE): IN ADDITION TO STANDARD HOLIDAY GFI, ADD AN ADDITIONAL ON GARAGE SIDE OF HOUSE. LOCATED APPROX 18" FROM FRONT CORNER. ADDITIONAL EXTERIOR GFI RECEPTACLE WITH COVER AND SWITCH FOR HOLIDAY LIGHTS
2324 72,289 24Jul20	6	.DINING ROOM: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH INCLUDED IN APS
2324 24Jul20 NoCat	1	.DINING ROOM: DELETE STANDARD CEILING LIGHT

EXTERIOR COLOURS

Invoice	Qty.	Description

2294	1	EXTERIOR COLOUR PACKAGE # BR.2
24Jul20 NoCat		

FORMING

Invoice	Otv.	Description
IIIVUICE	Qıy.	Description

		•
2294	1	.PINE VALLEY MODEL 40.02 VALLEYVIEW ELEV A - 9 FOOT BASEMENT CEILING HEIGHT IN LIEU OF STANDARD 8 FOOT CEILING.
24Jul20 NoCat		
2294	4	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME (QTY:4)
24Jul20 NoCat		

FRAMING

Invoice	Otv.	Description

2294 72,193 24Jul20	1	.PINE VALLEY MODEL 40.02 VALLEYVIEW ELEV A - 9 FOOT BASEMENT CEILING HEIGHT IN LIEU OF STANDARD 8 FOOT CEILING.
2294	4	.BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME (QTY:4)
24Jul20 NoCat		

DisciplineMS.rpt 26jun20 Page 2 of 5



Lot: 147

Model: 40.02 A VALLEYVIEW

Project/Phase: Pine Valley Forevergreen / 1

CI	ACC	AND	1/1	$\mathbf{D}\mathbf{D}$	\mathbf{OD}
LTL	ADD	AND	V	$I \cap I \cap I$	\mathbf{v}

Invoice	Qty.	Description
2509	2	MASTER ENSUITE + SHARED BATH: UPGRADE SHOWER DOOR HANDLE TO MT6X6 CHROME
01Dec20 NoCat		

GRANITE MARBLE QUARTZ

Invoice		Description
2509	1	POWDER ROOM: UPGRADE 3 QUARTZ COUNTER TOP
01Dec20 NoCat		
2509	1	KITCHEN: UPGRADE 5 QUARTZ COUNTER TOP
01Dec20 NoCat		
2509	1	KITCHEN: UPGRADE COUNTER TOP THICKNESS TO 3CM
01Dec20 NoCat		
2509	1	MASTER ENSUITE: UPGRADE 2 QUARTZ COUNTER TOP
01Dec20 NoCat		
2509	1	ENSUITE 3/4: UPGRADE 2 QUARTZ COUNTER TOP
01Dec20 NoCat		
2509	1	KITCHEN: BLANCO QUATRUS SUPER SINGLE UNDERMOUNT SINK #401518
01Dec20 NoCat		bottom grid not included

HVAC

HVAC		
Invoice	Qty.	Description
2294	1	PINE VALLEY MODEL 40.02 VALLEYVIEW ELEV A - 9 FOOT BASEMENT CEILING HEIGHT IN LIEU OF STANDARD 8 FOOT CEILING.
24Jul20 NoCat		
2324 72,224 24Jul20	1	KITCHEN: GAS LINE ROUGH-IN - MAIN FLOOR FOR GAS RANGE - SEE PLAN FOR LOCATION

INTERIOR TRIM AND DOORS

11 / 1 121/	TEMOR TRIM AND DOORS					
Invoice	Qty.	Description				
2294	1	.PINE VALLEY MODEL 40.02 VALLEYVIEW ELEV A - 9 FOOT BASEMENT CEILING HEIGHT IN LIEU OF STANDARD 8 FOOT CEILING.				
24Jul20 NoCat						
2294	4	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME (QTY:4)				
24Jul20 NoCat						

DisciplineMS.rpt 26jun20 Page 3 of 5



Lot: 147

Model: 40.02 A VALLEYVIEW

Project/Phase: Pine Valley Forevergreen / 1

KITCHEN AND BATH CABINETRY

Invoice	Qty.	Description
2509	1	THRU OUT: SEE ATTACHED CABINETRY SCHEDULE
01Dec20 NoCat		

NETWORK AND WIRING

Invoice	Qty.	Description
2324 72,258 24Jul20	1	.GREAT ROOM / DINING ROOM / MASTER BEDROOM / BEDROOM 4: ADDITIONAL CAT6 ETHERNET OUTLET - EACH SEE PLAN FOR LOCATION PACKAGE PRICE
2324 72,259 24Jul20	1	.GREAT ROOM CONDUIT PIPE - FOR WALL MOUNT TV - LOCATE APPROX. 66" A.F.F. ABOVE FIREPLACE, THRU TO BASEMENT & TERMINATING AT CABLE - SEE PLAN FOR LOCATION
2324 72,260 24Jul20	1	.CONDUIT PIPE - FROM ATTIC TO BASEMENT - FROM BASEMENT AT ELECTRICAL PANET TO APPROX CENTER OF ATTIC
2324 72,261 24Jul20	1	.KITCHEN: INSTALL VAC PAN UNDER KITCHEN SINK
2324	1	.**NOTE** LOCATE STANDARD PHONE IN DINING ROOM INSTEAD OF KITCHEN
24Jul20 NoCat		

PAINT

Invoice	Qty.	Description
2294	1	.PINE VALLEY MODEL 40.02 VALLEYVIEW ELEV A - 9 FOOT BASEMENT CEILING HEIGHT IN LI

2294	1	.PINE VALLEY MODEL 40.02 VALLEYVIEW ELEV A - 9 FOOT BASEMENT CEILING HEIGHT IN LIEU OF STANDARD 8 FOOT CEILING.
24Jul20 NoCat		

PLUMBING

Invoice	Qty.	Description			
2324	1	.MASTER ENSUITE: UPGRADE SHOWER FAUCET TO MOEN `90*` POSI-TEMP RAIN SHOWER (from ceiling) + HAND SHOWER WITH SLIDE BAR - CHROME #TS2712EP/3372/TS4172/62320/S3879EP/A721			
24Jul20 NoCat					
2509	1	KITCHEN: BLANCO QUATRUS SUPER SINGLE UNDERMOUNT SINK #401518			
01Dec20 NoCat		bottom grid not included			

PLUMBING FIXTURES

Invoice	Qty.	Description
2324	1	.MASTER ENSUITE: UPGRADE SHOWER FAUCET TO MOEN '90*' POSI-TEMP RAIN SHOWER (from ceiling) + HAND SHOWER WITH SLIDE BAR - CHROME #TS2712EP/3372/TS4172/62320/S3879EP/A721
24Jul20		
NoCat		

DisciplineMS.rpt 26jun20 Page 4 of 5



Lot: 147

Model: 40.02 A VALLEYVIEW

Project/Phase: Pine Valley Forevergreen / 1

WINDOWS - BASEMENT

Invoice	Qty.	Description
2294 72,351 24Jul20	4	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME (QTY:4)



PV-147 Cabinetry Schedule

ROOM	DESCRIPTION	PRICE	QTY	тот
KITCHEN	UPGRADE PERIMETER FROM SERIES 2 TO SERIES 5 - MEDIO 6 OYSTER			
M. F. C. T. C. T.	UPGRADE ISLAND FROM SERIES 2 TO SERIES 5 - MEDIO 6 0757ER UPGRADE ISLAND FROM SERIES 2 TO SERIES 5		1	\$
	ADD MODERN ASPEN RANGE HOOD CABINET PLANNED WITH 3" GAPS/42" SPACE		1	\$
	ADJUST CABINETRY FOR 36" RANGE		1	\$
			1	\$
	ADD BEVEL GLASS INSERTS TO UPPERS FLANKING HOOD FAN CABINET		1	\$
	CONVERT STANDARD CABINETS INTO TALL DEEP PANTRY	100 100 100	1	\$
	CONVERT FULL DOOR BASE CABINET INTO BASE POTS AND PANS DRAWERS WITH 3/4" EXTENSION WHITE DRAWERS			
			2	\$
	RE-LOCATE PANTRY NEXT TO SIDE WALL, SHIFT FRIDGE OPENING OVER		1	\$
	RE-LOCATE STANDARD BANK OF FOUR DRAWERS TO ISLAND		1	S
	ADD PUSH TO OPEN TOUCH LATCH HARDWARE TO REAR ISLAND	1111	1	\$
	ADD OVERSIZED DUMMY DOORS TO SIDES OF ISLAND		1	\$
	ADD CAMDEN STYLE FLUSH KICK PLATE TO 3 SIDES OF ISLAND		1	\$
				\$
POWDER ROOM	UPGRADE FROM SERIES 2 TO SERIES 3 - CHELSEA BLACK PET HIGH GLOSS			
	STEEDER STORE STOR		1	\$
MASTER ENSUITE	UPGRADE FROM SERIES 2 TO SERIES 5 - MEDIO 6 FOG		1	\$
				\$
	C	ABINETRY TOTAL:		¢

LOT#: 147	DATE: NOV 30 2026	
SIGNATURE: M. JULI	Scola	
SIGNATURE: M. B.	ideala	

GOLDPARK WORTH MORE

INTERIOR COLOUR SCHEME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: Thursday, January 21, 2021

Purchaser:

MELISSA, FRANCESCA LUCIA DI SCOLA

Property: 147 of Plan -

elephone Res. / Bus: / (416 ecor Advisor: Yolan		Project: Pine Valley Foreverondel and Elevation: 40.02 A VALLEYVIE			
ayout Changes: O Yes					
. Cabinetry	Style and Colour	Counter	Hardware		
Kitchen / Breakfast	*Medio 6 'Oyster'	*Quartz: Eternal Statuario	h03903		
Laundry Room	Chesapeake 'Classic White'	P-Lam: Standard White	h039-03		
Powder Room	*Chelsea hi gloss 'Black'	*Quartz: 'Pure White'	h033-01		
Master Ensuite Bathroom	*Medio 6 'Fog'	*Quartz: Misty Carrara	k024-03		
Second Ensuite Bathroom (If Applicable)	Alban oak 'Storm Grey'	Quartz: Nordic Loft	h039-03		
Shared Ensuite	Chesapeak 'Classic White'	*Quartz: Misty Carrara	h039-03		
Comment					
Main Hall Kitchen / Breakfast Laundry Room Powder Room Shared Bath	see hardwood *24x24" Himalaya polished 'Light Grey' *24x24" Himalaya polished 'Light Grey' *24x24" Himalaya polished 'Light Grey'				
Shared Bath Master Ensuite	13x13" Construct 'White' *12x24" Reve 'Fumee'	13x13" Construct 'White'			
Bathroom Second Ensuite Bathroom (If Applicable)	13x13" New Reeds 'Brown'				
Lower Landing (If Applicable)	13x13" Serpentine 'Grey'				
Mastr & Shared shower floo	std 2x2" white				
Comment					
s. Wall Tile	Colonton	Listello/Inserts Describe			
	Selection	Listello/Inserts Describe Yes No			
Master Ensuite Bathroom	L				
Tub De	eck	◯ Yes ● No			
Shower S	,				
Bathroom Wa Second Ensuite Bathroom (If Applicable)	8x10" Weave 'White'	Yes No Yes No			
Shared Ensuite	8x10" Weave 'White'	○ Vas ■ No			
Kitchen Backsplash	Yes No	Yes No Backsplash Behind Fridge			
Comment	7100 110	Daoropiasii Deliliia i ilaye			

GOLDPARK WORTH MORE" *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, January 21, 2021

Scheduled Closing Date: Thursday, January 21, 2021

Purchaser:	MELISSA	, FRANCES	CA LUCIA DI SCOLA	Property: 14	7 of Plan -
Telephone Res. / Bus:	/ (416) 81	9-6354		Project: Pir	ne Valley Forevergreen - Phase 1
Decor Advisor:	Yolande S	Somerville	Model and		.02 A VALLEYVIEW
4 Di					
4. Plumbing Fixt	ures				(
		\$	Second Ensuite		Powder Room
Master Ensuite Bat	hroom		Other Room - Specify		Other Washroom
Comment		L			
Standard except master e	ensuite shower	+ kitchen sink			
5. Hardwood Flo	orina				
o. Harawood Ho	Type and Sta	ain			T
Main Hall	Type and Sta	2111	Upper La	ınding	Type and Stain
Kitchen / Breakfast			Upper Ha		
Living Room			Master B		
Dining Room			Bedroom		
Family Room					
			Bedroom		
Den/Library			Bedroom		
Entrance Vestibule			Bedroom	#5	
Lower Landing (If Applicable)			,	om - Specify standard areas	*3/4x3-5/16 rd oak smooth 'havana'
Comment					
6. Carpeting	Uı	ograde D	escription		
Ground Floor					
Second Floor					
Upgrade Underpad		Туре		Area	
opgrade onderpad		Command			
Carpet on Stairs		Capped		Runner - *Up	ograde
Comment					
7 Firenless				· · · · · · · · · · · · · · · · · · ·	
7. Fireplace	ving Room		Family Room		Other Room - Specify
		As Per Plan N/		Per Plan N/A	Purchased As Per Plan N/A
Eiroplass Town	<u> </u>	0			0 0
Fireplace Type			Standard Gas		
Mantle Type Colour / Stain			Mediterranean		
			Arctic White		
Surround			n/a		
Hearth			none		
Comment					
					(A)
					(AM) - (AM)

INTERIOR COLOUR SCHEME

*** NOTE: This is not an approved document. Document must be locked ***

Scheduled Closing Date: Thursday, January 21, 2021

Purchaser:

MELISSA, FRANCESCA LUCIA DI SCOLA

Property: 147 of Plan -

Telephone Res. / Bus: / (416) 819-6354

Project: Pine Valley Forevergreen - Phase 1

cor Advisor:	Yolande	Somerville					
. Trim Carpen	try						
Interior Doors C	arrara	Fre	ont Door Glass	s Inserts standard	Door Hand	lles Standar	rd
Interior Trim S	tandard					***************************************	
Comment							
. Plaster Moul	dings and	d Medallid	ons		1		
Standard Throug							
Entrance Vestibu	le			Kitchen/Breakfast			
Main Hall				Den/Library			
Living Room				Lower Landing			
Dining Room				Other Room - Specify			
Family Room							
Comment							
				Spindle Colour	Havana		
Railing Package Railing Colour	Standard 2 - std			Spindle Colour Treads			
D. Railings and Railing Package Railing Colour Stringer / Riser Comment	Standard 2 - std Havana				Havana Havana Yes	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser	Standard 2 - std Havana			Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint /	Standard 2 - std Havana Havana	square oak		Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint /	Standard 2 - std Havana Havana	square oak	Y	Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint /	Standard 2 - std Havana Havana	square oak	y	Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis	Standard 2 - std Havana Havana	square oak	y	Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis	Standard 2 - std Havana Havana Ceilings hed Areas	square oak	y	Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis	Standard 2 - std Havana Havana Ceilings hed Areas White	square oak	y	Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis Trim Paint Smooth Ceilings	Standard 2 - std Havana Havana Ceilings hed Areas White	warm Grey	y	Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment . Wall Paint / Throughout Finis Trim Paint Smooth Ceilings Ground Fle	Standard 2 - std Havana Havana Ceilings hed Areas White	warm Grey	y	Treads	Havana	○ No	○ N/A
Railing Package Railing Colour Stringer / Riser Comment I. Wall Paint / Throughout Finis Trim Paint Smooth Ceilings Ground Fle Second Fle	Standard 2 - std Havana Havana Ceilings hed Areas White	warm Grey	y	Treads	Havana	○ No	○ N/A





GOLDPAR INTERIOR COLOUR SCHEME *** NOTE: This is not an approved document. Document must be locked *** Scheduled Closing Date: Thursday, January 21, 2021 Purchaser: MELISSA, FRANCESCA LUCIA DI SCOLA Property: 147 of Plan -Telephone Res. / Bus: / (416) 819-6354 Project: Pine Valley Forevergreen - Phase 1 Decor Advisor: Yolande Somerville Model and Elevation: 40.02 A VALLEYVIEW 12. Electrical Hood Fan White Stainless N/A Above Kitchen Cabinet Light O Yes No Below Kitchen Cabinet Light O Yes No **Standard Appliances** Over The Range Microwave Chimney Style Fan Comment 13. Heating and Air Conditioning **Air Conditioning Gas Provisions Stove** yes Gas Provisions Dryer Gas Provisions Barbecue std Comment 14. Additional Comments

¥			

Any extras listed above are null and void unless accompanied by a separate invoice/amendment. Said invoice must be paid in full.
 The Purchaser acknowledges that after Interior Colour Selection form is signed and dated, no further changes will be permitted other

_ Purchaser's Initials

Date:

The Purchaser acknowledges reading and accepting the "Gold Park Homes Decor Centre Disclaimers" form. This document contains

m. Distrola


This Interior Colour Selection is final and approved by:

than re-selection due to unavailability.

other miscellaneous disclaimers.

Signature:

SCHEDULE'F'



VENDOR	
PURCHASER	
PURCHASER	

GOLDPARK

WORTH MORI

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased, E. & O.E. 4002

SCHEDULE'F'






The Valleyview

40' SERIES

Elevation A • 3,145 sq.ft. Elevation B • 3,170 sq.ft.







SECOND FLOOR | ELEV. A

VENDOR
PURCHASER
PURCHASER

GOLDPARK

WORTH MORE

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4002

SCHEDULE'F'



MAY 12020 PV-147 NOV. 3, 2020


The Valleyview

40' SERIES

Elevation A • 3,145 sq.ft. Elevation B • 3,170 sq.ft.

24+30"

24×30"




24,50"

BASEMENT | ELEV. A

VENDOR PURCHASER PURCHASER

GOLDPARK

Prices, figures, illustrations, sizes, features and finish notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4002





Nov 35 25 26 NOV


GOLDPARK HOMES
PINE VALLEY
VAUGHAN, ONTARIO
MODEL: (4002) VALLEYVIEW

SITE STANDARD: WHITE 3/4" EXTENSION SOFT-CLOSE DRAWERS & STANDARD SLAM DOOR HINGES TO VANITIES


ONE TOP DRAWER WHERE POSSIBLE THROUGHOUT EACH VANITY, ONE BANK OF DRAWERS WHERE POSSIBLE THROUGHOUT EACH MASTER ENSUITE VANITY














Chesapeake 'Classic White' H039-03



STONE COUNTERTOP EDGE PROFILES

	2CM EASED EDGE	LOCATION: THRU OUT
	3CM EASED EDGE	LOCATION:
	4CM MITRED EDGE	LOCATION:
	2CM OGEE EDGE	LOCATION:
OT#: PV-147 IGNATURE: WD	DATE: Nov. , 2010	
IGNATURE:		


Lot#

Date:




POSI-TEMP SHOWER ONLY* W/ 3 FUNCTION TRANSFER VALVE/TRIM AND SLIDE BAR WITH HAND SHOWER

MOEN - 90 DEGREE



Signature:








H001-02 H001-03 H001-04	
H009-03 H009-09	
H011-03 H011-05 H011-06	
H011-03 H011-05 H011-06	
H033-01 H039-03 *NO HARDWARE Description Laundry Room Ensuite 2 Description The Ensuite 3/4	9
LOT # PV-147 DATE: NOV , 2020	
SIGNATURE:	
SIGNATURE:	



BLANCO - QUATRUS R15 U SUPER SINGLE

Stainless Steel - Undermount 32" x 18" x 9"





Stainless Steel GRID


MODEL 401518 Stainless Steel / 406347 Grid

Lot# PV-147	
Room: Kitchen	Signature: M. Dishola
Date: NoV , 2020	Signature: M. Distola



MT6X6

Shower Door Handle



Shower Door Handle	
6" x 6" back-to-back	✓ CHROME
3/4" dia. tube	MATTE BLACK

MT6X6

Cut and mitred corners with washers (Also available single sided)

Lot#
PV-147
Date:
Now. 30, 2020.

Room: Master Ensuré 3/4

Signature:


M. Dishlada


Signature:



*PLEASE SELECT ONE OF THE FOLLOWING:

INSTALL STANDARD BATHROOM ACCESSORIES THRU-OUT (tissue holder + towel bar) *location as per vendors discretion*
DO NOT INSTALL STANDARD BATHROOM ACCESSORIES THRU-OUT *tissue holder + towel bar will not be provided*






LOT# PV-147	DATE: Nov.10, 2020		
SIGNATURE:	n. odiscola).	7	
SIGNATURE:	Distolo		



ASPEN MODERN HOOD

(Insert fan not included)



LOT # PV - 147	ROOM: Kitchen	DATE:	12020
SIGNATURE:	Distrata.		
SIGNATURE:	Dirtala		




Project: Pine Valley


Purchaser(s): Meliesa Francessea Lucia Di Scola

Standard Hood Fan Deletion

We acknowledge that the builder's standard hood fan will not be installed.
Do not supply, install and/or credit. We will install our own hood fan after closing.

Signature: Many John
Signature: Many John
Date: November 2020






3 of 30

COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS

		/	1
30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		DUAL-F	em) RANGES FUEL/GAS J/KFGC506J
in	cm	in	cm
27³/₄	70.5	273/4	70.5
301/4	76.9	301/4	76.9
46½	118.1	46½	118.1
	DUAL-F KFDC5000 in 27 ³ / ₄ 30 ¹ / ₄	DUAL-FUEL/GAS KFDC500J/KFGC500J in cm 27³¼ 70.5 30¹¼ 76.9	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J in cm in 27% 70.5 27% 301/4 76.9 301/4




TOP VIEW

IMPORTANT: Dimensional specifications are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid°




5 of 30

COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS

				1		
MODEL #	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		DUAL-F	m) PANGES TUEL/GAS I/KFGC506J	48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
nit of Measurement in cm		cm	in	crn	in	cm
Grates Top Height (A)	37³/16	94.5	37³⁄16	94.5	37³/₁6	94.5
Cooking Surface Top Height (B)	36	91.4	36	91.4	36	91.4
Door Top Height (C)	27 ⁷ /8	70.8	271/8	70.8	277/8	70.8
Handle Top Height (D)	271/8	68.9	271/8	68.9	271/8	68.9
Toe-Kick Height (E)	6 ⁵ / ₈	16.9	65/8	16.9	65/8	16.9
		OTHER D	MENSIONS	'		
Maximum Feet Extension Height*	1½	3.8	1½	3.8	1½	3.8

^{*} IMPORTANT: Minimum height dimensions are at the lowest point of the height adjustment range. When the leveling legs are fully extended, all heights have 1½" (3.8 cm) of added height.



SIDE VIEW

IMPORTANT: Dimensional specifications are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid[®]


6 of 30

COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS

			1	. \		
MODEL #	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		DUAL-F	m) RANGES UEL/GAS J/KFGC506J	48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	cm
Depth with Door Fully Open (F)	46½	118.1	46½	118.1	46½	118.1
Depth with Handle (G)	301/4	76.9	301/4	76.9	301/4	76.9
Depth with Control Panel Overhang (H)	27 ³ / ₄	70.5	273/4	70.5	27³/ ₄	70.5
Depth to Toe-Kick with Door (I)	27	68.6	27	68.6	27	68.6
Depth with Door (J)	27	68.6	27	68.6	27	68.6
		OTHER D	MENSIONS			-
Gas Vent Height (K)*	39	99.1	39	99.1	39	99.1


*Gas Units only: KFGC500J, KFGC506J and KFGC558J.



SIDE VIEW

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid°




COMMERCIAL-STYLE RANGES

OPENING/CLEARANCE DIMENSIONS

MODEL #	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		DUAL-F	m) RANGES UEL/GAS //KFGC506J	48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC568J/KFGC558J			
Unit of Measurement	in	em	in	cm	in	cm		
Combustible Area above Cooking Surface Width (min.) (A)	30	76.2	36	91.4	48	121.9		
Bottom of Cabinet Height above Cooking Surface (min.) (B)*	42	106.7	58	147.3	58	147.3		
Bottom of Cabinet Height above Countertop (min.) (C)	18	45.7	18	45.7	18	45.7		
Distance to Fixed Wall or Combustible Material (min.) (D)	12	30.5	12	30.5	12	30.5		
Opening Width (min.) (E)	30	76.2	36	91.4	48	121.9		

* If installing a hood or hood liner above the range, follow the hood or hood liner instructions for dimensional clearances above the cooking surface.



FRONT VIEW

IMPORTANT: Dimensional specifications are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid°

8 of 30


COMMERCIAL-STYLE RANGES

OPENING/CLEARANCE DIMENSIONS

OPENING/GLEARANGE DIME	NSIONS		1			
MODEL #	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		DUAL-F	m) RANGES UEL/GAS /KFGC506J	48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	em
Upper Cabinet Depth (max.) (F)	13	33	13	33	13	33
Depth from Wall to Grates (G)*	11/2	3.9	11/2	3.9	11/2	3.9
Depth from Wall to back of Unit**	0	0	0	0	0	0

^{*} If the back wall is constructed of a combustible material and a backsplash is not installed a 71/2"/(19.1 cm) minimum clearance is required.


^{**} If the back wall is constructed of a combustible material and a backsplash is not installed a 6" (15.2 cm) minimum clearance is required.



IMPORTANT: Dimensional specifications are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid[®]



KitchenAid[®]

French Door w/Ice Dispenser Refrigerator

PRODUCT MODEL NUMBERS

KRFC704F

KRFC604F

Electrical: A 115-volt, 60 Hz, AC-only 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator and approved accessories be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.


Water: A cold water supply with water pressure between 35 and 120 psi (241 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.

NOTE: If the water pressure is less than what is required, the flow of water from the water dispenser could decrease or ice cubes could be hollow or irregular shaped.


Reverse Osmosis Water Supply: IMPORTANT: The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 and 120 psi (241 and 827 kPa).

If a reverse osmosis water filtration system is connected to your cold water supply, the water pressure to the reverse osmosis system needs to be a minimum of 40 to 60 psi (276 to 414 kPa).

LOCATION REQUIREMENTS



PRODUCT DIMENSIONS



IMPORTANT: This refrigerator is designed for indoor, household use only. To ensure proper ventilation for your refrigerator, allow for a $\frac{1}{2}$ " (1.25 cm) of space on each side and at the top. Allow for a 1" (2.54 cm) space behind the

(180.0 cm)

(111.1 cm)

refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave a 3¾" (9.5 cm) minimum space between the refrigerator and wall to allow the door to swing open.


(80.0 cm)

(73.3 cm)

NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.

435/8

(110.8 cm)




1 of 30

X

COMMERCIAL-STYLE RANGES

PRODUCT DIMENSIONS

MODEL #	DUAL-F	m) RANGES FUEL/GAS J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		
Unit of Measurement	in	cm	1	in	om	
Overall Width (A)	297//8	75.9		351/8	91.1	
Bullnose Height (B)	23/16	5.6		2 ³ / ₁₆	5.6	
Control Panel Height (C)	5 ⁵ ⁄16	13.5		55/16	13.5	
Door Height (D)	2011/16	52.6		2011/16	52.6	
Door Bottom to Handle Top (E)	20	50.8		20	50.8	
Toe-Kick Height (F)	5½	14		51/2	14	




FRONT VIEW

IMPORTANT: Dimensional specifications are provided for planning purposes only. **Do not make any cutouts based on this information.** Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.



24" Pocket Handle Dishwasher

500 Series - Stainless Steel SHPM65Z55N







SHPM65Z55N Stainless Steel

Also available in:

White

SHPM65Z52N

Black SHPM65Z56N

All-new AutoAir™ option
automatically releases

the door at the end of the cycle to let moisture escape and fresh air in for drier dishes.

Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

The Flexible 3rd Rack with fold down sides adds 30% more* loading area, perfect for utensils and ramekins.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

General Properties	用题的图像			
Number of wash cycles	5			
Number of options	5			
dBA	44			
Third rack	Flexible 3rd Rack			
Rack adjustability	Rackmatic®			
Tub material	Stainless Steel			
Control type	Buttons			
Concealed water heating element	Yes			
Leak protection system	24/7 AquaStop®			
Water softener	No			
Five-level wash	Yes			
ChildLock	No			
Special features	InfoLight®, AutoAir™ Option			
Efficiency				
Water usage per cycle	3.5			
Energy efficiency class	Tier 1			
ENERGY STAR® qualified	Yes			
Total annual energy consumption (kWh)	269			
Total annual water consumption (g)	623.5			
Capacity	HOUSE C			
Number of place settings	16			



Technical Details					
Watts (W)	1440 W				
Current (A)	12 Amps				
Volts (V)	120 V				
Frequency (Hz)	60 Hz				
Power cord length	67"				
- Install length from corner of unit	45"				
Minimum water pressure (lb/sin)	14				
Length outlet hose (in)	79"				
Dimensions & Weight	SERVICE STATE OF THE SERVICE S				
Overall appliance dimensions (HxWxD) (in)	33 7/8" x 23 9/16" x 23 3/4"				
Required cutout size (HxWxD) (in)	33 7/8" x 23 5/8" x 24"				
Adjustable feet	Yes				
Net weight (lbs)	91 lbs				
Accessories-Optional					
Junction Box	SMZPCJB1UC				
Bosch Dishwasher Water Supply Hose	SMZSH002UC				
Drain Hose Extension Kit	SGZ1010UC				
Dishwasher Accessory Kit	SMZ5000				
Anti-Tarnish Silverware Cassette	SMZ5002UC				
Edge Protector	SMZEP001UC				



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

^{*}Compared to a Bosch dishwasher with 2 racks.


24" Pocket Handle Dishwasher


500 Series - Stainless Steel SHPM65Z55N








Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com/us or call 1-800-944-2904

© BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.