

Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

APPI	LIAN	CES

Invoice

2472

72,351

Invoice	Qty.	Description
2681	1	APPLIANCE SPECIFICATIONS ATTACHED - SIGNED COPIES
21May21		
NoCat	:	

BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME

#### **BASEMENT WINDOWS**

Qty. Description

16Dec20		
CERAM Invoice		Description
2472 16Dec20	1	.MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472  16Dec20  NoCat	1	.SHARED ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2681 39 21May21	1	FOYER: TILE, FLOOR, LEVEL 1 - 18x18" LAID IN STRAIGHT, STACKED PATTERN.
2681 19 21May21	1	FOYER: TILE GROUT UPGRADE, FLOOR
2681 39 21May21	1	POWDER ROOM: TILE, FLOOR - LEVEL 1 - 18x18" LAID IN STRAIGHT, STACKED PATTERN.
2681 19 21May21	1	POWDER ROOM: TILE GROUT UPGRADE, FLOOR
2681 19 21May21	1	LAUNDRY: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 35 21May21	1	SHARED BATH: TILE, FLOOR , LEVEL 1 - 18x18" LAID IN STRAIGHT, STACKED PATTERN.
2681 43 21May21	1	SHARED BATH: TILE, SHOWER FLOOR, LEVEL 2 - HEX
2681 19 21May21	1	SHARED BATH: TILE GROUT UPGRADE, FLOOR , UPG GROUT - SHARED BATH - UPG GROUT

DisciplineMS.rpt 23feb21 Page 1 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

#### **CERAMIC**

Invoice		Description
2681 21 21May21	1	SHARED BATH: TILE GROUT UPGRADE, WALL, UPG GROUT - SHARED BATH - UPG GROUT
2681 19 21May21	1	ENSUITE 2: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 36 21May21	1	MASTER ENSUITE: TILE, FLOOR , LEVEL 4 - 12X24" LAID IN STRAIGHT, STACKED PATTERN. SEE PLAN FOR TILE DIRECTION
2681 45 21May21	1	MASTER ENSUITE: TILE, SHOWER FLOOR, LEVEL 4 - 2X2" SQUARE
2681 50 21May21	1	MASTER ENSUITE: TILE, WALL, LEVEL 3 - 12X24" LAID IN VERTICAL STACKED PATTERN
2681 19 21May21	1	MASTER ENSUITE: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 21 21May21	1	MASTER ENSUITE: TILE GROUT UPGRADE, WALL, UPG GROUT
2681 19 21May21	1	MUD ROOM: TILE GROUT UPGRADE, FLOOR , UPG GROUT
2681 20 21May21	1	MASTER ENSUITE: TILE GROUT UPGRADE, SHOWER FLOOR, UPG GROUT
2681 21 21May21	1	ENSUITE 2: TILE GROUT UPGRADE, WALL, UPG GROUT
2681 21May21 NoCat	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, SCULPTED TEXTURE, UVF FINISH - LEVEL 3  *KITCHEN/BREAKFAST: DO NOT SUPPLY/INSTALL CERAMIC, CREDIT.

DisciplineMS.rpt 23feb21 Page 2 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

#### DRYWALL

Invoice	Qty.	Description
2472 72,351 16Dec20 **	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME
2472 16Dec20 NoCat	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD
2472 16Dec20 NoCat	1	.MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 16Dec20 NoCat	1	.SHARED ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 16Dec20 NoCat	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)
2472 16Dec20 NoCat	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS

DisciplineMS.rpt 23feb21 Page 3 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

#### **ELECTRICAL**

ELECT Invoice		AL Description
2472 72,351 16Dec20 **	3	BASEMENT WINDOWS - UPGRADE BASEMENT WINDOW SIZE TO 30 " X 24" - 8" FRAME
2472 72,273 16Dec20	1	KITCHEN; 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - GAS FIRED APPLIANCE - FOR AUX. EQUIPMENT - NOT A STOVE PLUG
2472 72,272 16Dec20	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR MICROWAVE DRAWER- MICROWAVE NOT INCLUDED - SEE PLAN FOR LOCATION
2472 72,272 16Dec20	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR WINE FRIDGE - APPLIANCE NOT INCLUDED - SEE PLAN FOR LOCATION
2472 72,272 16Dec20	1	KITCHEN: 110V WALL RECEPTACLE ON SEPARATE CIRCUIT - FOR COFFEE MACHINE - APPLIANCE NOT INCLUDED
2472 75,862 16Dec20	1	KITCHEN - ISLAND: USB OUTLET, 20 AMP - PRICE IS EACH -
2472 72,268 16Dec20	1	MASTER ENSUITE: INTERIOR WALL OUTLET: 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT SEE PLAN FOR LOCATION
2472 72,288 16Dec20	1	MASTER ENSUITE: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED  RELOCATE STANDARD VANITY LIGHT TO ABOVE 1 SINK + ADD 1 ROUGH-IN ABOVE OTHER SINK - USE STANDARD SWITCH
2472 72,288 16Dec20	1	SHARED ENSUITE: ROUGH-IN FOR ADDITIONAL WALL SCONCE (1) CAPPED OUTLET ON EXISTING SWITCH - FIXTURE NOT INCLUDED  RELOCATE STANDARD VANITY LIGHT TO ABOVE 1 SINK + ADD 1 ROUGH-IN ABOVE OTHER SINK - USE STANDARD SWITCH
2472 72,292 16Dec20	1	FRONT FOYER: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE)  OPPOSITE SIDE OF FRONT DOOR, SAME HEIGHT AND SWITCH AS STANDARD
2472 72,292 16Dec20	1	REAR ELEVATION: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE) - OPPOSITE SIDE OF DOOR, SAME HEIGHT AND SWITCH AS STANDARD
2472 72,307 16Dec20	1	KITCHEN: FIXTURE: RELOCATE STANDARD CEILING MOUNT FIXTURE LOCATE APPROX CENTERED ABOVE ISLAND
2472 72,280 16Dec20	1	KITCHEN: CEILING OUTLET: ADDITIONAL REINFORCED CEILING OUTLET - APPROX CENTERED ABOVE ISLAND  USE SAME SWITCH AS STANDARD

DisciplineMS.rpt 23feb21 Page 4 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

#### **ELECTRICAL**

Invoice	Qty.	Description
2472 72,289	6	KITCHEN: 4" E/S LED INTERIOR POT LIGHT - GROUND FLOOR - EACH - INCLUDES 1 SWITCH
16Dec20		INCLUDED IN APS
2472 72,281 16Dec20	-	GREAT ROOM: INTERIOR WALL OUTLET: ADDITIONAL 110V WALL INTERIOR RECEPTACLE ON EXISTING CIRCUIT FOR WALL MOUNTED TV - LOCATE ABOVE FIREPLACE, APPROX. 66" A.F.F.
2472	1	.KITCHEN: **NOTE** SINK TO BE CENTERED ON ISLAND, DISHWASHER TO LEFT OF SINK
16Dec20 NoCat		
2472	1	**CUSTOM LAYOUT** LAUNDRY: REVISE LAYOUT - RELOCATE DRYER ROUGH-IN TO OPPOSITE WASHING MACHINE
16Dec20 NoCat		BASED ON SITE APPROVAL

#### FRAMING

FRAMII	NG	
Invoice	Qty.	Description
2472	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD
16Dec20 NoCat		
2472 72,631 16Dec20	1	MASTER ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 72,631 16Dec20	1	SHARED ENSUITE: SHOWER NICHE [SHAMPOO SHELF] - COMPLETE WITH MATCHING MARBLE JAMBS ON 4 SIDES, STANDARD TILE, APPROX. 12 X 18 INSTALLED VERTICALLY
2472 16Dec20	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)
NoCat		
2472	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS
16Dec20 NoCat		

DisciplineMS.rpt 23feb21 Page 5 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

#### **GLASS AND MIRROR**

Invoice	Qty.	Description
2472	1	THRU OUT **NOTE** DO NOT INSTALL MIRRORS
16Dec20 NoCat		MIRRORS WILL NOT BE SUPPLIED OR INSTALLED
2681	1	MASTER ENSUITE: UPGRADE SHOWER DOOR HARDWARE + HINGES - BRUSHED NICKEL
21May21 NoCat		

#### **GRANITE MARBLE QUARTZ**

Invoice		Description
2681 101,930	1	KITCHEN: UPGRADE QUARTZ COUTERTOP - LEVEL 3
21May21		LARGER KITCHEN PERIMETER + ISLAND
2681	1	SHARED ENSUITE: UPGRADE 4 QUARTZ COUNTER
21May21 NoCat		
2681 101,930	1	KITCHEN: UPGRADE EDGE PROFILE
21May21		SEE ATTACHED
2681 101,930	1	POWDER ROOM: UPGRADE EDGE PROFILE
21May21		SEE ATTACHED
2681	1	KITCHEN: BLANCO QUATRUS R U - SUPER SINGLE
21May21 NoCat		
2681	1	KITCHEN: ADD SOAP DISPENSER
21May21 NoCat		

HARDWOOD			
Invoice	Qty.	Description	
2681 7 21May21	1	KITCHEN/BREAKFAST: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, SCULPTED TEXTURE, UVF FINISH - LEVEL 3	
2681 7 21May21	1	THRU OUT STANDARD AREAS: GREAT ROOM, DINING ROOM, MAIN HALL, MASTER BEDROOM, BEDROON 2, BEDROOM 3, BEDROOM 4, UPPER HALL: VINTAGE SERIES, 5" WHITE OAK, NSS ENGINEERED HARDWOOD, 3/4" THK, SCULPTED TEXTURE, UVF FINISH - LEVEL 3	

DisciplineMS.rpt 23feb21 Page 6 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

HV	΄Λ	$\boldsymbol{C}$

Invoice	Qty.	Description
2472 72,224 16Dec20	1	KITCHEN: GAS LINE ROUGH-IN - MAIN FLOOR FOR APPLIANCE - SEE PLAN FOR LOCATION
2472	1	**CUSTOM LAYOUT** LAUNDRY: REVISE LAYOUT - RELOCATE DRYER ROUGH-IN TO OPPOSITE WASHING MACHINE
16Dec20 NoCat		BASED ON SITE APPROVAL

#### INTERIOR TRIM AND DOORS

Invoice		Description
2472 72,639 16Dec20	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS
2472 16Dec20 NoCat	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD
2472 16Dec20 NoCat	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)
2681 153,803 21May21	1	THRU OUT: HALIFAX LEVER, SATIN NICKEL INTERIOR DOOR HARDWARE  UPGRADE
2681 155,881 21May21	1	THRU OUT: ADD FOR HINGES 3X3 SQUARE FLAT TIP THROUGHOUT - SATIN NICKEL  UPGRADE
2681 153,235 21May21	1	THRU OUT: UPGRADE 3 1/2" WEST END CASING, 6 1/2" BASE BOARD  UPGRADE BOARD 2

DisciplineMS.rpt 23feb21 Page 7 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

#### KITCHEN AND BATH CABINETRY

Invoice	Qty.	Description
2472	1	**NOTE** KITCHEN TO BE LONGER - ADDITIONAL CABINETRY AND COUNTER TO BE ADDED AT COLOURS ORDER
16Dec20 NoCat		
2472	1	.KITCHEN: **NOTE** SINK TO BE CENTERED ON ISLAND, DISHWASHER TO LEFT OF SINK
16Dec20 NoCat		
2681 101,930 21May21	1	THRU OUT: SEE ATTACHED CABINETRY SCHEDULE

#### **MASONRY**

Invoice	Qty.	Description
2472	1	.FRONT FOYER: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE)
16Dec20 NoCat		.OPPOSITE SIDE OF FRONT DOOR, SAME HEIGHT AND SWITCH AS STANDARD
2472	1	.REAR ELEVATION: ADDITIONAL EXTERIOR COACH LIGHT ON SAME SWITCH (BUILDERS STANDARD FIXTURE) -
16Dec20 NoCat		.OPPOSITE SIDE OF DOOR, SAME HEIGHT AND SWITCH AS STANDARD

#### **NETWORK AND WIRING**

Invoice	Qty.	Description
2472 72,259 16Dec20	1	GREAT ROOM: CONDUIT PIPE - FOR WALL MOUNT TV - LOCATE ABOVE FIREPLACE, APPROX. 66" A.F.F., THRU BASEMENT, TERMINATING AT CORNER - SEE PLAN
2472 72,258 16Dec20	1	BEDROOM 2: ADDITIONAL CAT6 ETHERNET OUTLET - EACH SEE PLAN FOR LOCATION

#### **PAINT**

IAIIII		
Invoice	Qty.	Description
2472	1	**CUSTOM LAYOUT** MASTER BEDROOM - DELETE DOUBLE DOOR ENTRY, RELOCATE DOOR AND INSTALL SINGLE DOOR INSTEAD
16Dec20 NoCat		
2472	1	.BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)
16Dec20 NoCat		
2472	1	**CUSTOM LAYOUT**MASTER BEDROOM CLOSET: UPGRADE TO DOUBLE *POCKET* DOORS, COMPLETE WITH BUILDERS STANDARD OFFERINGS
16Dec20 NoCat		
2681	2	MAIN STAIRS: 2ND FLOOR TO BASEMENT: STAIN STAIRS AND LANDINGS
21May21 NoCat		STAIRS AND LANDINGS WILL NOT MATCH HARDWOOD FLOORS IN COLOUR/TEXTURE/SPECIES

DisciplineMS.rpt 23feb21 Page 8 of 9



Lot: 145

Model: 40.08 B HILLSDALE

**Project/Phase: Pine Valley Forevergreen / 1** 

DI	T	TI	<b>\</b> ∕∎	D	G
- 1		11	vı	$\mathbf{r}$	 

Invoice	Qty.	Description
2472	1	KITCHEN: **NOTE** SINK TO BE CENTERED ON ISLAND, DISHWASHER TO LEFT OF SINK
16Dec20 NoCat		
2472	1	**CUSTOM LAYOUT** LAUNDRY: REVISE LAYOUT - RELOCATE DRYER ROUGH-IN TO OPPOSITE WASHING MACHINE
16Dec20 NoCat		BASED ON SITE APPROVAL
2681	1	KITCHEN: BLANCO QUATRUS R U - SUPER SINGLE
21May21 NoCat		+ GRID
2681	1	KITCHEN: ADD SOAP DISPENSER
21May21 NoCat		

#### WINDOWS AND DOORS

WINDO	WINDOWS AND DOORS			
Invoice	Qty.	Description		
2472	1	BREAKFAST: UPGRADE DOOR TO 96" SLIDING DOOR (in lieu of garden door)		
16Dec20 NoCat				

DisciplineMS.rpt 23feb21 Page 9 of 9











SECURITY LOCK



DESIGN HANDLE

### MODEL

### WC38SSTBC5

#### **TECHNICAL FEATURES**

CAPACITY	19 bottles* + cans or beer or water bottles
TEMPERATURE ZONE	2 zones (Wine and beverages)
TEMPERATURE	Left 7-18 degrees / Right 1-6 degrees
DIMENSIONS	H 34 %" X W 23 ½" X D 22 ½" H 870mm X W 595mm X D 570mm
BUILT-IN DIMENSIONS	H 34 ¾" X W 23 % " X D 23 %" H 880mm X W 605mm X D 590mm
WEIGHT	122 lbs / 55 kg

#### **SPECIFIC FEATURES**

BUILT-IN OR FREE STANDING	Yes
DOOR	Stainless steel glass door (seamless)
REVERSIBLE DOOR	No (french door)
SECURITY LOCK	Yes
CONTROL	Electronic
LIGHTING	LED - Blue
SHELVES	10
SHELVES OPENING	Left 40% / Right 30%
EXTENSIBLE BALL-BEARING SHELVES	Yes (for left zone)
CABINET COLOR	Black
VENTILATION GRILL	Stainless steel
PART & LABOR WARRANTY	2 years
COMPRESSOR WARRANTY	3 years part only (Embraco)

<sup>\*</sup> Capacities are approximate and calculated with bordeaux bottles type.



















# GOLDPARI

#### INTERIOR COLOUR SCHEME

\*\*\* NOTE: This is not an approved document. Document must be locked \*\*\*

Scheduled Closing Date: Friday, May 28, 2021

Purchaser:

Luigi Anthony Cannavicci

Property: 145 of Plan -

Telephone Res. / Bus: /

Project: Pine Valley Forevergreen - Phase 1

		i iojeci.	1 1110
Decor Advisor:	Amanda Ceresino	Model and Elevation:	40 (

on: 40.08 B HILLSDALE Layout Changes: Yes No Sketch Attached: Yes No **Exterior Colour Scheme:** 1. Cabinetry Style and Colour Counter Hardware Kitchen / Breakfast \*Windermere 'Fog' \*Quartz: Moorland Fog attachd Laundry Room Bowery 'Ello' \*P-Lam: Paloma Polar attachd **Powder Room** Bowery 'Avenza' Quartz: Ice Snow attachd Mud Room Bowery 'Ello' \*P-Lam: Paloma Polar attachd Master Ensuite Tribecca 'Arris' **Bathroom** Quartz: Ice Snow attachd Second Ensuite Bowery 'Ello' Quartz: Ice Snow Bathroom (If Applicable) attachd Shared Ensuite Tribecca 'Arris' \*Quartz: Primordia attachd Comment 2. Floor Tile Selection **Entrance Vestibule** \*18x18" New Byzantine Pentellic Grey + see grout attached Main Hall Kitchen / Breakfast see hardwood Laundry Room 13x13" Costa 'White' + see grout attached Powder Room \*18x18" New Byzantine Pentellic Grey + see grout attached 13x13" Venue 'Anthracite' + see grout attached Mud Room Master Ensuite \*12x24" Eterna Volkas matte + see grout attachd Bathroom Second Ensuite 13x13" Costa 'White' Bathroom (If Applicable) Lower Landing (If Applicable) Shared Ensuite \*18x18" Madison Light Grey + see grout attachd Comment Shared Ensuite Shower Floor: \*Quebec Hex 'Arctic White' // Master Ensuite Shower Floor: 2x2" Calacatta 'Taupe' matte 3. Wall Tile Selection Listello/Inserts Describe ( ) Yes No Master Ensuite Bathroom Tub Deck Yes No Shower Stall \*12x24"Eterna Imp Grey Pol.+grout O Yes No **Bathroom Walls** Yes No Second Ensuite 8x10" Uniwall 'Tender Grey' +grout | Yes 
No Bathroom (If Applicable) **Shared Ensuite** 8x10" Uniwall 'Tender Grey' +grout Yes No Kitchen Backsplash Yes No Backsplash Behind Fridge

\*ENSUITE 2: WALL TILE TO BE HORIZONTAL STACKED // \*\*SHARED ENSUITE: WALL TILE TO BE VERTICAL STACKED

Comment

#### GOLDPARK INTERIOR COLOUR SCHEME \*\*\* NOTE: This is not an approved document. Document must be locked \*\*\* Scheduled Closing Date: Friday, May 28, 2021 Purchaser: Luigi Anthony Cannavicci Property: 145 of Plan -Telephone Res. / Bus: / Project: Pine Valley Forevergreen - Phase 1 Decor Advisor: Amanda Ceresino Model and Elevation: 40.08 B HILLSDALE 4. Plumbing Fixtures Second Ensuite Powder Room Master Ensuite Bathroom Other Room - Specify Other Washroom Comment see extras 5. Hardwood Flooring Type and Stain Type and Stain Main Hall **Upper Landing** Kitchen / Breakfast \*3/4x5" wht oak wirebrush 'Atlantis' Upper Hall Living Room Master Bedroom **Dining Room** Bedroom #2 **Family Room** Bedroom #3 Den/Library Bedroom #4 **Entrance Vestibule** Bedroom #5 Lower Landing Other Room - Specify Thru out standard areas \*3/4x5" wht oak wirebrush 'Atlantis' (If Applicable) Comment 6. Carpeting Upgrade Description **Ground Floor** Second Floor Type Area **Upgrade Underpad** Capped Runner - \*Upgrade Carpet on Stairs Comment 7. Fireplace Living Room Family Room Other Room - Specify Purchased As Per Plan N/A Purchased As Per Plan N/A Purchased As Per Plan N/A $\bigcirc$ Fireplace Type Standard Gas Mantle Type Mediterranean Colour / Stain Arctic White Surround N/A Hearth None Comment

# GOLDPAR INTERIOR COLOUR SCHEME \*\*\* NOTE: This is not an approved document. Document must be locked \*\*\* Scheduled Closing Date: Friday, May 28, 2021 Purchaser: Luigi Anthony Cannavicci Property: 145 of Plan -Telephone Res. / Bus: / Project: Pine Valley Forevergreen - Phase 1 Decor Advisor: Amanda Ceresino Model and Elevation: 40.08 B HILLSDALE 8. Trim Carpentry Interior Doors std Carrara Front Door Glass Inserts std Door Handles \*See Below **Interior Trim** \*Board 2 Comment Door Handles: Halifax Satin Nickel + hinges 9. Plaster Mouldings and Medallions Standard Throughout Yes O No O N/A **Entrance Vestibule** Kitchen/Breakfast Main Hall Den/Library Living Room **Lower Landing Dining Room** Other Room - Specify **Family Room** Comment

Railing Package	Standard 2 Packa	age					
Railing Colour *Mirag	*Mirage 'Ho		Spindle Colour	*Mirage 'I	*Mirage 'Hopscotch'		
	*Mirage 'Ho	lirage 'Hopscotch'	Treads	*Mirage 'Hopscotch'			
Comment			Oak Stairs	Yes	○ No	○ N/A	
	Ceilings hed Areas	Cool White					
Γhroughout Finis Γrim Paint		Cool White				} .	
Throughout Finis  Trim Paint  Smooth Ceilings  Ground Fl  Second Fl  Note	White	Cool White					
Throughout Finis  Trim Paint  Smooth Ceilings  Ground Fl  Second Fl	White	<b>✓</b>					

GOLDPARK		INTERIOR COLOUR SCHEME			
WORTH MORE" *	** NOTE: This is no	t an approved document. Document must be locked ***			
Purchaser: Luigi A	nthony Cannavicci	Scheduled Closing Date: Friday, May 28, 2021			
Telephone Res. / Bus: /	nationly Garmavicoi	Property: 145 of Plan - Project: Pine Valley Forevergreen - Phase 1			
	la Ceresino	Model and Elevation: 40.08 B HILLSDALE			
42 Flooting					
12. Electrical  Hood Fan White	Ctainless O N/A				
	Stainless N/A	Above Kitchen Cabinet Light  Yes No No Below Kitchen Cabinet Light Yes No			
Standard Appliances		¥			
Over The Range Microwave					
Chimney Style Fan	✓				
Comment					
Comment					
13. Heating and Air Con					
Air Conditioning Gas Provisions Dryer	none	Gas Provisions Stove yes			
Comment	none	Gas Provisions Barbecue std			
14. Additional Commen	ts				
		,			
15. Disclaimers and Not	es				
1) Colours of all materials are as clos	se as possible to builder's selec	ction, but not necessarily identical due to variances in manufacturing.			
		a separate invoice/amendment. Said invoice must be paid in full.			
than re-selection due to unavailab	oility Purchase				
<ol> <li>The Purchaser acknowledges read other miscellaneous disclaimers.</li> </ol>	ding and accepting the "Gold P	ark Homes Decor Centre Disclaimers" form. This document contains			
This Interior Colour Selection is fina	5.85				
Signature:	Date: May	13,2021			



# PV - 145 Cabinetry Schedule

INDIEK ENSUITE	CONVERT STANDARD VANITY TO COMFORT HEIGHT	510.00	1	\$	510.00
ASTER ENSUITE	COMPLETE CTANDAGE			>	1,100.00
		100.00	1	\$	180.00
	UPGRADE P-LAM: PALOMA POLAR	180.00	1	\$	920.00
AUNDRY ROOM	ADD OPTIONAL UPPERS	920.00	1	4	000
				\$	180.0
		180.00	1	\$	180.0
MUD ROOM UPGRADE P	UPGRADE P-LAM: PALOMA POLAR	400.00			
				\$	1,000.0
	The state of the s	340.00	1	\$	340.0
	CONVERT STANDARD VANITY TO COMFORT HEIGHT	660.00	1	\$	660.0
HARED ENSUITE	ADD BANK OF FOUR DRAWERS			-	
				\$	170.0
	CONVERT STANDARD VANITY TO COMFORT HEIGHT	170.00	1	\$	170.0
NSUITE 2	CONVERT STANDARD MANUFACTO CONTRACTOR			,	630.0
			-	5	850.0
	INSTALL HARDWARE HORIZONTALLY (N/C) top third of door hu	-	1	\$	490.0
	ADD POSSIBLE SKIRT BELOW FLOATING VANITY FOR UNFORSEEN PLUMBING	490.00	1	\$	360.0
POWDER ROOM	CONVERT STANDARD VANITY TO FLOATING VANITY	360.00	1		200 -
				\$	12,018.0
		3,170.00	1	\$	3,198.0
	TO SOUTH AND DRAWERS BELOW	3,198.00			
	CONVERT STANDARD CABINETRY TO TALL DEEP PANTRY UNIT WITH TWO POTS AND PANS DRAWERS BELOW	: <del>-</del> :	1	\$	-
	LEAVE SPACE IN ADDITIONAL BASE CABINETS FOR 24" WINE FRIDGE (N/C)	990.00	2	\$	1,980.0
	CONVERT BASE CABINETS TO BASE POTS AND PANS	-	1	\$	_
	LEAVE 42" SPACE IN UPPER CABINETS ABOVE RANGE FOR FUTURE 36" CHIMNEY (N/C)	-	1	\$	-
	ADJUST CABINETRY FOR 36"W RANGE (N/C)	(*)	1	\$	-
	HEIGHT FROM 45"H TO 48"H WITH 3"H FURRING TO BULKHEAD (N/C)				
	DELETE STANDARD CORNICE MOULDING AND CONTEMPORARY MOULDING AND IN LIEU OF INCREASE UPPER	320.00	1	\$	320.0
	RETURN TRIP FOR HARDWOOD	-	1	\$	-
	x 85" INCLUDING FLUSH BREAKFAST BAR (INCLUDES ADDITIONAL COUNTERTOP) *NOTE: NO HARDWARE / NO HOLES THRU OUT KITCHEN* (N/C)	6,520.00	1	\$	6,520.6
	ROW OF SHALLOW CABINETS AT BACK OF ISLAND TO ACHIEVE OVERALL FINISHED ISLAND SIZE OF APPROX. 42"				
MITCHELL	REVISE KITCHEN LAYOUT TO INCLUDE APPROX. 24" BASE AND UPPERS AT EXTERIOR WALL + 18" AT ISLAND and				
KITCHEN	DEVICE MITCHES AND THE PROPERTY OF THE PROPERT				

\*\*\*HANDLE PLACEMENT: AT INSTALLERS DISCRETION\*\*\*

LOT #: 145 DATE: V	lay 13 2021		
SIGNATURE:			
SIGNATURE:		•	



# **PV-145 Grout Schedule**

ROOM	LOCATION	COLOUR
FOYER	FLOOR	SNOWHITE
POWDER ROOM	FLOOR	SNOWHITE
MUD ROOM	FLOOR	PEWTER GREY
LAUNDRY ROOM	FLOOR	BONE
MASTER ENSUITE	FLOOR	SNOWHITE
	SHOWER FLOOR	SNOWHITE
	SHOWER WALL	BONE
ENSUITE 2	FLOOR	BONE
	SHOWER WALL	BONE
SHARED ENSUITE	FLOOR	BONE
	SHOWER WALL	BONE
8	SHOWER FLOOR	SNOWHITE

LOT #: PV-145	DATE: May 13, 2021
SIGNATURE:	
SIGNATURE:	



#### SCHEDULE'F'




PV-145 See altached December 10,2020 PV-145 UV May 13,2021

# The Hillsdale

40' SERIES

Elevation A • 2,745 sq.ft. → Elevation B • 2,760 sq.ft.



VENDOR
PURCHASER
PURCHASER

# GOLDPARK

WORTH MORE"

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008

#### SCHEDULE'F'




PV-145 See attached December 10, 2020 PV-145 WWW May 13, 2021

# The Hillsdale

40' SERIES

Elevation A • 2,745 sq.ft. Elevation B • 2,760 sq.ft.



VENDOR
PURCHASER
PURCHASER

# GOLDPARK

WORTH MORE"

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008



SCHEDULE'F'


PV-145 See attached December 10, 2020

PV-145 May 13, 2021


# The Hillsdale

40' SERIES


Elevation A • 2,745 sq.ft. ► Elevation B • 2,760 sq.ft.



PART. SECOND FLOOR | ELEV. B



PART. GROUND FLOOR | ELEV. B



PART. BASEMENT | ELEV. B


VENDOR	
PURCHASER	
PURCHASER	


# GOLDPARK

WORTH MORE"

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008


### SCHEDULE 'F'







# GOLDPARK

Prices, figures, illustrations, sizes, features and finishes are subject to change without notice. Areas and dimensions are approximate and actual usable floor space may vary from the stated area. Layout may be reverse of the unit purchased. E. & O.E. 4008






Page 1/1







PERSPECTIVE VIEW

AKOWALTCHUK-0124-21



# STONE COUNTERTOP EDGE PROFILES

	STANDARD 2CM EASED EDGE	LOCATION: THRU OUT
	UPGRADE 3CM EASED EDGE	LOCATION:
	UPGRADE 4CM MITRED EDGE	LOCATION: KITCHEN POWDER ROOM
	UPGRADE 2CM OGEE EDGE	LOCATION:
OT#: PV - 145	DATE: May 13, 12	021
SIGNATURE:		



H001-02 H001-03 H001-04
H009-03 H009-09
H011-03 H011-05 H011-06
H033-01  H039-03  HO39-03  HO3
DATE: May 13 12021
SIGNATURE:
SIGNATURE:



### MOEN - MODERN

Soap/Lotion Dispenser





CHROME (C)	
STAINLESS (SRS)	
BRUSHED GOLD (BG)	
MATTE BLACK (BL)	
MODEL: S3947 (C, SRS, BG, BL) Soap Dispenser	
Lot# PV-145 Date: May 13,2021 Room: Kitchen	
Signature:	
Signature:	




# **BLANCO - QUATRUS U SUPER SINGLE**

Stainless Steel - Undermount 32" x 18" x 9"







Stainless Steel

VIGRID

MODEL 401248 Stainless Steel / 402125 Grid

	Lot#	PV-	145
--	------	-----	-----

Room: Kitchen

Signature:



Date:


May 13 , 2021

Signature:



SQ6X6

Shower Door Handle + HingeS



SQ6X6	
Shower Door Handle	

6" x 6" back-to-back 3/4" square tube (Also available single sided)


CHROME			
MATTE BLAC	CK		
U BRUSHED	NICKEL	+	HINGES

Lot# PV-145	Date: May 13,2021	Room: Master Ensuite	
Signature:			
Signature:			



#### SDK106

Shower Door Knob



SDK106 Shower Door Knob

1-3/16" dia. Contemporary Style (Also available single sided)

CHROME


Lot# PV-145 Date: May 13 2021 Room: Shared Ensures


Signature:

Signature:

# BATHROOM ACCESSORIES







Tissue Holder Mason - Chrome

Towel Bar Mason - Chrome

# Please select one of the following:

	INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT (tissue holder + towel bar) *location as per vendors discretion*
V	*DO NOT* INSTALL STANDARD BATHROOM ACCESSORIES THRU OUT *tissue holder + towel bar will not be provided*


LOT # PV- 145	DATE: May 13, 2021
SIGNATURE:	
SIGNATURE:	



Project: Pine Valley  Lot: 145
Purchaser(s): Luigi Anthony Cannavicci & Javren Woodcroft
Standard Hood Fan Deletion
We acknowledge that the builder's standard hood fan will not be installed.  Do not supply, install and/or credit. We will install our own hood fan after closing.
Signature:
Signature:
Date: May 13 , 2021



Patio Door 08 x 08 Configuration



Lot# PV-145	
Dicarias	Signature:
Dec. 10, 2020	Signature:

### KitchenAid®

FOR THE WAY IT'S MADE:

#### PRODUCT MODEL NUMBERS

#### KRFC302E

Electrical: A 115 volt, 60 Hz, AC only 15- or 20-amp fused, grounded electrical supply is required. It is recommended that a separate circuit serving only your refrigerator and approved accessories be provided. Use an outlet that cannot be turned off by a switch. Do not use an extension cord.


Water: A cold water supply with water pressure of between 35 and 120 psi (241 and 827 kPa) is required to operate the water dispenser and ice maker. If you have questions about your water pressure, call a licensed, qualified plumber.

Reverse Osmosis Water Supply: IMPORTANT: The pressure of the water supply coming out of a reverse osmosis system going to the water inlet valve of the refrigerator needs to be between 35 and 120 psi (241 and 827 kPa).

#### **Bottom Mount Refrigerator**


#### PRODUCT DIMENSIONS





Model Size	Height - Overall "A"	Height - Top of Cabinet "B"	Depth - Doors Open 90° "C"	Depth - Drawer Open "D"	Depth - With Handles "E"	Depth - Without Handles "F"	Depth - Cabinet Only "G"	Width - Cabinet "H"
21.9	72"	71%"	441/8"	451/4"	301/4"	27¾4"	245%"	35¾"
	(182.9 cm)	(181.3 cm)	(112.1 cm)	(114.9 cm)	(76.8 cm)	(70.5 cm)	(62.5 cm)	(90.8 cm)


#### LOCATION REQUIREMENTS



IMPORTANT: This refrigerator is designed for indoor, household use only.

To ensure proper ventilation for your refrigerator, allow for ½" (1.25 cm) of space on each side and at the top. Allow for 1" (2.54 cm) of space behind the refrigerator. If your refrigerator has an ice maker, allow extra space at the back for the water line connections. When installing your refrigerator next to a fixed wall, leave 21/2" (6.3 cm) minimum on the hinge side (some models require more) to allow for the door to swing open.

NOTE: This refrigerator is intended for use in a location where the temperature ranges from a minimum of 55°F (13°C) to a maximum of 110°F (43°C). The preferred room temperature range for optimum performance, which reduces electricity usage and provides superior cooling, is between 60°F (15°C) and 90°F. (32°C). It is recommended that you do not install the refrigerator near a heat source, such as an oven or radiator.



#### **KitchenAid**

# FOR THE WAY IT'S MADE. 30" (72.6 cm) and 36" (91.4 cm) Wall-Mount Canopy Range Hood

#### PRODUCT MODEL NUMBERS

KVWB600D

KVWB606D

Electrical: A 120 volt, 60 Hz., AC only, 15-amp, fused electrical circuit is required.

#### **VENTING METHODS**

This canopy range hood is factory set for venting through the roof or through the wall.

A 6" (15.2 cm) round vent system is needed for installation (not included). The hood exhaust opening is 6" (15.2 cm) round.

NOTE: Flexible vent is not recommended. Flexible vent creates back pressure and air turbulence that greatly reduce performance.

Vent system can terminate either through the roof or wall. To vent through a wall, a 90° elbow is needed.

Rear Discharge A 90° elbow may be installed immediately above the hood.

For Non-Vented (Recirculating) Installations
If it is not possible to vent cooking fumes and vapors to the outside, the hood can be used in the non-vented (recirculating) version, using a Recirculation Kit (which includes charcoal filters and a deflector). To order, see the "Assistance or Service" section.

Non-Vented

B. 6" (15.2 cm)

round vent

# **Roof Venting Wall Venting** (Recirculating) B A. Roof cap A. Wall cap A. Diverter

#### **Calculating Vent System Length**

To calculate the length of the system you need, add the equivalent feet (meters) for each vent piece used in the system.

B. 6" (15.2 cm)

round vent


#### **Vent System**

B. 6" (15.2 cm) round vent

Vent Piece	6" (15.2 cm) Round		
45° elbow	2.5 ft (0.8 m)	8	
90° elbow	5.0 ft (1.5 m)		

Maximum equivalent vent length is 35 ft (10.7 m).

#### **Example Vent System**




The following example falls within the maximum recommended vent length of 35 ft (10.7 m).

= 13.0 ft (3.9 m)

1 - 90° elbow = 5.0 ft (1.5 m)1 - wall cap = 0.0 ft (0.0 m)8 ft (2.4 m) straight = 8.0 ft (2.4 m)

#### PRODUCT DIMENSIONS

Length of system




- \*For non-vented (recirculating) installations
- \*\*For vented installations

# PV-148 April 88, 2021



#### **CABINET DIMENSIONS**



\*For non-vented (recirculating) installations

#### **IMPORTANT:**

Minimum distance "X": 24" (61.0 cm) from electric cooking surface.


Minimum distance "X": 27" (68.6 cm) from gas cooking surfaces.

Suggested maximum distance "X": 36" (91.4 cm)

The chimneys can be adjusted for different ceiling heights. See the following chart.

"III	Vented Installations	W-1
	Min. ceiling height	Max. ceiling height
Electric cooking surface	7' 1" (2.16 m)	9' 2" (2.79 m)
Gas cooking surface	7' 4" (2.23 m)	9' 2" (2.79 m)
Non-ve	ented (recirculating) In	stallations
	Min. ceiling height	Max. ceiling height
Electric cooking surface	7' 1" (2.16 m)	9' 6" (2.9 m)
Gas cooking surface	7' 4" (2.23 m)	9' 6" (2.9 m)

<sup>\*</sup>NOTE: The range hood chimneys are adjustable and designed to meet varying ceiling or soffit heights depending on the distance "X" between the bottom of the range hood and the cooking surface. For higher ceilings, a Chimney Extension Kit is available from your dealer or an authorized parts distributor. The chimney extension replaces the chimney shipped with the range hood. To order, see the "Assistance or Service" section.



#### Prepared by

Ken Johnson

kjohnson@appliancecanada.com (416) 785-7083 3102



KFGC506JBK

KFGC506JMB

KFGC506JPA

Misty Blue



Expand your skills with a 36-inch KitchenAid®
Commercial Style Range with 6 burners. This gas range features two versatile 20,000 BTU Ultra
Power™ Dual-Flame Burners with the power and precision needed to successfully sear, simmer, stir-fry and sauté. Even-Heat™ True Convection helps you

Top F	eatures	
Even	Heat™ True Convection	
Two 2	20,000 BTU Ultra Power™ Dual-Flame Burners	
5,000	BTU Simmer & Melt Burner	

achieve more consistent baking and roasting.

## Manuals & Literature:

Dimension Guide



Use and Care Guide Warranty Information

# KitchenAid® 36" Smart Commercial-Style Gas Range with 6 Burners

#### KFGC506JSS

Available Finishes/Colours

KFGC506JAV Matte Avocado

1

KFGC506JIB Ink Blue

KFGC506JMH Matte Milkshake

4 Additional finishes/colours available.

Dimensions	
Height	36
Width	35 7/8
Configuration and Overview	
Fuel Type	Gas
Range Type	Freestanding
Size (IN,inches)	36
LP Convertible	Yes - Kit Included
Exterior	
Door Removable	Yes

Door Removable	Yes
Oven Door	Metal & Glass
Oven Window Size	Large
Handle Type	Towel Bar
Handle Color	Stainless Steel
Handie Material	Metal

Oven Details		
Door Removable	Yes	
Automatic Convection Conversion Temperature Adjust	Yes	

Oven Details	
Power On Indicator Light	Yes
Automatic Shut-Off	Yes
Interior Color	Black
Oven Control Location	Front
Oven Control Type	Knobs
Oven Cooking System	True Convection
Hidden Bake Element	Yes
Broiler Location	Top Center
Oven Light Switch Location	Oven Control
Convection Functions	Bake,Roast
Misc.	
Accessory Relationships	Yes

KitchenAid'

Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

PV-145 April 28, 2001

### **DIMENSIONS**


### COMMERCIAL-STYLE RANGES

#### PRODUCT DIMENSIONS



1 of 30


MODEL#	DUAL-F	m) RANGES FUEL/GAS J/KFGC500J	36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		
Unit of Measurement	in	cm	in	cm	
Overall Width (A)	29 <sup>7</sup> / <sub>6</sub>	75.9	35 <sup>7</sup> / <sub>6</sub>	91.1	
Bullnose Height (B)	2 <sup>3</sup> / <sub>16</sub>	5.6	23/16	5.6	
Control Panel Height (C)	5 <sup>5</sup> /16	13.5	5 <sup>5</sup> /16	13.5	
Door Height (D)	2011/16	52.6	20 <sup>11</sup> / <sub>16</sub>	52.6	
Door Bottom to Handle Top (E)	20	50.8	20	50.8	
Toe-Kick Height (F)	5¹½	14	5½	14	



#### **COMMERCIAL-STYLE RANGES**

#### PRODUCT DIMENSIONS

MODEL#	DUAL-F	m) RANGES UEL/GAS //KFGC500J	36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		
Unit of Measurement	in	cm	in	cm	
Depth with Control Panel Overhang (G)	27³/4	70.5	27³⁄4	70.5	
Depth with Handle (H)	30 <sup>1</sup> / <sub>4</sub>	76.9	301/4	76.9	
Depth with Door Fully Open (I)	46¹⁄₂	118.1	46 <sup>1</sup> / <sub>2</sub>	118.1	



TOP VIEW

PV-145 Apm 28, 2021

#### **DIMENSIONS**


5 of 30

#### **COMMERCIAL-STYLE RANGES**

#### PRODUCT DIMENSIONS

MODEL#	DUAL-FI	m) RANGES UEL/GAS /KFGC500J	36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	cm
Grates Top Height (A)	37³⁄₁6	94.5	37³/s	94.5	37³∕₁6	94.5
Cooking Surface Top Height (B)	36	91.4	36	91.4	36	91.4
Door Top Height (C)	27 <sup>7</sup> /8	70.8	27 <sup>7</sup> /s	70.8	27 <sup>7</sup> /8	70.8
Handle Top Height (D)	27 <sup>1</sup> / <sub>8</sub>	68.9	27½	68.9	27 <sup>1</sup> / <sub>8</sub>	68.9
Toe-Kick Height (E)	6 <sup>5</sup> /8	16.9	65/8	16.9	6 <sup>5</sup> /8	16.9
		OTHER DI	MENSIONS			1
Maximum Feet Extension Height*	1½	3.8	11/2	3.8	11/2	3.8

<sup>\*</sup> IMPORTANT: Minimum height dimensions are at the lowest point of the height adjustment range. When the leveling legs are fully extended, all heights have  $1^{1}/2^{11}$  (3.8 cm) of added height.



SIDE VIEW

IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid<sup>®</sup>

April 28, 2021
PV-145
6 of 30


#### **DIMENSIONS**

#### COMMERCIAL-STYLE RANGES

#### PRODUCT DIMENSIONS

MODEL #	DUAL-FL	n) RANGES JEL/GAS KFGC500J	DUAL-FI	36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		m) RANGES JEL/GAS /KFGC558J
Unit of Measurement	in	cm	in	cm	in	cm
Depth with Door Fully Open (F)	46½	118.1	46 <sup>1</sup> / <sub>2</sub>	118.1	46½	118.1
Depth with Handle (G)	301/4	76.9	30 <sup>1</sup> / <sub>4</sub>	76.9	30 <sup>1</sup> / <sub>4</sub>	76.9
Depth with Control Panel Overhang (H)	27³/ <sub>4</sub>	70.5	27³/₄	70.5	27³/₄	70.5
Depth to Toe-Kick with Door (I)	27	68.6	27	68.6	27	68.6
Depth with Door (J)	27	68.6	27	68.6	27	68.6
		OTHER D	IMENSIONS			
Gas Vent Height (K)*	39	99.1	39	99.1	39	99.1

<sup>\*</sup>Gas Units only: KFGC500J, KFGC506J and KFGC558J.



IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

**KitchenAid** 

PV-145 April 28, 2021


#### **DIMENSIONS**

#### **COMMERCIAL-STYLE RANGES**

#### OPENING/CLEARANCE DIMENSIONS

MODEL#	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	cm
Combustible Area above Cooking Surface Width (min.) (A)	30	76.2	36	91.4	48	121.9
Bottom of Cabinet Height above Cooking Surface (min.) (B)*	42	106.7	58	147.3	58	147.3
Bottom of Cabinet Height above Countertop (min.) (C)	18	45.7	18	45.7	18	45.7
Distance to Fixed Wall or Combustible Material (min.) (D)	12	30.5	12	30.5	. 12	30.5
Opening Width (min.) (E)	30	76.2	36	91.4	48	121.9

<sup>\*</sup> If installing a hood or hood liner above the range, follow the hood or hood liner instructions for dimensional clearances above the cooking surface.



FRONT VIEW

IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

**KitchenAid** 

7 of 30

PV-145 April 28, 2021

8 of 30

#### **DIMENSIONS**


#### **COMMERCIAL-STYLE RANGES**

#### OPENING/CLEARANCE DIMENSIONS

MODEL#	30" (76.2 cm) RANGES DUAL-FUEL/GAS KFDC500J/KFGC500J		36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGE DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	ín	cm	in	cm
Upper Cabinet Depth (max.) (F)	13	33	13	33	13	33
Depth from Wall to Grates (G)*	11/2	3.9	1 <sup>1</sup> / <sub>2</sub>	3.9	11/2	3.9
Depth from Wall to back of Unit**	0	0	0	0	0	0

<sup>\*</sup> If the back wall is constructed of a combustible material and a backsplash is not installed a 71/2" (19.1 cm) minimum clearance is required.

<sup>\*\*</sup> If the back wall is constructed of a combustible material and a backsplash is not installed a 6" (15.2 cm) minimum clearance is required.



SIDE VIEW

IMPORTANT: Dimensional speci cations are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid<sup>®</sup>

N-145 April 25 2021


#### **DIMENSIONS**

### COMMERCIAL-STYLE RANGES


#### GAS REQUIREMENTS

MODEL#	DUAL-F	m) RANGES UEL/GAS //KFGC500J	36" (91.4 cm) RANGES DUAL-FUEL/GAS KFDC506J/KFGC506J		48" (121.9 cm) RANGES DUAL-FUEL/GAS KFDC558J/KFGC558J	
Unit of Measurement	in	cm	in	cm	in	cm
Gas Opening Width (A)	6	15.2	14	35.6	24	61
Gas Opening Height (B)	3	7.6	3	7.6	3	7.6
Gas Opening Depth (C)	5	12.7	5	12.7	5	12.7
Distance from Side Cabinet to Gas Opening (D)	9	22.9	9	22.9	9	22.9
Width to Gas Inlet (E)	12³⁄4	32.4	12³⁄₄	32.4	123/4	32.4

#### RECOMMENDED GAS ZONE




WIDTH TO GAS INLET



NOTE: If you have questions about your gas supply, call a licenced, quali ed service technician.

IMPORTANT: Dimensional speci cations are provided for planning purposes only. Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.





#### **DIMENSIONS**

COMMERCIAL-STYLE RANGES


#### **ELECTRICAL REQUIREMENTS**

MODEL#	DUAL-F	m) RANGES UEL/GAS /KFGC500J	DUAL-F	JEL/GAS DUAL-F		m) RANGES UEL/GAS /KFGC558J
Unit of Measurement	in	cm	in	cm	in	cm
Electrical Zone Width (A)	22	55.9	28	71.1	40	101.6
Electrical Zone Height (B)	15	38.1	15	38.1	15	38.1
Electrical Zone Depth (C)	5	12.7	5	12.7	5	12.7

### ELECTRIC REQUIREMENTS CHECKLIST


- ☐ A 240 V, 60 Hz, fused, grounded circuit is required.
- ☐ For 30" (76.2 cm) and 36" (91.4 cm) ranges, use a 40 A circuit.
- ☐ For 48" (121.9 cm) ranges, use a 50 A circuit.
- ☐ A dedicated circuit is recommended.

#### RECOMMENDED ELECTRICAL ZONE



FRONT VIEW

#### WIDTH TO ELECTRICAL CONDUIT



**BACK VIEW** 

NOTE: If you have questions about your electrical supply, call a licenced, quali ed electrician.

IMPORTANT: Dimensional specifications are provided for planning purposes only.

Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All KitchenAid® appliances are appropriately UL, CUL or CSA approved.

KitchenAid<sup>®</sup>